

THE BEST-BUILT PONTOON AND DECK BOATS THROUGHOUT THE LAND AND WATER

Pontoon and deck boats provide entire families with all the room they need to create lifelong memories together. However, building spacious boats that are also lightweight and maneuverable requires incredible feats of engineering.

At Princecraft we design and redesign everything, and as a result we've developed a reputation for pioneering the latest advances. That's why our styling, comfort and performance set the standards by which everyone else measures fit and finish in aluminum boats.

For nearly 50 years, we have perfected a painstaking manufacturing process whose improvements are not designed to help us build boats faster — but better. A process that demonstrates our relentless desire to make every inch of every pontoon and deck boat the absolute best.

Assembly is done to such incredibly strict tolerances, every model is virtually identical. No other company builds boats this way. Which is why we manufacture the most durable, high-performance boats, with the most stylish and innovative options.

So whether you're cruising, fishing, camping, waterskiing or enjoying a floating picnic aboard a Princecraft Pontoon or Deck Boat, you're doing it in unmatched comfort and style. It's why Princecraft owners are the most satisfied on the water. And why we say, the more you know the better we look.

THE BEST BOATS OFFER THE BEST WARRANTY

As testimony to our ability to craft great boats, we offer Princecraft owners what we believe is the best Protection Plan in the industry. It's essentially your assurance our boats are built every bit as good as we say they are, and covers everything from hulls to canvas enclosures. It's just more peace of mind built into every Princecraft boat.

ALL PRINCECRAFT PONTOON AND DECK BOATS OFFER:

- **Limited lifetime coverage** against defects in material or workmanship for all main riveted/welded hull seams defined as hull sides to bottom chine, transom to hull sides and to bottom, all pontoon main seam welds including pontoon assembly, deck risers, railings and motor mounts.*
- **10-year coverage** on all other deck boat hull aluminum components for defects and material or workmanship.
- **1-year coverage** of component parts manufactured or installed by Princecraft as well as those not manufactured by Princecraft gauges, dash panels, steering components, hardware, pumps, windshields, fuel tanks, etc.
- Limited lifetime coverage to replace any wood floor parts free of charge for materials and a period of 5 years for labor.
- Carpet and vinyl upholstery warranted from failure due to excessive fading or defects in material or workmanship for **5 years**.



• Canvas fabric warranted against excessive loss of color for **5 years** .


*Except for pontoons equipped with Performance Packages which are warranteed for a period of 1 year .

For more details on the best warranty around, see your nearest dealer.

DEEPER AND WIDER DECK BOAT HULLS



Each Princecraft deck boat hull is designed with a wider, deeper-vee hull. This bottom design gives our boats greater load capacity and makes them amazingly stable while underway or idling. In addition, a deeper vee cuts through rough water better — with less pounding. And when you build a boat with a better hull, it can handle the power of larger, faster engines. That's why Princecraft boats hold some of the highest horsepower ratings.



Through years of testing and innovations, our new generation of hull design provides a level of durability and performance unheard of a few years ago. Its genius is a combination of superior design features and our unique fabrication process.

INTEGRATED SIDE PANELS

Our Vacanza deck boats include these fully integrated side panels as opposed to traditional "fencing" – giving our boats sleeker styling and added structural integrity. You get the smooth finish of fiberglass without the extra load. Since fiberglass is up to 50% heavier than aluminum, you get great styling and exceptional performance.



A wider, deeper-vee hull has benefits above and below the surface.

MERCURY ENGINES If only you could wield this much power on land

There's little reason to buy the best aluminum boat if you don't team it with the best engine. Princecraft is proud to package legendary Mercury® and MerCruiser® performance with each model. Whether you want a two or a four stroke, outboard or a stern drive — Mercury Marine provides unmatched quality, reliability and power. From direct-injection two-stroke OptiMax® outboards for low

emissions and fuel efficiency to electronic-fuel-injected four-stroke engines for a greater degree of clean, quiet operation.

We also offer Mercury FourStrokes featuring our exclusive BigFootTM lower units which provide excellent maneuverability at lower speeds and horsepowers — the perfect complement to Princecraft Pontoon Boats. And, of course, Mercury backs all of its engines with the most comprehensive parts availability and service support in the industry.

2003 INDEX

Why Princecraft		2-3
-----------------	--	-----

DECK BOATS	4-17
VACANZA SERIES	6-9
Vacanza 240V I/O, 242V I/O	6-7
Vacanza 210V I/O, 210V O/B	8-9
Vacanza 210V I/O Wake Xpress	14

VENTURA SERIES	.10-	1
Ventura 1901/O, 222V1/O	.10-	1
Ventura 191, 221V	.12-	18

DECK BOAT OPTIONAL EQUIPMENT	5
DECK BOATS TRAILERS, CANVAS AND FEATURES	7

PONTOON BOATS	.18-43	7
VERSAILLES SERIES	.20-2	9
Versailles 22, 22 I/O, 26, 26 I/O	.22-23	3
Versailles 22 SS, 26 SS, 26 SS I/O	.24-2	5
Versailles 26 WK	26-23	7
Versailles 20, 24	28-29	9

VANTAGE	SERIES	.30-35
Vantage 22	L, 24 L	32-33
Vantade 20	ST. 20 L	.34-35

VECTRA SERIES	.36-39
Vectra 161, 181, 181 L, 182, 201 L	.36-37
Vectra 16, 180, 180 L, 200	.38-39

SPORTFISHER SERIES	40-43
Sportfisher 18, 20	40-41
Sportfisher 22, 24	

PONTOON OPTIONAL EQUIPMENT AND TRAILERS44-45 PONTOON FEATURES AND OPTIONS46-47

EVERYTHING YOU NEED IS IN THE PACKAGE, JUST ADD WATER

Princecraft aluminum deck boats offer everything you could want — space and performance. And because fiberglass is up to 50% heavier than aluminum, our deck boats are easier and require less horsepower to trailer. In addition, aluminum boats are much faster out of the hole, and offer greater performance and agility with less marine horsepower.

Plus, aluminum deck boats are maintenance-free, enabling you to beach your boat on sandy or rocky shores without having to retouch your hull finish.

Integrated swim platforms with ladder Pop-up privacy enclosure

PRINCECTAR

Full-length sun deck



Move to the rhythm of the waves. Or crank your favorite music on the weather-protected 120-watt stereo with CD.



A convenient privacy enclosure allows you to prevent frequent trips to shore and stows easily when not in use.

A deluxe helm console is also standard. It features a thermoformed wood-grain panel, state-of-the-art Pilot™ multifunction digital gauge and lighted switches.





There's plenty of room for skis and other gear in the spacious storage compartments.

Roto-Cast furniture bases

Plush upholstery




Ergonomicallydesigned helm station

Built-in fuel system (189 L/50 U.S. gal.)

Smooth side panels

Innovative deeper vee hull design






- 1. A built-in livewell (86 L/23 U.S. gal.) on our 242V model features everything you'll need to keep your catch healthy and alive.
- As beautiful as it is functional, the bow section in our 240V includes two flush-mounted halogen docking lights, built-in anchor storage and telescoping landing ladder.

HOW YOU ARRIVE COMPLETELY ECLIPSES WHEN



You can feel a boat-builder's commitment to engineering in every wave. That's why our deeper-vee hull is so important to your fun on the water. From skiing to fishing, cruising to lounging in the sun, our Vacanza deck boats offer versatility with durability. And they do it all with a sense of style.





VACANZA® 240V & 242V

KEY FEATURES	240 V I/O	242V I/O
MerCruiser® sterndrive engine options available	Std	Std
High performance deep-vee reverse chine hull design	Std	Std
120-watt AM/FM stereo with CD	Std	Std
High-back captain's chair with Roto-Cast seat base and sliding rails	Std	Std
Thickly upholstered furniture with Roto-Cast seat bases	Std	Std
Pop-up privacy enclosure	Std	Std
Integrated swim platform with ladder	Std	Std
Fiberglass bow section with halogen docking lights and beach landing ladder	Std	N/A
Helm with tilt steering and mahogany whe	eel Std	Std
Fully-lit instruments, Pilot™ Multifunctior digital gauge and electric horn	n Std	Std
Galley with sink and portable water tank	Std	Std
Color-coordinated buggy-style bimini top	Std	Std
2 pedestal fishing seats	N/A	Std
34-in. (86 L/23 U.S. gal.) electric-fill, aerated livewel with post overflow, thru-hull drain system and anti-spill covel	N/A r	Std
Lowrance® X-51 fish/depth finder	N/A	Std
24V bow trolling motor plug & receptacle	N/A	Std

SPECIFICATIONS	((
SI LOII IONIIONS	(w/4.3L)	(w/4.3L)
Center line	7.3 m (23'-11")	7.3 m (23'-11")
Beam	2.6 m (101")	2.6 m (101")
Bottom width	2.1 m (83")	2.1 m (83")
Approx. draft	0.8 m (32")	0.8 m (32")
Transom height	0.8 m (32")	0.8 m (32")
No. ribs	21	21
Approx. weight	1448 kg (3192 lb.)	1458 kg (3214 lb.
TRANSPORT CANADA (or *Manufacturer's recommendations)		
Max. H.P. cap.	* 224 kw (300 H.P.)	*224 kw (300 H.P
Max. weight person cap.	* 737 kg (1625 lb.)	* 737 kg (1625 lb
NMMA (USA)		
Max. H.P. cap.	224 kw (300 H.P.)	224 kw (300 H.P.
Max. weight cap.	-737 kg (1625 lb.)	737 kg (1625 lb.)
Max, person cap,	12	12
Max, weight person cap,	737 kg (1625 lb.)	737 kg (1625 lb.)
ALUMINUM THICKNESS		
Bottom	2.8 mm (.110")	2.8 mm (.110")
Side	2.0 mm (.080")	2.0 mm (.080")
BUILT-IN GAS TANK		
(w/in-dash gauge)	189 L (50 U.S. gal.)	189 L (50 U.S. gal

For a complete list of standard and optional equipment, see page 17. Photomontage shows various features and options. Some features shown may not be available on all models.








- 1. Anybody can get in and out of the boat easily with our integrated, rear swim-platform with telescoping ladder.
- Vacanza models feature fully-lit Faria silver dome instrumentation. Including in-dash digital Pilot gauges with speed, clock, water and air temperature, dual timers, trip log, depth sounder and voltmeter.

AN ISLAND OF PERFECTION IN AN IMPERFECT WORLD







210V I/O

210V O/B



KEY FEATURES	210 V 0/B	210V I/O
Available with Mercury® outboard or MerCruiser® sterndrive power	Std	Std
High performance deep-vee reverse chine hull design	Std	Std
Sportboat performance with less horsepower	Std	Std
High-back captain's chair with Roto-Cast seat base and sliding rails	Std	Std
Thickly upholstered furniture with Roto-Cast seat bases	Std	Std
120-watt AM/FM stereo with CD	Std	Std
Pop-up privacy enclosure	Std	Std
Integrated swim platform with ladder	Std	Std
Galley with sink and portable water tank	Std	N/A
Helm with tilt steering and mahogany wheel	Std	Std
Fully-lit instruments, Pilot™ multifunction digital gauge and electric horn	Std	Std
Color-coordinated buggy-style bimini top	Std	Std

SPECIFICATIONS		(w/4.3L)
Center line	6.4 m (20'-11")	6.4 m (20'-11")
Beam	2.6 m (101")	2.6 m (101")
Bottom width	2.1 m (83")	2.1 m (83")
Approx. draft	0.8 m (31")	0.8 m (33")
Transom height	0.5 m (20")	0.8 m (33")
No. ribs	19	19
Approx. weight	939 kg (2070 lb.)	1356 kg (2990 lb.)
TRANSPORT CANADA (or *Manufacturer's recommendations)		
Max. H.P. cap.	* 112 kw (150 H.P.)	* 164 kw (220 H.P.)
Max. weight person cap.	* 624 kg (1375 lb.)	* 624 kg (1375 lb.)
NMMA (USA)		
Max. H.P. cap.	112 kw (150 H.P)	164 kw (220 H.P.)
Max. weight cap.	921 kg (2030 lb.)	624 kg (1375 lb.)
Max, person cap,	10	10
Max, weight person cap,	624 kg (1375 lb.)	624 kg (1375 lb.)
ALUMINUM THICKNESS		
Bottom	2.8 mm (.110")	2.8 mm (.110")
Side	2.0 mm (.080")	2.0 mm (.080")
BUILT-IN GAS TANK		
(w/in-dash gauge)	189 L (50 U.S. gal.)	189 L (50 U.S. gal.)

For a complete list of standard and optional equipment, see page 17. Photomontage shows various features and options. Some features shown may not be available on all models.

VENTURA 222V I/O Shown in Jade Green

PRINCECRAFT

B

PRINCECTIAN





1. Picture yourself relaxing with a book or soaking up the sun on the roomy rear sun deck.

2. The convenient side-boarding gate gives you easy access from a dock — port side on the 190 I/O and both sides on the 222V I/O.

IT'S BETTER FOR YOUR KID'S SMILES THAN THE ORTHODONTIST





Livewell

190 I/O



VENTURA 190 & 222V

KEY FEATURES	190 I/O	222V I/O
MerCruiser® sterndrive engine options available	Std	Std
High performance deep-vee reverse chine hull	N/A	Std
High performance square chine hull design	Std	N/A
Captain's chair with Roto-Cast seat base and sliding rails	Std	Std
Thickly upholstered furniture with Roto-Cast seat bases	Std	Std
50-watt AM/FM stereo with cassette	Std	Std
Rear sun deck	Std	Std
Helm with fully-lit instruments and electric horn	Std	Std
Color-coordinated buggy-style bimini top	Std	Std
2 pedestal fishing seats	N/A	Std
24V trolling motor plug and receptacle	N/A	Std
34-in. (86 L/23 U.S. gal.) electric-fill, aerated livewel with post overflow, thru-hull drain system and anti-spill cover	N/A	Std
Lowrance® X-51 fish/depth finder	N/A	Std
	((

SPECIFICATIONS	(W/8.0L)	(w/4.3L)
Center line	5.8 m (19'-0")	6.8 m (22'-2")
Beam	2.4 m (96")	2.5 m (97")
Bottom width	2.1 m (84")	2.1 m (83")
Approx. draft	0.7 m (29")	0.8 m (32")
Transom height	0.7 m (28")	0.8 m (32")
No. ribs	18	20
Approx. weight	1104 kg (2434 lb.)	1284 kg (2831 lb.)

TRANSPORT CANADA (or *Manufacturer's recommendations)

Max. H.P. cap. * 164 kw (220 H.P.) * 224 kw (300 H.P.) Max. weight person cap. 599 kg (1320 lb.) * 726 kg (1600 lb.) NMMA (USA) * * * Max. H.P. cap. 164 kw (220 H.P.) 224 kw (300 H.P.) Max. weight cap. 599 kg (1320 lb.) 726 kg (1600 lb.) Max. weight cap. 599 kg (1320 lb.) 726 kg (1600 lb.) Max. weight person cap. 10 12 Max. weight person cap. 599 kg (1320 lb.) 726 kg (1600 lb.) ALUMINUM THICKNESS 800 tom 2.8 mm (.110") 2.8 mm (.110") Side 2.0 mm (.080") 2.0 mm (.080") 800 mm (.110") BUILT-IN GAS TANK 150 L (40 U.S. gal.) 189 L (50 U.S. gal.)	•		
NMMA (USA) Max. H.P. cap. 164 kw (220 H.P) 224 kw (300 H.P.) Max. weight cap. 599 kg (1320 lb.) 726 kg (1600 lb.) Max. person cap. 10 12 Max. weight person cap. 599 kg (1320 lb.) 726 kg (1600 lb.) ALUMINUM THICKNESS 726 kg (1600 lb.) 726 kg (1600 lb.) Bottom 2.8 mm (.110") 2.8 mm (.110") Side 2.0 mm (.080") 2.0 mm (.080")	Max. H.P. cap.	* 164 kw (220 H.P.)	* 22.4 kw (300 H.P.)
Max. H.P. cap. 164 kw (220 H.P.) 224 kw (300 H.P.) Max. weight cap. 599 kg (1320 lb.) 726 kg (1600 lb.) Max. person cap. 10 12 Max. weight person cap. 599 kg (1320 lb.) 726 kg (1600 lb.) ALUMINUM THICKNESS 726 kg (1600 lb.) 726 kg (1600 lb.) Bottom 2.8 mm (.110") 2.8 mm (.110") Side 2.0 mm (.080") 2.0 mm (.080")	Max, weight person cap.	599 kg (1320 lb.)	* 726 kg (1600 lb.)
Max. weight cap. 599 kg (1320 lb.) 726 kg (1600 lb.) Max. person cap. 10 12 Max. weight person cap. 599 kg (1320 lb.) 726 kg (1600 lb.) ALUMINUM THICKNESS 590 kg (1320 lb.) 726 kg (1600 lb.) Bottom 2.8 mm (.110") 2.8 mm (.110") Side 2.0 mm (.080") 2.0 mm (.080") BUILT-IN GAS TANK	NMMA (USA)		
Max. person cap. 10 12 Max. weight person cap. 599 kg (1320 lb.) 726 kg (1600 lb.) ALUMINUM THICKNESS 2.8 mm (.110") 2.8 mm (.110") Bottom 2.8 mm (.110") 2.8 mm (.110") Side 2.0 mm (.080") 2.0 mm (.080") BUILT-IN GAS TANK	Max. H.P. cap.	164 kw (220 H.P.)	224 kw (300 H.P.)
Max. weight person cap. 599 kg (1320 lb.) 726 kg (1600 lb.) ALUMINUM THICKNESS Bottom 2.8 mm (.110") 2.8 mm (.110") Side 2.0 mm (.080") 2.0 mm (.080") BUILT-IN GAS TANK	Max, weight cap.	599 kg (1320 lb.)	726 kg (1600 lb.)
ALUMINUM THICKNESS Bottom 2.8 mm (.110") 2.8 mm (.110") Side 2.0 mm (.080") 2.0 mm (.080") BUILT-IN GAS TANK	Max, person cap,	10	12
Bottom 2.8 mm (.110") 2.8 mm (.110") Side 2.0 mm (.080") 2.0 mm (.080") BUILT-IN GAS TANK 2.0 mm (.080") 2.0 mm (.080")	Max, weight person cap.	599 kg (1320 lb.)	726 kg (1600 lb.)
Side 2.0 mm (.080") 2.0 mm (.080") BUILT-IN GAS TANK	ALUMINUM THICKNESS		
BUILT-IN GAS TANK	Bottom	2.8 mm (.110")	2.8 mm (.110")
	Side	2.0 mm (.080")	2.0 mm (.080")
(w/in-dash gauge) 150 L (40 U.S. gal.) 189 L (50 U.S. gal.)	BUILT-IN GAS TANK		
	(w/in-dash gauge)	150 L (40 U.S. gal.)	189 L (50 U.S. gal.)

For a complete list of standard and optional equipment, see page 17. Photomontage shows various features and options. Some features shown may not be available on all models.

11

VENTURA 221V O/B Shown in Islander Blue

FRINCECRAFT

-9

6



 A 34-in. (86 L/23-U.S. gal.) livewell comes with electric fill aeration, special anti-spill cover, post-overflow and thru-hull drain systems. That's a list of features even fish can appreciate.


2. A 7-foot lockable rod storage compartment enables you to keep all of your rods on board and ready to fish.

WHEN YOU GET NOTICED, MAKE SURE IT'S FOR THE RIGHT REASONS



Rod storage compartment Livewell





221V O/B

VENTURA 191 & 221V

KEY FEATURES	191 O/B	221V 0/B
High performance deep-vee reverse chine hull design	N/A	Std
High performance square chine hull design	Std	N/A
Captain's chair with Roto-Cast seat base and sliding rails	Std	Std
Thickly upholstered furniture with Roto-Cast seat bases	Std	Std
4 pedestal fishing seats	Std	Std
24V bow trolling motor plug and receptacle	Std	Std
34-in. (86 L/23 U.S. gal.) electric-fill aerated livewell with post overflow, thru-hull drain system and anti-spill cover	Std	Std
7-foot lockable rod storage compartment	Std	Std
Lowrance® X-51 fish/depth finder	Std	Std
50-watt AM/FM stereo	Std	Std
Helm with fully-lit instruments and electric horn	Std	Std
Color-coordinated birnini top	Std	Std

SPECIFICATIONS

Center line	5.8 m (19'-0")	6.8 m (22'-2")
Beam	2.4 m (96")	2.5 m (97")
Bottom width	2.1 m (84")	2.1 m (83")
Approx. draft	0.7 m (27")	0.8 m (31")
Transom height	0.5 m (20")	0.5 m (20")
No. ribs	18	20
Approx. weight	737 kg (1625 lb.)	880 kg (1939 lb.)
TRANSPORT CANADA		

(or *Manufacturer's recommendations)

Max. H.P. cap.	112 kw (150 H.P.)	* 131 kw (175 H.P.)
Max. weight person cap.	599 kg (1320 lb.)	*746 kg (1645 lb.)
NMMA (USA)		
Max. H.P. cap.	112 kw (150 H.P.)	131 kw (175 H.P.)
Max. weight cap.	896 kg (1975 lb.)	1043 kg (2300 lb.)
Max, person cap,	10	12
Max. weight person cap.	599 kg (1320 lb.)	746 kg (1645 lb.)
ALUMINUM THICKNESS		
Bottom	2.8 mm (.110")	2.8 mm (.110")
Side	2.0 mm (.080")	2.0 mm (.080")
BUILT-IN GAS TANK		
(w/in-dash gauge)	150 L (40 U.S. gal.)	189 L (50 U.S. gal.)

For a complete list of standard and optional equipment, see page 17. Photomontage shows various features and options. Some features shown may not be available on all models.



RINCEC

- 1. The Wake Xpress comes with plenty of storage, including a compartment big enough for your trusty wakeboard.
- This stylish, fiberglass bow section includes two flush mounted halogen docking lights, telescoping beach landing ladder and built-in anchor storage.





VACANZA 210V I/O WAKE XPRESS

VACANZA[®] WAKE XPRESS™

KEY FEATURES 210V I/O WAKE XPRESS

Std Std Std
Std
Std

SPECIFICATIONS

Center line	6.4 m (20'-11")
Beam	2.6 m (101")
Bottom width	2.1 m (83")
Approx. draft	0.8 m (33")
Transom height	0.8 m (33")
No. ribs	19
Approx, weight	1 432 kg (3156 lb
TRANSPORT CANADA	

(W/4.3L)

TRANSPORT CANADA (or *Manufacturer's recommendations)

Max. H.P. cap.	* 164 kw (220 H.P.)
Max, weight person cap.	* 624 kg (1375 lb.)
NMMA (USA)	
Max. H.P. cap.	164 kw (220 H.P.)
Max, weight cap,	624 kg (1375 lb.)
Max, person cap,	10
Max, weight person cap.	624 kg (1375 lb.)
ALUMINUM THICKNESS	
Bottom	2.8 mm (.110")
Side	2.0 mm (.080")
BUILT-IN GAS TANK	
(w/in-dash gauge)	189 L (50 U.S. gal.)

For a complete list of standard and optional equipment, see page 17. Photo montage shows various features and options

OPTIONAL EQUIPMENT



- 1. This 180-watt AM/FM stereo with CD is an option most people can't live without. Listen to all of your favorite music or catch up on the latest weather report.
- These bow lounge cushions convert the boat's bow into a sun lounge, and stow easily when not in use. (Available on all models except Ventura 191)
- 3. The optional pedestal-mount snack table with drink holders is easily stowed and comes in either an oval or rectangle.*
- 4. A chemical marine toilet provides you the added convenience for overnights or weekends aboard. It comes complete with holding tank and pump-out system.*
- 5. On Ventura models, a removable privacy enclosure makes for a handy changing room and stows easily when not in use.
- A tilt-steering wheel allows for easy adjustments from driver to driver, and makes it easier to steer from a standing position. (Ventura models only)
- 7. This vibrant yellow accent graphic can give you and your boat a more sporty, tropical appearance. (Vacanza models only)
- A stainless steel optional ski bar is welded and bolted to the boat's main structure for maximum strength. (Shown on an outboard model)

9. Docking lights come in very handy for early morning or late evening docking maneuvers.

An extra-wide swim platform is the perfect accessory for swimming, skiing, tubing or even fishing from your Ventura boat. (Stern drive models only)

* Available on select models.







Chemical marine toilet



3. Pedestal-mount oval snack table



7. Yellow accent graphic



9. Docking lights







8. Ski bar



10. Swim platform



FEATURES AND OPTIONS

CUSTOM-MATCHED TRAILERS

Because our custom-made deck boat trailers fit your boat's hull precisely, loading and unloading is much easier. Our fenders also feature integrated step pads to make climbing in and out easier while the boat is on its trailer. Our trailers also come with standard swing tongues to help maximize your available storage space. And their heavy-duty design, high load capacity and radial tires give you peace of mind when trailering for any distance.

	DECK BOAT TRAILERS	Ventura 190 Ventura 191	Vacanza 210V	Ventura 221V Ventura 222V Vacanza 240V Vacanza 242V	Ventura 221V Ventura 222V Vacanza 240V Vacanza 242V
	Painted bunk style trailer	•	•	•	•
ES	Single axle w/ brakes	•	•	•	
URE	Tandem axle w/brakes				•
FEAT	Swing tongue	•	•	•	•
E	Carpeted fixed bunks, step pads and load guide	•	•	•	•
	Built-in steps and custom-molded composite fenders	•	•	•	•
R	Bearing protectors, swivel tongue-jack and 2" ball coupler	•	•	•	•
M	Carrying capacity (lb./kg)	3500/1591	3800/1727	3800/1727	5500/2500
N	Factory balanced spoke wheels	•	•	•	•
STANDARD	Radial tire size	ST225/75R15	ST225/75R15	ST225/75R15	ST205/75R14
~	Weight (lb./kg)	827/375	915/415	1003/455	1305/592
~	Deluxe transom tie-downs	0	0	0	0
N	Transom saver motor support bar	0	0	0	0
Ĕ	Spare wheel	ST225/75R15	ST225/75R15	ST225/75R15	ST205/75R14
OPTION	Aluminum Star wheel w/ cap and nuts upgrade exchange (2)	15"	15"	15"	14"
•	Aluminum Star spare wheel excluding cap & nuts (1)	15"	15"	15"	14"

• Standard • Option

A swing tongue is standard on all our deck boat trailers.





DECK BOAT COLOR	JADE GREEN Carpet	PARSLEY GREEN	ISLANDER BLUE	BLACK CARPET	CABERNET RED CARPET	DARK MAUVE Carpet	DARK BLUE
VENTURA	Hunter Green or Antelope	Sage or Antelope	Jasmine or Antelope	Antelope	Corona or Antelope	Antelope	•
VACANZA	Antelope	•	-	Antelope	Antelope	Antelope	Antelope
VACANZA WAKE XPRESS	-		· ·	•	-	•	Antelope

	DECK BOAT FEATURES AND OPTIONS	242V I/O	240V I/O	VACANZA 210V O/B	210V I/O	210V Wake	222V I/O	VEN1 221V	TURA 191	190 I/C
	NMMA & Canadian Coast Guard certified	•	•	•	•	•	•	•	•	•
	5052-H36 marine grade aluminum alloy High gloss Acrythane finish						•			
	High performance chine hull design	Reverse	Reverse	Reverse	Reverse	Reverse	Reverse	Reverse	Square	Square
DECK	Fiberglass bow section with flush mount halogen docking lights, telescoping beach landing ladder and anchor locker Stainless steel fasteners	-	•	-	-	•	•	-	-	-
& DI	Reinforced stainless steel bow eye & 4 chromed cleats (6")	•	•	•	•	•	•	•	•	•
	Pressure treated wood deck covered w/ marine grade carpet	•	•	•	•	•	•	•	•	•
HULL	Padded sun deck Rear boarding access (+ G = w/ gates)	• +G	• +G	• +G	• +G	• +G	• +G	-	-	• +G
	Side gate	2	2	2	1	1	2	2	1	1
	Stainless steel ski tow eye	•	•	-	•	•	•	-	-	•
	Integrated swim platform with three-step telescopic ladder and hand rail Built-in floor cooler/ fish box, under floor ski storage & anchor storage	•	•	•	•	•	•	-	-	-
	Helm console with glove box	-	-	-	-	-	-	-	•	•
	Fiberglass helm console with glove box and integrated cooler	-		-	•	•	•	•	-	-
	Fiberglass helm console with glove box, integrated galley unit incl. sink, faucet and portable water tank Fire extinguisher support (fire extinguisher not included)	•	•	•	-	-	-	-	-	-
	Thermoformed wood grain dash panel w/ lighted switches	•	•	•	•	•	•	•	•	•
	Mahogany steering wheel	•	•	•	•	•	-	-	-	-
	Steering system (PT = Power w / tit wheel, P = Power, HT = Hydraulic w / tilt wheel, NFB = No-Feedback with dual cable) Electric horn	PT	PT	HT	PT	PT	P	NFB	NFB	P
	INSTRUMENTATION :		•			•	•		•	•
3	Pilot™ digital multifunction speedometer providing the following functions : speed, clock,						-	-		-
CONSOLE	water temperature, air temperature, dual timers, trip log, voltmeter and depth sounder Tachometer									
C 01	speedometer	-		-	-	-		•	•	•
	Voltmeter	-	-	-	-	-	•	•	•	•
	Trim gauge Fuel gauge	•	•	•	•	•	•	•	•	•
	Oil gauge	•	•	-	•	•	•	-	-	•
	Temperature gauge	•	•	-	•	•	•	-	-	•
	Switches (F = Fuses, B = Breaker system protection)	B	B	B	B	B	F	F	F	F
	Weather-protected marine grade stereo (CD = 120W AM/FM w/ CD player, C = 50W AM/FM w/cassette) 12V receptacle	CD	CD	CD.	CD.	CD.	C •	C •	C •	C •
	Smoked windscreen (+QR = w/ quick release)	+QR	+QR	+QR	+QR	+QR	+QR	+QR	+QR	+QR
-	Roto-Cast bucket seat captain's chair w/ silding rails Pedestal folding fishing seats/Floor seat bases	2/2	•	•	•	•	2/2	•	• 4/4	•
FURNITURE	Roto-Cast furniture bases	•	•	•	•	•	•	4/4	•	•
LIN	Plush and heavy weight upholstery	•	•	•	•	•	•	•	•	•
UR	Stowage under all lounges Pop-up privacy enclosure	•	•	•	•	•	•	•	•	•
-	Pedestal mount stern removable snack table w/ drink holders	•	•	•	•	•	•	•	•	•
5	24V bow trolling motor plug & receptacle w/ battery tie-downs (2)	•	-	-	-	-	•	•	•	-
FISHING	34" long built-in electric-fill aerated livewell (86 L/ 23 U.S. gal.) w/ post overflow, anti-spill cover and thru-hull drain systems	•	-	-	-	-	•	•	•	-
ISI	7-foot key look rod storage compartment	-	-	-	-	-	-	•	•	
-	Lowrance X-51 fish/depth finder	•	-	-	-	-	•	•	•	-
E C	Stainless steel wakeboard towing tower > Color-coordinated deluxe convertible buggy bimini top	-	-	-	-	•		-	-	-
(HARDWARE UIPMENT)	Anodized stern boarding ladder	-		-	-	-	•	•	•	•
AR IN	Built-in floor fuel system (litre/U.S. gal)	189/50	189/50	189/50	189/50	189/50	189/50	189/50	150/40	150/40
	Large capacity bilge pumps (2) Rathery trav	•	•	•	•	•	3	•	•	•
		•		•	•	•	•	•	•	•
₽ 0	Navigation lights & interior lighting	-					•	•	•	•
a 0	Navigation lights & interior lighting • Cup holders	•	•	•	•			•	• UE	UE
a 0	Navigation lights & interior lighting ⁴ Cup holders Canvas camper enclosure & mooring cover snap fasteners	•	•	•	•	•	• LIF	LIF		
EXTRA & E01	Navigation lights & interior lighting Cup holders Carvas camper enclosure & mooring cover snap fasteners 180 W AM/FM CD player with 6 AM/18 FM tuner and multi-color display Hydraulis steering system w/ tit wheel	•		• • UE -			UE -	UE UE	UE	-
EXTRA & E01	Navigation lights & interior lighting Cup holders Canvas pamper enclosure & mooring cover snap fasteners 180 W AM/FM CD player with 6 AM/18 FM tuner and multi-color display Hydraulis steering system w. tit wheel Console galey conversion (sink, water tank, etc.)	• • UE	• UE -	•	• UE	• UE	UE - o		UE -	-
EXTRA & E01	Navigation lights & interior lighting Coup holders Canvas comper enclosure & mooring cover snap fasteners 180 W AM/FM CD player with 6 AM/18 FM tuner and multi-color display Hydraulic steering system w/ tit wheel Console galey conversion (sink, water tank, etc.) Full width rear swim platform w/ boarding ladder	• • UE - -	• UE	• UE - -	• UE - -	• UE	UE - O UE	UE o	UE - -	- - UE
EXTRA & E01	Navigation lights & interior lighting Cup holders Carvas camper enclosure & mooring cover snap fasteners 180 W AM/FM CD player with 6 AM/18 FM tuner and multi-color display Hydraulis steering system w/ titt wheel Console galey conversion (sink, water tank, etc.) Full width rear swim platform w/ boarding ladder Dooking lights Tit steering mechanism	• • UE	• UE -	•	• UE	• UE	UE - o	UE	UE -	-
EXTRA & E01	Navigation lights & interior lighting Cup holders Canvas camper enclosure & mooring cover snap fasteners 180 W AM/FM CD player with 6 AM/18 FM tuner and multi-color display Hydraulic steering system with tit wheel Console galey conversion (sink, water tank, etc.) Full width rear swim platform w/boarding ladder Docking lights Tilt steering mechanism Chemical tolet wi/ holding tank and pump out (11 L /3 U.S. gal.)	• UE - - - - 0 -	• UE - - - - - 0	• UE - - - - - 0	• UE - - - - - 0	• UE - - - - - 0	UE - UE O UE -	UE o UE UE -	UE - O UE -	- UE O UE
EXTRA & E01	Navigation lights & interior lighting Coup holders Canvas comper enclosure & mooring cover snap fasteners TBO WFAMF/FM CD player with 6 AM/18 FM tuner and multi-color display Hydraulic steering system w/ tilt wheel Console galey conversion (sink, water tank, etc.) Full width rear swim platform w/ boarding ladder Docking lights Tilt steering mechanism Chemical toilet w/ holding tank and pump out (11 L /3 U.S. gal.)	• UE - - - - - 0 UE	• UE - - - - - - - UE	• UE - - - - - - - - - - - - - - - - - -	• UE - - - - - - - 0 UE	• UE - - - - - - - -	UE - UE O UE - -	UE o o UE -	UE - O UE -	- UE O UE -
OPTIONS EXTRA	Navigation lights & interior lighting Coup holders Canvas comper enolosure & mooring cover snap fasteners T80 W AM/FM CD player with 6 AM/18 FM tuner and multi-color display Hydraulic steering system w/ tit wheel Console galey conversion (sink, water tank, etc.) Full width rear swim platform w/ boarding ladder Dooking lights Tilt steering mechanism Chemical tolet w/ holding tank and pump out (11 L /3 U.S. gal.) Yellow graphic accent Mooring cover Full camper enolosure	• UE - - - - 0 -	• UE - - - - - 0	• UE - - - - - 0	• UE - - - - - 0	• UE - - - - - 0	UE - UE O UE -	UE o UE UE -	UE - O UE -	- UE O UE
OPTIONS EXTRA	Navigation lights & interior lighting Cup holders Carvas comper enolosure & mooring cover snap fasteners TBO WFAM/FM CD player with 6 AM/18 FM tuner and multi-color display Hydraulic steering system w/ tilt wheel Console galey conversion (sink, water tank, etc.) Full width rear swm platform w/ boarding ladder Dooking lights Tilt steering mechanism Chemical foliet w/ holding tank and pump out (11 L /3 U.S. gal.) Yellow graphic accent Mooring cover Full camper enclosure Full camper enclosure w/ fishing seat covers	• UE - - - - - - - - - - - - - - - - - -	• - - - - - - - - - - - - - - - - - - -	• - - - - - - - - - - - - - - - - - - -	• - - - - - - - - - - - - - - - - - - -	• UE - - - - - - - - - - - - - - - - - -	UE - UE O UE - - O	UE o UE - - o	UE - - UE - - - -	- UE 0 UE - 0 0
OPTIONS EXTRA	Navigation lights & interior lighting Cup holders Canvas comper enclosure & mooring cover snap fasteners 180 W AM/FM CD player with 6 AM/18 FM tuner and multi-color display Hydraulic steering system w/ tilt wheel Console galley conversion (sink, water tank, etc.) Full wildth rear swim platform w/ boarding ladder Docking lights Tilt steering mechanism Chemical toilet w/ holding tank and pump out (11 L /3 U.S. gal.) Yellow graphic accent Mooring cover Full camper enclosure w/ fishing seat covers Full (2) camper enclosure w/ front cockpit cover	• UE - - - - 0 UE 0 - 2 -	UE UE O UE O O	• UE - - - - 0 UE 0	• UE - - - - 0 UE 0	• UE - - - - - - - - - - - - - - - - - -	UE - 0 UE - - - 2 -	UE 0 - 0 UE - - - 4 -	UE - O UE - - O	- UE 0 UE - 0 0
EXTRA & E01	Navigation lights & interior lighting Cup holders Canvas comper enolosure & mooring cover snap fasteners 180 W AM/FM CD player with 6 AM/18 FM tuner and multi-color display Hydraulic steering system w/ tit wheel Console galey conversion (sink, water tank, etc.) Full width rear swim platform w/ boarding ladder Dooking lights Tilt steering mechanism Chemical tolet w/ holding tank and pump out (11 L /3 U.S. gal.) Yellow graphic accent Mooring cover Full camper enolosure Full camper enolosure w/ fishing seat covers Half (1/2) camper enolosure w/ fishing seat covers	• UE - - - 0 - 0 UE 0 - 2	• - - - - - - - - - - - - - - - - - - -	• - - - - - - - - - - - - - - - - - - -	• - - - - - - - - - - - - - - - - - - -	• UE - - - - - - - - - - - - - - - - - -	UE - UE O UE - - O -	UE 0 - UE - - 0 - 4	UE - - - - - - - - - -	- UE 0 UE - 0 0 0
CANVAS OPTIONS EXTRA	Navigation lights & interior lighting Cup holders Canvas camper enclosure & mooring cover snap fasteners 180 W AM/FM CD player with 6 AM/18 FM tuner and multi-color display Hydraulic steering system w/ tilt wheel Console galey conversion (sink, water tank, etc.) Full width rear swim platform w/ boarding ladder Dooking lights Tilt steering mechanism Chemical toilet w/ holding tank and pump out (11 L /3 U.S. gal.) Yellow graph was accent Mooring dover Full camper enclosure w/ fishing seat covers Haif (1/2) camper enclosure w/ front cockpit cover Haif (1/2) camper enclosure w/ fishing seat covers	• UE - - - - - - - - - - - - 2 - 2	• UE - - - - - - - - - - - - - - - - - -	• UE - - - - - - - - - - - - - - - - - -	• UE - - - - 0 - - - - - - - - - - - - - -	• UE - - - - - - - - - - - - - - - - - -	UE - O UE - - - 2 - 2	UE 0 UE - - 4 - 4	UE - - UE - - - -	- UE 0 UE - 0 0 0 0
CANVAS OPTIONS EXTRA	Navigation lights & interior lighting Cup holders Canvas aomper enolosure & mooring cover snap fasteners 180 W AM/FM CD player with 6 AM/18 FM tuner and multi-color display Hydraulis steering system w/ tilt wheel Console galey conversion (sink, water tank, etc.) Full width rear swim platform w/ boarding ladder Dooking lights Tilt steering mechanism Chemical tolet w/ holding tank and pump out (11 L /3 U.S. gal.) Yellow graphic accent Mooring cover Full camper enolosure w/ fishing seat covers Half (1/2) camper en	• • · · · · · · · · · · · · ·	• UE - - - - - - - - - - - - - - - - - -	• UE - - - - - - - - - - - - - - - - - -	• UE - - - - 0 UE 0 - - 0 - - - - - 0 0 - - 0 0 - - 0 0 -	• UE - - - - - - - - - - - - - - - - - -	UE - - - - - - - - - - - - - - - - - - -	UE 0 - 0 UE - - 4 - 4 - - - - - - - - - - - - -	UE - - - - - - - - - - - - 4	- UE 0 UE - 0 0 0 0 0
OPTIONS EXTRA	Navigation lights & interior lighting Cup holders Canvas camper enclosure & mooring cover snap fasteners 180 W AM/FM CD player with 6 AM/18 FM tuner and multi-color display Hydraulic steering system w/ tilt wheel Console galey conversion (sink, water tank, etc.) Full width rear swim platform w/ boarding ladder Dooking lights Tilt steering mechanism Chemical toilet w/ holding tank and pump out (11 L /3 U.S. gal.) Yellow graph was accent Mooring dover Full camper enclosure w/ fishing seat covers Haif (1/2) camper enclosure w/ front cockpit cover Haif (1/2) camper enclosure w/ fishing seat covers	• UE - - 0 UE 0 - 2 - 2 - - - - - - - - - - - - -	• UE - - - - - - - - - - - - - - - - - -	• UE - - - - - - - - - - - - - - - - - -	• UE - - - - - - - - - - - - - - - - - -	• UE - - - - - - - - - - - - - - - - - -	UE - O UE - - - 2 - 2 - - -	UE 0 - 0 UE - - 4 - 4 - - - - - - - - - - - - -	UE - - - - - - - - - - - - - - - - - - -	- UE 0 UE - 0 0 0 0 - 0 0 - 0 0

CUSTOM-FITTED CANVAS



With a full-camper enclosure your deck boat becomes a cottage. And nobody does canvas enclosures better than Princecraft. Because we bring the same attention to detail to your enclosure as we do the rest of your boat. Complete, easy-to-assemble canvas enclosures are perfect for foul weather and extending your boating season, too.

Color-coordinated to your boat, this double-bimini top design works as a full-length sun shade. Add the front, side and aft curtains and you've got an enclosed shelter. When not in use it stows easily. (Available on the Ventura 190, 221V, 222V and all the Vacanza models.)



Half-camper enclosures allow operation of the boat in foul weather, and can also act as a mooring cover. The cover protects the whole boat from the elements while allowing access to the mid-ship area. (Available on all models except Ventura 191 and Vacanza Wake Xpress)



Custom-fitted mooring covers available on all models keep rain and dew outside and everything dry inside.



Every Princecraft boat is fitted with fasteners for canvas tops at the factory. By using the same precise specs to position the fasteners, your top fits perfectly at every snap. So, there's never a hassle putting it up, taking it down or getting it taken care of should you have a problem.



• Standard • Option UE Upgrade exchange Boat/motor packages are available with Mercury® outboard and Mercury® MerCruiser® sterndrive power.

TRIPLE PONTOON PERFORM

Since Princecraft makes the best-built pontoon boats running, you can choose the optional Performance Package with confidence. The Performance Package offers all the space you want in a pontoon with enhanced speed and performance. You may want to waterski, or simply get across the lake faster. And at increased speeds you'll be glad your Princecraft Pontoon is engineered so well. Our Performance Package includes a third log for greater floatation and engine capacity, under-deck spray shield, lifting strakes and hydraulic steering.

IT'S ALL THE PERMISSION YOU NEED TO LIVE A LITTLE


With the possible exception of cruise ships on the high seas, no vessel ever created promises more fun and togetherness than a pontoon boat. Large enough for all of your family, friends, and their friends, a pontoon boat is an island of great times on your favorite waterway.

And naturally, any experience you want to do with others is better when shared in the best pontoons available. Take the pontoons themselves, what could be more straightforward? Yet we engineer our pontoon logs to offer added security and ride smoother. It's simply one example of our obsessive quest for perfection.

And you can see it in every detail from the flooring to the top enclosure. In every pontoon model that bears the Princecraft name. From our luxurious Versailles models, to our recreational Sportfisher Series, to our versatile Vantage models and affordable Vectras.

OPTIONAL PERFORMANCE PACKAGE	VERSAILLES					VANTAGE	SPORTFISHER	
OFIIONAL FERIORMANCE FACKAGE	26 WK	26 SS	26	24	22 SS	22	24 L	24
Triple pontoon performance package including 3" log, under deck spray shield, hydraulic steering system & lifting strakes	0	o	0	o	o	o	o	0
Approx, weight	1371 kg (3023 lb.)	1389 kg (3062 lb.)	1371 kg (3023 lb.)	1299 kg (2863 lb.)	1184 kg (2610 lb.)	1169 kg (2577 lb.)	1219 kg (2688 lb.)	1242 kg (2737 lb.)
Max. H.P. cap.*	168 kw (225 H.P.)	168 kw (225 H.P.)	168 kw (225 H.P.)	149 kw (200 H.P.)	131 kw (175 H.P.)	131 kw (175 H.P.)	149 kw (200 H.P.)	149 kw (200 H.P.)
Max, weight cap.*	1533 kg (3380 lb.)	1533 kg (3380 lb.)	1533 kg (3380 lb.)	1420 kg (3130 lb.)	1318 kg (2905 lb.)	1318 kg (2905 lb.)	1420 kg (3130 lb.)	1420 kg (3130 lb.)
Max. person cap.*	20	20	20	18	16	16	18	18
Max, weight person cap.*	1236 kg (2725 lb.)	1236 kg (2725 lb.)	1236 kg (2725 lb.)	1126 kg (2475 lb.)	1021 kg (2250 lb.)	1021 kg (2250 lb.)	1126 kg (2475 lb.)	1126 kg (2475 lb.)


* N.M.M.A. (USA)/Manufacturer's recommendations Option



- **1.** A third pontoon log improves the stability and performance and greatly increases the load and power capacities.
- **2.** An under-deck spray shield provides a smoother ride by preventing waves from hitting the cross channels. A lifesaver in rough water.
- **3.** Lifting strakes optimize performance by significantly reducing the surface area of the pontoon logs in the water, especially at higher speeds.


LARGER-DIAMETER PONTOON LOGS

Our pontoon logs are larger in diameter — 23 and 25 inches — and round, not oval, for better floatation, higher load capacity and top-end speed. Special watertight chambers with sealed bulkheads provide added safety.



ENGINE POD

Our V-shaped engine pod keeps your outboard at the optimal running height while its hydrodynamic shape cuts through the water, eliminating the banging common to most other designs.




HELMS AND FURNITURE

In order to let the good times keep rolling, you need to be comfortable. So we take great care in designing ergonomical helms for increased leg room, more comfort and make sure all controls are within easy reach. Seats are designed with wider bases and higher backs for more room and comfort throughout an entire day cruising. We add up to three layers of different foam density, which helps furniture, look more attractive, keep its plush shape and provide you years of comfort.

PULL-OUT BED

On select Versailles models you can choose an optional pull-out sleeper bed. Use it for sunning or overnight, then stow it easily away.





THE MOST LUXURIOUS WAY TO LEAVE CIVILIZATION BEHIND

First class is no longer reserved just for air travel. Our Versailles Series pontoons stand as the crowning achievement to our abilities as boat-builders. Every feature, every nuance is designed for uncompromising comfort, style and dependability. All of which enriches every moment you spend in its plush embrace. Pop-up privacy enclosure

Walk-thru

rear gate with boarding ladder

(129 L/34-U.S. gal.) built-in fuel system

Fully-lit instrumentation with multifunction digital gauge

> 120-watt AM/FM stereo with CD

Ergonomically-designed helm

CALORNAL PROPERTY

20

ender



1 Theory

A Pilot™ multifunction digital gauge gives you speed, clock, water and air temperatures, dual timers, trip log, depth sounder and voltmeter.

A deluxe fiberglass helm console with thermoformed wood-grain dash and mahogany steering wheel is standard on all Versailles models.



seats not only make it easier to move around the pontoon during evening excursions, but they help set a tranquil mood for sunset cruises.

While owning the best luxury pontoon on water will undoubtedly improve your outlook, nothing sets the mood like great music. Listen to a 120-watt AM/FM stereo with CD.

(Available on select models)











Lounge seats with

wider bases and higher backs

Ultra plush luxury upholstery

> Integrated splash shield nose design

Flush-mounted halogen docking lights and

running lights

Performance-enhancing 25"-round logs

Double-wide captain's chair with slide and swivel

Inclined chaise

lounge







1. Imagine how comfortable you'll be riding the waves on our super-plush inclined chaise lounge. Soak up the sun, read or simply admire the scenery.

2. We don't use the words Luxury Pontoon loosely. This console is large enough to serve from and includes a sink. The perks surround you in a Versailles.

FEEL LIKE ROYALTY WITHOUT SUPERMARKET TABLOIDS CHASING AFTER YOU







VERSAILLES[®] 22 & 26

KEY FEATURES	22	22 I/O	26	26 I/O
102-in. wide beam design — widest in its class	Std	Std	Std	Std
25-in. diameter pontoon logs	Std	Std	Std	Std
Triple pontoon w/ underdeck spray shield	N/A	Std	N/A	Std
Large full-featured helm with tilt steering, mahogany wheel and glove box	Std	Std	Std	Std
Sink, cooler and portable water tank in helm	Std	Std	Std	Std
Complete, fully-lit Faria® silver dome instrument package including a Pilot™ multifunction digital gauge and electric horn	Std	Std	Std	Std
Double-wide captain's chair with slide and swivel	Std	Std	Std	Std
Luxurious furniture with Roto-Cast seat bases	Std	Std	Std	Std
Lounge seats with inclined chaise lounge section	Std	Std	Std	Std
120-watt AM/FM stereo with CD	Std	Std	Std	Std
Large pop-up privacy enclosure	Std	Std	Std	Std
Walk-thru rear gate and stern boarding ladder	Std	Std	Std	Std
Rear padded sun deck	Std	Std	Std	Std
Flush-mounted halogen docking lights	Std	Std	Std	Std
Color-coordinated buggy-style bimini top	Std	Std	Std	Std
Three MerCruiser® sterndrive engine options available	N/A	Std	N∕A	Std

SPECIFICATIONS		(w/ 4.8 L - 8 logs)	926. E	(w/ 4.3 L - 3 logs)
Overall length	6.8 m (22'-4")	6.8 m (22'-4")	8.0 m (26'-4")	8.0 m (26'-4")
Deck length	6.8 m (22'-3")	6.8 m (22'-3")	8.0 m (26'-3")	8.0 m (26'-3")
Beam	2.6 m (8'-6")	2.6 m (8'-6")	2.6 m (8'-6")	2.6 m (8'-6")
Pontoon diameter	0.64 m (25")	0.64 m (25")	0.64 m (25")	0.64 m (25")
Pontoon aluminum thickness	2.0 mm (.080")	2.0 mm (.080")	2.0 mm (.080")	2.0 mm (.080")
Approx. weight	892 kg (1967 lb.)	1568 kg (3456 lb.)	1041 kg (2294 lb.)	1757 kg (3874 lb.)
Max. H.P. cap.*	67 kw (90 H.P.)	194 kw (260 H.P.)	86 kw (115 H.P.)	194 kw (260 H.P.)
Max. weight cap.*	1266 kg (2790 lb.)	1020 kg (2250 lb.)	1499 kg (3305 lb.)	1236 kg (2725 lb.)
Max. person cap.*	16	16	20	20
Max. weight person cap.*	1020 kg (2250 lb.)	1020 kg (2250 lb.)	1236 kg (2725 lb.)	1236 kg (2725 lb.)
BUILT-IN GAS TANK				
(w/ in-dash gauge)	129 L (34 U.S. gal.)			
* N M M A (LISA)/Manufacturer's recommen	datione			

* N.M.M.A. (USA)/Manufacturer's recommendations

For a complete list of standard and optional equipment, see pages 46-47. Photomontage shows various features and options. Some features shown may not be available on all models.







1. A removable cup holder constructed of durable Roto-Cast plastic allows you to have access to your beverage wherever you go around the boat.

2. A word of caution. Our deeply cushioned and richly upholstered luxury bow seat is so comfortable, when you sit down you may never want to get back up.


NEVER AGAIN BE LET DOWN **BY YOUR EXPECTATIONS**



VERSAILLES 26 SS Shown in Dark Mauve




Lounge seats are designed with wider bases and higher backs for more comfort throughout an entire day cruising.



26 SS

22 SS



26 SS I/O

VERSAILLES 22 SS & 26 SS

KEY FEATURES	22 SS	26 SS	26 SS I/O
102-in. wide beam design — widest in its class	Std	Std	Std
25-in . diameter pontoon logs	Std	Std	Std
Triple pontoon w/ underdeck spray shield	N/A	N/A	bid
Full-featured helm with tilt steering, mahogany wheel and glove box	Std	Std	Std
Sink, cooler and portable water tank in helm	Std	Std	Std
Complete, fully-lit Faria® silver dome instrument package including a Pilot™ Multifunction digital gauge and electric horn	Std	Std	Std
Double-wide captain's chair with slide and swivel	Std	Std	Std
Luxurious furniture with Roto-Cast seat bases	Std	Std	Std
Lounge seats with inclined chaise lounge section	Std	Std	Std
Two luxury captain's chairs in the bow area	Std	Std	Std
120-watt AM/FM stereo with CD	Std	Std	Std
Pop-up privacy enclosure	Std	Std	Std
Walk-thru rear gate and stern boarding ladder	Std	Std	Std
Rear padded sun deck	Std	Std	Std
Color-coordinated buggy-style bimini top	Std	Std	Std
Three MerCruiser® sterndrive engine options available	N∕A	N/A	Std

SOFCIFICATIONS

SPECIFICATIONS			(w/ 4.3 L - 3 logs)
Overall length	6.8 m (22'-4")	8.0 m (26'-4")	8.0 m (26'-4")
Deck length	6.8 m (22'-3")	8.0 m (26'-3")	8.0 m (26'-3")
Beam	2.6 m (8'-6")	2.6 m (8'-6")	2.6 m (8'-6")
Pontoon diameter	0.64 m (25")	0.64 m (25")	0.64 m (25")
Pontoon aluminum thickness	2.0 mm (.080")	2.0 mm (.080")	2.0 mm (.080")
Approx. weight	907 kg (2000 lb.)	1058 kg (2333 lb.)	1775 kg (3913 lb.)
Max. H.P. cap.*	67 kw (90 H.P)	86 kw (115 H.P.)	194 kw (260 H.P.)
Max. weight cap.*	1266 kg (2790 lb.)	1499 kg (3305 lb.)	1236 kg (2725 lb.)
Max. person cap.*	16	20	20
Max. weight person cap.*	1020 kg (2250 lb.)	1236 kg (2725 lb.)	1236 kg (2725 lb.)
BUILT-IN GAS TANK			
(w/ in-dash gauge)	129 L (34 U.S. gal.)	129 L (34 U.S. gal.)	129 L (34 U.S. gal.)

* N.M.M.A. (USA)/Manufacturer's recommendations

For a complete list of standard and optional equipment, see pages 46-47. Photomontage shows various features and options. Some features shown may not be available on all models.



TRINCECEAST




- 1. A standard privacy enclosure comes with an optional chemical toilet. It's great for overnights or extended weekends. Complete with holding tank and pump-out system.
- A full camper enclosure offers shelter from bad weather or provides a roomy overnight area for camping. An optional privacy kit includes a curtain which divides the full and a statement of the with with enclosure into two rooms complete with curtains for each window.

HOW DOES IT FEEL TO HAVE A 26-FOOT PONTOON TUGGING AT YOUR HEART?





It's not quite a kitchen — but then kitchens don't travel with style. A large fiberglass galley that is both functional and comfortable is standard on the Versailles 26 WK. This galley includes a built-in cooler, a cooler storage compartment, sink, faucet, portable water tank, courtesy light and 12V receptacle.



26 WK (shown w/pull-out bed)

VERSAILLES 26 WK

KEY FEATURES	26 WK
102-in, wide beam design — widest in its class	Std
25-in. diameter pontoon logs	Std
Full-featured helm with tilt steering, mahogany wheel and glove box	Std
Large fiberglass rear galley with sink, cooler and portable water tank	Std
Complete, fully-lit Faria® silver dome instrument package including a Pilot™ Multifunction digital gauge and electric horn	Std
Double-wide captain's chair with slide and swivel	Std
Luxurious furniture with Roto-Cast seat bases	Std
Lounge seats with inclined chaise lounge section	Std
120-watt AM/FM stereo with CD	Std
Pop-up privacy enclosure	Std
Walk-thru rear gate and stern boarding ladder	Std
Rear padded sun deck	Std
Flush-mounted halogen docking lights	Std
Color-coordinated buggy-style bimini top	Std

SPECIFICATIONS

Overall length	8.0 m (26'-4")
Deck length	8.0 m (26'-3")
Beam	2.6 m (8'-6")
Pontoon diameter	0.64 m (25")
Pontoon aluminum thickness	2.0 mm (.080")
Approx. weight	1059 kg (2335 lb.)
Max. H.P. cap.*	86 kw (115 H.P.)
Max. weight cap.*	1499 kg (3305 lb.)
Max.person.cap.*	20
Max. weight person cap.*	1236 kg (2725 lb.)
BUILT-IN GAS TANK	

(w/in-dash gauge) * N.M.M.A. (USA)/Manufacturer's recommendations

129 L (34 U.S. gal.)

For a complete list of standard and optional equipment, see pages 46-47. Photomontage shows various features and options. Some features shown may not be available on all models. 27







- There's no need to motor back to shore for a little privacy. Our privacy enclosure offers plenty of convenience to change into your swimsuit.
- 2. The captain on any ship has earned a degree of rank and privilege. And our double-wide captain's chair with slide and swivel gives your commodore all that and then some.

BUY A VERSAILLES TODAY, OR RISK LAYING AWAKE EVERY NIGHT HEREAFTER







24 (shown w/pull-out bed)

VERSAILLES® 20 & 24

KEY FEATURES	20	24
102-in. wide beam design — widest in its class	Std	Std
25-in. diameter pontoon logs	Std	Std
Full-featured helm with tilt steering and mahogany wheel	Std	Std
Sink, portable water tank and glove box in helm	Std	Std
Complete, fully-lit Faria® silver dome instrument package including a Pilot™ multifunction digital gauge and electric horn	Std	Std
Double-wide captain's chair with slide and swivel	Std	Std
Luxurious furniture with Roto-Cast seat bases	Std	Std
120-watt AM/FM stereo with CD	Std	Std
Pop-up privacy enclosure	Std	Std
Walk-thru rear gate and stern boarding ladder	Std	Std
Full-width, padded rear sun deck	Std	Std
Flush mounted halogen docking lights	Std	Std
Color-coordinated buggy-style bimini top	Std	Std

SPECIFICATIONS

	Overall length	6.2 m (20'-4")	7.4 m (24'-4")
	Deck length	6.2 m (20'-3")	7.4 m (24'-3")
	Beam	2.6 m (8'-6")	2.6 m (8'-6")
	Pontoon diameter	0.64 m (25")	0.64 m (25")
	Pontoon aluminum thickness	2.0 mm (.080")	2.0 mm (.080")
	Approx. weight	852 kg (1879 lb.)	998 kg (2200 lb.)
	Max. H.P. cap.*	67 kw (90 H.P.)	86 kw (115 H.P.)
	Max. weight cap.*	1039 kg (2290 lb.)	1386 kg (3055 lb.)
	Max.person cap.*	13	18
	Max. weight person cap.*	794 kg (1750 lb.)	1123 kg (2475 lb.)
	BUILT-IN GAS TANK		
	(w/in-dash gauge)	129 L (34 U.S. gal.)	129 L (34 U.S. gal.)

* N.M.M.A. (USA)/Manufacturer's recommendations

For a complete list of standard and optional equipment, see pages 46-47. Photomontage shows various features and options. Some features shown may not be available on all models.

THE REASONS TO OWN ONE GO BEYOND LOGIC

Our Vantage Series pontoons — like all Princecraft boats come with enough better-built features and amenities to help make your purchase rational and reasonable. But there's also something that strikes a nerve, something unexplainable that just feels right about making one of our Vantage models the newest member of your family. It's okay, other Princecraft owners understand completely. Rear access gate with boarding ladder

25" round pontoon logs

Ergonomically-designed helm station

PRINCECTAFT

Rear padded sun deck

ender





You'll need plenty of storage for all the people who are sure to want to come along. Our Vantage models offer lots of underseat space.

The ergonomically designed heim features a sport wheel and glove box. Everything is within easy reach for added comfort and safety.



Look at the thickly molded cushioning on our seats. It's all designed for years and years of comfort.

50-watt AM/FM stereo

Complete fully-lit instrumentation

(129 L/34-U.S. gal.) built-in fuel system

Chromed cleats

Lounge seats with wider bases and

higher backs

Soft, plush upholstery

Running lights



31



CURT

PRINC



The Vantage 22 comes with a large privacy enclosure standard, and offers plenty of convenience, whether you want to change clothes as the weather does, or to use the optional head compartment. The chemical toilet is great for overnights or extended weekends and comes complete with a holding tank and pump-out system.

EVEN AT 24 FEET, IT WILL HELP YOU **GET CLOSER TO YOUR FAMILY**







KEY FEATURES	22 L	24 L
25-in. diameter pontoon logs	Std	Std
Full-featured fiberglass helm with sport wheel, glove box and cooler	Std	Std
Complete, fully-lit instrument package and electric horn	Std	Std
Captain's chair with Roto-Cast frame	Std	Std
Plush upholstered furniture with Roto-Cast seat bases	Std	Std
50-watt AM/FM stereo	Std	Std
Walk-thru rear gate and stern boarding ladder	Std	Std
Rear padded sun deck	Std	Std
32 in. extra-wide side gates	N/A	Std
Built-in fuel system (129 L/ 34 U.S. gal.)	Std	Std
Color-coordinated buggy-style bimini top	Std	Std

SPECIFICATIONS

Overall length		6.8 m (22'-4")		7.4 m (24'	4")
Deck length		6.7 m (22'-0")	I .	7.3 m (24-	0")
Beam		2.4 m (8'-0")		2.4 m (8'-0	")
Pontoon diameter		0.64 m (25")		0.64 m (25	")
Pontoon aluminum thi	okness	2.0 mm (.080")	2.0 mm (.08	0")
Approx. weight		817 kg (1800 lb	.) 9	19 kg (2025	lb.)
Max. H.P. cap.*		67 kw (90 H.P.) = (86 kw (115 H	H.P.)
Max. weight cap.*		1266 kg (2790 ll	b.) 1	386 kg (305	5 lb.)
Max.person.cap.*		16		18	
Max, weight person ca	ф.*	1020 kg (2250 ll	b.) 1	123 kg (247	5 lb.)
BUILT-IN GAS TANK	(
(w/ in-dash gauge)		129 L (34 U.S. g	al.) 12	9 L (34 U.S	. gal.)

* N.M.M.A. (USA)/Manufacturer's recommendations

For a complete list of standard and optional equipment, see pages 46-47. Photomontage shows various features and options. Some features shown may not be available on all models.

VANTAGE 20 L Shown in Dark Mauve

0

ø

PRINCECRAFT

DET

24



- An optional privacy enclosure is as easy to pop up as it is to stow away. Presto-chango and you're in your swimsuit or dry clothes.
- Our optional galley conversion allows you to bring many of the conveniences of shore to your sink with a portable water tank and pump system.

WHY LET UNPREDICTABLE THINGS LIKE WEATHER CONTROL YOUR MOODS?





20 L



VANTAGE® 20

KEY FEATURES	20 L	20 ST
25-in. diameter pontoon logs	Std	Std
Full-featured fiberglass helm with sport wheel, glove box a	and cooler Std	Std
Complete, fully-lit instrument and electric horn	: package Std	Std
Captain's chair with Roto-Cas	t frame Std	Std
Plush upholstered furniture with Roto-Cast seat bases	Std	Std
50-watt AM/FM stereo	Std	Std
Walk-thru rear gate and stern	boarding ladder Std	Std
Full-width, rear padded sun d	leck Std	Std
Built-in fuel system (129 L/ 3	34 U.S. gal.) Std	Std
Color-coordinated buggy-sty	rle bimini top 🛛 Std	Std

SPECIFICATIONS

Overall length	6.2 m (20'-4")	6.2 m (20'-4")
Deck length	6.1 m (20'-0")	6.1 m (20'-0")
Beam	2.4 m (8'-0")	2.4 m (8'-0")
Pontoon diameter	0.64 m (25")	0.64 m (25")
Pontoon aluminum thickness	2.0 mm (.080")	2.0 mm (.080")
Approx. weight	787 kg (1734 lb.)	787 kg (1734 lb.)
Max. H.P. cap.*	67 kw (90 H.P.)	67 kw (90 H.P.)
Max. weight cap.*	1039 kg (2290 lb.)	1039 kg (2290 lb.)
Max . person cap .*	13	18
Max. weight person cap.*	794 kg (1750 lb.)	794 kg (1750 lb.)
BUILT-IN GAS TANK		
(w/ in-dash gauge)	129 L (84 U.S. gal.)	129 L (34 U.S. gal.)

* N.M.M.A. (USA)/Manufacturer's recommendations

For a complete list of standard and optional equipment, see pages 46-47. Photomontage shows various features and options. Some features shown may not be available on all models.



PHYSICIANS RECOMMEND PLENTY OF WATER FOR A LONG, HEALTHY LIFE

Whenever some families get near the water, happiness just seems to follow. Our Vectra Series pontoons make the most of every inch and help your family play together. Let the first day of the rest of your life start right now.






1. Our ergonomically-designed console puts everything right at your fingertips, and offers enough legroom to stretch out.

2. This optional removable privacy enclosure provides a handy changing room. When not needed, it can be quickly and easily stowed.



VECTRA 181 L Shown in Parsley Green



VECTRA® 161, 181, 182 & 201 L

KEY FEATURES	161	181/181 L	182	201 L
23-in. diameter pontoon logs	N/A	Std	Std	Std
21-in. diameter pontoon logs	Std	N/A	N/A	N/A
Deluxe-molded helm with sport wheel and glove box	Std	Std	Std	Std
Fully-lit instrument package and electric horn	Std	Std	Std	Std
Captain's chair with Roto-Cast frame	Std	Std	Std	Std
Plush upholstered furniture with Roto-Cast seat bases	Std	Std	Std	Std
50-watt AM/FM stereo	Std	Std	Std	Std
Walk-thru rear gate	Std	Std	Std	Std
Color-coordinated buggy-style bimini top	Std	Std	Std	Std
12V trolling motor plug and receptacle	N/A	N/A	Std	N/A
(39 L/ 10 U.S. gal.) electric-fill, aerated livewell with post overflow, thru- hull drain system and anti-spill cover	N/A	N/A	Std	N/A
2 pedestal-mount fishing seats	N/A	N/A	Std	N/A

SPECIFICATIONS

Overall length	4.9 m (16'-4")	5.6 m (18'-4")	5.6 m (18'-4")	6.2 m (20'-4")
Deck length	4.8 m (16'-0")	5.5 m (18'-0")	5.5 m (18'-0")	6.1 m (20'-0")
Beam	2.4 m (8'-0")	2.4 m (8'-0")	2.4 m (8'-0")	2.4 m (8'-0")
Pontoon diameter	0.5 m (21")	0.58 m (23")	0.58 m (23")	0.58 m (23")
Pontoon aluminum thickness	1.8 mm (.072")	2.0 mm (.080")	2.0 mm (.080")	2.0 mm (.080")
Approx. weight	566 kg (1248 lb.)	650 kg (1433 lb.)	572 kg (1260 lb.)	682 kg (1504 lb.)
Max. H.P. cap.*	** 37 kw (50 H.P.)	** 37 kw (50 H.P.)	** 37 kw (50 H.P.)	52 kw (70 H.P.)
Max. weight cap.*	596 kg (1315 lb.)	853 kg (1880 lb.)	853 kg (1880 lb.)	953 kg (2100 lb.)
Max. person cap.*	7	11	11	12
Max. weight person cap.*	** 408 kg (900 lb.)	** 665 kg (1465 lb.)	** 665 kg (1465 lb.)	737 kg (1625 lb.)
GAS TANK				
W/ hose & bulb	PORTABLE	PORTABLE	PORTABLE	PORTABLE
Optional (Built-in)	(45 L/ 12 U.S. gal.)			
* N.M.M.A. (USA)/Manufacturer's recommendat	ions			

**N.M.M.A. (USA)/Transport Canada

For a complete list of standard and optional equipment, see pages 46-47. Photomontage shows various features and options. Some features shown may not be available on all models.






Everyone knows Princecraft pontoons are better coming and going. And this optional dinette table has a handy reversible seat which doubles as a forward-facing seat.

GET IN TOUCH WITH YOUR INNER ENGINEER



16

180



180 L

200

VECTRA® 16, 180 & 200

KEY FEATURES	16	180/180 L	200
23-in. diameter pontoon logs	N/A	Std	Std
21-in. diameter pontoon logs	Std	N/A	N/A
Deluxe-molded helm with sport wheel and glove box	Std	Std	Std
Fully-lit instrument package and electric horn	N/A	Std	Std
Captain's chair with Roto-Cast frame	N/A	Std	Std
Plush upholstered furniture with Roto-Cast seat bases	N/A	Std	Std
50-watt AM/FM stereo with cassette	Std	Std	Std
Full-width, padded rear sun deck	N/A	Std	Std
Color-coordinated buggy-style bimini top	Std	Std	Std

SPECIFICATIONS			1.1
Overall length	4.9 m (16'-4")	5.6 m (18'-4")	6.2 m (20'-4")
Deck length	4.8 m (16'-0")	5.5 m (18'-0")	6.1 m (20'-0")
Beam	1.8 m (6'-0")	2.4 m (8'-0")	2.4 m (8'-0")
Pontoon diameter	0.5 m (21")	0.58 m (23")	0.58 m (23")
Pontoon aluminum thickness	1.8 mm (.072")	2.0 mm (.080")	2.0 mm (.080")
Approx. weight	421 kg (928 lb.)	658 kg (1450 lb.)	691 kg (1524 lb.)
Max. H.P. cap.*	** 24 kw (30 H.P.)	** 37 kw (50 H.P.)	52 kw (70 H.P.)
Max. weight cap.*	567 kg (1250 lb.)	853 kg (1880 lb.)	953 kg (2100 lb.)
Max . person cap .*	7	11	12
Max. weight person cap.*	** 401 kg (885 lb.)	** 665 kg (1 465 lb.)	737 kg (1625 lb.)
GAS TANK			
W/ hose & bulb	PORTABLE	PORTABLE	PORTABLE
Optional (Built-in)		(45 L/ 12 U.S. gal.)	(45 L/ 12 U.S. gal.)
* N M M A (USA)/Manufacturer's recommen	dations		

**N.M.M.A. (USA)/Transport Canada

For a complete list of standard and optional equipment, see pages 46-47. Photomontage shows various features and options. Some features shown may not be available on all models.

39

AND WOMEN SAY MEN CAN'T COMMIT TO ANYTHING

Fishing from the deck of a well-crafted pontoon is an experience that ranks right up there with 50-yard-line football tickets for most men. With room for all of your gear, and the incredible amount of space it offers each individual. We added some great fishing features and super-comfortable seats to which all guys say yes, yes.





- 1. A 26-in. (39 L/10-U.S. gal.) electric-fill, aerated livewell with post overflow and anti-spill cover is ready and awaiting your catch.
- An optional half-camper enclosure including fishing seat covers — keeps sun or rain out, yet allows plenty of room for fishing in the bow and stern.



📕 Rod storage

Livewell

compartment



18



20

SPORTFISHER™ 18 & 20

KEY FEATURES	18	20
12V trolling motor plug and receptacle	Std	Std
26-in. (39 L/ 10 U.S. gal.) electric-fill, aerated livewell with post overflow	Std	Std
4 pedestal-mounted fishing seats	Std	Std
25-in. diameter pontoon logs	N/A	Std
23-in. diameter pontoon logs	Std	N/A
32-in. extra-wide side gates	Std	Std
Deluxe-molded heim with sport wheel and glove box	Std	Std
Fully-lit instrument package and electric horn	Std	Std
Captain's chair with Roto-Cast frame	Std	Std
Plush upholstered furniture with Roto-Cast seat bases	Std	Std
50-watt AM/FM stereo	Std	Std
Color-coordinated buggy-style bimini top	Std	Std
Lockable rod storage compartment	Std	Std

SPECIFICATIONS

Overall length	5.6 m (18'-4")	6.2 m (20'-4")
Deck length	5.5 m (18'-0")	6.2 m (20'-5")
Beam	2.4 m (8'-0")	2.4 m (8'-0")
Pontoon diameter	0.58 m (23")	0.64 m (25")
Pontoon aluminum thickness	2.0 mm (.080")	2.0 mm (.080")
Approx. weight	632 kg (1394 lb.)	681 kg (1502 lb.)
Max. H.P. cap.*	** 37 kw (50 H.P.)	67 kw (90 H.P.)
Max. weight cap.*	853 kg (1880 lb.)	1039 kg (2290 lb.)
Max . person cap .*	11	13
Max. weight person cap.*	** 665 kg (1465 lb.)	794 kg (1750 lb.)
BUILT-IN GAS TANK	PORTABLE	Built-in
	W/ hose & bulb	68 L (18 U.S. gal.)

* N.M.M.A. (USA)/Manufacturer's recommendations **N.M.M.A. (USA)/Transport Canada

For a complete list of standard and optional equipment, see pages 46-47. Photomontage shows various features and options. Some features shown may not be available on all models.

SPORTFISHER 24 Shown in Parsley Green

MORECIMUT






- Deluxe swivel seats come standard on our Sportfisher models. They provide hours of comfort chasing fish, and fold down when not in use.
- 2. A 7-foot lockable rod storage compartment enables you to keep your rods right where you want them — on your fishing machine.

ADD FISH TO YOUR GUEST LIST EVERY WEEKEND





Our top-of-the-line ultra-plush furniture with Roto-Cast seat bases is standard on all Sportfisher 22 & 24 pontoons. After all, great fishing doesn't require you sacrifice comfort.



24

SPORTFISHER™ 22 & 24

KEY FEATURES	22	24
12V trolling motor plug and receptacle	Std	Std
26-in. (39 L/10 U.S. gal.) electric-fill, aerated livewell with post overflow	Std	Std
7-foot lockable rod storage compartment	Std	Std
4 deluxe swivel-mount, fold-down fishing seats	Std	Std
25-in. diameter pontoon logs	Std	Std
32-in. extra-wide port-side gate	Std	Std
Fiberglass helm with sport wheel, glove box and cooler	Std	Std
Large pop-up privacy enclosure — conveniently located	Std	Std
Complete, fully-lit instrument package and electric horn	Std	Std
Double-wide captain's chair with Roto-Cast frame and sliding rails	Std	Std
Luxurious furniture with Roto-Cast seat bases	Std	Std
50-watt AM/FM stereo	Std	Std
Flush-mounted halogen docking lights	Std	Std
Built-in fuel system (1291/ 34 U.S. gal.)	Std	Std
Color-coordinated buggy-style bimini top	Std	Std

SPECIFICATIONS

Overall length	6.8 m (22'-4")	7.4 m (24'-4")
Deck length	6.8 m (22'-5")	7.4 m (24'-5")
Beam	2.4 m (8'-0")	2.4 m (8'-0")
Pontoon diameter	0.64 m (25")	0.64 m (25")
Pontoon aluminum thickness	2.0 mm (.080")	2.0 mm (.080")
Approx. weight	812 kg (1791 lb.)	941 kg (2074 lb.)
Max. H.P. cap.*	67 kw (90 H.P.)	86 kw (115 H.P.)
Max. weight cap.*	1129 kg (2490 lb.)	1397 kg (3080 lb.)
Max.person cap.*	14	18
Max. weight person cap.*	885 kg (1950 lb.)	1134 kg (2500 lb.)
BUILT-IN GAS TANK		

(w/in-dash gauge) 1
* N.M.M.A. (USA)/Manufacturer's recommendations

129 L (34 U.S. gal.) 129 L (34 U.S. gal.)

For a complete list of standard and optional equipment, see pages 46-47. Photomontage shows various features and options. Some features shown may not be available on all models.

22

OPTIONAL EQUIPMENT

1. A bow gate seat can convert your bow seating into a U-shaped lounge

3. Bow sun cushions fold out to form a spacious lounge, and stow easily when

4. Listening to a 180-watt AM/FM stereo with CD only makes the enjoyment of

6. A removable gate privacy enclosure provides a quick and easy changing room

5. On select models an optional chemical toilet is great for overnights or extended weekends. Complete with holding tank and pump-out system.*

7. A deluxe captain's chair features pull-up armrests for easy access.

8. A waterski tow bar helps add to the fun and keeps the tow line away

9. Downrigger mounting brackets provide for clean, professional installation

10. Docking lights are perfect for early morning or evening dock maneuvers.*

12. A bow-mounted grill is a great option to extend your hours on the water. And you've never had fish as fresh.*

13. Two pedestal-mount snack tables are available complete with drink holders. The smaller oval design or a larger rectangle design is easy to stow

14. A rectangular bow refreshment table comes with a sliding top that opens to a

17. This spacious pull-out sleeper bed folds out to form a roomy overnight lounge,

15. A four-step, folding boarding ladder mounts to fittings on either side

16. A flip-flop seat accompanies our dinette table and doubles as

then retracts easily when it's time to get underway.*

2. Know what's going on down there with a state-of-the-art Lowrance X-51 fish/depth finder.*

for added seating and style."

in the middle of anywhere.*

from the engine.*

when not in use.*

convenient cooler.*

of your pontoon.

a forward-facing seat."

*Available on select models.

44

your pontoon better with every song.

(Upgrade exchange - all Versailles models)*

of downriggers. (Available on Sportfisher models)

11. Tilt steering allows the driver to adjust the wheel to make getting in and out, and driving while standing easier.*

not in use.*




1. Bow gate seat*





6. Privacy enclosure*







13. Bow rectangular table*



17. Pull-out sleeper bed*







7. Captain's chair*



11. Tilt steering*



14. Refreshment table*



12. Bow-mounted grill*



15. Side ladder





8. Waterski tow bar*





9. Downrigger brackets

5. Chemical toilet*



13. Bow oval table*



16. Flip-flop seat and table*













FEATURES AND OPTIONS

WE OFFER THREE TRAILER DESIGNS TO FIT YOUR PONTOON AND YOUR NEEDS



1. Galvanized bunk-style trailer



2. Galvanized scissor-lift trailer



3. Painted bunk-style drive-on trailer

	PONTOON TRAILERS	Vectra 16	161/180/ 181/182 Sportfisher 18	Vantage 20/22 Sportfisher 20/22	Versailles 20/22	Vantage 24 Sportfisher 24	Versailles 24/26
-	Single axle	•	•	-	-	-	-
LONAL PAINTED STYLE	Carpeted fixed bunk	•	•	-	-	-	-
	Bearing protectors, swivel tongue jack and 2" ball coupler	•	•	-	-	-	-
INT	Carrying capacity (lb./kg)	1800/816	2500/1136	-	-	-	-
S PIO	Factor y-balanced wheel	•	•	-	-	-	-
OPTI CUSTOM BUNK	Tire size	20.5 x 8 x 10"	20.5 x 8 x 10"	-	-	-	-
0 LB	Weight (lb./kg)	450/204	527/239	-	-	-	-
Ë	(for 18 - foot boats, 96" wide)	-	•	-	-	-	-
g	(for 16 - foot boats, 72" wide)	•	-	-	-	-	-
NIZED R-LIFT	Galvanized tandem axle soissor-lift style	-	-	•	•	•	•
1,82	Swivel tongue jack	-	-	•	•	•	•
E Z I	Brakes	-	-	-	-	•	•
ON H	Carrying capacity (lb./kg)	-	-	2800/1273	2800/1273	3500/1591	3500/1591
OPTIONAL GALVANIZED SCISSOR-LIFT	Tire size	-	-	5.30 x 12"	5.30 x 12"	5.30 x 12"	5.30 x 12"
I de la se	Weight (lb./kg)	-	-	646/293	646/293	743/337	743/337
SC G	(for 20 & 22 - foot boats, 96" & 102" wide)	-	-	•	•	-	-
CALVI SCISSO	(for 24 & 26 - foot boats, 96" & 102" wide)	-	-	-	-	•	•
2	Galvanized tandem axle bunk support style	-	-	•	•	•	•
0 H	Brakes	-	-	•	•	•	•
	Swivel tongue jack	-	-	•	•	•	•
OPTIONAL GALVANIZED BUNK STYLE	Carrying capacity (lb./kg)	-	-	3200/1454	3200/1454	3200/1454	3200/1454
1 ES	Tire size	-	-	20.5 x 8 x 10"	20.5 x 8 x 10"	20.5 x 8 x 10°	20.5 x 8 x 10
LUN	Weight (lb./kg)	-	-	957/434	996/452	957/434	996/452
0 <u>5</u> <u>8</u>	(for 20, 22 & 24 - foot boats, 96" wide)	-	-	•	-	•	-
	(for 20 & 22 - foot boats, 102" wide)	-	-	-	•	-	-
	(for 24 & 26 - foot boats, 102" wide)	-	-	-	-	-	•
NS	Deluxe transom tie-downs	0	0	0	0	0	0
IO	10" galvanized spare wheel	-	-	0	0	0	0
OPTIONS	12" galvanized spare wheel	-	-	0	0	0	0
0	10" painted spare wheel	0	0	-	-	-	-

Vectra 200/201

Standard Option

 Galvanized bunk-style trailers are a tandem axle design, with brakes included standard, and have greater load capacity than most other designs (3,200 lb.). Designed for long distance trailering, they make transporting and launching your boat more convenient and reliable. They are available in three sizes: one for 20, 22 & 24-foot models, 96-in. wide, one for 20 & 22-foot models, 102-in. wide and one for 24 & 26-foot models, 102-in. wide.

2. Galvanized scissor-lift trailers have a 3,500 lb. capacity and make easy work of launching and loading your boat between seasons. Its specially-engineered scissor design allows you to pick up your pontoon from the water or ground level for seasonal storage. Also available in two tandem-axle sizes: one for 20 & 22-foot models, and the other — with standard brakes — fits 24 & 26-foot models.

3. Painted bunk-style drive-on trailers are available for 16 and 18-foot pontoon models. They come standard with single axles.

PONTOONS COLOR	JADE GREEN CARPET	PARSLEY GREEN	ISLANDER BLUE CARPET	BLACK CARPET	CABERNET RED CARPET	DARK MAUVE Carpet
VECTRA AND SPORTFISHER 18/20	Hunter Green	Sage	Jasmine	Antelope	Corona	Antelope
SPORTFISHER 22/24	Hunter Green or Antelope	Sage or Antelope	Jasmine or Antelope	Antelope	Corona or Antelope	Antelope
VANTAGE 20/22/24	Hunter Green or Antelope	Sage or Antelope	Jasmine or Antelope	Antelope	Corona or Antelope	Antelope
VERSAILLES 20/22/24/26	Antelope "Infinity Collection"	Antelope "Infinity Collection"	Antelope "Infinity Collection"	 Antelope "Infinity Collection"	Antelope "Infinity Collection"	Antelope "Infinity Collection"

	PONTOON FEATURES						AILLES							TAGE						VECTRA							TFISHER	
		26 WK	26 SS	26 SS I/O	26	26 I/O	24	22 SS	22	22 I/O	20	24 L	22 L	20 ST	20 L	201 L	200	182	181	181 L	180	180 L	161	16	24	22	20	18
	NMMA & Canadian Coast Guard certified 5052-H36 marine grade aluminum alloy	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
	Stainless steel fasteners	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
	Sealed pontoon bulkheads w/top mounted air plug (21", 23" & 25" dia.)	25	25	25	25	25	25	25	25	25	25	25	25	25	25	23	23	23	23	23	23	23	21	21	25	25	25	23
	Triple pontoon w/ under deck spray shield Aluminum engine pod (V = V-shaped)	•V	•V	•	•V	•	- •V	•V	•V	•	•V	- •V	•\/	•V	•V	•\	•V	•V	- •V	- •\/	- •V	- •V	•\	-	- •V	•\/	- •V	- •V
DECK	Full-length extruded aluminum pontoon keels	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
& DI	Full-length pontoon skirting	•	•	•	•	•	•	•	•	•	•	•	•	•	•	-	-	-	-	-	-	-	-	-	•	•	•	-
HULL	Heavy-duty extruded Z-aluminum cross channels	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
B	1 1/4" anodized aluminum rails Pressure-treated wood deck (3/4") covered w/ marine grade carpet (16 oz.)	•	•	•		•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•		•	•	•	•
	Reinforced stainless steel bow eye	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
	Side gates (in.)	24	24	24	24	24	32	24	24	24	24	32	24	24	24	27	27	24	24	24	24	24	21	32	24/32	32	32	32
	Rear padded sun deok Walk-thru rear gate	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	-	•	•	•	-	-	•	•	-	-
	C = chromed deck cleats (6"), M = mooring eyes	•4C	•4C	•4C	•4C	•4C	•4C	•4C	•4C	•4C	•4C	•4C	•4C	•4C	•4C	•4C	•4C	•4C	•4C	•4C	•4C	•4C	•4C	•4M	•2C •2M	•2C •2M	•4M	•4M
	Large fiberglass helm console w/ glove box and cooler	-	•	•	•	•	-	•	•	•	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Fiberglass helm console ($\mathbf{G} = w/glove box$, $\mathbf{GC} = w/glove box$ and integrated cooler)	•GC	-	-	-	-	•G	-	-	•	•G	•GC	•GC	•GC	•GC		-	-	-	-	-	-	-	-	•GC	•GC	-	-
	Integrated galley unit incl. sink, faucet and portable water tank Helm console w/ sport steering wheel and glove box	-	•	•	•	•	•	•	•	•	•	•	•	-	-	•	•	•	-	•	-	•	•	•	•	•	•	•
	Thermoformed woodgrain dash panel w/ lighted switches	•	•	•	•	•	•	•	•	•	•	•	•	•	•		-		-					-	•	•	-	
	Deluxe plastic molded dash panel (L = w/ lighted switches, R = w/switches)	-	-	-	-	-	-	-	-	•	-	-	-	-	-	۰L	۰L	۰L	۰L	۰L	۰L	۰L	۰L	•R	-	-	۰L	۰L
	Mahogany steering wheel	•	•	•	•	•	•	•	•	•	•	•	•	-	-		-	•	-	•		•	•	-		-	-	-
	Power steering INSTRUMENTATION	•	-	•	-	•	-	-	•	•	•	-	-	-	-	-	-	•	-	-	-	-	-	-	-	-	-	-
	Pilot™ multifunction digital gauge providing: speed, clock, water temperature, air temperature, dual timers,	•	•	•	•	•	•	•	•	•	•	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OLE	trip log, voltmeter and depth sounder*																											
CONSOLE	Tachometer Secondameter	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	-	•	•	•	•
5	Speedome ter Voltmeter		-	-	•	-	-	-						•	•	•	•	•	•	•	•	•	•	-			•	•
	Trim gauge	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	-	•	•	•	•
	Fuel gauge	•	•	•	•	•	•	•	•	•	•	•	•	•	•	-	-		-	-				-	•	•	•	-
	Oil & Temperature gauges Tilt steering mechanism	-	-	•	-	•	-	-	•	•	-	-	•	-	-	-	-	-	-	•	•	-	-	-	-	-	-	-
	Weather-protected marine grade stereo (CD = 120W AM/FM w/ CD player & C = 50W AM/FM w/cassette)	CD	CD	CD	CD	CD	CD	CD	CD	CD	CD	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C
	Electric horn	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	-	•	•	•	•
	12 V receptable	•	•	•	•	•	•	•	•	•	•QR	• •QR	•	•	•	-	-	-	-	-	-	-	-	-	•	•	-	-
	Smoked windscreen (QR = with quick release) Fire extinguisher support (fire extinguisher not included)	•QR	•QR -	•QR	•QR	•QR	•QR	•QR	•QR	•QR	•UK	•UK	•QR	•QR	•QR	•	•	•	•	•	•				•QR	•QR	•	•
	Plush and heavy weight upholstery (U = Ultra plush)	•U	•U	•U	•U	•U	•U	•U	۰U	•U	۰U	•	•	•	•	•	•	•	•	•	•	•	٠	•	•U	•U	•	•
	Roto-Cast furniture bases (B =and backs)	•B	۰B	•B	•B	۰B	•B	•B	۰B	•B	۰B	۰B	•B	•B	۰B	•	•	•	•	•	•	•	•	-	•B	•B	•	•
	Roto-Cast bucket seat captain's chair Double-wide captain's chair (R = w/ sliding rails, S = w/slide and swivel)	•S	•S	- •S	•S	•S	- •S	- •S	•S	- •S	•S	•	•	•	•	•	•	•	•	•	•	•	•	-	- •R	- •R	•	•
URI	Luxury captain's chairs in the bow area	-	2	2	-	-	-	2	-	-	-	•	•	-	-		-	-	-	-		-		-	-	-	-	•
III	Swivel folding fishing seats & floor bases	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	4	4	4	4
FURNITURE	Chaise lounges Stowarde under all lounges	2	3	3	2	2	2	1	1	1	1	2	•	•	•	•	-	-	•	•	-	-	-	•	-	1	-	-
	Stowage under all lounges Dinette table and flip-flop seat						-							•				•									-	
	Large fiberglass rear galley with sink, cooler and portable water tank	•	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Pedestal mount stern removable snack table w/ drink holder	•	٠	•	•	•	•	•	•	•	•	•	•	-	•		-	-	-	-		•		-	•	•	•	-
ING	26" long built-in electric-fill aerated livewell (39 l/ 10 U.S. gal.) w/ post overflow and anti-spill cover Rod storage compartment	-	-	-	-	-	-	-	•	•	-	-	•	-	-	•	-	•	-	-	-	-	-	-	•	•	•	•
FISHING	7-foot key lock rod storage compartment	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	•	•	-	-
-	12V bow trolling motor plug and receptacle w/battery tie-down	-	-	-	-	-	-	-	•	-		-	-	-			-	•	-	-		•		-	•	•	•	•
	Color-coordinated deluxe convertible buggy bimini top (72", 92" or 120") Canvas camper enclosure & mooring cover snap fasteners	120	120	120	120	120	120	92	92	92	92	120	92	92	92	92	92 •	92	92	92	92	92	92	•	120	92	92	92
	Pop-up privacy enclosure (L = large)	•L	•L	•L	•L	•L	•	•	•L	•	•		•[-	-	-	-	-	-		-	-	-	-	•L	•L	-	-
	Anodized stern boarding ladder	•	•	•	•	•	•	•	•	•	•	•	•	•	•	-	-	-	-		-	-	-	-	-	-	-	-
~	Cup holders	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
OTHER	Molded corner light housings Docking lights (R = regular, H = flush mount halogen lights)	• H	• H	• H	• H	• H	• H	• H	• H	•	• H	•	•	•	•	•	•	•	•	•	•	•	•	-	• H	• H	•	-
0	Navigation lights	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
	Interior lighting	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	-	•	•	•	•
	Transducer & speedo pick-up mounting bracket Battery tray	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	2	•	•	•
	battery vay Built-in fuel system w/in-dash gauge (litre/U.S. gal.)				1 129/34			1 129/34						1 129/34	1 129/34	-	-	2	1	-	1	-	-	1		2 129/34		2

Standard O Option
 UE Upgrade exchange
 * With programmable keel offset and shallow and deep water alarms.
Boat/motor packages are available with Mercury® outboard and Mercury® MerCruise® sterndrive power.

STANDARD FEATURES

	DANMAAN ADDIANG					VERS	AILLES						VAN	TAGE						VECTRA						SPOR	TFISHER	
	PONTOON OPTIONS	26 WK	26 SS	26 SS I/O	26	26 I/O	24	22 SS	22	22 I/O	20	24 L	22 L	20 ST	20 L	201 L	200	182	181	181 L	180	180 L	161	16	24	22	20	18
	180 W AM/FM CD player with 6 AM/18 FM tuner and multi-color display	UE		UE	UE	UE	UE																					
~	Triple pontoon performance package incl. 3" log, under deck spray shield, hydraulic steering system & lifting strakes (for O/B version only)	0	0	-	0		0	0	0		-	ο	-	-	•		-	-	-	-	-	-	-	-	0	-		-
NO	Triple pontoon w/ under deck spray shield (for O/B version only)	0	0	-	0		0	0	0	-	-	0	-	-	-	-	•	•	•	•	-	-	-	-	0	- ·	-	-
E	Under-deck spray shield	0	0	-	0	-	0	0	0	-	0	0	0	0	0	-	-	-	-	-	-	-	-	-	0	-	-	-
6	Lifting strakes (for triple pontoon only)	0	0	0	0	0	0	0	0	0	-	0	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	
	Hydraulic steering system w/ tilt wheel (available w/ triple pontoon performance package only, O/B version)	0	0	-	0	-	0	0	0	-	-	0	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-
ALLED & DECK	Tilt steering mechanism	-	-	-	-	-	-	-	-	-	-	UE	UE															
3	Console galley conversion (sink, water tank, etc.)	-	-	-	-	-	-	-	-	-	-	0	0	0	0	-	-	-	-	-	-	-	-	-	0	0	-	-
	Port seating group w/ pedestal mount snack table	-	-	-	UE	UE	UE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	- I	-	-
T S N I	Dinette table & flip flop seat w/ cooler	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	0	-	0	-	-	-	-	-	-	-
	Chemical toilet w/ holding tank and pump out (11 L/ 3 U.S. gal.)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	0	-	-	-	0	0	-	-	0	0	-	-
ORI	Docking lights (R=regular, H=flush mount halogen lights)	-	-	-	-	-	-	-	-	-	-	Н	Н	Н	Н	Н	Н	R	Н	Н	Н	Н	R	R	-	-	R	R
2	Raised rail upgrade	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	0	0	0	0
BC	Built-in fuel system w/ in-dash gauge	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	0	0	0	0	0	0	0	-	-	-	-	-
-	Composite deck	UE	-	UE	UE	UE	UE																					
	Deluxe captain's chair with pull up armrests	UE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-									
	Bow pull out sleeper bed conversion	UE		-	UE	UE	UE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	(· · ·	-	-
	Full camper enclosure (F = w/ fishing seat covers)	0**	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0 (4F)	· ·	-	-
S	Half (1/2) camper enclosure (CC = w/front cockpit cover F = w/fishing seat covers)	-		-	-	-	o (CC)	-	-	-	0 (CC)	o (CC)	o (CC)	0 (CC)	0 (CC)	0 (CC)	0 (CC)	-	0 (CC)	o (CC)	o (CC)	o (CC)	-	-		0 (4F)	0 (4F)	0 (4F)
0 NS TOPS	Mooring cover	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Ê	Conversion kit for half camper encl. into a full camper encl.	-		-	-	-	0	-	-	-	0	0	0	0	0	0	0	-	0	0	0	0	-	-	0	(· · ·)	-	-
	Bow lounge sun cushions	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-	-	-	-	-	-	-	-	0	-	-	-
	Bow gate seat	0		-	0	0	0	-	0	0	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	(· · ·	-	-
9	Privacy enclosure (P = Regular, R = removable)	-	-	-	-	-	-	-	-	-	-	0 (P)	-	0 (P)	0 (P)	• (R)	• (P, R)	0 (R)	0 (R)	0 (R)	0 (P, R)	0 (P, R)	0 (R)	0 (R)	-	-	0 (R)	0 (R)
3	Deck mount barbecue (BBQ) gas grill	0	-	-	0	0	0	-	0	0	0	0	0	0	0	0	0	-	0	0	0	0	-	-	-	- I	-	-
Ĩ.	Pedestal mount bow removable snack table w/ drink holders (ov = oval, r = rectangular)	⊃ (ov, r)	0 (ov, r)	0 (ov, r)	0 (ov, r)	0 (0V, r)	0 (ov, r)	0 (ov, r)	0 (0V, r)	0 (0V, r)	0 (0V, r)	0 (ov, r)	0 (0V, r)	0 (0V, r)	0 (ov, r)	0 (0V, r)	0 (ov, r)	0 (0V, r)	0 (0V, r)	0 (0V, r)	0 (0V, r)	0 (ov, r)	0 (0V, r)	0 (ov, r				
INS' HER	Pedestal mount stern removable snack table w/ drink holders	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	0	-	0	-	-	-	- 1	-	0
	Bow refreshment table w/ sliding top & cooler	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-	0	-	-	-
	Waterski tow bar	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-	-	•	-	-	-	-	-	-	-	-	-
ALE	4-step side folding boarding ladder	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
8	Anodized stern boarding ladder	-	-	-	-	•	•	-	•	-	-	•	•	•	-	0	-	0	0	0	•	•	0	-	-	-	•	-
-	Downrigger mounting brackets	-	-	-	-	•	-	-	-	-	-	•	-	-	-	-	-	-	•	-	-	-	-	-	0	0	0	0
	Lowrance® X-51 fish/depth finder	-		-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	-	-	-	0	0	0	0

• Option UE Upgrade exchange ** A full camper enclosure with privacy curtains is also offered with the Versailles 26 WK Boat/motor packages are available with Mercury® outboard and Mercury® MerCruiser® stemdrive power.

VECTRA 182

SUGGESTED MOTOR GUIDE® OPTIONAL BOW MOUNT FOOT CONTROL TROLLING MOTORS

9BE21BAAF (12V - rack & pinion steering - 5 speed control - 36" shaft - 46 lb. thrust) 9BD31EAAF (12V - rack & pinion steering - 5 speed control - 42" shaft - 54 lb. thrust)

CUSTOM-FITTED CANVAS

Complete, easy-to-assemble canvas enclosures are perfect for foul weather and extending your boating season, too. And nobody does canvas enclosures better than Princecraft. Because we bring the same attention to detail to your enclosure as we do the rest of your boat.





SPORTFISHER

18, 20, 22 & 24

1. Half-camper enclosures allow operation of the boat in foul weather, and can also act as a mooring cover. The cover protects the whole pontoon from the elements while allowing access to the mid-ship area. (Available on all models except Versailles 22 and 26, Vectra 16, 161 and 182)

2. Custom-fitted mooring covers available on all models keep rain and dew outside and everything dry inside.



Color-coordinated to your boat, this double-bimini top design works as a full-length sun shade. Add the front, side and aft curtains and you've got an enclosed shelter. When not in use it stows easily. (Available on all pontoon models except Sportfisher 18, 20 and 22)







PONTOON BOATS

DECK BOATS

To find the name of the Princecraft dealer nearest you, call 1-800-395-8858 or visit our web site at : **www.princecraft.com**

DREAMS, EXPRESSED IN ALUMINUM

For nearly 50 years, we've fulfilled our vision to design, build and back the best aluminum boats available. And the discerning people who buy our boats, pontoon and deck boats walk into our dealerships with their own dreams. Of big fish, beautiful scenery and worry-free weekends. Of unparalleled family experiences and more enjoyable lifestyles. We never forget what's riding on your purchase of a boat, and promise to live up to your expectations in every boat that bears the Princecraft name.





Princecraft factory packaged boats are available with various horsepower Mercury[®] outboards or MerCruiser[®] inboard-outboard engines.



In Canada: Princecraft Boats Inc., A subsidiary of Brunswick International Limited 725 Saint-Henri Street, Princeville (Quebec) G6L 5C2, Phone: (819) 364-5581, Fax: (819) 364-5821

In the United States: Princecraft U.S., A division of Brunswick Corporation 2600 Sea Ray Blvd, Building #2, Knoxville, TN 37914, Phone: (865) 522-4181, Fax: (865) 971-6456

Special thanks to : Abu Garcia, Berkley, Fenwick, Mercury® Marine, Scotty, Shimano

PLEASE READ CAREFULLY: Dimensions, capacities, ratings, and additional specifications, plus complete warranty and service information, are available from your Princecraft dealer. Product illustrations and data within this catalog are based upon information available at the time of publication. Not all accessories shown in pictures or described herein are standard equipment or even available as options. Specification measurements are approximations and subject to variance. Because Princecraft is dedicated to constant product improvements, Princecraft reserves the right to make changes without prior notice or obligation. Not all model year boats may contain all of the features or meet the specifications described herein. Ask your Princecraft dealer for the most current product specifications prior to purchase. Some of the equipment shown separately or on products inlustrated in this catalog may be optional at extra cost.

Princecraft is a member in good standing of the National Marine Manufacturers Association (NMMA) and the Canadian Marine Manufacturers Association (CMMA). All boats comply with Canadian Coast Guard and U.S. Coast Guard regulations. All Princecraft[®] boats are in compliance with NMMA and CMMA's Boat Certification Program. Attwood[™] is a registered trademark of Attwood Corporation. Clarion[™] is a registered trademark of Flow-Rite Controls. Low-Rite[™] is a registered trademark of TG Faria, Inc. Pilot[™] is a registered trademark of TG Faria, Inc. Pilot[™] is a registered trademark of Flow-Rite Controls. Low-Rite[™] is a registered trademark of Flow-Rite[™] is a registered trademark of Flow-Rite Controls. Low-Rite[™] is a registered trademark of Lowrance Electronics, Inc. Marinco[™] is a registered trademark of Flow-Rite Controls. Mercury[®], MerCruise[®] , OptiMax[®] and SmartCraft[™] are registered trademarks of Marinco.