



PRINCECOUT

Wider hull for better Integrated smooth looking side panels load capacity and stable ride



THE ADVANTAGES

OF PRINCECRAFT DECK BOATS

Many options manufactured for each model and use



The best of both worlds: speed and comfort

#### BUILT USING 5052-H36 ALUMINUM ALLOY

- > We insist on H36 throughout our boats because we won't compromise durability
- > H36 is 25% harder than other aluminum used by some competitors
- Provides uniform strength and a truer hull shape
- Provides a better ride, more durability and lasting value

#### ALUMINUM BOATS ARE LIGHTER (FIBERGLASS IS 50% HEAVIER THAN ALUMINUM), AND ALUMINUM HULLS

- > Provide better performance from a smaller engine
- > Plane faster and stay on plane at slower speeds
- > Provide better fuel efficiency and easier trailering
- Offer unsurpassed handling and performance
- > Require less maintenance than fiberglass
- Can be beached on a rocky shore without chipping or cracking the hull
- Are more durable, which is why they manufacture airplanes and semi-trucks from aluminum

#### SUPERIOR R&D

- > State-of-the-art CAD design
- > Exclusive three-step construction process combining:
  - Riveting
- Welding and
- Aircraft-grade adhesive
- For unmatched combination of strength, durability and performance

### DECK BOAT HULLS ARE DESIGNED TO PERFORM

- Deep-vee hulls cut through water better with less pounding
- > Reverse-chine hull designs for performanceenhancing lift, efficiency and agility
- Wider hulls for better load capacity and amazingly stable ride

### CUSTOM-ENGINEERED OPTIONS TO OUR STANDARDS

- Many options are manufactured specifically for each model and use
- > Trailers are custom-built to fit each deck boat model
- > Fasteners for canvas enclosures are factory installed on every boat for a precise fit (See page 43 for details)

#### UNMATCHED FIT AND FINISH

- > No other aluminum boat manufacturer can match our craftsmanship
- > Integrated, smooth-looking side panels
- > Compare the fit and finish of a Princecraft with any other boat
- > Inspect the hull sides and seams
- > Notice the quality of our welds and how we have no exposed wiring or gaps in the components
- And if you can see sloppy seams and joints on our competitors' boats, imagine the level of quality in the parts you can't see

### BUILT ESPECIALLY FOR MERCURY POWER

- > Provides optimum performance
- > Choose Mercury® two or four stroke, outboard or MerCruiser® sterndrive
- > Mercury Marine provides unmatched quality, reliability and power
- New this year, Princecraft is a certified installer of Mercury MerCruiser Sterndrive engines
  - Two-year limited warranty

### d is

#### BETTER VALUE AT RESALE TOO

- You can easily recognize the quality and durability built into every Princecraft boat
- So can any other prospective buyer should you ever decide to sell your boat
- Unlike many other brands, a Princecraft offers excellent resale value for years to come

#### HASSLE-FREE BOATING EXPERIENCE

- Quality through and through enhances every day on the water
- > We offer the best Protection Plan in the industry
- > It's your assurance our boats are built every bit as good as we say they are
- Our Protection Plan covers everything from hulls to canvas enclosures (See the back cover for details)

#### **ENIOY THE BEST OF BOTH WORLDS**

- The performance of a speed boat and
- > The comfort and room of a pontoon

#### **2005 INDEX**

Princecraft Pontoon & Deck Boats	2-3
Deck Boats	4-17
Vacanza Series	6-10
Vacanza 250V LPW & LP	
Vacanza 210V LP	
Vacanza 210V LP Wake Xpress	
Ventura Series	11-15
Ventura 190V L	
Ventura 222V L2S & 192V L2S	
Ventura 221V L4S & 191V L4S	14-15
	40.00
Pontoon Boats	16-39
Versailles Series	10 20
Versailles 22 LP & 20 LP	
Versailles 22 LPF, 20 LPF & 20 L	
Versailles 26 LP & 24 LP	
Versailles 26 LP-SS & 22 LP-SS	
Versailles 26 WK & 26 SE	
Vantage Series	30-35
Vantage 24 L, 22 LP & 22 L-SS	32-33
Vantage 20 ST & 20 L	34-35
Vectra Series	
Vectra 241 L, 201 L, 181 L/181 & 161 L	
Vectra 200, 182 ST2S, 180 L/180 & 16	38-39
Sportfisher Series	40.40
Sportfisher 24 LP4S & 22 LP4S	
Sportfisher 20 L4S & 18 L4S	
oportional 20 240 & 10 240	72
Pontoon & Deck Boat Canvas	43
Pontoon & Deck Boat Trailers	44-45
Pontoon & Deck Boat Features	46-48
Pontoon & Deck Boat Options	49
Why Day Drives and	
Why Buy Princecraft	50

# DECKBOATSERIES

Experience a unique brand of fun.

Princecraft deck boats are a special breed of vessel. You can leave the shore behind with a breathtaking level of performance, and yet everyone can comfortably come along for the ride.

No other deck boat can offer Princecraft's unprecedented balance of comfort and performance. Our deck boats are much lighter than fiberglass, and our hull designs are engineered from all the lessons we learned crafting high-performance aluminum fish boats. So compare every feature in each Vacanza or Ventura model and you'll agree. Of course, the most convincing thing you can do is simply take the family for a ride.

### PRINCECRAFT DECK BOAT EXCLUSIVE FEATURES

- > Innovative deeper-vee reverse-chine hull > Large built-in fuel system
- > Smooth side panels
- > Plush upholstery
- > Ergonomically designed helm station
- > Full-length sun deck \* \*
- > Pop-up privacy enclosure\*
- > Integrated swim platform(s) with ladders\*
- > Large storage compartments
- > Full-length ski storage

- (189 L/50 U.S. gal.)
- > 4 quick-release bimini top latches
- > Anchor storage
- > Captain's chair with adjustable bolster\*
- > Platform(s) with ladder
- > 20-ounce marine-grade carpet
- \* Vacanza models only
- \* \* Most models





# VACANZA 250V LPW & LP



#### VACANZA 250V LP I/O

Shown in Navy Blue with optional monochrome interior









250V LP I/0

Storage Compartment Ice Chest

> For a complete list of standard and optional equipment, see pages 43-49. Photo montages show various features and options. Some features shown may not be available on all models.

#### **KEY FEATURES**

- > Available with MerCruiser® sterndrive power
- > High-performance deep-vee reverse chine hull design
- > Fiberglass bow section with halogen docking lights and beach landing ladder
- > Walk-thru windshield (Vacanza 250V LPW)
- Port console with integrated entertainment center including sink, ice chest, 12-volt outlet and storage underneath
- > Complete, fully lit instruments, Mercury Smartcraft™ System and
- > 200-watt (50-watt x 4) Clarion™ AM/FM/CD player
- > Thickly upholstered furniture
- > Bolster captain's chair with sliding rails
- > Lounge seats with inclined chaise lounge section
- > Padded rear sun deck
- > Large underseat pop-up privacy enclosure
- > Integrated full-width swim platform with telescoping boarding ladder
- > Beige bimini top
- > 20-ounce marine-grade carpet

SPECIFICATIONS	250V LPW I/O w/ 4.3 L	250V LP I/O w/ 4.3 L
Center line	7.62 m (25'-0")	7.62 m (25'-0")
Beam	2.6 m (102")	2.6 m (102")
Bottom width	2.1 m (83")	2.1 m (83")
Max. depth	1.0 m (39")	1.0 m (39")
Approx. draft	0.9 m (35")	0.9 m (35")
Transom height	1.0 m (39")	1.0 m (39")
No. ribs	23	23
Approx. weight	1826 kg (4025 lb.)	1805 kg (3980 lb.)
TRANSPORT CANADA (OR *MANUFACTURER'S RECOMI	MENDATIONS)	
Max. H.P. cap.	*224 kW (300 H.P.)	*224 kW (300 H.P.)
Max. weight person cap.	*907 kg (2000 lb.)	*907 kg (2000 lb.)
NMMA (USA)		
Max. H.P. cap.	*224 kW (300 H.P.)	*224 kW (300 H.P.)
Max. weight cap.	907 kg (2000 lb.)	907 kg (2000 lb.)
Max. person cap.	14	14
Max. weight person cap.	907 kg (2000 lb.)	907 kg (2000 lb.)
ALUMINUM THICKNESS		
Bottom	2.8 mm (.110")	2.8 mm (.110")
Side	2.8 mm (.110")	2.8 mm (.110")
BUILT-IN GAS TANK		
(w/ in-dash gauge)	189 L (50 U.S. gal.)	189 L (50 U.S. gal.)

A fiberglass bow section comes with 2 flush-mounted halogen docking lights, telescoping beach landing ladder and built-in anchor storage. >



Skis, ropes, wakeboards and everything else stores conveniently out of your way.



Why go to shore when this convenient, large privacy enclosure provides all the privacy you need right on board. It's located under the starboard-side stern seat and stows easily when not in use, plus a chemical toilet can easily be added as an option.





# VACANZA 210V LP



VACANZA 210V LP O/B Shown in Black







210V LP 0/B



For a complete list of standard and optional equipment, see pages 43-49. Photo montages show various features and options. Some features shown may not be available on all models.

#### **KEY FEATURES**

- > Available with Mercury® outboard or MerCruiser® sterndrive power
- > High-performance deep-vee reverse chine hull design
- > Helm with tilt steering and mahogany wheel
- > Galley with sink and portable water tank (Vacanza 210V O/B)
- > Complete, fully lit instruments and electric horn
- > 200-watt (50-watt x 4) Clarion™ AM/FM/CD player
- > Thickly upholstered furniture
- > Bolster captain's chair with sliding rails
- > Full-width rear sun deck
- > Pop-up privacy enclosure
- > Integrated swim platforms with boarding ladder
- > Beige buggy-style bimini top
- > 20-ounce marine-grade carpet

SPECIFICATIONS	210V LP I/O w/4.3 L	210V LP O/B
Center line	6.4 m (20'-11")	6.4 m (20'-11")
Beam	2.6 m (101")	2.6 m (101")
Bottom width	2.1 m (83")	2.1 m (83")
Max. depth	0.9 m (35")	0.9 m (35")
Approx. draft	0.8 m (33")	0.8 m (31")
Transom height	0.8 m (33")	0.5 m (20")
No. ribs	19	19
Approx. weight	1356 kg (2990 lb.)	939 kg (2070 lb.)
TRANSPORT CANADA (OR *MANUFACTURER'S RECON	IMENDATIONS)	
Max. H.P. cap.	*194 kW (260 H.P.)	*131 kW (175 H.P.)
Max. weight person cap.	*624 kg (1375 lb.)	*624 kg (1375 lb.)
NMMA (USA)		
Max. H.P. cap.	*194 kW (260 H.P.)	131 kW (175 H.P.)
Max. weight cap.	624 kg (1375 lb.)	961 kg (2119 lb.)
Max. person cap.	10	10
Max. weight person cap.	624 kg (1375 lb.)	624 kg (1375 lb.)
ALUMINUM THICKNESS		
Bottom	2.8 mm (.110")	2.8 mm (.110")
Side	2.8 mm (.110")	2.8 mm (.110")
BUILT-IN GAS TANK		
(w/ in-dash gauge)	189 L (50 U.S. gal.)	189 L (50 U.S. gal.)

The optional bow insert includes two flush-mounted halogen docking lights, built-in anchor storage and a telescoping beach landing ladder so everyone can get in and out safely and conveniently.



Vacanza models come standard with an integrated swim platform with telescoping ladder and handrail for easy access.



You can't imagine all the times you'll be grateful for the convenience of the pop-up privacy enclosure. It stows easily when not in use.





#### **KEY FEATURES**

- > Available with MerCruiser® sterndrive power
- > High-performance deep-vee reverse chine hull design
- > Stainless steel wakeboard towing tower
- > Fiberglass bow section with halogen docking lights and beach landing ladder
- > Helm with tilt steering and mahogany wheel
- ➤ Complete, fully lit instruments, Pilot™ multifunction digital gauge and electric horn
- > 200-watt (50-watt x 4) Clarion™ AM/FM/CD player
- > Thickly upholstered furniture
- > Bolster captain's chair with sliding rails
- > Full-width rear sun deck
- > Pop-up privacy enclosure
- > Integrated swim platform with boarding ladder
- > Beige buggy-style bimini top
- > 20-ounce marine-grade carpet

SPECIFICATIONS	210V LP I/O WAKE XPRESS w/ 4.3 L
Center line	6.4 m (20'-11")
Beam	2.6 m (101")
Bottom width	2.1 m (83")
Max. depth	0.9 m (35")
Approx. draft	0.8 m (33")
Transom height	0.8 m (33")
No. ribs	19
Approx. weight	1432 kg (3156 lb.)
TRANSPORT CANADA	
(OR *MANUFACTURER'S RECOMM	ENDATIONS)
Max. H.P. cap.	*194 kW (260 H.P.)
Max weight person can	*624 kg (1375 lh )

(UIT MANUTACTOTICIT & TICCOMMIL	NDATIONS)
Max. H.P. cap.	*194 kW (260 H.P.
Max. weight person cap.	*624 kg (1375 lb.)
NMMA (USA)	
Max. H.P. cap.	194 kW (260 H.P.)
Max. weight cap.	624 kg (1375 lb.)
Max. person cap.	10
Max. weight person cap.	624 kg (1375 lb.)
ALUMINUM THICKNESS	
Bottom	2.8 mm (.110")
Side	2.8 mm (.110")

BUILT-IN GAS TANK	
(uulin doob gouge)	-10

189 L (50 U.S. gal.) (w/ in-dash gauge)



An in-floor storage compartment stows all of your stuff, including wakeboards, skis or ropes.

> An integrated swim platform with ladder makes getting in and out of your boat easy. >



The 208-watt Clarion™ marine AM/FM/CD player with CD/DVD changer control and Sirius® satellite-compatible radio is the upgrade to the standard 200-watt .. >






#### **KEY FEATURES**

- > Available with MerCruiser® sterndrive power
- > High-performance deep-vee reverse chine hull design
- > Helm with glove box
- > Complete, fully lit instruments and electric horn
- > 100-watt AM/FM radio
- > Thickly upholstered furniture
- > Captain's chair with sliding rails
- > Lounge seat with inclined chaise lounge section
- > Full-width rear sun deck

CDECIFICATIONS

- > Color-coordinated buggy-style bimini top
- > 20-ounce marine-grade carpet

190V L I/O w/3.0 L
5.8 m (19'-2")
2.5 m (97")
2.1 m (83")
0.8 m (32")
0.8 m (30")
0.8 m (32")
19
1155 kg (2546 lb.)
NDATIONS)
*164 kW (220 H.P.)
600 kg (1323 lb.)
*164 kW (220 H.P.)
600 kg (1323 lb.)
10
600 kg (1323 lb.)
2.8 mm (.110")
2.8 mm (.110")
189 L (50 U.S. gal.)



The anchor storage compartment is conveniently located in the bow and enables you to keep the anchor away from toes when not in use.



An optional full-width rear swim platform for Ventura sterndrive models makes water sports easier than ever.





# VENTURA 222V L2S & 192V L2S



VENTURA 222V L2S I/O Shown in Jade Green







192V L2S 0/B



Livewell

Storage Compartment

Ski Storage w/ 7-Foot Rod Locker

Rod Storage

Ice Chest

For a complete list of standard and optional equipment, see pages 43-49.

#### **KEY FEATURES**

- > Available with MerCruiser® sterndrive power or Mercury® outboard power
- > High-performance deep-vee reverse chine hull design
- > Helm with glove box
- > Complete, fully lit instruments and electric horn
- > 100-watt AM/FM radio
- > Thickly upholstered furniture
- > Captain's chair with sliding rails
- > 2 deluxe swivel-mount fishing seats
- > Full-width rear sun deck
- > 24-volt trolling motor plug and receptacle with battery tie-downs
- y 44-in. (77 L/20 U.S. gal.) electric-fill aerated livewell with post-overflow, thru-hull drain system and anti-spill cover (Ventura 192V)
- 34-in. (86 L/23 U.S. gal.) electric-fill aerated livewell with post-overflow, thru-hull drain system and anti-spill cover (Ventura 222V)
- > 7-foot rod storage compartment located inside the ski storage
- > Lowrance® X-47 fish/depth finder
- > Color-coordinated buggy-style bimini top
- > 20-ounce marine-grade carpet

SPECIFICATIONS	222V L2S I/O w/4.3 L	192V L2S O/B
Center line	6.8 m (22'-2")	5.8 m (19'-2")
Beam	2.5 m (97")	2.5 m (97")
Bottom width	2.1 m (83")	2.1 m (83")
Max. depth	0.8 m (32")	0.8 m (32")
Approx. draft	0.8 m (32")	0.7 m (29")
Transom height	0.8 m (32")	0.5 m (20")
No. ribs	22	19
Approx. weight	1284 kg (2831 lb.)	864 kg (1904 lb.)
TRANSPORT CANADA (OR *MANUFACTURER'S RECOMI	MENDATIONS)	
Max. H.P. cap.	*224 kW (300 H.P.)	112 kW (150 H.P.)
Max. weight person cap.	*726 kg (1600 lb.)	600 kg (1323 lb.)
NMMA (USA)		
Max. H.P. cap.	* 224 kW (300 H.P.)	112 kW (150 H.P.)
Max. weight cap.	726 kg (1600 lb.)	938 kg (2067 lb.)
Max. person cap.	12	10
Max. weight person cap.	726 kg (1600 lb.)	600 kg (1323 lb.)
ALUMINUM THICKNESS		
Bottom	2.8 mm (.110")	2.8 mm (.110")
Side	2.8 mm (.110")	2.8 mm (.110")
BUILT-IN GAS TANK		
(w/ in-dash gauge)	189 L (50 U.S. gal.)	189 L (50 U.S. gal.)

Photo montages show various features and options. Some features shown may not be available on all models.



To keep your catch > fresh, also included is a livewell with electric-fill aeration, anti-spill cover, post-overflow and thru-hull drain systems.



It's easy to drop your bimini top to travel under bridges or for trailering with our 4 guick-release latches.



The ergonomically designed helm console includes a handy glove box to stow valuables. >



### **VENTURA 221V L4S & 191V L4S**









191V L4S



Livewell

Storage Compartment

Rod Storage

Ice Chest

For a complete list of standard and optional equipment, see pages 43-49. Photo montages show various features and options. Some features shown may not be available on all models.

**VENTURA 191V L4S O/B** Shown in Regal Red

#### **KEY FEATURES**

- > Available with Mercury® outboard power
- > High-performance deep-vee reverse chine hull design
- > Helm with glove box
- > Complete, fully lit instruments and electric horn
- > 100-watt AM/FM radio
- > Thickly upholstered furniture
- > Captain's chair with sliding rails
- > Chaise lounge (Ventura 191V L4S)
- > 4 deluxe swivel-mount fishing seats
- > 24-volt trolling motor plug and receptacle with battery tie-downs
- 44-in. (77 L/20 U.S. gal.) electric-fill aerated livewell with post-overflow, thru-hull drain system and anti-spill cover (Ventura 191V L4S)
- 34-in. (86 L/23 U.S. gal.) electric-fill aerated livewell with post-overflow, thru-hull drain system and anti-spill cover (Ventura 221V L4S)
- 7-foot locking rod storage compartment (located inside the ski storage for the Ventura 191V L4S)
- ➤ Lowrance® X-47 fish/depth finder
- > Color-coordinated buggy-style bimini top
- > 20-ounce marine-grade carpet

SPECIFICATIONS	22IV L4S O/B	191V L4S O/B
Center line	6.8 m (22'-2")	5.8 m (19'-2")
Beam	2.5 m (97")	2.5 m (97")
Bottom width	2.1 m (83")	2.1 m (83")
Max. depth	0.8 m (32")	0.8 m (32")
Approx. draft	0.8 m (31")	0.7 m (29")
Transom height	0.5 m (20")	0.5 m (20")
No. ribs	22	19
Approx. weight	880 kg (1939 lb.)	864 kg (1904 lb.)
TRANSPORT CANADA (or *manufacturer's recomn	IENDATIONS)	
Max. H.P. cap.	*131 kW (175 H.P.)	112 kW (150 H.P.)
Max. weight person cap.	*746 kg (1645 lb.)	600 kg (1323 lb.)
NMMA (USA)		
Max. H.P. cap.	131 kW (175 H.P.)	112 kW (150 H.P.)
Max. weight cap.	1063 kg (2344 lb.)	938 kg (2067 lb.)
Max. person cap.	12	10
Max. weight person cap.	726 kg (1600 lb.)	600 kg (1323 lb.)
ALUMINUM THICKNESS		
Bottom	2.8 mm (.110")	2.8 mm (.110")
Side	2.8 mm (.110")	2.8 mm (.110")
BUILT-IN GAS TANK		
(w/ in-dash gauge)	189 L (50 U.S. gal.)	189 L (50 U.S. gal.)



A stern snack table allows you to easily entertain onboard.

> For fishing enthusiasts, a livewell comes with electric-fill aeration, anti-spill cover, post-overflow and thru-hull drain systems. >



A comfortable captain's chair is ergonomically engineered to maximize sight lines and give you complete control. >



# AMAZING HOW MORE SPACE CAN FILL THOSE HOLES IN YOUR LIFE

There are two ways you'll feel the magic of a Princecraft pontoon boat. One way is the extraordinary level of craftsmanship evidenced in every inch. Because you'll have many more great days onboard when your pontoon is flawless. And the other way is all the room and ultra-plush seating that allows the special people in your life to participate in the fun. Those are the moments we all live for.

Who'd have guessed such happiness and fulfillment could be found at the end of your dock.

### PRINCECRAFT PONTOON EXCLUSIVE FEATURES

- > Spacious floor plan
- > Extra-comfortable, plush-upholstered furniture
- > Ergonomically designed helm station
- > Fully lit instrumentation and electric horn
- > Walk-thru front gate
- > Marine-grade stereo
- > Color-coordinated bimini top
- → 4 quick-release bimini top latches\*
- > Comfortable captain's chair
- \*Versailles models

### LEGENDARY CRAFTSMANSHIP

- > Obsessive attention to detail
- > Every model is precision-assembled
- > Constructed to last decades
- **>** Built with 5052-H36, the best aluminum alloy

#### PERFORMANCE ENGINEERED

- > Better load capacity and amazingly stable ride
- > Full-length pontoon keel
- Strengthens the pontoon tubes
- Enables pontoons to carve through waves
- Enhances maneuverability
- Easier maintenance less wear and tear
- > Heavy-duty V-keel at bow
- Cuts through the water better
- Protects the nose piece
- > Hydrodynamic V-shaped motor pod1
- Reduces water resistance
- Eliminates "banging" of pontoons on water
- Positions outboards at optimal running height

### QUALITY THROUGH AND THROUGH

THE ADVANTAGES OF

- > Premium hardware and components
- > Heavy-duty Z-bar cross members
- Significantly increases structural integrity
- Placed strategically throughout pontoon
- > Full-length deck risers1
- > 3/4" pressure-treated decking
- > Up to 28-ounce marine-grade carpet
- > Bow eyes at front and back

#### THE BEST FIT AND FINISH

- > No other aluminum boat manufacturer can match our craftsmanship
- > Compare the fit and finish of a Princecraft with any other pontoon
- > Inspect the joints, welds, seams and stitching
- > No exposed wiring or cables
- > Princecraft has no gaps in the components
- And if you can see sloppy seams and joints on our competitors' pontoons, imagine the level of quality in the parts you can't see









#### UNPARALLELED COMFORT AND STYLE

- > Ergonomically designed around people
- > Helm offers complete control
- All controls within easy reach
- Fully lit instrumentation - Engineered sight lines
- Plenty of leg room
- > Custom-made seats and lounges
- > Plush upholstery with thicker foam density
- > Wider bases and higher backs for added comfort
- > Sundecks, reclining chairs and chaise lounges
- > Floor plans maximize space
- > Ample storage space
- > Timeless colors and graphics

#### **CUSTOM-ENGINEERED OPTIONS** TO OUR STANDARDS

- > The latest amenities and options
- > Many options are manufactured specifically for each model and use
- > Trailers are custom-built
- > Fasteners for canvas enclosures are factory installed on every pontoon for a precise fit (See page 43 for details)

#### FIRST IN SAFETY

- > Air tight chamber tubes
- > Each pontoon log has several sealed chambers
- **>** Each chamber is pressure checked
- > Bulkheads also provide extra structural integrity
- > Lift-and-lock hinges on gates
- > Finger-pinch guard for kids
- ➤ Boarding ladder with mini-platform<sup>2</sup>

#### HASSLE-FREE BOATING **EXPERIENCE**

- > Quality enhances every day on the water
- > We offer the best Protection Plan in the industry
- > It's your assurance our boats are built every bit as good as we say they are
- **>** Our Protection Plan covers everything from hulls to canvas enclosures (See the back cover for details)

- 1 Most models
- 2 Optional on Vectra and Sportfisher 18' & 20' models



\* On most models

\*\* The hydrodynamic design of our V-shaped engine pod helps your pontoon cut through the water, eliminating the banging common to other designs. The motor pod is reinforced to accommodate larger engines and it keeps your outboard at the optimal running height for maximum performance.

#### I. HEAVY-DUTY V-KEEL AT THE BOW

Our extruded aluminum "V" keel enables your pontoon to cut through the water better, enhancing performance and protecting the nose piece for years of durability.

#### 2. Z-CHANNEL

Z-shaped deck supports are made of heavy-duty aluminum extrusions and placed strategically throughout your pontoon to support loads and add structural integrity.

#### 3. PRESSURE TESTED CHAMBER TUBES

Each Princecraft pontoon log features several bulkhead chambers which are sealed air tight. Each chamber is pressure checked at the factory and designed so if a puncture occurs, water saturation would only affect one section. Bulkheads also provide extra structural integrity.









### Luxury Family Pontoons

### VERSAILLES SERIES

Only be limited by your imagination.

Versailles Series pontoon boats can be found precisely at the intersection of everything you've ever wanted and everything you've ever envisioned for yourself.

Offering unsurpassed amenities and comfort for all of your guests, there's no limit to the possibilities.

### VERSAILLES SERIES ADVANTAGES

- > Ultra-plush luxury upholstery for all-day comfort
- > Lounge seats with wider bases and higher backs
- > Inclined chaise lounge(s)\*
- > Performance-enhancing 25" round logs
- > Luxury helm console with woodgrain inserts
- > 200-watt AM/FM CD player with four speakers
- > Galley with sink and portable water tank\*
- > Floor mood lighting

- > Gates with lift-&-lock hinges
- > Complete, fully lit instrumentation with gold bezel gauges
- > Integrated splash-shield nose design
- > Pop-up privacy enclosure\*
- > Stainless steel, quick-release bimini top latches
- > Contour molding with rubber bumper and full-length skirting

\*Most models





A handy rear table helps you stay organized while serving all of your guests.

A handy boarding ladder located at the stern makes climbing in and out of your Versailles more convenient.



A large privacy enclosure makes changing simple and stows easily when not in use. (Versailles 22 LP)



Four quick-release bimini top latches enable you to lower the top to go under bridges, and helps provide better fuel economy and prevent wear while trailering.



### VERSAILLES 22 LP & 20 LP



For a complete list of standard and optional equipment, see pages 43-49. Photo montages show various features and options. Some features shown may not be available on all models.

#### **KEY FEATURES**

- > 102-in. wide beam design widest in its class
- > 25-in. diameter pontoon logs
- > Gates with lift and lock hinges and finger pinch guard
- > Walk-thru rear gate and stern boarding ladder
- > Full-featured helm station with glove box and integrated galley unit including sink, faucet and portable water tank
- > Tilt steering mechanism and mahogany steering wheel
- > Complete, fully lit instrument package with gold bezel gauges and electric horn
- > Floor mood lighting
- > Windscreen with quick-release
- > Weather-protected 200-watt (50-watt x 4) Clarion™ AM/FM/CD player
- > Luxurious furniture with Roto-Cast seat bases
- > Captain's chair with slide and swivel
- 2 lounge seats with inclined chaise lounge section and storage underneath (Versailles 22 LP)
- > Pop-up privacy enclosure
- > Padded rear sun deck
- > Beige buggy-style bimini top with quick-release latches
- > Flush-mounted halogen docking lights
- > 28-ounce "Infinity Collection" carpet
- > Built-in fuel system (125 L/33 U.S. gal.)

#### For I/O model (22 LP I/O)

- > Triple pontoon with underdeck spray shield
- > 3 MerCruiser® sterndrive engine options available
- ➤ Complete, fully lit Faria® gold dome instrument package including Pilot™ multifunction digital gauges

SPECIFICATIONS	22 LP	22 LP I/O w/ 4.3 L (3 LOGS)	20 LP
Overall length	6.8 m (22'-4")	6.8 m (22'-4")	6.2 m (20'-4")
Deck length	6.8 m (22'-3")	6.8 m (22'-3")	6.2 m (20'-3")
Beam	2.6 m (8'-6")	2.6 m (8'-6")	2.6 m (8'-6")
Pontoon diameter	0.64 m (25")	0.64 m (25")	0.64 m (25")
Pontoon aluminum thickness	2.0 mm (.080")	2.0 mm (.080")	2.0 mm (.080")
Approx. weight	904 kg (1992 lb.)	1568 kg (3456 lb.)	867 kg (1915 lb.)
N.M.A. (USA) Manufacturer's r	ecommendations		
Max. H.P. cap.	86 kW (115 H.P.)	164 kW (220 H.P.)	67 kW (90 H.P.)
Max. weight cap.	1065 kg (2348 lb.)	1195 kg (2635 lb.)	951 kg (2097 lb.)
Max. person cap.	12	12	11
Max. weight person cap.	742 kg (1635 lb.)	742 kg (1635 lb.)	678 kg (1495 lb.)
BUILT-IN GAS TANK			
(w/ in-dash gauge)	125 L (33 U.S. gal.)	125 L (33 U.S. gal.)	125 L (33 U.S. gal.)



 ✓ Our new, fiberglass helm console is more appealing with a wood-grain dash panel and comes complete with a mahogany steering wheel, lighted switches, electric horn, 200-watt Clarion™ AM/FM stereo with CD player, and an integrated galley with sink and portable water tank.



This sun cushion is the perfect way to comfortably unwind under the sun.

With all the room on your Versailles pontoon and a great 200-watt AM/FM stereo with CD, who knows what could happen.





# VERSAILLES 22 LPF, 20 LPF & 20 L




#### **KEY FEATURES**

- > 102-in. wide beam design widest in its class
- > 25-in. diameter pontoon logs
- > Gates with lift and lock hinges and finger pinch guard
- Full-featured helm station with glove box and integrated galley unit including sink, faucet and portable water tank
- > Tilt steering mechanism and mahogany steering wheel
- Complete, fully lit instrument package with gold bezel gauges and electric horn
- > Floor mood lighting
- > Windscreen with quick-release
- > Weather-protected 200-watt (50-watt x 4) Clarion™ AM/FM/CD player
- > Luxurious furniture with Roto-Cast seat bases
- > Captain's chair with slide and swivel
- 3 lounge seats with inclined chaise lounge section and storage underneath (Versailles 22 LPF)
- Pop-up privacy enclosure conveniently located (Versailles 20 LPF & 22 LPF)
- > Padded rear sun deck
- > Beige buggy-style bimini top with guick-release latches
- > Flush-mounted halogen docking lights
- > 28-ounce "Infinity Collection" carpet
- > Built-in fuel system (125 L/33 U.S. gal.)



20 L



For a complete list of standard and optional equipment, see pages 43-49. Photo montages show various features and options. Some features shown may not be available on all models.

SPECIFICATIONS	22 LPF	20 LPF	20 L
Overall length	6.8 m (22'-4")	6.2 m (20'-4")	6.2 m (20'-4")
Deck length	6.8 m (22'-3")	6.2 m (20'-3")	6.2 m (20'-3")
Beam	2.6 m (8'-6")	2.6 m (8'-6")	2.6 m (8'-6")
Pontoon diameter	0.64 m (25")	0.64 m (25")	0.64 m (25")
Pontoon aluminum thickness	2.0 mm (.080")	2.0 mm (.080")	2.0 mm (.080")
Approx. weight	919 kg (2025 lb.)	885 kg (1950 lb.)	859 kg (1893 lb.)
N.M.M.A. (USA) Manufacturer's r	recommendations		
Max. H.P. cap.	86 kW (115 H.P.)	67 kW (90 H.P.)	67 kW (90 H.P.)
Max. weight cap.	1065 kg (2348 lb.)	951 kg (2097 lb.)	951 kg (2097 lb.)
Max. person cap.	12	11	11
Max. weight person cap.	742 kg (1635 lb.)	678 kg (1495 lb.)	678 kg (1495 lb.)
BUILT-IN GAS TANK			
(w/ in-dash gauge)	125 L (33 U.S. gal.)	125 L (33 U.S. gal.)	125 L (33 U.S. gal.)



 a] Have the convenience of our pop-up privacy enclosure located under the stern seat.
 (Versailles 20 LPF & 22 LPF)

> b] Change into your swimsuit or dry clothes without running to shore.
>  (Versailles 20 LPF & 22 LPF)



VERSAILLES 20 LPF Shown in Mocha Mist

c] And it stows easily when not in use. (Versailles 20 LPF & 22 LPF)





# VERSAILLES 26 LP & 24 LP



Some features shown may not be available on all models




26 LP



26 LP w/pull-out bed




26 LP w/port side seating group



24 LP

24 LP w/pull-out bed



24 LP w/port side seating group

#### **KEY FEATURES**

- > 102-in. wide beam design widest in its class
- > 25-in. diameter pontoon logs
- > Gates with lift and lock hinges and finger pinch guard
- > Walk-thru rear gate and stern boarding ladder
- > Full-featured helm station with integrated galley unit including sink, faucet and portable water tank (larger one for the Versailles 26 LP)
- > Complete, fully lit instrument package with gold bezel gauges and electric horn
- > Floor mood lighting
- > Weather-protected 200-watt (50-watt x 4) Clarion™ AM/FM/CD player
- > Luxurious furniture with Roto-Cast seat bases
- > Captain's chair with slide and swivel
- > 3 lounge seats with inclined chaise lounge section and storage underneath
- > Pop-up privacy enclosure (larger one for the Versailles 26 LP)
- > Padded rear sun deck
- > Beige buggy-style bimini top with quick-release latches
- > Flush-mounted halogen docking lights
- > 28-ounce "Infinity Collection" carpet

#### For I/O model (Versailles 26 LP I/O)

- > Triple pontoon with underdeck spray shield
- → 3 MerCruiser® sterndrive engine options available
- > Complete, fully lit Faria® gold dome instrument package including Pilot™ multifunction digital gauge


SPECIFICATIONS	26 LP	26 LP I/O w/ 4.3 L (3 LOGS)	24 LP
Overall length	8.0 m (26'-4")	8.0 m (26'-4")	7.4 m (24'-4")
Deck length	8.0 m (26'-3")	8.0 m (26'-3")	7.4 m (24'-3")
Beam	2.6 m (8'-6")	2.6 m (8'-6")	2.6 m (8'-6")
Pontoon diameter	0.64 m (25")	0.64 m (25")	0.64 m (25")
Pontoon aluminum thickness	2.0 mm (.080")	2.0 mm (.080")	2.0 mm (.080")
Approx. weight	1041 kg (2294 lb.)	1757 kg (3874 lb.)	998 kg (2200 lb.)
N.M.A. (USA) Manufacturer's	recommendations		
Max. H.P. cap.	101 kW (135 H.P.)	164 kW (220 H.P.)	86 kW (115 H.P.)
Max. weight cap.	1267 kg (2793 lb.)	1397 kg (3080 lb.)	1194 kg (2633 lb.)
Max. person cap.	15	15	14
Max. weight person cap.	943 kg (2080 lb.)	943 kg (2080 lb.)	871 kg (1920 lb.)
BUILT-IN GAS TANK			
(w/ in-dash gauge)	125 L (33 U.S. gal.)	125 L (33 U.S. gal.)	125 L (33 U.S. gal.)



Soft footlights at the base of our seats make it easier to move around the pontoon during evening excursions, and they help set a tranquil mood for sunset cruises.

With every inch thoughtfully planned out, the Versailles offers plenty of space for you, your friends and family. >









# VERSAILLES 26 LP-SS & 22 LP-SS







26 LP-SS

22 LP-SS

For a complete list of standard and optional equipment, see pages 43-49. Photo montages show various features and options. Some features shown may not be available on all models.

#### **KEY FEATURES**

- > 102-in. wide beam design widest in its class
- > 25-in. diameter pontoon logs
- > Gates with lift and lock hinges and finger pinch guard
- > Walk-thru rear gate and stern boarding ladder
- > Full-featured helm station with integrated galley unit including sink, faucet and portable water tank (larger one for the Versailles 26 LP-SS)
- > Tilt steering mechanism and mahogany steering wheel
- > Complete, fully lit instrument package with gold bezel gauges and electric horn
- > Floor mood lighting
- > Weather-protected 200-watt (50-watt x 4) Clarion™ AM/FM/CD player
- > Luxurious furniture with Roto-Cast seat bases
- > 2 luxury, reclining captain's chairs in the bow area
- > Captain's chair with slide and swivel
- 3 lounge seats with inclined chaise lounge section and storage underneath (Versailles 26 LP-SS)
- > Pop-up privacy enclosure (larger one for the Versailles 26 LP-SS)
- > Padded rear sun deck
- > Beige buggy-style bimini top with quick-release latches
- > Flush-mounted halogen docking lights
- > 28-ounce "Infinity Collection" carpet

#### For I/O model (26 LP-SS I/O)

- > Triple pontoon with underdeck spray shield
- > Three MerCruiser® sterndrive engine options available
- ➤ Complete, fully lit Faria<sup>®</sup> gold dome instrument package including Pilot<sup>™</sup> multifunction digital gauge

SPECIFICATIONS	26 LP-SS	26 LP-SS I/O w/ 4.3 L (3 LOGS)	22 LP-SS	
Overall length	8.0 m (26'-4")	8.0 m (26'-4")	6.8 m (22'-4")	
Deck length	8.0 m (26'-3")	8.0 m (26'-3")	6.8 m (22'-3")	
Beam	2.6 m (8'-6")	2.6 m (8'-6")	2.6 m (8'-6")	
Pontoon diameter	0.64 m (25")	0.64 m (25")	0.64 m (25")	
Pontoon aluminum thickness	2.0 mm (.080")	2.0 mm (.080")	2.0 mm (.080")	
Approx. weight	1058 kg (2333 lb.)	1775 kg (3913 lb.)	919 kg (2025 lb.)	
N.M.A. (USA) Manufacturer's recommendations				
Max. H.P. cap.	101 kW (135 H.P.)	164 kW (220 H.P.)	86 kW (115 H.P.)	
Max. weight cap.	1267 kg (2793 lb.)	1397 kg (3080 lb.)	1065 kg (2348 lb.)	
Max. person cap.	15	15	12	
Max. weight person cap.	943 kg (2080 lb.)	943 kg (2080 lb.)	742 kg (1635 lb.)	
BUILT-IN GAS TANK				
(w/ in-dash gauge)	125 L (33 U.S. gal.)	125 L (33 U.S. gal.)	125 L (33 U.S. gal.)	



The performance pontoon package improves the stability and performance of our pontoons and greatly increases the load and power capacities. Consult pages 44 & 45 for more details.

Our reclining bow seats give you a new definition of relaxation. Adjust it up to enjoy the surroundings or recline it to drift away. >



A large privacy enclosure makes changing simple and quick and stows easily when not in use.
(Versailles 26 LP-SS)









√ The spacious bow of the Versailles 26 SE features sumptuous, full-width bow furniture with an L-configuration that opens into a super-padded sun lounge and port-side seating group with two plush reclining captains's chairs.


Two fully adjustable, swivel captain's chairs in the bow (port side) provide all the comfort you need. (Versailles 26 SE) >



An optional chemical toilet is great for overnights or extended weekends. It comes complete with holding tank and pump-out system.

# VERSAILLES 26 WK & 26 SE









26 SE w/pull-out bed



26 SF

Shown in Burgundy Red with optional bow table

**VERSAILLES 26 WK** 

For a complete list of standard and optional equipment, see pages 43-49. Photo montages show various features and options. Some features shown may not be available on all models.

#### **KEY FEATURES**

- > 102-in. wide beam design widest in its class
- > 25-in. diameter pontoon logs
- > Gates with lift and lock hinges and finger pinch guard
- > Walk-thru rear gate and stern boarding ladder
- Fiberglass helm console with glove box including sink, faucet, and portable water tank
- > Tilt steering mechanism and mahogany steering wheel
- Complete, fully lit instrument package with gold bezel gauges and electric horn
- > Floor mood lighting
- > Windscreen with quick-release
- > Weather-protected 200-watt (50-watt x 4) Clarion™ AM/FM/CD player
- > Luxurious furniture with Roto-Cast seat bases
- > Captain's chair with slide and swivel
- 3 Jounge seats with inclined chaise lounge section and storage underneath (Versailles 26 WK)
- Large fiberglass rear galley with sink, faucet and portable water tank
- > Large pop-up privacy enclosure conveniently located
- > Padded rear sun deck
- > Flush-mounted halogen docking lights
- > Beige buggy-style bimini top with quick-release latches
- > 28-ounce "Infinity Collection" carpet
- > Built-in fuel system (125 L/33 U.S. gal.)

SPECIFICATIONS	26 WK	26 SE		
Overall length	8.0 m (26'-4")	8.0 m (26'-4")		
Deck length	8.0 m (26'-3")	8.0 m (26'-3")		
Beam	2.6 m (8'-6")	2.6 m (8'-6")		
Pontoon diameter	0.64 m (25")	0.64 m (25")		
Pontoon aluminum thickness	2.0 mm (.080")	2.0 mm (.080")		
Approx. weight	1059 kg (2335 lb.)	1041 kg (2294 lb.)		
N.M.A. (USA) Manufacturer's recommendations				
Max. H.P. cap.	101 kW (135 H.P.)	101 kW (135 H.P.)		
Max. weight cap.	1267 kg (2793 lb.)	1267 kg (2793 lb.)		
Max. person cap.	15	15		
Max. weight person cap.	943 kg (2080 lb.)	943 kg (2080 lb.)		
BUILT-IN GAS TANK				
(w/ in-dash gauge)	125 L (33 U.S. gal.)	125 L (33 U.S. gal.		



All that fun is sure to make your guests hungry. An optional bow-mounted grill is the perfect way to keep everyone happy. >>





An optional full-camper enclosure offers shelter from bad weather or provides a roomy area for overnight stays. Its optional privacy kit includes a curtain dividing the full enclosure into two rooms complete with curtains for each window. Add the optional pull-out bed and you're ready for a comfortable overnight aboard your boat.

(Versailles 26 WK)





Cruising in comfort and style

### VANTAGESERIES

Give your dreams the space they need to live.

Vantage Series pontoon boats offer your family all the space and comfort your idealized life needs to thrive.

With responsive performance, ample seating and a generous floor plan you can finally make all of your dreams for your life on the water come true.

#### **VANTAGE SERIES ADVANTAGES**

- > Soft, comfortable, plush upholstery
- > Lounge seats with wider bases and higher backs
- > Inclined chaise lounge with storage underneath\*
- > High-back, luxury captain's chair
- > Rear access gate with boarding ladder

- > Performance-enhancing 25" round logs
- > Complete, fully lit instrumentation
- > 100-watt AM/FM stereo
- > Built-in fuel system (125 L/33 U.S. gal.)
- > 20-ounce marine-grade carpet

\*Most models



# VANTAGE 24 L, 22 LP & 22 L-SS



#### **KEY FEATURES**

- > 25-in. diameter pontoon logs
- > Gates with lift and lock hinges and finger pinch guard
- > Extra-wide (32-in.) side gates (Vantage 24 L)
- > Walk-thru rear gate and stern boarding ladder
- > Fiberglass helm console with glove box and integrated cooler
- > Complete, fully lit instrument package and electric horn
- > Windscreen with quick-release
- > Weather-protected 100-watt AM/FM marine-grade stereo
- > Plush upholstered furniture with Roto-Cast seat bases
- > 2 captain's chair in the bow area (Vantage 22 L-SS)
- > Captain's chair
- > Lounge seat(s) with inclined chaise lounge section and storage underneath
- Large pop-up privacy enclosure conveniently located (Vantage 22 LP)
- > Padded rear sun deck
- > Color-coordinated buggy-style bimini top
- > 20-ounce marine-grade carpet
- > Built-in fuel system (125 L/33 U.S. gal.)

24 L

7.4 m (24'-4")

7.3 m (24'-0")

2.4 m (8'-0")

0.64 m (25")

2.0 mm (.080")

919 kg (2025 lb.) 817 kg (1800 lb.) N.M.A. (USA) Manufacturer's recommendations Max. H.P. cap. 86 kW (115 H.P.) 86 kW (115 H.P.) Max. weight cap. 1194 kg (2633 lb.) 1065 kg (2348 lb.) Max. person cap. 14 12 Max. weight person cap. 742 kg (1635 lb.) 742 kg (1635 lb.) 871 kg (1920 lb.) **BUILT-IN GAS TANK** 

For a complete list of standard and optional equipment, see pages 43-49. Photo montages show various features and options. Some features shown may not be available on all models.

22 L-SS

22 LP

24 L

A convenient cooler is built into the seat base to keep everybody and everything cool.

The dash features complete, fully lit instrumentation and is ergonomically designed to give you plenty of legroom. >



You'll be surprised at all the underseat storage built into your Vantage pontoon. >

(w/ in-dash gauge)



22 LP

6.8 m (22'-4")

6.7 m (22'-0")

2.4 m (8'-0")

0.64 m (25")

2.0 mm (.080")

125 L (33 U.S. gal.) 125 L (33 U.S. gal.) 125 L (33 U.S. gal.)

22 L-SS

6.8 m (22'-4")

6.7 m (22'-0")

2.4 m (8'-0")

0.64 m (25")

2.0 mm (.080")

817 kg (1800 lb.)

86 kW (115 H.P.)

1065 kg (2348 lb.)



# VANTAGE 20 ST & 20 L







For a complete list of standard and optional equipment, see pages 43-49. Photo montages show various features and options. Some features shown may not be available on all models.

#### **KEY FEATURES**

- > 25-in. diameter pontoon logs
- > Gates with lift and lock hinges and finger pinch guard
- > Walk-thru rear gate and stern boarding ladder
- > Fiberglass helm console with glove box and integrated cooler
- > Complete, fully lit instrument package and electric horn
- > Windscreen with quick-release
- > Weather-protected 100-watt AM/FM marine-grade stereo
- > Plush upholstered furniture with Roto-Cast seat bases
- > Captain's chair
- Lounge seat(s) with inclined chaise lounge section and storage underneath (Vantage 20 L)
- > Padded rear sun deck
- > Color-coordinated buggy-style bimini top
- > 20-ounce marine-grade carpet
- > Built-in fuel system (125 L/33 U.S. gal.)

SPECIFICATIONS	20 ST	20 L		
Overall length	6.2 m (20'-4")	6.2 m (20'-4")		
Deck length	6.1 m (20'-0")	6.1 m (20'-0")		
Beam	2.4 m (8'-0")	2.4 m (8'-0")		
Pontoon diameter	0.64 m (25")	0.64 m (25")		
Pontoon aluminum thickness	2.0 mm (.080")	2.0 mm (.080")		
Approx. weight	787 kg (1734 lb.)	787 kg (1734 lb.)		
N.M.M.A. (USA) Manufacturer's recommendations				
Max. H.P. cap.	67 kW (90 H.P.)	67 kW (90 H.P.)		
Max. weight cap.	951 kg (2097 lb.)	951 kg (2097 lb.)		
Max. person cap.	11	11		
Max. weight person cap.	678 kg (1495 lb.)	678 kg (1495 lb.)		
BUILT-IN GAS TANK				
(w/ in-dash gauge)	125 L (33 U.S. gal.)	125 L (33 U.S. gal.)		



20 L

Our super-plush chaise lounge provides plenty of underseat storage. (Vantage 20 L)

An optional privacy enclosure provides a quick and easy changing room in the middle of anywhere.



A convenient storage pouch contains all those items that would otherwise move around the pontoon while underway.

(Vantage 20 L)





### **VECTRA**





# 241 L, 201 L, 181 L / 181 & 161 L



### **KEY FEATURES**

- > 23-in. diameter pontoon logs
- > Gates with lift and lock hinges and finger pinch guard
- > Walk-thru rear gate
- > Helm console with sport steering wheel and glove box
- > Fully lit instrument package and electric horn
- > Windscreen with quick-release
- > Weather-protected 50-watt AM/FM marine-grade stereo
- > Plush upholstered furniture with Roto-Cast seat bases
- > Captain's chair
- > Color-coordinated buggy-style bimini top
- > 16-ounce marine-grade carpet

For a complete list of standard and optional equipment, see pages 43-49. Photo montages show various features and options. Some features shown may not be available on all models.

SPECIFICATIONS	241 L	201 L	181 / 181 L	161 L
Overall length	7.4 m (24'-4")	6.2 m (20'-4")	5.6 m (18'-4")	4.9 m (16'-4")
Deck length	7.3 m (24'-0")	6.1 m (20'-0")	5.5 m (18'-0")	4.8 m (16'-0")
Beam	2.4 m (8'-0")	2.4 m (8'-0")	2.4 m (8'-0")	2.4 m (8'-0")
Pontoon diameter	0.58 m (23")	0.58 m (23")	0.58 m (23")	0.58 m (23")
Pontoon aluminum thickness	2.0 mm (.080")	2.0 mm (.080")	2.0 mm (.080")	1.8 mm (.072")
Approx. weight	780 kg (1720 lb.)	682 kg (1504 lb.)	650 kg (1433 lb.)	566 kg (1248 lb.)
N.M.A. (USA) Manufacturer's r	ecommendations			
Max. H.P. cap.	67 kW (90 H.P.)	52 kW (70 H.P.)	*45 kW (60 H.P.)	*37 kW (50 H.P.)
Max. weight cap.	1112 kg (2452 lb.)	907 kg (2000 lb.)	785 kg (1730 lb.)	629 kg (1386 lb.)
Max. person cap.	13	10	9	6
Max. weight person cap.	839 kg (1850 lb.)	653 kg (1440 lb.)	*557 kg (1229 lb.)	*401 kg (885 lb.)
GAS TANK				
W/ hose & bulb	PORTABLE	PORTABLE	PORTABLE	PORTABLE
Optional (Permanent)	45 L (12 U.S. gal.)			

<sup>\*</sup> N.M.M.A. (USA) / Transport Canada

Our captain's chair is even more plush, and is as comfortable as your favorite chair at home but with a better view.



181 L

181

201 L

241 L

Princecraft's reputation for plush upholstery has never been better deserved than our comfortable designs for Vectra pontoons. Each model features some of the most thickly upholstered seating in its class.

161 L


The dash and console feature fully lit instrumentation, a 50-watt AM/FM radio, electric horn and a quick-release smoked windscreen.



# VECTRA 182 ST2S Shown in Islander Blue VECTRA 200 Shown in Mocha Mist with optional dinette table and flip-flop seat

### **VECTRA**









## 200, 182 ST2S, 180 L / 180 & 16



#### **KEY FEATURES**

- > 23-in. diameter pontoon logs\*
- > 21-in. diameter pontoon logs (Vectra 16)
- > Helm console with sport steering wheel and glove box
- > Fully lit instrument package and electric horn\*
- > Windscreen (Vectra 16)
- > Windscreen with quick-release\*
- > Weather-protected 50-watt AM/FM marine-grade stereo
- > Plush upholstered furniture
- > Roto-Cast seat bases\*
- > Captain's chair\*
- > Color-coordinated buggy-style bimini top
- > 16-ounce marine-grade carpet
- \* Except Vectra 16

#### **VECTRA 182 ST2S**

- > Walk-thru rear gate
- > 12-volt trolling motor plug and receptacle
- 26-in. (39 L/10 U.S. gal.) electric-fill aerated livewell with post overflow, thru-floor drain system and anti-spill cover
- > 2 swivel-mount fold-down fishing seats

For a complete list of standard and optional equipment, see pages 43-49. Photo montages show various features and options. Some features shown may not be available on all models.

SPECIFICATIONS	200	182 ST2S	180 / 180 L	16
Overall length	6.2 m (20'-4")	5.6 m (18'-4")	5.6 m (18'-4")	4.9 m (16'-4")
Deck length	6.1 m (20'-0")	5.5 m (18'-0")	5.5 m (18'-0")	4.8 m (16'-0")
Beam	2.4 m (8'-0")	2.4 m (8'-0")	2.4 m (8'-0")	1.8 m (6'-0")
Pontoon diameter	0.58 m (23")	0.58 m (23")	0.58 m (23")	0.5 m (21")
Pontoon aluminum thickness	2.0 mm (.080")	2.0 mm (.080")	2.0 mm (.080")	1.8 mm (.072")
Approx. weight	691 kg (1524 lb.)	572 kg (1260 lb.)	658 kg (1450 lb.)	421 kg (928 lb.)
N.M.M.A. (USA) Manufacturer's r	ecommendations			
Max. H.P. cap.	52 kW (70 H.P.)	*45 kW (60 H.P.)	*45 kW (60 H.P.)	*24 kW (30 H.P.)
Max. weight cap.	907 kg (2000 lb.)	785 kg (1730 lb.)	785 kg (1730 lb.)	591 kg (1303 lb.)
Max. person cap.	10	9	9	6
Max. weight person cap.	653 kg (1440 lb.)	*557 kg (1229 lb.)	*557 kg (1229 lb.)	*401 kg (885 lb.)
GAS TANK				
W/ hose & bulb	PORTABLE	PORTABLE	PORTABLE	PORTABLE
Optional (Permanent)	45 L (12 U.S. gal.)	45 L (12 U.S. gal.)	45 L (12 U.S. gal.)	-

<sup>\*</sup> N.M.M.A. (USA) / Transport Canada



Livewell

On the Vectra 182 ST2S, a (39 L/10-U.S. gal.) electric-fill, aerated livewell with post overflow and anti-spill cover is ready and awaiting your catch.

182 ST2S

200



180

Vectra pontoons offer plenty of underseat storage to keep everything in its place.

This bimini top offers just the right amount of protection from the sun on those extra-intense days.





Sportfisher Series pontoon boats are fully equipped to give your family one of the best gifts you'll ever receive. Time with all of you together chasing after fish, and sometimes even catching them. Nothing on television could ever compare.

### SPORTFISHER SERIES ADVANTAGES

- > Spacious floor plan
- ➤ High-back captain's chair with Roto-Cast frame
- > 4 comfortable swivel seats
- > 12-volt trolling motor plug and receptacle
- ➤ 26" electric-fill, aerated livewell
- > Wheelchair accessible side gate(s)
- > Lockable rod storage
- > Helm console with wood grain insert
- > Fully lit instrumentation with electric horn
- ➤ AM/FM marine-grade radio

### **SPORTFISHER 24 LP4S**

Shown in Burgundy Red with optional rectangular bow table

### SPORTFISHER 24 LP4S & 22 LP4S







Livewell Rod Storage

For a complete list of standard and optional equipment, see pages 43-49. Photo montages show various features and options. Some features shown may not be available on all models.

#### **KEY FEATURES**

- > 25-in. diameter pontoon logs
- > Gates with lift and lock hinges and finger pinch guard
- > Extra-wide (32-in.) side gate (port side)
- > Fiberglass helm console with glove box and integrated cooler
- > Complete, fully lit instrument package and electric horn
- > Windscreen with quick-release
- > Weather-protected 100-watt AM/FM marine-grade stereo
- > Luxurious furniture with Roto-Cast seat bases
- > Double-wide captain's chair with sliding rails
- > Lounge seat with inclined chaise lounge section and storage underneath (Sportfisher 22 LP4S)
- > 12-volt trolling motor plug and receptacle
- 26-in. (39 L/10 U.S. gal.) electric-fill aerated livewell with post overflow, thru-floor drain system and anti-spill cover
- > 7-foot lockable rod storage compartment
- > 4 deluxe, swivel-mount, fold-down fishing seats
- > Large pop-up privacy enclosure conveniently located
- > Padded rear sun deck

CDECIFICATIONS

- > Color-coordinated buggy-style bimini top
- > 20-ounce marine-grade carpet
- > Built-in fuel system (125 L/33 U.S. gal.)

SPECIFICATIONS	24 LP4S	22 LP4S
Overall length	7.4 m (24'-4")	6.8 m (22'-4")
Deck length	7.4 m (24'-5")	6.8 m (22'-5")
Beam	2.4 m (8'-0")	2.4 m (8'-0")
Pontoon diameter	0.64 m (25")	0.64 m (25")
Pontoon aluminum thickness	2.0 mm (.080")	2.0 mm (.080")
Approx. weight	941 kg (2074 lb.)	812 kg (1791 lb.)
N.M.A. (USA) Manufacturer's r	ecommendations	
Max. H.P. cap.	86 kW (115 H.P.)	86 kW (115 H.P.)
Max. weight cap.	1194 kg (2633 lb.)	1065 kg (2348 lb.)
Max. person cap.	14	12
Max. weight person cap.	871 kg (1920 lb.)	742 kg (1635 lb.)
BUILT-IN GAS TANK		
(w/ in-dash gauge)	125 L (33 U.S. gal.)	125 L (33 U.S. gal.



**22 LP4S** 

 ✓ Both Sportfisher models come with optional full-camper enclosures. The front curtain covers the bow area including the two pedestal fishing seats while the stern fishing seats have covers to protect them from the elements.



 ✓ A factory-installed 12-volt trolling motor plug with receptacle and battery tie-downs is ready for your trolling motor.

Our ergonomically designed console allows you to captain your Sportfisher with complete control. >



A thickly padded rear sundeck invites everyone to gaze up at the passing clouds in complete comfort. >






### **KEY FEATURES**

- > 25-in. diameter pontoon logs (Sportfisher 20 L4S)
- > 23-in. diameter pontoon logs (Sportfisher 18 L4S)
- > Gates with lift and lock hinges and finger pinch guard
- > Extra-wide (32-in.) side gate
- > Helm console with sport steering wheel and glove box
- > Fully lit instrument package and electric horn
- > Windscreen with quick-release
- > Weather-protected 50-watt AM/FM marine-grade stereo
- > Plush upholstered furniture with Roto-Cast seat bases
- > Captain's chair
- > 12-volt trolling motor plug and receptacle
- 26-in. (39 L/10 U.S. gal.) electric-fill aerated livewell with post overflow, thru-floor drain system and anti-spill cover
- > Lockable rod storage compartment
- > 4 deluxe, swivel-mount, fold-down fishing seats
- > Color-coordinated buggy-style bimini top
- ▶ 16-ounce marine-grade carpet







SPECIFICATIONS	20 L4S	18 L4S
Overall length	6.2 m (20'-4")	5.6 m (18'-4")
Deck length	6.2 m (20'-5")	5.5 m (18'-0")
Beam	2.4 m (8'-0")	2.4 m (8'-0")
Pontoon diameter	0.64 m (25")	0.58 m (23")
Pontoon aluminum thickness	2.0 mm (.080")	2.0 mm (.080")
Approx. weight	681 kg (1502 lb.)	632 kg (1394 lb.)
N.M.M.A. (USA) Manufacturer's rec	ommendations	
Max. H.P. cap.	67 kW (90 H.P.)	*45 kW (60 H.P.)
Max. weight cap.	951 kg (2097 lb.)	785 kg (1730 lb.)
Max. person cap.	11	9
Max. weight person cap.	678 kg (1495 lb.)	*557 kg (1229 lb.)
GAS TANK		
BUILT-IN (w/ in-dash gauge)	68 L (18 U.S. gal.)	-
W/ hose & bulb	-	PORTABLE

\* N.M.M.A. (USA) / Transport Canada

An (39 L/10-U.S.gal.) electric-fill, aerated livewell with an anti-spill cover, post overflow and thru-hull drain system is standard.



Our 4 extra-comfortable fishing seats swivel to allow you to see all the action and fold down for cruising.

A lockable rod storage compartment enables you to keep your rods right where you want them — on your fishing machine. >





- Only the most durable marine-tested fabric is used
- Additional clear acrylic coating is applied to back side of fabric to repel water
- Every canvas enclosure crafted to Princecraft's standard of quality
- Color-coordinated to your boat<sup>2</sup>
- Optional traveling struts available to further wear or damage of your top while trailering

### ADVANTAGES OF PRINCECRAFT POLYESTER FABRIC

- Superior strength and tear resistance over solution-dyed acrylic marine fabrics
- Much higher degree of water repellence
- Significantly greater dimensional stability
- Vastly superior abrasion resistance

### FULL CAMPER ENCLOSURE<sup>1, 2</sup>

- Full-length sun shade
- · Add front, side and aft curtains for enclosed shelter
- Stows easily when not in use
- Easy to assemble

### HALF-CAMPER ENGLOSURE<sup>1, 2</sup>

- Protects the whole pontoon from the elements
- · Provides access to the mid-ship area
- · Allows operation of the boat in foul weather
- · Can also be used as a mooring cover
- Easy to assemble

### QUICK-RELEASE BIMINI LATCHES<sup>3</sup>

- Four quick-release bimini top latches come standard
- Lower the top to go under bridges or while trailering
   Offers better fuel economy
- Helps protect the canvas from wear or damage

#### WARRANTY

- Princecraft canvas comes with a 5-year limited warranty against excessive loss of color or strength under normal exposure conditions, including sunlight, rot, mildew and atmospheric chemicals
- Remember to refer to your *Owner's Manual* for information concerning carbon monoxide and the use of canvas.
- 2 Available on select models
- 3 On Versailles pontoons and all deck boat models

### CUSTOMIZED PONTOON & DECKBOAT CANVAS

We build an extra promise into each Princecraft pontoon or deck boat that ownership will greatly enhance your enjoyment of life. And our custom-crafted canvas enclosures can help prepare you for any weather and significantly extend your boating season. Every pontoon and deck boat is fitted with fasteners for canvas tops at the factory. By using the same precise specs to position the fasteners on every model, your top fits perfectly at every snap. And custom-fit mooring covers available on all models keep rain and dew outside and everything dry inside.













**◆** Optional traveling struts





COLORS	BLA	ACK	мосн	A MIST	ISLANDI	ISLANDER BLUE		BLUE	PARSLEY	GREEN	JADE C	GREEN	BURGUI	NDY RED	YELI	_OW	REGA	L RED
<i>anneces</i>	CARPET COLOR	CANVAS COLOR	CARPET COLOR	CANVAS COLOR	CARPET	CANVAS COLOR	CARPET COLOR	CANVAS COLOR	CARPET COLOR	CANVAS COLOR	CARPET COLOR	CANVAS COLOR	CARPET COLOR	CANVAS COLOR	CARPET COLOR	CANVAS COLOR	CARPET COLOR	CANVAS COLOR
VACANZA 250V	-	-	-	-	-	-	Mocha	Beige	-		-	-	Mocha	Beige	-		Mocha	Beige
VACANZA 210V	Mocha	Beige	-	-	-	-	Mocha	Beige	-		-	-	Mocha	Beige	Mocha	Beige	Mocha	Beige
WAKE XPRESS	-	-	-	-	-	-	Mocha	Beige	-		-	-	-	-	-	-	-	
VENTURA	Mocha	Beige	-	-		-	Mocha	Beige	Sage or Mocha	Hunter Green	Hunter Green or Mocha	Hunter Green	Mocha	Red	Mocha		Mocha	Beige
VERSAILLES	-	-	Mocha "Infinity Collection"	Beige	Mocha "Infinity Collection"	Beige	-	-	Mocha "Infinity Collection"	Beige	Mocha "Infinity Collection"	Beige	Mocha "Infinity Collection"	Beige	Mocha "Infinity Collection"		-	
VANTAGE/VECTRA/ SPORTFISHER		-	Mocha	Beige	Jasmine or Mocha	Blue			Sage or Mocha	Hunter Green	Hunter Green or Mocha	Hunter Green	Mocha	Red	Mocha			

### PONTOON & DECK BOAT TRAILERS

At Princecraft, the same obsession with perfection you see in every one of our boats is on display in our trailers as well. Because we believe your trailer contributes to the fun your family will share. And so we never treat trailers as an afterthought.

### PONTOON TRAILERS



### Tandem-axle, galvanized, bunk-style trailers

- · Galvanized, with brakes included standard
- Greater load capacity than most other styles
- Ideal for long-distance trailering
- Makes launching your pontoon more convenient and reliable
- Available in four sizes
  - For 20-22 ft. models, 96-in. wide
  - For 24 ft. models, 96-in wide
- For 20-22 ft. models, 102-in, wide\*
- For 24-26 ft. models, 102-in wide\*
- Optional motor support available for extensive trailering and to protect engine pod and tubes
- \* A three-log conversion kit must be installed for triple-log pontoon model



### Tandem-axle, galvanized, scissor-lift trailers

- · Makes launching between seasons easier
- Specially engineered to pick up pontoon in water or at ground level
- · Available in two tandem-axle sizes
  - 2800-lb. capacity for 20-22 ft. models
  - 3500-lb. capacity for 24-26 ft. models
- With brakes standard for the 3500-lb, model

### Single-axle, painted, bunk-style trailers

- Available with 18 and 20-foot Vectra models and Sportfisher 18-foot model
- · Painted, bunk-style
- Single axle standard

OPTIO	NAL PONTOON TRAILERS	Versailles 26¹, 24	Versailles 22¹, 20	Vantage 24, Sportfisher 24, Vectra 241 L	Vantage 22, 20, Sportfisher 22, 20	Vectra 201², 200², 182, 181, 180, 161, Sportfisher 18	Vectra 16
	Single axle	-	-	-	-	•	•
٩	Carpeted fixed bunk  Bearing protectors, swivel tongue jack and 2" ball coupler	-	-	-	-	•	•
_ 5	Bearing protectors, swivel tongue jack and 2" ball coupler	-	-	-	-	•	•
Gustom	Carrying capacity (lb./kg)	-	-	-	-	2500 / 1136	1800 / 816
Sign	Factory-balanced wheel	-	-	-	-	•	•
1	Tire size	-	-	-	-	20.5 x 8 x 10"	20.5 x 8 x 10"
6	Carrying capacity (lb./kg) Factory-balanced wheel Tire size Weight (lb./kg)	-	-	-	-	527 / 239 <sup>2</sup>	450 / 204
	Boat Size [Length/Width]	-	-	=	-	16, 18, 20' / 96"	16' / 72"
STANDARD FEATURES Galvanized	Galvanized tandem axle scissor-lift style	•	•	•	•	-	-
ਬ _ ∞	Swivel tongue jack	•	•	•	•	-	-
	Brakes	•	-	•	-	-	-
ani An	Brakes Carrying capacity (lb./kg) Tire size	3500 / 1591	2800 / 1273	3500 / 1591	2800 / 1273	-	-
Baly Baly	Tire size	5.30 x 12"	5.30 x 12"	5.30 x 12"	5.30 x 12"	-	-
ه – ا	Weight (lb./kg)	743 / 337	646 / 293	743 / 337	646 / 293	-	-
	Boat Size [Length/Width]	24, 26' / 96", 102"	20, 22' / 96", 102"	24, 26' / 96", 102"	20, 22' / 96", 102"	-	-
	Galvanized tandem axle bunk support style	•	•	•	•	-	-
<u> </u>	Brakes/Swivel tongue jack	•	•	•	•	-	-
nize	Carrying capacity (lb./kg)	7000 / 3182	7000 / 3182	3200 / 1454	3200 / 1454	-	-
I Na	Brakes/Swivel tongue jack Carrying capacity (lb./kg) Tire size Weight (lb./kg)	ST175/80R13 radial	ST175/80R13 radial	20.5 x 8 x 10"	20.5 x 8 x 10"	-	-
8 9	Weight (lb./kg)	1058 / 480	1014 / 460	985 / 447	957/ 434	-	-
	Boat Size (Length/Width)	24, 26' / 102"	20, 22' / 102"	24' / 96 "	20, 22' / 96"	-	-
	Deluxe transom tie-downs	0	0	0	0	0	0
S	Conversion kit for 3 log pontoon models	0	O 4	-	-	-	-
OPTIONS	ST175/80R13 galvanized spare wheel with 5 holes	0	0	-	-	-	-
9	Galvanized spare wheel with 5 holes	12"	12"	10" & 12"	10" & 12"	-	-
	10" painted spare wheel	-	-	-	-	0	0

- Standard Option 1 I/O models require the addition of the optional conversion kit for 3 log pontoon models
  - 2 Vectra 200/ 201 L trailer weight: 555 lb./ 252 kg

3 Galvanized scissor-lift trailer not offered for I/O models

Veetus 0012 0002 100

4 Conversion kit not available for 20-foot models

### DECK BOAT TRAILERS

- · Custom-made to fit your boat's hull precisely
- Easier loading and unloading
- Heavy-duty construction
- Integrated step pads for easier in/out access
- Swing tongue comes standard
- High-capacity radial tires

- Deck boat trailer options
  - Choice of painted to match your boat or galvanized\*
  - Single or tandem axles depending on model size

\*Galvanized trailers by special order only











**SWING TONGUE 1** 





SWING TONGUE 2 SWING TONGUE 3

OP.	ΓΙΟΝ	NAL DECK BOAT TRAILERS	Vacanza 250V	Ventura 222V, 221V	Vacanza 210V Ventura 192V, 191V, 190V
		Painted or * galvanized trailer with single axle, brakes & swing tongue	-	•	•
	Bunk Style	Carpeted fixed bunks and load guide	-	•	•
	N S	Checker polished aluminum covered step pads	-	•	•
	B	Bearing protectors, swivel tongue-jack and 2" ball coupler	-	•	•
	xle	Carrying capacity (lb./kg)	-	3800 / 1727	3800 / 1727
ES	Single Axle	Factory balanced steel wheels	-	•	•
E	Sing	Radial tire size	-	ST225/75R15	ST225/75R15
E		Weight (lb./kg)	-	1003 / 455	915 / 415
STANDARD FEATURES		Painted or * galvanized trailer w/ tandem axle, brakes & swing tongue	•	•	-
AND	Bunk Style	Carpeted fixed bunks and load guide	•	•	-
S	¥	Checker polished aluminum covered step pads	•	•	-
		Bearing protectors, swivel tongue-jack and 2" ball coupler	•	•	-
	Axle	Carrying capacity (lb./kg)	5500 / 2495	5500 / 2495	-
	Fandem	Factory balanced steel wheels	•	•	-
	a.	Radial tire size	ST205/75R14	ST205/75R14	-
	Ĺ	Weight (lb./kg)	1305 / 592	1305 / 592	-
		Deluxe transom tie-downs	0	0	0
9	2	Transom saver motor support bar	0	0	0
į	OF HONS	Painted or galvanized spare wheel with 5 lugs	ST205/75R14	ST205/75R14 ST225/75R15	ST225/75R15
•	_	Aluminum Star wheel w/ cap and nuts upgrade exchange (2)	14"	14" / 15"	15"
		Aluminum Star spare wheel excluding cap & nuts (1)	14"	14" / 15"	15"

<sup>•</sup> Standard • Option \* Galvanized models on special request only



What exhilaration looks like in a pontoon boat?

### PONTOON PERFORMANCE PACKAGE

Every Princecraft pontoon boat offers surprising performance.

But our Performance Package is the equivalent of a turbo-charged pontoon. You get all the space advantages available in a pontoon with all the legendary performance attributes of our deck boats.

#### THREE TUBES

A third pontoon log improves the stability and performance and greatly increases the load and power capacities.

UNDER-DECK SPRAY SHIELD An under-deck spray shield provides a smoother ride by preventing waves from hitting the cross channels.

LIFTING STRAKES
Lifting strakes optimize
performance by lifting the
boat on plane and significantly
reducing the surface area of
the pontoon logs in the water,
especially at higher speeds.



OPTIONAL PERFORMANCE PACKAGE	APPROX. WEIGHT	MAX. H.P. CAP.*	MAX. WEIGHT CAP.*	MAX. PERSON CAP.*	MAX. WEIGHT PERSON CAP.*
Versailles 26 LP-SS	1389 kg (3062 lb.)	168 kW (225 H.P.)	1308 kg (2883 lb.)	15	943 kg (2080 lb.)
Versailles 26 WK, 26 SE, 26 LP	1371 kg (3023 lb.)	168 kW (225 H.P.)	1308 kg (2883 lb.)	15	943 kg (2080 lb.)
Versailles 24 LP	1299 kg (2863 lb.)	149 kW (200 H.P.)	1208 kg (2664 lb.)	14	871 kg (1920 lb.)
Versailles 22 LP, 22 LP-SS	1184 kg (2610 lb.)	131 kW (175 H.P.)	1079 kg (2379 lb.)	12	742 kg (1635 lb.)
Versailles 22 LPF	1169 kg (2577 lb.)	131 kW (175 H.P.)	1079 kg (2379 lb.)	12	742 kg (1635 lb.)
Vantage 24L	1219 kg (2688 lb.)	149 kW (200 H.P.)	1208 kg (2664 lb.)	14	871 kg (1920 lb.)
Sportfisher 24 LP4S	1242 kg (2737 lb.)	149 kW (200 H.P.)	1208 kg (2664 lb.)	14	871 kg (1920 lb.)

<sup>\*</sup> N.M.M.A. (USA)/Manufacturer's recommendations

		I					VER	SAILLES	S SERIES	š				- 1	V	VANTAGE S	SERIES	- 1	ı			VECTRA S	SERIES			- 1	SPORTF	ISHER SE	ERIES	1	VACA	NZA SERII			VENTU'	URA SERIES	.s
	N & DECK BOATS FURES & OPTIONS		26 LP-SS 1/0	26 WK	26 SE	26 LP I/0	56	24 LP	<u>-</u>		22 LPF 22 LP	20		50	_	2 2	20		241 L		200 182 ST2S	<u> </u>	181T	92 5	1611	16	24 LP4S 22 LP4S	20 L4S	18 L4S	282		210V LP 0/B	210V LP 1/0 210V LP 1/0		221V L4S 0/B 192V L2S	192V L2S 0/B 191V L4S 0/R	
	NMMA & Canadian Coast Guard certified	•		•	•	•		•	•		• •		•			• •			•		• •		•		• •	•	• •	•	•	•	•		• •		•	• •	• •
	5052-H36 marine grade aluminum alloy	•		•	•						• •					• •			•	-	• •		•	-	• •	•	• •	-	•		•		• •			• •	
	Stainless steel & aluminum fasteners	•	•	•	•	•	•	•	•	•	• •	•	•	•	• •	• •	•	•	•	•	• •	•	•	•	• •	•	•	•	•	•	•	•	• •	•	• /	• •	• •
	Heavy-duty extruded Z-aluminum cross channels	•	•	•	. • 1				•	•	• •				• •	• •		•	•	•	• •		•	•	• •	•	• •	•	•	- 1	-	-	-   -	- '	1 -	-   -	'
	1 1/4" anodized aluminum rails	•	•	•	•	• /	•	•	•	•	•	•	•		• •	• •	•	•	•	•	• •	•	•	•	• •	•	• •	•	•	-	-	-		-	- 7	- 7	-
	Pressure-treated wood deck covered w/ marine grade carpet (oz.)	28	28	28	28	28 2	28	28	28	28 2	28 28	3 28	28	28 2	20 20	20 20	20	20	16	16	16 16	6 16	16	16 1	16	16	20 20	) 16	16		20	20	20 20	_	20 2	20 20	
	High gloss oven-cured urethane paint	-	- /	- V	( - )	- 7	-	-	- 1	-		- /	- /	- /	- 7		- /	-	- 7	- /		-	-	-		- 7		-	- 7	•	•		• •		• /		• •
	Stainless steel bow eye (E), ski tow eye (SE) & ski tow post (P)	E	E	I E I	l E	ſΕ	Е	Е	Е	E	E E	E	E	Е	E F	Ē Ε	E	E	E	E	E E	E	E	Е	E E	E	E E	E	Е	E, P	E, P		E, SE E, S	SE E, SE	[ E	E E	E E, SE
	Cleats ( <b>C</b> = Chromed, <b>R</b> = Recessed, <b>M</b> = Mooring eyes)	4C	4C	4C	4C	4C	4C	4C	4C	4C 4	4C 4C	C 4C	4C		4C 40	IC 4C	4C	4C	4C	4C 4	4C 4C	C 4C	4C	4C 4	C 4C	4M 20	C/2M 2C/2	M 4M	4M	4C, 2R	4C, 2R	4C	4C 4C	C 4C	4C 4	4C 4C	IC 4C
	Sealed pontoon bulkheads w/ top mounted air plug (21", 23" & 25" dia.)	25		25	25		25	25			25 25	5 25	25		25 25			25	23	23 2	23 23	3 23	23	23 2	23 23	21 2	25 25	5 25	23	- 1	-	-	- 1 -	'	-		- '
E	Triple pontoon w/ under deck spray shield	-	•	4 - 7	( - )	•	- 1	-	- 1	•		-	- /	- 7		-	- /	-	- 7	- 7			-	-		- 7		-	-	-	-	- 7		- /	4 - 7	4- 7	4 - /
P	V-shaped aluminum engine pod	•	-	•	•	-	•	•	•	-	•		•		•	•			•	•	•	•	•	•	•	•	•		•	-	-	-		- '	-		- '
0	Full-length aluminum pontoon keels ( <b>K</b> ) & pontoon skirting ( <b>S</b> )	K, S	K, S	K, S	( K, S	K,S	K, S	K, S	K, S	K, S K	(, S   K, S	3 K, S	K, S	K, S	K, S K,	S K, S	K, S	K, S	K	K	K K	K	K	K	K K	KF	K, S K, S	S K, S	K	-	- /	- 7	- 7	- /	4 - 7	4- 7	4 - /
	High performance deep-Vee reverse chine hull design	-	- '	-	1 -	1 -	-	-	-	-		T -	-	-		-   -	T -	-	-	-		-	-	-	-   -	- 1		T -	T -	•	•	•		•	•		• •
	Fiberglass bow section with halogen docking lights, telescoping beach landing ladder & anchor locker	-	4 - /	4 - /	4 - /	4 - 7	- /	-	4-17	- 7		-/	- /	- /	- 7	/	- /	- /	- 7	- /		- 1	-	-	-   -	- 7		4 -/	4 -/	•	•	- /	- •	- /	4 - 7	4- 7	4 - /
	Rear sun deck ( <b>F</b> = Full-width)	•		•	•	•	•	F	F	•	F •	F	F	•	F •	• F	F	F	•	•	F •	-	•	F	F -	-		-	-	•	•	F	F F	F	-	F -	. F
	Rear boarding access ( <b>G</b> = w/ gates)	G	G	G	G	G	G	G		G	- G	_	G	G	G G	G G	G	G	G	G	- G	i G	G	-	- G	(- J			4 - 7	•	•	G	G G	G	4.	G •	G
	Side gates (inches/quantity) (+= w/ lift and lock hinge)			32/1 +	124/1+	32/1 + 32	2/1 + 2	-	-	-	4/1 + 24/1		+ 24/1 + 2				+ 24/2 +	24/2+	24/2 + 2	77/2 + 27	7/2 + 24/2	2 + 24/2 +		1/2 + 24	/2 + 21/1 +	32/2 + 2	24, 32/2	2 + 32/2 +	+ 32/2 +	+ -	-	-	18/1 18/	/1 18/2	18/2 18	18/1 18/1	3/1 18/1
		F. G		32/1.	24/1.	32/1 . 02	2/1 . [2.	1, 04/4	4/1 . [2	4/1 1/27	-0 -0	27/1	24/1.12	-4/1	1/4 1/27/4	2   27/2	24/2	Z4/Z . [	24/2 . 2	1/2 '   21)	/2 '   47/-	. '   24/2 '	F F	4/2 ' 27	[2   2   7	34/2 . 3	2/2+	.	1 32/2			10/2	10/1 10/	1 10/2	10/2 1	0/1 10/1	10/1
	F= Finger pinch guard, G= Gate holder	r, G	F, G	F, G	F, G	F, G F	г, ы	F, G	F, G	f, G   F,	, G   F, G	i F, G	F, G	F, G	F		F	F	F	F	F	F	1	F	F		F	F	F	-	-	-		- 1		- 7	4 - )
	Integrated swim platform with four-step telescoping ladder and hand rail (+= Full-width)	-	- '	1 - 1	- 1		-	-	-	-	-   -		-	-	-   -	-   -	1-	-	-	-		-	-	-	-   -	-	-   -		1 -	•+	•+		• •	- 1	- 10		- /
	Storage compartment(s) ( <b>S</b> = Ski storage, <b>C</b> = Cooler/fish box, <b>A</b> = Anchor storage)	-	4 :	1			-	-	-	-		-	4 -	-			4 -	-	-	-		-	-	-		-		-	-	S, C, A	S, C, A	-, -, -,	, -,  -, -,	, A S, C, A	S, C, A S,	S, C, A S, C,	, A S, C, A
	Fiberglass helm console w/ glove box (L= Large w/ cooler, C= w/ integrated cooler)	L	L '	•	-	L	_				• •			•	C C	) C	С	C	-	-	-   -	-	-	-	-   -	-	CC		1 -		-		C C	C	C		
	Integrated galley unit incl. sink, faucet and portable water tank	•	•	•	•	•	•	•	•	•	• •	•	•	•		-		-	- 1	-		-	-	-				-		-	-	•		- /	- 7	- 7	4-
real ukes	Helm console w/ glove box (+= w/ sport steering wheel)	-	- '	-	- 1	-	-	-	-	-	-   -		-	-	-   -	-   -	<u> </u>	-	•+	•+	•+ •+	+ •+	•+	•+	+ •+	•+	-   -	•+	•+		-	-	-   -	- '	-	• •	
5	Port console w/ integrated entertainment center (w/ sink, ice chest, 12-V outlet & storage underneath)	-	- /	- 1	- 1	- /	- 1	- 1		-		-	-	-		-		-	- 1	-		-	-	-		-		-	- 7	•	•	-		- /	- 7	- 7	4-7
Ė	Dash panel ( <b>T</b> = Thermoformed woodgrain w/ lighted switches, <b>P</b> = Plastic molded)	T	T '	T	T I	T	T	T	T	T .	TT	T	T	T	T T	ſŢ	T	T	T	T	TT	T	T	T	TT	P	TT	T	T	T	T	T	TT	T '	T	TT	_ T '
4	Mahogany steering wheel	•		•	•	•	•	•	•	•	• •	•	•	•			- 7	-	- 7	- 7		-	-	-		- 7		- 7	- 7	•	•	•	• •	- /	- 7	- 7	4 - 7
STANDARD	Steering system ( <b>P</b> = Power, <b>S</b> = Sea Star hydraulic, <b>T</b> = w/ tilt wheel, <b>NFB</b> = No-Feedback w/ dual cable)	T	P, T	T	T_1	P, T	T	T	T	P, T	TT	T	T	T	-   -	-   -	-	-		-	-   -	-	-	-	-   -	-	-   -	-	-	P, T	P, T	SI	P, T   P,	Γ P '		NFB NFB	
5	Speedometer (PI= Pilot-Digital multifunction gauge <sup>1</sup> , SI= Mercury SmartCraft System <sup>2</sup> )	PI	PI	•	•	PI	PI	•	•	PI (	• •	•	•	•	• •	• •	•	•	- 7	-		-	-	-		- 7	•	- /	- 7	SI	SI	•	PI PI	•	• /	• •	• •
A I	Tachometer ( <b>PII</b> = Pilot-Digital multifunction gauge <sup>3</sup> , <b>SII</b> = Mercury SmartCraft System <sup>4</sup> )	•	•	•	•	•	•	•	•	PII	•	•	•		• •			•	•	•	•		•	•	• •	-	•	•	•	SII	SII	•	• •	•	•	• •	• •
No.	Voltmeter	-	- /	•	•	- 7	-	•	•	•	•	•	•	•	• •	• •	•	•	•	•	•	•	•	•	• •	- 7	•	•	•	•	•	•		•	• /		•
5	Trim gauge	•	•	•	• 1	•	•	•	•	•	•	•	•		• •	• •	•	•	•	•	• •	•	•	•	• •	-	•	•	•	•	•	•	• •	•	•	• •	• •
	Fuel gauge	•	•	•		•	•	•	•	•	•	•	•	•	• •	• •	•	•	- 7	- 7		- 1	-	-		- 7	•	•	-	•	•	•	• •	•	• /	• •	•
	Oil & temperature gauges	-	•		1 - 1	•	-	-	-	-		-	-	-			-	-	-	-		-	-	-	-   -	-		-	-	-	-	-	• •	•	-		•
	Switches (F= w/ fuses, B= w/ breaker system protection)	В	В	В	B	В	В	В	В	В	ВВ	В	В	В	F F	F F	F	F	F	F	F F	F	F	F	F F	F	F F	F	F	В	В	В	ВВ	F	F	FF	F
	AM/FM stereo (A= 50W, B= 100W ETR, C= 200W Clarion CD Player)	С	С	C	1 C	1 C	C	С	С	C (	C C	С	С	С	В В	3 B	В	В	Α	A	A A	A	А	A	A A	А	ВВ	A	A	С	C	С	C C	В	I B	B P	В В
	Electric horn	•	•	•		• /	•	•	•	•		•	•	•		• •	•	•	•	•	• •	•	•	•	• •	- 7				•	•	•		•	1 • /	4 9	• •
	12-V receptacle	•	•	•	•	•	•	•	•	•		•	•	•			•	•	-	-		-	-	-		-		-	-	•	•	•		•	•		• •
	Smoked windscreen (QR= w/ quick release, W= Walk-thru windshield)	QR	QR	QR	QR	QR (	QR	QR	QR	QR C	QR QR	R QR	QR	QR (	QR QI	QR QR	QR	QR	QR	QR C	QR QR	R QR	QR	QR C	QR QR	. 7	QR QR	R QR	QR	•	W	QR (	QR QF	R QR	QR C	QR QR	QR QR
	Fire extinguisher support (fire extinguisher not included)	-	-	-	1 -	-	-	-	-	-		-	-			• •					• •		•		• •		• •		•	•	•	•		•	•		
	Plush and heavy weight upholstery ( <b>U</b> = Ultra plush)	U	U	U	1 U	U	U	U	U	U	II U	U	U	U	• •	• •	•	•	•	•		•	•	•	• •	•	UU			•	•	•			• /	. ,	• •
	Captain's chair ( <b>W</b> = Double, <b>B</b> = Bolster, <b>S</b> = w/ slide and swivel, <b>R</b> = w/ sliding rails)	S	S	S	I S	I S	S	S	S	S	SS	S	S						•	•			•	•			N. R W. F	R •	•			B. S E	B. S B. S	SS	S	S S	s S
	2 chairs in the bow area (+= Luxury reclining seat)	_ ~	• +	4 - /	• +	4-1	-		• +	- 1				Ž.		- •		-	4-1	- /			-	-		- 1	4 17			-, -	-	-	7, 7		4 - 7	4 7	
ш	Folding fishing seats	-	_	-	1 - 1	-	-	-	-	-		-	-	-			-	-	-	-	- 2	-	_	-		-	4 4	4	4		-	-		2	4	2 1	4 -
1	Chaise lounges (+= w/ storage in reclining section)	3+	3+	3+	4 - /	3+ 3	3+	3+	4-1	2+ 3	3+ 2+	F	4 - 1	4-17	3+ 1-	+ 1+		1+	4-1	- 1				_	_   _		- 1+	£ 1	الغيام	3	3	4-1			4 - 7	1 1	4 1
ILING	Stowage ( <b>S</b> = Under all lounges, <b>P</b> = Storage pouch)												P S, 2P S						S	9	S S	S	S	S	s s	9	S S		S		S, P	2	S S	S			SS
	Pop-up privacy enclosure (+= Large)					0, ZF 0,										,				-		-				-	• + • +					•		_			
	Dinette table and flip-flop seat	_		1	-	-		-	-	-	-			-						-	_			_				-	1		-						_
	Large fiberglass rear galley w/ cooler, sink, faucet, portable water tank, courtesy light & 12-V receptable		التيا	•	•				4	علجة							_				نات			_			حالت								4		4
	Pedestal mount stern removable snack table w/ drink holder	•	•			•	•	•	•	•	• •		-	•	• •	• •		-						-	-			-		•	•	•			•	• •	• •
	Pedestal mount stern removable snack table w/ drink noider  Electric-fill aerated livewell <sup>5</sup>			<u> </u>			-		-			-		-			+-			_	4			-	-   -		•	-	+-				-				
		-	/ - /	1 - Y	( - )	( - V	/-  /	/ -  /	/ -   7	/-   /	/	/ - /	/  -  /	/ -   /	/-   <i>†</i>	f   -/	/ - /	/ - //	/ -  /	/-   /	- A	-	-	-	-   -	( -   7	A A	A	A	- 1	( - V	/ -   /	/-   7	В	В	CCC	/ - /
ZN	Rod storage compartment (+= 7-Foot, I= Inside the ski storage compartment, L= Lockable)	-	T-	- 1	1 - 1	( -	-	-	-	-		-	-	-		-   -	-	-		-		-	-	-		-	+L +L	. T L	L		-	-		+I, L	+L +	+l, L +l, L	L -
	Bow trolling motor plug and receptacle with battery tie-downs	-	-	4 - /		( - /	- 7	- 1	- 1	_		-/	- 7	- 7	- !		- /	- /	- 7	- 7	- 12V	V -	-	-		- 1	12V   12V	V 12V	12V	-	- 1	- 7				24V 24V	
	Lowrance X-47 fish/depth finder	-	-	-	- 1	-	-	-	-	-		-	-	-			-	-	-	-		-	-	-		-		-	-		-	-		. •			
	Zewiano 7 i nonjaopa iniao				$\overline{}$													$\perp$																	<del></del>		

	I					VEF	RSAILLI	ES SERIES					I	VANT/	AGE SERIE	S	1			VECTR	A SERIES	6			SPOR	TFISHE	SERIES	1	VAC	NZA SEF	RIES	1	VENTUI	RA SERIES	1
PONTOON & DECK BOATS	S	S			2			SS 0											6							. [			>		2   2	ا <sub>د</sub> ا		0 0	9
FEATURES & OPTIONS	26 LP-SS	26 LP-SS 1/0	WK	SE	<u>a</u>	۵.	<u>-</u>	22 LP-SS 22 LP I/0	革	<u>-</u>	<u> </u>			<u>-</u>	SS-1	ے   <u>م</u> ا	.		ST2S			Ι.	_   _		LP4S	22 LP4S	14S	250V LP	15	/ LP	210V LP I 210V LP I		/ L4S		1 = 1
I LAI UNLO & UF I IUNO	1 92	0/ 192	26 V	26 S	56		24 [	22 1	22 [	122	20 LPr 20 LP	20 L	24 L	22	22 1	20 S	2411	2011	200	<u>8</u>	18	180	1801	9	24 [	22	20 L4S		220V	210V 0/B	210V 210V	222V 1/0	221V 0/B	0/B 0/B 1917 0/B	1900
Cup holders	•	•	•	•	•		•	• •	•		• •	•	•	•		• •		•	• •	-	•		• •	•	•		• •			•	• •	•		• •	
Holding handle(s)	-	-	-	-	-	-	-		-	-	-   -	-	-	- 1	-		-	-		-	-	-		-	-	-		•	•	-		-	-		•
Navigation lights	•	•	•	•	•	•	•	• •	•	•	•	•	•	•	•	• •	•	•	• •	•	•	•	• •	•	•	•	• •	•	•	•	• •	•	•	• •	•
L= Interior lighting F= Floor mood lighting	F	F	F	F	F	F	F	F F	F	F	F F	F	L	L	L	L L	L	L	L L	L	L	L	L L	-	L	L	L L	L	L	L	L L	L	L	L L	L
Push on/off console courtesy light	•	•	•	•	•	•	•	• •	•	•	•	•	-	-	-		-	-		-	-	-		-	-	-		-	-	-		-	-		-
Push on/off console courtesy light Bilge pumps (2)	-	-	-	-	-	-	-		-	-	-   -	-	-	-	-		-	-		-	-	-		-	-	-	-   -	•	•	•	• •	•	-	• •	•
Stern boarding ladder Stern shower w/ water tank (42 L [11 U.S. gal.]) Molded corner light housings (H= w/ flush mount halogen docking lights)	•	•	•	•	•	•	•	• •	•	•	•	•	•	•	•	•	-	-		-	-	-		-	-	-		-	-	-		•	•	• •	•
Stern shower w/ water tank (42 L [11 U.S. gal.])	-	-	-	-	-		-		-	-	-   -	-	-	-	-		-	-	-   -	-	-	-		-	-	-		•	•	-		-	-		-
Molded corner light housings (H= w/ flush mount halogen docking lights)	•H	•H	•H	•H	•H		•H	•H •H	•H	•H •	H •H	•H	•	•	•	•	•	•	• -	•	•	•	• -	-		•H		-	-	-		-	-		-
Battery tray	1	1	1	1	1		1	1 1	1	1	1 1	1	1	1	1	1 1	1	1	1 2	1	1	1	1 1	1	2	2	2 2	1	1	1	1 1	3	3	3 3	
Canvas camper enclosure & mooring cover snap fasteners	•	•	•	•	•		•	• •	•	•	•	•	•	•		•	•	•	•	•	•		• •	•	•	•	•	•	•	•	• •	•	•	• •	
Color-coordinated deluxe convertible buggy bimini top (+= w/ 4 quick-release latches)	•+	•+	•+	•+	•+		•+	•+ •+			+ •+	•+	•	•	•	• •	•	•	• •	•	•	•	• •	•		•+	• •	•+	+ •+	•+	•+ •+	•+	•+	•+ •+	•+
Triple pontoon performance package (for O/B version) <sup>6</sup> Third log w/ under deck spray shield (for O/B version only)	0	-	0	0	-		0	0 -	0	0	-   -	-	0	-	-		-	-		-	-	-	-   -	-	0	-	-   -	-	-	-		-	-	-   -	-
Under-deck spray shield	0	-	0	0	-		0	0 -		0 0	0 0	0	0	0	0	0 0	_	-	-   -	-	-	-		-	0	-		-	-	-		-	-		-
Lifting strakes (for triple pontoon only)	0	0	0	0	0		0	0 0		0	5 0	0	0	0	0	0 0	-	-	-   -	-	-	-	-   -	-	0	-	-   -	-	-	-	-   -	-	-		-
Hydraulic steering w/ tilt wheel <sup>10</sup> ( <b>S</b> = Sea Star, <b>B</b> = Bay Star)	UE S,B		UE S,B L	-	-	-		UE S,B -		-	B UE B	IIE R	IIE C R	IIE R	IIE R III	E R IIE	R HER	IIE R I	IE R IIE I	R HER	IIE R	IIE R III		-	UE S,B I	IE R I	JE B UE	R -	_	-		-	IIE C II	JE S UE S	-
Tilt steering mechanism	UL 3,D	_		- 0,0	- (	JL 3,D UL	- 0,0		- UL 3,D C	- 01	- 0.0	OL D	UE 3,D	UE	UE I	JE UE	E UE	UE	UE UE	UE	UE	UF U	JE UE	UF			UE UE	: .	_	-		UE		UE UE	UE
Clarion® AM/FM radio w/ CD player ( <b>A</b> = 200 W, <b>B</b> = 208 W <sup>7</sup> )	LIF B	LIF B	UE B	IIF B	LIF B	UE B U	IE B	LIE B LIE B	LIF B	LIF B LIF	B LIF B	LIF B		UF A.B.I		A.B UE /	_		E A.B UE A	_		UF A.B. UF					E A.B UE /		B UE B	UE B	LIE B LIE I			A. B. U.F. A. I	
Console galley conversion (sink, water tank, etc.)	-	-	-	-	-	-	-		-	-		-	0	0		0 0		-		-	-	0-1.5		-	-	-		-	-	-			0		-
	-	-	-	-	UE	UE	UE		-	-		-	-	-	-		-	-		-	-	-		-	-	-		-	-	-		-	-		-
Dinette table & flip flop seat w/ cooler	-	-	-	-	-	-	-		- 1	-	-   -	-	-	- 1	-		-	- 1	0 -	0	-	0		-	-	-		-	-	-		- 1	-		-
Dinette table & flip flop seat w/ cooler Chemical toilet w/ holding tank and pump out (11 L/3 U.S. gal.)  Fibrales how settion w/ holding tank and pump out (11 L/3 U.S. gal.)	0	0	0	0	0	0	0	0 0	0	0 (	0 0	-	0	0	0	0 0	-	-	0 -	-	-	0	0 -	-	0	0		0	0	0	0 0	0	-	0 -	0
	-	-	-	-	-	-	-		-	-		-	-	-	-		-	-		-	-	-		-	-	-		-	-	0	0 -	-	-		-
Full-width rear swim platform w/ boarding ladder	-	-	-	-	-	-	-		-	-		-	-	-	-		-	-		-	-	-		-	-	-		-	-	-		UE	-		UE
Full-width rear swim platform w/ boarding ladder Docking lights (R= Regular, H= Flush mount halogen lights, += w/ housing)	-	-	-	-	-	-	-		-	-	-   -	-	οН	οн	0 H 0	НО	н о н	0 H 0	н он	+ O H	οН	он о	н о н	+ -	-	- (	RO	R -	-	-				H+ O H-	
Captain's chair ( <b>W</b> = Double, <b>L</b> = Reclining, <b>B</b> = Bolster, <b>S</b> = w/ slide & swivel	Mere	UE WS, LS	UE IS I	UE NS. LS V	NS IS I		UE 'S, LS	UE UE	UE WS. LS V		JE UE S. LS WS. LS	WS 18	UE	UE	UE I	JE UE		-		-	-	-		-	UE	UE		-	-	-		UE BS	UE BS	UE UE BS BS	UE BS
Bow pull-out sleeper bed conversion	- WO,LO	- VVO, LO	UE		UE		UE		- VV3, L3 V	- WG	- 400, E0	- WO, LO	-	- 1	-		-	-		-	-	-		-	-	-		-	-	-		-	-		-
Built-in fuel system w/ in-dash gauge	-	-	-	-	-	-	-		-	-		-	-	-	-		0	0	0 0	0	0	0	0 0	-	-	-		-	-	-		-	-		-
Raised rail upgrade	0	0	0	0	0	0	0	0 0	0	0 (	0 0	0	0	0	0	0 0	0	0	0 0	0	0	0	0 0	-	0	0	0 0	-	-	-		-	-		-
Yellow graphic accent (Y), Monochrome interior (available with navy blue color scheme) (M)	-	-	-	-	-	-	-		-	-		-	-	-	-		-	-		-	-	-		-	-	-		UE	M UE M	UE Y	UE Y -	-	-		-
Composite deck	UE	UE	UE	UE	UE	UE	UE	UE UE	UE	UE l	JE UE	UE	UE	UE	UE l	JE UE	UE	UE	UE UE	UE	UE		JE UE	-	UE	UE	UE UE	-	-	-		-	-		-
Full camper enclosure (F= w/ fishing seat covers, P= w/ privacy curtains)	0	0	O P8	0	0		0	0 0	0	0 (	0 0	0	0	0		0 0	_		0 0		0		0 0	0		2F		0		0	0 0			2F 0 4F	0
Half (1/2) camper enclosure ( <b>C</b> = w/ front cockpit cover, <b>F</b> = w/ fishing seat covers)	-	-	-	-	-		C		-	-	-   -	-	00		-	CO	0 0	0 0	o C   -	0 0	o C	-	C -	-	O C,4F		0 4F   O 4		o C	-	0000	- /			-
Mooring cover	0	0	0		0		0	0 0			0	0	0	0		0 0		0	0 0	0	0	0	0 0	0			0 0	_		0	0 0			0 0	
Bimini top traveling struts	0	0	0	_	0		0	0 0			0	0	0	0		0 0	_	-		-	-	-		-	-	0		0	_	0	0 0			0 0	_
Bow lounge sun cushions	0	0	0	-	0		0	0 0			0 0	0	0	0	0	0 0	-	-		-	-	-		-	0	-		0	0	0	0 0	0	0	0 0	0
Bow gate seat 9	-	-	0	-	0	0	0	- 0	0	0 (	0	0	- D	-	OP C	-	- D O D	OR C	PR OF	-	- D	- 0 P.R 0		O R	-	-	OR O	- n	-	-		O P	OR (	op or	O P
Privacy enclosure (P= Pop-up, R= Removable)	-	-	0	0	0	0	0	- 0	0	0 (	0 0	0	0 P	0		0 0 0			0 -	OR		.,	P, K   -	OK	-	-	OK O	н -	-	-		OP	OK	OP OR	OP
Deck mount barbecue (BBQ) gas grill Pedestal mount bow removable snack table w/ drink holders ( <b>0</b> = Oval, <b>R</b> = Rectangular)	- D	O D	O R			-	-	OR OR		-	-   -	_							-			-		-	0.000	000	0000	) B O O	D O O D	000	0 O. R O O.	- D	-		0 O. R
Privacy enclosure (P= Pop-up, R= Removable)  Deck mount barbecue (BBQ) gas grill  Pedestal mount bow removable snack table w/ drink holders (0= Oval, R= Rectangular)  Pedestal mount stem removable snack table w/ drink holders	- K	O n	O n	- n	o n	o n	n	O N O R	O h	o n o	n O K	- N	0,K	U,R	- ,	U,R O C	0,8		- U,K U	,K O U,I	0 0,8	- /	0,800,	1 0 0	- 0,8	- ,	- 0	,	, K O U, K	- U, K	- U, N U U,	n -			0 U, N
Bow refreshment table w/ sliding top & cooler	0	0	0	0	0	0	0	0 0	0	0 (	0 0	0		-	-	_   _	1 -		_   _			_	-   -		-	_	_   _		_	_			_		
Bow refreshment table w/ sliding top & cooler Stainless steel waterski tow bar	0	_	0	0	_		0	0 -			0 0	0	0	0	0	0 0		_			_	_		_	_	- 1	_   _		_	0	0 0	0	0	0 0	0
Boarding ladder ( <b>F</b> = 4-step side folding, <b>S</b> = Anodized stern)		O F	0 F	-	O F	-		0 F 0 F										OFS	O F O F	SO F	SOFS	O F O	FOF	SOF	OF	O F	FO	F -	_	_		-	-		
Downrigger mounting supports	- '	-	-	-	-		-		-			-	-	-										-			0 0		-	-		-	-		-
Pantographic parallel arm starboard side wiper	-	-	-	-	-	-	-		-	-		-	-	-	-		-	-		-	-	-		-	-			_	0	-		-	-		-
Lowrance X-47 fish/depth finder	-	-	-	-	-	-	-		-	-	-   -	-	-	- 1	-	-   -	-	-	- 0	-	-	-	-   -	-			0 0	_	-	-	-   -	- 1	-		-
20 A																																			

- Standard Option
- **UE** Upgrade exchange
- 1 A Pilot™ digital-multfunction speedometer gauge includes: speed, clock, water temperature, air temperature, dual timers, trip log, voltmeter and depth sounder with programmable keel offset and shallow and deep water alarms.
- 2 Mercury SmartCraft™ system speedometer includes: light brightness, light contrast adjustment, TrollControl™, clock, digital speedometer, fuel economy, fuel range, fuel tank level, lake water temperature, air temperature and trip log.
- tachometer gauge includes: tachometer, fuel remaining, fuel flow, hourmeter, total and trip fuel log, digital trim gauge, engine temperature and oil pressure.

47

- 3 A Pilot<sup>™</sup> digital-multfunction 4 Mercury SmartCraft<sup>™</sup> system tachometer includes: light brightness, light contrast adjustment, engine alarm display, TrollControl™, battery voltage, digital tachometer, engine hour meter, engine temperature, fuel flow, power trim angle and water pressure.
- 5 Built-in electric-fill aerated livewell with post overflow, anti-spill cover and thru-hull drain system.
- **6** Triple pontoon performance **7** With CD/DVD changer **8** A full camper enclosure package incl. 3<sup>rd</sup> log, under deck control & Sirius® spray shield, Sea Star hydraulic steering system & lifting strakes. (O/B version only)
  - satellite radio compatible.
- with privacy curtains is also offered with the Versailles 26 WK.
- 9 Bow gate seat not available with bow pull-out sleeper bed.
- **10** In the pontoon category, the Sea Star hydraulic system is available with the 3rd log option only.
- Boat/motor packages are available with Mercury® outboard and Mercury® MerCruiser® sterndrive power.

### OPTIONAL EQUIPMENT\*

### **PONTOONS**



Bow lounge sun cushions\*



Spacious pull-out sleeper bed\*



Flush-mounted halogen docking lights\*



Bow gate seat\*



Luxury reclining captain's chair\*



Four-step, side boarding ladder



sliding top\*



Deck mount barbecue gas grill\*



Lowrance® X-47 fish/depth finder\*

### PONTOONS AND DECK BOATS



Tilt-steering wheel\*



200-watt AM/FM/CD player\*



208-watt AM/FM/CD player\*



Pop-up privacy enclosure\*

Chemical toilet\*

\*Available on select models.

Please consult optional features chart pages 46-48 for details.



Rectangular pedestal-mount snack table\*



Oval pedestal-mount snack table\*



Removable privacy enclosure\*



Galley conversion\*



Bow lounge cushions\*

Halogen docking lights\*

**DECK BOATS** 

Vibrant yellow accent graphic\*



Full-width rear swim platform\*







**FISHING BOATS** 

**PONTOONS** 

**DECK BOATS** 

### IS IT A MERE COINCIDENCE PRINCECRAFT OWNERS SEEM TO HAVE THE BIGGEST SMILE?

Out on the water, around the ramp, at the dock, it seems Princecraft owners are really enjoying life. It may be a coincidence, but we believe it has a lot to do with how well crafted their pontoon or deck boat may be. Our boats are designed to make your experiences on the water better, and ultimately help make life more fun. Get in Princecraft and test-drive your biggest smile today.

To find the name of the Princecraft dealer nearest you call I-800-395-8858 or visit www.princecraft.com







In Canada: Princecraft Boats Inc., A subsidiary of Brunswick International Limited 725 Saint-Henri Street, Princeville (Quebec), G6L 5C2, Phone; (819) 364-5581, Fax; (819) 364-5821

In the United States: Princecraft U.S., A division of Brunswick Corporation 2600 Sea Ray Blvd, Building #2, Knoxville, TN 37914, Phone: (865) 522-4181, Fax: (865) 971-6456 Princecraft factory-packaged boats are available with various horsepower Mercury® outboards or Mercury MercCruiser® Inboard/Outboard engines.

PLEASE READ CAREFULLY: Dimensions, capacities, ratings, and additional specifications, plus complete warranty and service information, are available from your Princecraft dealer. Product illustrations and data within this catalog are based upon information available at the time of publication. Not all accessories shown in pictures or described herein are standard equipment or even available as options. Specification measurements are approximations and subject to variance. Because Princecraft is dedicated to constant product improvements, Princecraft reserves the right to make changes without prior notice or obligation. Not all model year boats may contain all of the features or meet the specifications described herein. Ask your Princecraft dealer for the most current product specifications prior to purchase. Some of the equipment shown separately or on products illustrated in this catalog may be optional at extra cost.

Princecraft is a member in good standing of the National Marine Manufacturers Association (NMMA) and the Canadian Marine Manufacturers Association (CMMA). All boats comply with Canadian Coast Guard and U.S. Coast Guard regulations. All Princecraft® boats are in compliance with NMMA and CMMA's Boat Certification Program. Attwood™ is a registered trademark of Attwood Corporation. Clarion™ is a registered trademark of Clarion Sales Corporation. Faria m is a registered trademark of TG Faria, Inc. Pilot m is a registered trademark of TG Faria, Inc. Flow-Rite m is a registered trademark of Flow-Rite Controls. Lowrance of is a registered trademark of Lowrance Electronics, Inc. Marinco™ is a registered trademark of Marinco-AFI. McGill™ is a registered trademark of Emerson Electronics. Mercury®, Mercruiser®, Verado™, OptiMax® and SmartCraft™ are registered trademarks of Mercury Marine.

### A BOAT LIKE NO OTHER. A WARRANTY LIKE NO OTHER.

### ALL PRINCECRAFT BOATS OFFER:

- Limited lifetime coverage against defects in material or workmanship for all main riveted/welded hull seams defined as hull sides to bottom chine, transom to hull sides and to bottom, all pontoon main seam welds including pontoon assembly, deck risers, railings and motor mounts.\*
- > 10-years coverage on all other deck boat hull aluminum components for defects and material or workmanship.
- 1-year coverage on component parts manufactured or installed by Princecraft as well as those not manufactured by Princecraft — gauges, dash panels, steering components, hardware, pumps, windshields, fuel tanks, etc.
- > Limited lifetime coverage to replace any wood floor parts and a period of 5 years for labor.
- > Carpet and vinvl upholstery warranted from failure due to excessive fading or defects in material or workmanship for 5 years.
- Canvas fabric warranted against excessive loss of color for 5 years.

\*Except for pontoons equipped with Performance Packages which are warranted for a period of 1 year.

For more details on the best warranty around, see your nearest dealer.

### WHY BUY PRINCECRAFT

- > State-of-the-art engineering
- > Better aluminum
- > Superior craftsmanship
- > Unmatched performance > Lasting value
- > Unparalleled durability
- > Unsurpassed fit and finish

- More fishing extras
- Hassle-free boating
- > The best overall experience
- Best warranty around