



PRINCECRALETE

BOMINATE THE WATERS*



CONCEPTION AND DESIGN absolu.ca

RESEARCH AND COPYWRITING absolu.ca

PHOTOGRAPHY absolu.ca Benoit Brühmüller Claude Denis

Visit our Website: princecraft.com 1 800 395-8858



Check out our Princecraft® **2021 PONTOONS AND DECK BOATS** catalog!

PRINCECRAFT®, THE PERFECT PARTNER FOR LIVING YOUR PASSION TO THE FULLEST!

I'M SO PROUD TO BE PART OF THE PRINCECRAFT® FAMILY. The year 2020 is definitely one for the history books. Now more than ever the health and safety of our employees, customers, partners, and communities are our top priority. I'm pleased to see that during this period, we've stayed strong and stayed the course, rallying our staff, and working hard to innovate, design, and build boats ever better tailored to your wants and needs.

Princecraft® is a proud Canadian company; our employees, designers, and suppliers live and work in the community and are experts at building superior quality products. At the same time we're backed by the strength of the Brunswick Group, an industry pillar renowned for its reliability.

Princecraft® is more determined and motivated than ever. We've got a passionate team working hard to develop and bring you the products in our lineup for the new year.

To help you choose the right boat for you and your activities out on the water, we invite you to visit our exciting, user-friendly Website and Facebook page. They're chock-full of great information about our products. Or you can stop by your local Princecraft® dealer if you prefer shopping in person.

Boating is a great way to relax and have fun for you and your family and friends.

Princecraft® is the ultimate choice for making the most of your time on the water, whether for sports or recreational fishing, outings with family or friends, or simply to quench your thirst for adventure. At Princecraft®, you'll find the perfect boat to live your passion to the fullest.

On behalf of the entire Princecraft® team, as well as our suppliers and partners, I would like to thank you for all your trust and loyalty to our products.



RODIER GRONDIN, President



2021 EDITION

FISHING BOATS

Why choose a Princecraft® boat?	E
PLATINUM SE SERIES Platinum SE 227 and 207 Platinum SE 186.	
KAPTURE® SERIES Kapture® 187	. 14
SPORT SERIES Sport 187 and 177	. 18 . 18
XPEDITION® SERIES Xpédition® 200 and 180	. 20
DLX SERIES Hudson® 190 DLX WS and 170 DLX WS Nanook® 168 DLX WS Holiday® 162 DLX WS and SC Holiday® 162 DLX WS MAX and SC MAX	. 22 . 24 . 26
DL SERIES Hudson® 190 DL WS and 170 DL WS Amarok 166 DL WS and SC Resorter® 160 DL SC	. 32
BT SERIES Hudson® 190 BT, Amarok 166 BT, Resorter® 160 BT, and Yukon® 140 BT	. 36
UTILITIES AND CARTOPS Starfish® 16 L WT and WT, Springbok® 16 L WT and WT Yukon® 14 L WT and WT, Fisherman 14, and Ungava® 12	. 38
Technical drawings Colors and finishing touches Custom multifunction trailers Ingenious livewells Canvas and covers: a perfect fit. PrinceTrak/Railblaza® system and Fishing package	. 44 . 46 . 47
Optional equipment	

WHY CHOOSE A PRINCECRAFT® BOAT?

WITH OVER 65 YEARS IN THE BUSINESS AND A DEEP UNDERSTANDING OF WHAT BOAT MAKING IS ALL ABOUT, PRINCECRAFT® IS PROUD TO MEET THE INDUSTRY'S NEED FOR RELIABILITY BY MAKING BOATS WORTHY OF THE SKIPPER IN YOU. CHOOSING PRINCECRAFT® MEANS CHOOSING BOATS DESIGNED FOR YOUR ADVENTURES AND YOUR NEEDS.

At Princecraft®, it all starts with the quality of our hulls. We're always on the lookout for the latest technologies, and our track record for innovation has a lot to do with the high quality material we use in our manufacturing process: 5052-H36 aluminum.

The H36 marine alloy used to make Princecraft® boats is cut and folded in a single piece and is 25% harder than any other aluminum alloy in the industry, resulting in a smoother ride and greater resistance to flexing and scratching. What's more, most of our boats have a double layer of H36 from the center of the hull to the stern. This means the stress on the bottom of the boat is directed towards the side panels for better performance at high speeds.

At Princecraft®, nothing is left to chance. Boating enthusiasts and anglers can rest assured knowing that their safety is in the hands of our experienced R&D team and a meticulous crew of employees who pride themselves on crafting exceptionally comfortable interiors finished to perfection.

Again this year, Princecraft® is setting a standard for excellence in the North American boating industry as we continue pushing ourselves to provide the kind of must-have products and options you want. Why opt for anything less?

DID YOU KNOW?

To achieve a harder aluminum alloy, big blocks of aluminum are pressed in rollers until reduced to the desired thickness. The higher the number after the H, the more tightly the aluminum is compressed for greater rigidity.

BIG ADVANTAGES

The harder the material, the better it holds up to dents and abrasion. In fact, the H36 acts kind of like an airbag for your boat. It has such a high yield strength level that it's virtually impossible to dent. So it's the best way to keep you protected and safe while you're on the water.

If you run aground or hit a rock with your Princecraft®, you can rest assured that your boat is as solid as they come. We've put the H36 alloy through the ringer in rigorous comparative lab trials*, and the results are very conclusive: the H36 is much more likely to hold its shape on impact than the H32 and H34 alloys used by the competition.



OUR SECRET: **H36 ALUMINUM**

Princecraft® hulls are the strongest and most durable on the market because they are made with the best marine-grade aluminum in the business, 5052-H36.

- > 25% STRONGER THAN
 THE ALUMINUM USED BY MOST
 OF OUR COMPETITORS
- MORE RESISTANT TO SHOCK AND WARPING
- MAINTAINS PEAK PERFORMANCE
- > HELPS BOOST BOAT RESALE VALUE

WHY IS PRINCECRAFT® THE ONLY MANUFACTURER TO USE H36?


H36's rigidity makes it more difficult to work with. It requires extremely accurate, state-of-the-art equipment, and above all, exceptional expertise. Only Princecraft® has both!

H36 also has a higher ultimate strength and yield strength than other alloys, which boosts your confidence on the water and the value of your investment!



MOST OF OUR BOATS HAVE TWO THICKNESSES OF H36 ALUMINUM FROM THE MIDDLE OF THE HULL TO THE STERN.

This construction diffuses the stress on the bottom of the boat toward the side panels for better performance at high speeds.





INVENTED BY PRINCECRAFT®, THE DOUBLE REVERSE CHINE:

- Improves performance at all speeds and in all boating conditions
- Makes it easier to steer the boat and control its speed
- Increases the boat's carrying capacity while reducing friction so the boat planes easily even when heavily loaded
- > Prevents chine walk at high speeds
- Keeps occupants dry



ALL ABOUT STAYING SAFE OUT ON THE WATER

EVERY YEAR, HUNDREDS OF BOATING ACCIDENTS ARE REPORTED AND NUMERIOUS CITATIONS ARE HANDED OUT ACROSS ACROSS CANADA AND THE USA. HERE'S AN FAQ TO HELP YOU TAKE TO THE WATER WITH TOTAL PEACE OF MIND.

WHAT MANDATORY SAFETY EQUIPMENT IS REQUIRED ON YOUR BOAT?*

SOME PEOPLE ARE SURPRISED TO LEARN JUST HOW MANY ITEMS YOU'RE LEGALLY REQUIRED TO HAVE ON BOARD WHEN YOU'RE OUT ON THE WATER:

- YOUR BOATING LICENCE (PLEASURE CRAFT OPERATOR CARD)
- AN APPROPRIATELY SIZED PERSONAL FLOTATION DEVICE OR LIFE JACKET FOR EACH PERSON ON BOARD, APPROVED BY CANADIAN COAST GUARD OR UNITED STATES COAST GUARD
- > BUOYANT HEAVING LINE (AT LEAST 15 METERS LONG)
- > MANUAL PROPELLING DEVICE OR ANCHOR WITH AT LEAST 15 METERS
 OF ROPE, CABLE, OR CHAIN
- > BAILER OR HAND PUMP
- > SOUND-SIGNALLING DEVICE
- COMPLIANT NAVIGATION LIGHTS, IF THE BOAT IS OPERATED BETWEEN SUNSET AND SUNRISE OR IN PERIODS OF REDUCED VISIBILITY
- CLASS 5BC FIRE EXTINGUISHER FOR ANY CRAFT EQUIPPED WITH AN INBOARD MOTOR, FIXED FUEL TANK, AND/OR ANY FUEL-BURNING COOKING, HEATING, OR REFRIGERATION UNITS
- WATERPROOF FLASHLIGHT OR 3 FLARES APPROVED BY CANADIAN COAST GUARD OR UNITED STATES COAST GUARD

*Check with local authorities for the full list depending on your boat and your country.



CAN FLOTATION DEVICES BE TOO OLD OR OUT OF DATE?

Lifejackets do not have an expiration date. They are considered compliant as long as they meet certain specifications. For example, they must be in good condition (straps, fasteners, and zippers in good working order, free of mold, etc.), appropriately sized, free of rips and tears, etc. Normally, personal flotation devices should have a label indicating that they are approved by Transport Canada, the Canadian Coast Guard, US Coast Guard or Fisheries and Oceans Canada.

WHAT CHECKS NEED TO BE DONE BEFORE HITTING THE WATER?

First, always check the weather forecast for the day. Weather can change quickly, and getting caught out in a thunderstorm or heavy winds can be dangerous. Next, it's a good idea to let someone know where you're going and what your plans are for the day. Lastly, remember to make sure you have enough fuel. A good rule of thumb is to have about a third more fuel than you think you'll need.

HOW MUCH DOES A BOATING SAFETY VIOLATION COST?

It all depends on the violation and the country. For example, in Canada, operating a boat carelessly or without a competency card can result in a \$250 fine. In terms of required equipment, you'll be fined \$200 for every missing personal flotation device.

IS IT OK TO BRING A VERY YOUNG CHILD ON BOARD?

> Unfortunately, there are no approved flotation devices in Canada for children under 20 pounds. Transport Canada and US Coast Guard recommends that parents avoid bringing infants on boats and wait until their child reaches 20 pounds before taking them out on the water for the first time.

FOR MORE INFORMATION, VISIT
TC.CANADA.CA/EN/MARINE-TRANSPORTATION
USCGBOATING.ORG/INDEX.PHP

PRINCECRAFT® PRESENTS

DOMINATE THE WATER— TO THE MAX!

AT PRINCECRAFT®, WE'VE BEEN PUSHING THE ENVELOPE TO DO MORE FOR OUR CUSTOMERS FOR DECADES.

In today's fast-paced world, fishing is a welcome refuge. And you'll want a boat you can start enjoying right away—without compromising on quality or amenities—to make the most of your passion. That's why Princecraft® launched MAX, a new lineup of three "all-inclusive" models with a distinctive look and an unbeatable price tag.





- > Black rotomolded consoles
- > 1 stern livewell
- > 12-volt outlet
- > Stainless steel ladder
- > Carpeted casting platforms
- > Tilt steering wheel and sliding rail driver seat
- > 160-watt Jensen® radio with 2 speakers
- > Removable ski pylon
- > Bow cushion set
- > Trailer cover (black)
- Bimini sun top connected to windshield, including bimini structure (black)



- > Black rotomolded console(s)
- > 1 bow livewell
- > Emergency reboarding ladder
- > Portable gas tank (23 L/6 U.S gal.)
- > Carpeted casting platforms
- Tilt steering wheel and sliding rail driver seat
- > 160-watt Jensen® radio with 2 speakers
- > Trailer cover (black)
- Bimini sun top connected to windshield, including bimini structure (black) -WS model only

YOUR FULLY EQUIPPED BOAT IS READY.

WHY WAIT?

PLATINUM SE

KEY STANDARD FEATURES

- > Bow raised casting platform with storage
- > Black anodized tempered glass windshield, with hidden frame and door
- > Simrad® Go7 multifunction touch screen with VesselView Link allowing instrumentation display, GPS functions, sonar, and downscan
- > SeaStar® hydraulic steering system with tilt wheel
- 200-watt AM/FM/Bluetooth® SonicHub2 Radio, SiriusXM® compatible with an optional module, and including an in-dash USB plug and 4 waterproof speakers with LED lights
- 77 L/20 U.S. gal. bow and 64 L/17 U.S. gal. stern ProFlo™ Plus electric-filled aerated livewells
- > Deluxe heated convertible driver seat
- > 2 deluxe convertible seats
- > Large in-floor lockable rod organizer with tubes for 12 rods
- > ACS system (Advanced Circulation System): air intake allowing airflow of the in-floor rod organizer
- > Multifunction unit including tool support, cup holders, LED light, and 12V outlet
- Aft raised casting platform with a pop-up privacy enclosure

PLATINUM SE 227 SHOWN IN PLATINUM METALLIC RED

WITH OPTIONS

- > Wash down system
- > Removable ski pylon and base
- > 2 heated reclining captain's chairs with adjustable armrests
- > Bow rider seat cushions
- > Trolling motor

	Center line	Beam	Chine width	Maximum depth	Approximate draft	Transom height	Approximate weight	Aluminum thickness (Bottom)	Aluminum thickness (Side)	Built-in gas tank	Maximum HP capacity	Maximum weight capacity	Maximum weight person capacity	Maximum person capacity
227	6.7 m (22'-0")	2.5 m (100")	2.1 m (84")	1.3 m (50")	0.9 m (34")	0.6 m (25")	915 kg (2017 lb.)	2.8 mm (.110")	1.8 mm (.072")	≤ 208 L (55 U.S. gal.)	261 kW (350 HP)	★ ₽ 1141 kg (2517 lb.)	★ ⊋ 680 kg (1500 lb.)	★₽ 11
207	6.1 m (20'-0")	2.5 m (100")	2.1 m (84")	1.3 m (50")	0.9 m (34")	0.6 m (25")	847 kg (1868 lb.)	2.8 mm (.110")	1.8 mm (.072")	≤ 208 L (55 U.S. gal.)	224 kW (300 HP)	★ ⊋ 959 kg (2114 lb.)	★ ⊋ 590 kg (1300 lb.)	★₽ 9

WITH OPTIONS

- > Removable ski pylon and base
- > 2 heated reclining captain's chairs with adjustable armrests
- > Trolling motor



PLATINUM SE 207 SHOWN IN PLATINUM BLACK (RED ACCENT)

WITH OPTIONS

- > Removable ski pylon and base
- > 2 heated reclining captain's chairs with adjustable armrests





- 1 Optional bow rider seat cushions
- 2 Storage under bow deck
- 3 Driver console (shown with Multifunction Simrad® NSS EVO 3 touch screen option (right screen))
- 4 Drawer under passenger console

- 5 Pop-up privacy enclosure in stern casting platform
- 6 Optional 2 heated reclining captain's chairs with adjustable armrests (passenger captain's chair shown)









12 PRÎNCECRAFT®

> Wash down system

> Trolling motor

KEY STANDARD FEATURES

- > Bow raised casting platform with storage
- > Black anodized tempered glass windshield, with hidden frame and door
- > Simrad® Go7 multifunction touch screen with VesselView Link allowing instrumentation display, GPS functions, sonar, and downscan imaging
- > SeaStar® hydraulic steering system with tilt wheel
- > 200-watt AM/FM/Bluetooth® SonicHub2 Radio, SiriusXM® compatible with an optional module, and including an in-dash USB plug and 4 waterproof speakers with LED lights
- > 64 L/17 U.S. gal. bow and stern ProFlo™ Plus electric-filled aerated livewells
- > Deluxe heated convertible driver seat
- > 2 deluxe convertible seats
- > In-floor lockable rod organizer for 6 rods
- > ACS system (Advanced Circulation System): air intake allowing airflow of the in-floor rod organizer
- > Multifunction unit including tool support, cup holders, LED light, and 12V outlet
- > Aft raised casting platform with a pop-up privacy enclosure





- 1 Storage, ice chest, and livewell integrated into the front casting platform
- 2 Optional snap-in textured marine mat
- 3 Stern boarding platform with anti-skid carpet
- 4 Lockable storage compartments in side panels (passenger side shown)
- 5 Optional head with holding tank and pump out system
- 6 In-floor lockable rod organizer for 6 rods









KAPTURE **KEY STANDARD FEATURES** > Double reverse chine hull design > Black anodized walk-thru tempered glass windshield with door Twin console with No-FeedBack™ dual cable steering system > Storage under consoles > Complete instrumentation: tachometer, voltmeter, speedometer, trim, and fuel gauges > 64 L/17 U.S. gal. bow ProFlo™ electric-filled aerated livewell > 2 deluxe folding seats > In-floor lockable rod organizer for 6 rods > 6 stern rod holders > High capacity automatic electric bilge pump > 2 transducer mounting plates > Stern telescopic boarding ladder **KAPTURE®** WITH OPTIONS > Kicker® engine > Stern livewell station > Downrigger supports > Side bench (passenger side) > 2 rectining captain's chairs with adjustable armrests > Multifunction Simrad® Go7 touch screen, replacing the standard gauges > Multifunction Simrad® NSS EVO 3 touch screen (right screen)

187 5.7 m 2.4 m 2.0 m 1.2 m 0.8 m 0.6 m 726 kg 2.8 mm 1.8 mm ≤ 140 L 130 kW ★★ 863 kg ★ 525 kg (1156 lb.) ★ 7 (18-7") (95") (80") (46") (33") (25") (1600 lb.) (.110") (.072") (37 U.S. gal.) (175 HP) (1902 lb.) ★ 517 kg (1140 lb.) ★ 8			line	Beam	width	depth	draft	height	weight	(Bottom)	(Side)	gas tank	HP capacity	weight capacity	person capacity	capacity
187 (18-7") (95") (80") (46") (33") (25") (1600 lb.) (.110") (.072") (37 U.S. gal.) (175 HP) (1902 lb.) ★ 517 kg (1140 lb.) ★ 8	- 10	07				1.2 m					1.8 mm	≤ 140 L			★ 525 kg (1156 lb.)	* 7
	I	8/	(18'-7")	(95")	(80")	(46")	(33")	(25")	(1600 lb.)	(.110")	(.072")	(37 U.S. gal.)	(175 HP)	(1902 lb.)	★ 517 kg (1140 lb.)	★ 8



KAPTURE® 187

WITH OPTIONS

- > Stern livewell station
- 2 reclining captain's chairs





- 1 Passenger console with glove box
- 2 Optional multifunction Simrad® Go7 touch screen (replacing the standard gauges)
- 3 Optional stern livewell station, including rod supports and storage
- 4 In-floor lockable rod organizer for 6 rods
- **5** Open storage compartment in side panels (passenger side shown)
- 6 4 stainless steel folding cleats

AVAILABLE COLOR



SPORT **KEY STANDARD FEATURES** > Reverse chine hull design (double reverse chine hull design on Sport 187) > Bow raised casting platform with storage > Black anodized walk-thru tempered glass windshield with door > Twin console with No-FeedBack™ dual cable steering system > Storage under driver console with extensible cargo net > Deep-cycle battery storage under the port side console > Complete instrumentation: tachometer, speedometer, trim, and fuel gauges > 64 L/17 U.S. gal. bow and 77 L/20 U.S. gal. stern ProFlo™ electric-filled aerated livewells > In-floor lockable rod organizer for 4 rods > Electric bilge pump > 2 fold-down jump seats (1/3 - 2/3) that can be converted into a rear casting platform > Stern telescopic boarding ladder SPORT 187 SHOWN IN BLACK WITH OPTIONS > Techno Package > Sonar > Trolling motor Chine width Aluminum thickness Aluminum thickness Built-in (Bottom) (Side) gas tank Approximate weight Center Maximum Approximate draft Transom height Maximum Maximum weight **Maximum person** Beam HP capacit weight capacity 2.8 mm (.110") 680 kg (1500 lb.) # 525 kg (1157 lb.) ***** 7 2.4 m 2.0 m 1.2 m (46") 0.8 m 5.6 m 0.6 m 1.8 mm ≤ 140 L 130 kW *****★ 816 kg 187 (18'-6") (95") (80") (.072") (37 U.S. gal.) (175 HP) (1800 lb.) (33")(25") ★ 521 kg (1148 lb.) **★**8 603 kg (1330 lb.) 5.3 m 2.3 m 1.9 m 1.0 m 0.8 m 0.6 m 2.5 mm 1.8 mm 112 kW # 450 kg (992 lb.) *****6 ≤ 91 L **★★** 713 kg 177 (17'-5") (92") (75") (40") (25") (.100")(.072")(24 U.S. gal.) (150 HP) (1572 lb.) (30")★ 413 kg (910 lb.) **★**7

WITH OPTIONS

- > Sonar
- > Trolling motor



SPORT 177 SHOWN IN BLUE

WITH OPTIONS

- > Sonar
- > Trolling motor





- 1 Optional removable ski pylon
- 2 Driver console (shown with Multifunction Simrad® Go7 touch screen (replacing the standard gauges) and Tilt steering and slider for captain's chair options)
- 3 Lockable storage in side panel, driver side

- 4 In-floor lockable rod organizer for 4 rods
- 5 2 folding seats
- **6** 64 L/17 U.S. gal. bow ProFlo™ electric-filled aerated livewell

AVAILABLE COLORS





SPORT SPORT 172 MAX WITH OPTION Downrigger supports

KEY STANDARD FEATURES

- > Reverse chine hull design
- Bow raised casting platform with storage
- Black anodized walk-thru tempered glass windshield with door
- → Twin console with No-FeedBack™ steering system
- Storage under consoles with extensible cargo nets (no cargo nets in Sport 172 MAX)
- Complete instrumentation: tachometer, speedometer, trim, and fuel gauges
- Electric bilge pump
- Stern telescopic boarding ladder

SPORT 172

- → 64 L/17 U.S. gal. bow and stern SportFloTM electric-filled aerated livewells
- In-floor lockable rod organizer for 4 rods
- Removable rear flip-up fullwidth bench seat, including 3 fold-down seats

SPORT 172 MAX

- > Black rotomolded consoles
- > Tilt steering wheel
- > Sliding rail driver seat
- > 160-watt AM/FM/Bluetooth® Jensen® Stereo
- > Bow rider seat cushions
- → 64 L/17 U.S. gal. stern SportFlo™ electric-filled aerated livewell
- > Removable ski pylon
- Bimini sun top connected to windshield, including the structure
- > Trailer cover
- Rear flip-up full-width bench seat, including 2 fold-down seats

SPORT 164

- → 39 L/10 U.S. gal. bow SportFlo[™] electric-filled aerated livewell
- Deep-cycle battery storage under the port side console
- > 2 rear fold-down jump seats

		Center line	Beam	Chine width	Maximum depth	Approximate draft	Transom height	Approximate weight	Aluminum thickness (Bottom)	Aluminum thickness (Side)	Built-in gas tank	Maximum HP capacity	Maximum weight capacity	Maximum weight person capacity	Maximum person capacity
	172	5.3 m (17'-5")	2.3 m (91")	1.9 m (75")	1.0 m (39")	0.8 m (30")	0.6 m (25")	625 kg (1377 lb.)	2.5 mm (.100")	1.8 mm (.072")	≤ 91 L (24 U.S. gal.)	93 kW (125 HP)	+ ★ 703 kg (1549 lb.)		* 6 ★ 7
	172 MAX	5.3 m (17'-5")	2.3 m (91")	1.9 m (75")	1.0 m (39")	0.8 m (30")	0.6 m (25")	602 kg (1327 lb.)	2.5 mm (.100")	1.8 mm (.072")	≤ 91 L (24 U.S. gal.)	86 kW (115 HP)	+ ★ 703 kg (1549 lb.)		
2	164	5.0 m (16'-6")	2.3 m (90")	1.8 m (71")	0.9 m (34")	0.7 m (29")	0.5 m (20")	494 kg (1090 lb.)	2.2 mm (.087")	1.8 mm (.072")	≤ 72 L (19 U.S. gal.)	86 kW (115 HP)	* ★ 630 kg (1389 lb.)	* 375 kg (827 lb.)	

SPORT 172 SHOWN IN WHITE

WITH OPTIONS

- > Techno Package
- > Sonar
- > Trolling motor



SPORT 172 MAX



SPORT 164 SHOWN IN BLACK

WITH OPTION

> Sonar





- 1 Stern telescopic boarding ladder
- 2 Storage under consoles with extensible cargo nets (no cargo nets in Sport 172 MAX)
- 3 Driver console with tilt steering wheel (Sport 172 MAX console shown)
- 4 Multifunction Simrad® Go7 touch screen (replacing the standard gauges) (available as an option, except on Sport 172 MAX)
- 5 Optional 160-watt AM/FM/ Bluetooth® Jensen® Stereo (standard on Sport 172 MAX)
- 6 Passenger console with glove box (Sport 172 and 164 console shown)

AVAILABLE COLORS Red = Sport 172 MAX only







XPEDITION®



KEY STANDARD FEATURES

- Bow raised casting platform with lockable tight storage
- Large lockable rod organizer with tubes for 10 rods
- ACS system (Advanced Circulation System): air intake allowing air flow into the two large storage compartments and rod organizer (bow platform)
- No-FeedBack™ steering system with dual cable
- 12V, 24V or 36V bow trolling motor plug and receptacle with wiring harness
- Storage under consoles with extensible cargo nets
- > Complete instrumentation: tachometer, voltmeter, speedometer, trim, and fuel gauges
- > 64 L/17 U.S. gal. bow and 77 L/20 U.S. gal. stern ProFlo™ Plus electric-filled aerated livewells
- Storage with tubes and support for 4 rods (left side)
- > Rigging tube under flooring (from stern to console and from console to bow)
- PrinceTrak system: extrusion allowing onboard tool fixing
- > High capacity electric bilge pump
- > 2 transducer mounting plates

XPEDITION® 180 SHOWN IN MATTE BLACK (OPTIONAL), WS CONFIGURATION SHOWN

WITH OPTIONS

- > RSP Combo: removable aft flip seats
- > 2 deluxe folding seats
- > Sonar/GPS Humminbird® Helix 7 (console built-in)
- › Bicycle Seat Package
- > Trolling motor
- > Princecraft® Team special decal package

	Center line	Beam	Chine width	Maximum depth	Approximate draft	Transom height	Approximate weight	Aluminum thickness (Bottom)	Aluminum thickness (Side)	Built-in gas tank	Maximum HP capacity	Maximum weight capacity	Maximum weight person capacity	Maximum person capacity
200	6.1 m (20'-0")	2.3 m (92")	2.0 m (78")	0.9 m (37")	0.8 m (33")	0.6 m (25")	664 kg (1463 lb.)	2.5 mm (.100")	1.8 mm (.072")	≤ 144 L (38 U.S. gal.)	186 kW (250 HP)	★ ≥ 841 kg (1854 lb.)	★ ≥ 472 kg (1040 lb.)	★₽ 8
180	5.7 m (18'-9")	2.3 m (92")	2.0 m (78")	0.9 m (37")	0.8 m (33")	0.6 m (25")	596 kg (1315 lb.)	2.5 mm (.100")	1.8 mm (.072")	≤ 121 L (32 U.S. gal.)	149 kW (200 HP)	+ ★ 732 kg (1613 lb.)		

WS CONFIGURATION SHOWN

WITH OPTIONS

- > 2 deluxe folding seats
- > Lid to close the recessed pedal space (at the bow)
- > Trolling motor



XPEDITION® 180 WS CONFIGURATION SHOWN

SHOWN IN MATTE BLACK (OPTIONAL)

WITH OPTIONS

- > 2 deluxe folding seats
- > Trolling motor





- 1 Large in-floor lockable rod organizer with tubes for 10 rods
- **2** 77 L/20 U.S. gal. stern ProFlo™ Plus electric-filled aerated livewell
- 3 Passenger console with glove box (except SC version - side console)

M = Matte Black (optional)

- 4 Lockable tight storage integrated into the bow casting platform
- **5** 64 L/17 U.S. gal. bow ProFlo™ Plus electric-filled aerated livewell
- 6 Dash panel with complete instrumentation



HUDSON® DLX

KEY STANDARD FEATURES

- > Reverse chine hull design
- Bow and aft raised casting platforms with storage
- Black anodized walk-thru tempered glass windshield with door
- → Twin console with No-FeedBack[™] dual cable steering system
- > 12V or 24V bow trolling motor plug and receptable with wiring harness
- > Drawer under driver console
- > Complete instrumentation: tachometer, voltmeter, speedometer, trim, and fuel gauges
- > 77 L/20 U.S. gal. stern SportFlo™ electric-filled aerated livewell
- Large lockable rod organizer with tubes for 10 rods
- > 2 folding seats
- > Electric bilge pump
- > Deep self-draining splashwell

FISHING PACKAGE

To know more about this package, see page 49.

HUDSON® 190 DLX WS SHOWN WITH TOURNAMENT FISHING TFT PACKAGE

OPTION (INCLUDING RED AND BLACK EXTERIOR COLORS)

WITH OPTIONS

- Stern telescopic boarding ladder
- > RSP Combo: removable aft flip seats
- > Tilt steering and slider for captain's chair
- > 160-watt AM/FM/Bluetooth® Jensen® Stereo
- > Sonar/GPS Humminbird® Helix 7 (console built-in)
- › Bicycle Seat Package
- → Trolling motor

	Center line Bea	Chin nm wid	ne Maxi th dept	imum Approximate h draft	Transom height	Approximate weight	Aluminum thickness (Bottom)	Aluminum thickness (Side)		Maximum HP capacity	Maximum weight capacity	Maximum weight person capacity	Maximum person capacity
190 ws	5.8 m 2.3 (19'-0") (91'				0.6 m (25")	669 kg (1475 lb.)	2.5 mm (.100")	1.8 mm (.072")	≤ 95 L (25 U.S. gal.)	130 kW (175 HP)	+ ★ 726 kg (1600 lb.)		
170 ws	5.4 m 2.3 (17'-10") (91'				0.6 m (25")	649 kg (1430 lb.)	2.5 mm (.100")	1.8 mm (.072")	≤ 95 L (25 U.S. gal.)	112 kW (150 HP)	* ★ 685 kg (1510 lb.)		

HUDSON® 190 DLX WS SHOWN IN BLUE

WITH OPTIONS

- > Fishing Package
- Trolling motor




HUDSON® 170 DLX WS SHOWN IN BLACK

WITH OPTION

> Trolling motor





- 1 Driver console (shown with Sonar/ GPS Humminbird® Helix 7 (built-in) and Tilt steering mechanism and slider for driver seat options)
- 2 Drawer under driver console
- **3** Optional RSP Combo: removable aft flip seats and 2 cup holders

- 4 77 L/20 U.S. gal. stern SportFlo™ electric-filled aerated livewell
- 5 Storage under bow casting platform
- 6 Large in-floor lockable rod organizer with tubes for 10 rods

AVAILABLE COLORS









KEY STANDARD FEATURES

- > Reverse chine hull design
- > Bow and aft raised casting platforms with storage
- > Black anodized walk-thru tempered glass windshield with door
- → Twin console with No-FeedBack[™] steering system
- > 12V or 24V bow trolling motor plug and receptable with wiring harness
- > Complete instrumentation: tachometer, speedometer, trim, and fuel gauges
- > 61 L/16 U.S. gal. stern SportFlo™ electric-filled aerated livewell
- > Large lockable rod organizer with tubes for 6 rods into the bow platform
- > 2 folding seats
- > Electric bilge pump
- > Deep self-draining splashwell



FISHING PACKAGE

To know more about this package, see page 49.



WITH OPTIONS

- > Sonar
- > Trolling motor
- > Deluxe decal package





- 1 Driver console (shown with Sonar/GPS Humminbird® Helix 5 G2 and Tilt steering mechanism and slider for driver seat options)
- 2 Storage under bow casting platform
- 3 Optional RSP Combo: removable aft flip seats and 2 cup holders
- 4 Large in-floor lockable rod organizer with tubes for 6 rods
- 5 Passenger console with glove box
- 6 61 L/16 U.S. gal. stern SportFlo™ electric-filled aerated livewell







HOMOTAWBDLX



- > Reverse chine hull design
- Bow and aft raised casting platforms with storage
- > Lockable 7-foot rod storage without support
- No-FeedBack™ steering system
- > 12V bow trolling motor plug and receptacle with wiring harness
- Complete instrumentation: tachometer, speedometer, trim, and fuel gauges
- → 61 L/16 U.S. gal. bow SportFloTM electric-filled aerated livewell
- > 2 folding seats
- > Electric bilge pump
- > Deep self-draining splashwell

HOLIDAY® 162 DLX WS

> Twin console with black anodized walk-thru tempered glass windshield with door

HOLIDAY® 162 DLX SC

 Side console with quick release smoked windscreen

FISHING PACKAGE

To know more about this package, see page 49.

HOLIDAY® 162 DLX WS SHOWN IN BLACK

WITH OPTIONS

- > Stern telescopic boarding ladder
- > RSP Combo: removable aft flip seats
- Sonar
- > 160-watt AM/FM/Bluetooth® Jensen® Stereo
- > Fishing Package
- Trolling motor

Center Chine Maximum Approximate Transom Approximate Aluminum thickness Aluminum thickness Built-in Maximum Maximum line Beam width depth draft height weight (Bottom) (Side) gas tank HP capacity weight capacity	Maximum weight person capacity	Maximum person capacity
162 ws (16-2") (85") (60") (20") (26") (20") (20") (960 lb) (187") (187") (1911 S rat) (75 HP) → 520 w (1101b)	♦ 300 kg (661 lb.)	* 4
102 WS (16'-2") (85") (69") (30") (26") (20") (960 lb.) (.087") (.072") (19 U.S. gal.) (75 HP) ★ 530 kg (1169 lb.)	★ 291 kg (641 lb.)	★ 5
	♦ 300 kg (661 lb.)	* 4
162 sc (16-2") (85") (69") (30") (26") (20") (918 lb.) (.087") (.072") (19 U.S. gal.) (75 HP) ★ 530 kg (126 lb.)	★ 291 kg (641 lb.)	★5

26 PRÎNCECRAFT®

♦ Transports Canada ★ NMMA® (USA)

HOLIDAY® 162 DLX WS SHOWN IN BLACK

WITH OPTIONS

- > Sonar
- > Fishing Package
- Trolling motor



HOLIDAY® 162 DLX SC SHOWN IN WHITE





- 1 Storage under front deck
- 2 Storage compartment, driver side
- **3** Driver console (shown with Sonar Humminbird® PiranhaMAX™ 4, Tilt steering mechanism and slider for driver seat, and 160-watt AM/FM/Bluetooth® Jensen® Stereo options)
- 4 Twin console with black anodized walk-thru windshield with door (Holiday® 162 DLX WS only)

- **5** Optional stern telescopic boarding ladder
- 6 Optional 160-watt AM/FM/ Bluetooth® Jensen® Stereo

AVAILABLE COLORS





HOLIDAY® DLX MAX MERCURY

KEY STANDARD FEATURES

- > Reverse chine hull design
- Carpeted bow and aft raised casting platforms with storage
- > 2-7 foot rod storages without support
- > No-FeedBack™ steering system
- > 12V bow trolling motor plug and receptacle with wiring harness
- > Sliding rail driver seat
- > Tilt steering wheel
- Complete instrumentation: tachometer, speedometer, and trim gauge
- > 160-watt AM/FM/Bluetooth® Jensen® Stereo
- → 61 L/16 U.S. gal. bow SportFloTM electric-filled aerated livewell
- > 2 folding seats
- > 23 L/6 U.S. gal. portable gas tank
- > Trailer cover

HOLIDAY® 162 DLX WS MAX

- > Twin console with black anodized walk-thru tempered glass windshield with door
- Bimini sun top connected to windshield, including the structure

HOLIDAY® 162 DLX SC MAX

 Black side console with quick release smoked windscreen

HOLIDAY® 162 DLX WS MAX

	Center line	Beam	Chine width	Maximum depth	Approximate draft	Transom height	Approximate weight	Aluminum thickness (Bottom)	Aluminum thickness (Side)	Built-in gas tank	Maximum HP capacity	Maximum weight capacity	Maximum weight person capacity	Maximum person capacity
149	4.9 m	2.2 m	1.8 m	0.8 m	0.7 m	0.5 m	413 kg	2.2 mm	1.8 mm	Portable	56 kW	♦ 545 kg (1201 lb.)	* 300 kg (661 lb.)	* 4
162 ws max	(16'-2")	(85")	(69")	(30")	(26")	(20")	o") (910 lb.)	910 lb.) (.087")	(.072")	ruitable	(75 HP)	★ 530 kg (1169 lb.)	★ 291 kg (641 lb.)	★ 5
1/0	4.9 m	2.2 m	1.8 m	0.8 m	0.7 m	0.5 m	416 kg	2.2 mm	1.8 mm	Dautabla	56 kW	* 545 kg (1201 lb.)	* 300 kg (661 lb.)	* 4
162 sc max	(16'-2")	(85")	(69")	(30")	(26")	(20")	(918 lb.)	(.087") (.072")	(.072")	Portable	(75 HP)	★ 530 kg (1169 lb.)	★ 291 kg (641 lb.)	★ 5

HOLIDAY® 162 DLX WS MAX



HOLIDAY® 162 DLX SC MAX





- 1 Passenger console with glove box (WS MAX only)
- 2 Driver console
- **3** Carpeted bow raised casting platform with storage and livewell
- 4 Portable gas tank (23 L/6 U.S. gal.)
- 5 Storage under passenger console (WS MAX only)
- 6 7-foot side rod storage

AVAILABLE COLOR



HUDSON® DL



KEY STANDARD FEATURES

- > Reverse chine hull design
- Bow and aft raised casting platforms with storage
- → Twin console with No-FeedBackTM steering system
- > Storage under consoles
- > Shelf storage, passenger side
- Black anodized walk-thru tempered glass windshield with door
- > In-floor lockable rod organizer for 7 rods
- > 77 L/ 20 U.S. gal. bow SportFlo™ electric-filled aerated livewell
- > 2 folding seats
- PrinceTrak system: extrusion allowing onboard tool fixing
- > Electric bilge pump
- > Deep self-draining splashwell

HUDSON® 170 DL WS

WITH OPTIONS

- > RSP Combo: removable aft flip seat
- > Built-in fuel system (102 L/27 U.S. gal.) with in-dash fuel gauge
- > Ski pylon and base
- Analog gauges
- > Sonar
- > 160-watt AM/FM/Bluetooth® Jensen® Stereo
- → Trolling motor

		Center line	Beam	Chine width	Maximum depth	Approximate draft	Transom height	Approximate weight	Aluminum thickness (Bottom)	Aluminum thickness (Side)	Built-in gas tank	Maximum HP capacity	Maximum weight capacity	Maximum weight person capacity	Maximum person capacity
1. 18	100	5.8 m	2.3 m	2.0 m	0.9 m	0.8 m	0.6 m	624 kg	2.5 mm	1.8 mm	Portable	86 kW	♦★ 726 kg	💠 375 kg (827 lb.)	★ 5
	190 ws	(19'-0")	(91") (78")	(78") (35")	(35")	(32")	(25")	(1375 lb.)	(.100")	(.072")	ruitable	(115 HP)	(1600 lb.)	★ 398 kg (877 lb.)	★6
100	170	5.4 m	2.3 m	2.0 m	0.9 m	0.8 m	0.6 m	603 kg	2.5 mm	1.8 mm	Dortoblo	86 kW	♦ ★ 685 kg	💠 375 kg (827 lb.)	♦ 5
12	170 ws	(17'-10")	(91")	(78")	(35")	(33")	(25")			(.072")	Portable (115 HP)	(115 HP)	(1510 lb.)	★ 357 kg (787 lb.)	★6

WITH OPTIONS

- > Sonar
- > Trolling motor



HUDSON® 170 DL WS

WITH OPTIONS

- > Built-in fuel system (102 L/27 U.S. gal.) with in-dash fuel gauge
- > Sonar
- > Trolling motor





- 1 2 folding fishing seats
- 2 Optional 160-watt AM/FM/Bluetooth® Jensen® Stereo
- 3 Driver console (shown with Sonar Humminbird® PiranhaMAX™ 4, Analog gauges, and Tilt steering mechanism and slider for driver seat options)
- **4** 77 L/20 U.S. gal. bow SportFlo™ electric-filled aerated livewell
- **5** In-floor lockable rod organizer for 7 rods
- 6 45 L/12 U.S. gal. portable gas tank

AVAILABLE COLOR



AWAROKDI **KEY STANDARD FEATURES** > Reverse chine hull design > Bow and aft raised casting platforms with storage No-FeedBack™ steering system > Shelf storage, passenger side → 61 L/16 U.S. gal. bow SportFloTM electric-filled aerated livewell > Rod holders, passenger side > In-floor lockable rod organizer for 5 rods > 2 folding seats > PrinceTrak system: extrusion allowing onboard tool fixing > Electric bilge pump > Deep self-draining splashwell AMAROK 166 DL WS > Twin console with black anodized walk-thru tempered glass windshield with door AMAROK 166 DL SC Side console with quick release smoked windscreen AMAROK 166 DL WS WITH OPTIONS > Stern telescopic boarding ladder RSP Combo: removable aft flip seats Lockable glove box door (passenger console) > Sonar > Trolling motor Chine width Center Maximum Approximate draft Transom height Approximate thickness Aluminum thickness Built-in Maximum Maximum **HP** capacity weight capacity 2.2 m (88") 2.2 mm (.087") 472 kg (1040 lb.) # 375 kg (827 lb.) 1.8 m 0.5 m 0.8 m 0.7 m 56 kW *****★ 623 kg 166 ws Portable (75 HP) (16'-6") (71") (33") (.072") (1373 lb.) (28")(20")🛊 375 kg (827 lb.) 🔷 🛊 5 5.0 m 2.2 m 1.8 m 0.8 m 0.7 m 0.5 m 433 kg (954 lb.) 1.8 mm 56 kW *****★ 623 kg 166 sc Portable (16'-6") (71") (33") (20") (.087")(.072") (1373 lb.) (28")★ 338 kg (745 lb.)

WITH OPTIONS

- > Sonar
- > Trolling motor



AMAROK 166 DLSC

WITH OPTIONS

- > Sonar
- > Trolling motor





- 1 Driver console (shown with Sonar Humminbird® PiranhaMAX™ 4 and Analog gauges options)
- 2 45 L/12 U.S. gal. portable gas tank
- **3** 61 L/16 U.S. gal. bow SportFlo™ electric-filled aerated livewell

- 4 In-floor lockable rod organizer for 5 rods
- 5 2 folding fishing seats
- 6 Side shelf, on passenger side, with rod storage

AVAILABLE COLOR



RESORTER® DI MERCURY WITH OPTIONS > Analog gauges Aluminum thickness (Built-in (Side) Built-in gas tank Maximum weight capacity Center Maximum Approximate weight Maximum Maximum weight 1.9 m (73") **★★** 453 kg (998 lb.) 4.9 m 1.6 m 0.5 m # 300 kg (661 lb.) 0.7 m 0.4 m 1.8 mm 1.5 mm 30 kW 160 sc Portable (16'-0") (63")(29") (20") (613 lb.) (.072")(.061")(40 HP) ★ 244 kg (539 lb.)

- > Reverse chine hull design
- > Front deck covered with marine grade vinyl
- > Bow raised casting platform with large storage compartment
- > Side console with quick release smoked windscreen
- → 61 L/16 U.S. gal. bow SportFloTM electric-filled aerated livewell
- > 2-7 foot rod storages without support
- > 2 folding seats
- > Pressure-treated wood floor covered with marine grade vinyl
- > Electric bilge pump
- > Full-width self-draining splashwell





- 1 61 L/16 U.S. gal. bow SportFlo™ electric-filled aerated livewell
- 2 Storage for portable gas tank
- 3 Driver console
- 4 Large storage compartment under the bow casting platform
- 5 2 folding fishing seats
- 6 Storage on passenger side

AVAILABLE COLOR

BT YUKON® 140 BT

KEY STANDARD FEATURES

HUDSON® 190 BT AND AMAROK 166 BT

- > Reverse chine hull design
- Bow and aft raised casting platforms with storage
- Fuel gauge (Hudson® 190 BT only)
- 12V or 24V bow trolling motor plug and receptable with wiring harness
- > 77 L/20 U.S. gal. stern SportFlo™ electric-filled aerated livewell on Hudson® 190 BT and 61 L/16 U.S. gal. bow SportFlo™ electric-filled aerated livewell on Amarok 166 BT
- > In-floor lockable rod organizer
- 9-foot rod storage without support (Hudson® 190 BT only)
- > 2 folding seats
- Pressure-treated wood floor covered with marine grade vinyl
- > Electric bilge pump
- > Deep self-draining splashwell

RESORTER® 160 BT

- > Reverse chine hull design
- Bow raised casting platform with storage
- Front deck covered with marine grade vinyl

- → 61 L/16 U.S. gal. bow SportFlo™ electric-filled aerated livewell
- 2-7 foot rod storages without support
- > 2 folding seats
- Pressure-treated wood floor covered with marine grade vinyl
- > Electric bilge pump
- Full-width self-draining splashwell

YUKON® 140 BT


- > Semi-V hull with square chine
- Side storage compartments located in the center of the boat
- > Split center seat
- > Parallel seats at stern
- > Bow bench seat
- Seats covered with marine grade vinyl
- Pressure-treated wood floor covered with marine grade vinyl
- Full-width self-draining splashwell

13.2		Center line	Beam 1	Chine width	Maximum depth	Approximate draft	Transom height	Approximate weight	Aluminum thickness (Bottom)	Aluminum thickness (Side)	Built-in gas tank	Maximum HP capacity	Maximum weight capacity	Maximum weight person capacity	Maximum person capacity
	HUDSON®	5.8 m	2.3 m	2.0 m (78")	0.9 m	0.8 m	0.6 m	531 kg	2.5 mm	1.8 mm	≤ 95 L	67 kW	★ 611 kg (1348 lb.)	♦ 375 kg (827 lb.)	* 5
	190 вт	(19'-0")	(91")	(78")	(35")	(33")	(25")	(1170 lb.)	(.100")	(.072")	(25 U.S. gal.)	(90 HP)	★ 623 kg (1374 lb.)	★ 338 kg (746 lb.)	★6
160	AMAROK	5.0 m	2.2 m	1.8 m	0.8 m	0.7 m	0.5 m	433 kg	2.2 mm	1.8 mm	Dortable	45 kW	♦ ★ 503 kg	💠 300 kg (661 lb.)	* 4
	166 вт	(16'-6")	(88")	(71")	(33")	(28")	(20")	(954 lb.)	(.087")	(.072")	Purtable	(60 HP)	(1109 lb.)	★ 295 kg (650 lb.)	★ 5
	RESORTER®	4.9 m	1.9 m	1.6 m	0.7 m	0.4 m	0.5 m	267 kg	1.8 mm	1.5 mm	Dortable	30 kW	★★ 453 kg	♦ 300 kg (661 lb.)	
-97	160 вт	(16'-0")	(73")	(63")	(29")	(17")	(20")	(588 lb.)	(.072")	(.061")	Fullante	(40 HP)	(998 lb.)	★ 244 kg (539 lb.)	₩ X 4
-411	YUKON®	4.3 m	1.7 m	1.4 m	0.7 m	0.4 m	0.5 m	177 kg	1.5 mm	1.5 mm	Dortoblo	19 kW	★ 373 kg (822 lb.)	💠 225 kg (496 lb.)	* 3
300	140 вт	(14'-3")	(68")	(57")	(28")	(17")	(20")	(390 lb.)	(.061")	(.061")	Purtable	(25 HP)	★ 372 kg (821 lb.)	★ 214 kg (471 lb.)	★ 4
	166 BT RESORTER® 160 BT	(16'-6") 4.9 m (16'-0")	(88") 1.9 m (73")	(71") 1.6 m (63") 1.4 m	(33") 0.7 m (29")	(28") 0.4 m (17") 0.4 m	(20") 0.5 m (20")	(954 lb.) 267 kg (588 lb.)	(.087") 1.8 mm (.072") 1.5 mm	(.072") 1.5 mm (.061")	Portable Portable	(60 HP) 30 kW (40 HP)	(1109 lb.)	★ 295 kg (650 lb.) ★ 300 kg (661 lb.) ★ 244 kg (539 lb.) ★ 225 kg (496 lb.)	★ 5 * ★4 * 3

HUDSON® 190 BT

WITH OPTIONS

- > Sonar
- > Trolling motor



AMAROK 166 BT

WITH OPTION

> Trolling motor



RESORTER® 160 BT

WITH OPTION

> Sonar



YUKON® 140 BT

WITH OPTIONS

- Electric Package: front livewell, control panel, navigation lights, and bilge pump
- Galvanized trailer





- 1 In-floor lockable rod storage (Hudson® 190 BT and Amarok 166 BT only) (Hudson® 190 BT storage shown)
- 2 Storage under the bow casting platform (except Yukon® 140 BT) (Hudson® 190 BT storage shown)
- 3 Carling switch panel with indicator lights (except Yukon® 140 BT) (fuel gauge on Hudson® 190 BT only)
- 4 12V or 24V bow trolling motor plug and receptacle with wiring harness (Hudson® 190 BT and Amarok 166 BT only)
- **5** 2 folding seats (except Yukon® 140 BT)
- 6 Storage for portable gas tank (except Hudson® 190 BT)

AVAILABLE COLOR



UTILITIES AND CARTOPS

KEY STANDARD FEATURES

- > Semi-V hull with square chine (reverse chine hull design on Starfish® 16 L WT and Starfish® 16 WT)
- > Exterior urethane paint, with a glossy finish, with decal package
- > Non-skid anti-glare interior paint finish
- > Split center seat (except Fisherman 14 and Ungava® 12)
- > Parallel seats at stern
- > Bow bench seat (except Ungava® 12)
- > Durable ribbed polyethylene seat covering
- > Full-width self-draining splashwell (except Fisherman 14 and Ungava® 12)



STARFISH® 16 L WT



STARFISH® 16 WT



SPRINGBOK® 16 L WT









- 1 Split center seat (except Fisherman 14 and Ungava® 12)
- 2 Bow bench seat (except Ungava® 12)
- 3 Parallel seats at stern
- 4 Storage compartment with lid (except Fisherman 14 and Ungava® 12)
- **5** Optional sun top
- 6 Stern handles









UNGAVA® 12



UTILITIES AND CARTOPS

SCAMPER® 14




SEASPRITE® 12



KEY STANDARD FEATURES







- > Bow bench seat
- > Aluminum clad transom
- > Bow eye and stern handles



- 1 Bow eye
- 2 Bow bench seat
- 3 Stern handles
- 4 Storage for portable gas tank



			STARFISH® 16 L WT	STARFISH® 16 WT	SPRINGBOK® 16 L WT	SPRINGBOK® 16 WT	YUKON® 14 L WT	YUKON® 14 WT	FISHERMAN 14	UNGAVA® 12	SCAMPER® 14	SEASPRITE® 12
		5052-H36 marine grade aluminum alloy	•	•	•	•	•	•	•	•	•	•
STANDARD FEATURES		NMMA® & Transport Canada certified	•	•	•	•	•	•	•	•	•	•
	ES	Exterior urethane paint, with a glossy finish, with decal package	•	•	•	•	•	•	•	•		
	TUR	Decal package									•	•
	FEA	Non-skid anti-glare interior paint finish	•	•	•	•	•	•	•	•	•	•
	ECK	Hull (R = reverse chine, S = semi-V hull with square chine, V = semi-V hull)	R	R	S	S	S	S	S	S	V	V
	, DE	Aluminum clad transom	•	•	•	•	•	•	•	•	•	•
	1	Full-width self-draining splashwell	•	•	•	•	•	•				
	3	Twin plating at the chine	•	•	•	•	•	•	•	•		
		Heavy-duty tubular seat to gunnel braces	•	•	•	•	•	•	•	•	•	•
		Bow eye and stern handles	•	•	•	•	•	•	•	•	•	•
		Split center seat	•	•	•	•	•	•				
	S	Parallel seats at stern	•	•	•	•	•	•	•	•		
	EATS	Bulkhead center seat	•	•	•	•	•	•	•	•	•	•
	S	Bow bench seat	•	•	•	•	•	•	•		•	•
		Durable ribbed polyethylene seat covering	•	•	•	•	•	•	•	•		
		Deployable ladder (in pouch)	0	0	0	0	0	0	0	0	0	0
OPTIONS		Seat Package: folding seat, detachable swivel plate with auto-lock handle and extrusion	0	0	0	0	0	0	0	0		
		Sun top	0	0	0	0	0	0	0	0		
		Galvanized utility trailer with 12" tires	0	0	0	0	0	0	0	0	0	0
co	LORS	Blue	•	•	•	•	•	•	•	•		
3020110		Aluminum									•	•

 $\ensuremath{^*}$ For complete standard features and options, visit our Website at $\ensuremath{\mathbf{princecraft.com}}$

• Standard **0** Option

		Center line	Beam	Chine width	Maximum depth	Approximate draft	Transom height	Approximate weight	Aluminum thickness (Bottom)	Aluminum thickness (Side)	Built-in gas tank	Maximum HP capacity	Maximum weight capacity	Maximum weight person capacity	Maximum person capacity
	ARFISH®	4.9 m	1.9 m	1.6 m	0.7 m	0.4 m	0.5 m	163 kg	1.8 mm	1.5 mm (.061")	Portable	30 kW (40 HP)	★ 591 kg (1302 lb.)	★ 375 kg (826 lb.)	* 5
16	5 L wt	(16'-0")	(73")	(63")	(29'')	(16'')	(20")	(359 lb.)	(.072")		Purtable		★ 591 kg (1303 lb.)	★ 383 kg (844 lb.)	★ 6
	ARFISH®	4.9 m	1.9 m	1.6 m	0.7 m	0.4 m	0.4 m (15'')	141 kg (310 lb.)	1.8 mm (.072")	1.5 mm (.061")	Portable	30 kW (40 HP)	# 498 kg (1097 lb.)	◆ 300 kg (661 lb.)	* 4
16	16 wт	(16'-0")	(73")	(63")	(29'')	(17")					ruitable		★ 499 kg (1100 lb.)	★ 291 kg (641 lb.)	★ 5
		4.9 m	1.7 m	1.4 m	0.7 m	0.4 m	0.5 m	137 kg	1.5 mm	1.5 mm	Portable	22 kW	★ 522 kg (1150 lb.)	◆ 300 kg (661 lb.)	* 4
16	5 L wт	(16'-0")	(68")	(57")	(28")	(17")	(20")	(301 lb.)	(.061")	(.061")	ruitable	(30 HP)	★ 491 kg (1082 lb.)	★ 332 kg (732 lb.)	★ 5
		4.9 m	1.7 m	1.4 m	0.7 m	0.4 m	0.4 m	129 kg	1.5 mm	1.5 mm	Portable	22 kW (30 HP)	★ 444 kg (978 lb.)	◆ 225 kg (496 lb.)	* 3
16	5 w T	(16'-0")	(68")	(57")	(28")	(17")	(15")	(285 lb.)	(.061")	(.061")	ruitable		★ 413 kg (910 lb.)	★ 254 kg (560 lb.)	★ 4
YU	KON®	4.3 m	1.7 m	1.4 m	0.7 m	0.4 m	0.5 m	127 kg	1.5 mm	1.5 mm	Portable	19 kW (25 HP)	# 411 kg (906 lb.)	◆ 300 kg (661 lb.)	* 4
14	1 L wт	(14'-3")	(68")	(57")	(28")	(17")	(20")	(280 lb.)	(.061")	(.061")	ruitable		★ 411 kg (905 lb.)	★ 252 kg (555 lb.)	★ 4
	KON®	4.3 m	1.7 m	1.4 m	0.7 m	0.4 m	0.4 m	113 kg	1.5 mm	1.5 mm	Portable	e 19 kW (25 HP)	★★ 372 kg (821 lb.) -	★ 225 kg (496 lb.)	* 3
14	1 wT	(14'-3")	(68")	(57")	(28")	(17")	(15")	(250 lb.)	(.061")	(.061")	TOTABLE		# X 072 kg (021 tb.)	★ 214 kg (471 lb.)	★ 4
	fisherman 14	4.3 m	1.5 m	1.3 m	0.7 m	0.4 m	0.4 m	91 kg (201 lb.)	1.5 mm (.061")	1.3 mm (.051")	Portable	15 kW (20 HP)	★ 373 kg (821 lb.)	★ 225 kg (496 lb.)	* 3
14		(14'-0")	(60")	(51")	(26")	(13")	(15'')				ruitable		★ 331 kg (729 lb.)	★ 225 kg (495 lb.)	★ 4
UN	UNGAVA®	3.7 m	1.5 m	1.3 m	0.6 m	0.4 m	0.4 m	78 kg	1.5 mm (.061")	1.3 mm (.051")	Portable	11 kW	★ 317 kg (699 lb.)	★ 225 kg (496 lb.)	* 3
12	2	(12'-0")	(60")	(51")	(25")	(13")	(15'')	(171 ľb.)			ruitable	(15 HP)	★ 318 kg (700 lb.)	★ 211 kg (466 lb.)	★ 4
scam 14		4.3 m	1.5 m	1.1 m	0.5 m	0.4 m	0.4 m	68 kg	1.3 mm	1.3 mm	Portable	11 kW	★ 341 kg (753 lb.)	★ 225 kg (496 lb.)	* 3
	7	(14'-4'')	(58")	(45")	(21")	(13")	(15'')	(150 lb.)	(.051")	(.051")	Tortable	(15 HP)	★ 340 kg (750 lb.)	★ 234 kg (516 lb.)	★ 4
		3.7 m	1.5 m	1.1 m	0.5 m	0.4 m	0.4 m	59 kg	1.3 mm (.051")	1.3 mm (.051")	Portable	7,5 kW (10 HP)	★ 280 kg (617 lb.)	★ 150 kg (330 lb.)	* 2
12		(12'-4'')	(58")	(45")	(21")	(13")	(15'')	(130 lb.)			ruitable		★ 274 kg (603 lb.)	★ 190 kg (418 lb.)	★ 3

 ◆ Transports Canada
 ★ NMMA® (USA)

 DOMINATE THE WATERS*
 41

TECHNICAL DRAWINGS

PLATINUM SE

KAPTURE®

SPORT



















227P. 10

207P. 10

PLATINUM SE 186 P. 12 187 P. 14

TURE® KAPTURE®

187 + OPTIONS
P. 14

SPORT 187 P. 16 <u>SPORT</u> **177** P. 16 SPORT 172 P. 18 SPORT 172 MAX

SPORT 164 P. 18

XPEDITION®



 XPEDITION®
 XPE

 200 (MS VERSION)
 180

 P. 20
 P. 20

DLX



XPEDITION®

180 (WS VERSION)
P. 20



HUDSON®

190 DLX WS
P. 22



HUDSON®

170 DLX WS
P. 22



NANOOK®

168 DLX WS

P. 24



HOLIDAY®

162 DLX WS

P. 26

HOLIDAY®

162 DLX SC
P. 26

HOLIDAY®

162 DLX WS MAX
P. 28

HOLIDAY®

162 DLX SC MAX
P. 28

DL B1



















HUDSON®

190 DL WS
P. 30

HUDSON®
170 DL WS
P. 30

AMAROK
166 DL WS
P. 32

AMAROK

166 DL SC

P. 32

RESORTER®

160 DL SC

P. 34

HUDSON®
190 BT
P. 36

AMAROK 166 BT P. 36 RESORTER®
160 BT
P. 36

YUKON®

140 BT

P. 36

UTILITIES AND CARTOPS



STARFISH®

16 L / 16 WT

P. 38



SPRINGBOK®

16 L / 16 WT

P. 38



YUKON®
14 L / 14 WT
P. 39



14 *P. 39*



UNGAVA®
12
P. 39



SCAMPER®
14

P. 40

SEASPRITE® 12P. 40

LEGEND

Livewell

Storage compartment

Open space storage compartment

Rod storage compartment

Fuel tank

Icebox

S

PLATINUM SE

UPHOLSTERY COLORS STANDARD FLOOR COVERINGS


PLATINUM METALLIC RED







KAPTURE®



SPORT













XPEDITION®



































CUSTOM MULTIFUNCTION TRAILERS

EACH OF OUR TRAILERS IS CUSTOM-MADE ACCORDING TO THE HIGHEST STANDARDS OF QUALITY.

The objective is to offer topnotch stability and maneuverability on the road, in addition to easy loading and unloading.



AN EXTRA DURABLE FRAME

- > Extra sturdy tubular structure
- Brake cables and circuits are inserted in a steel tube to protect them from the elements
- Guaranteed long term reliability

SPECIAL FEATURES

- > Sturdy winch
- > Swivel tongue jack*
- Soldered attachment for optional transom saver motor support
- Galvanized steel wheelbase for rust protection
- Practical swing tongue: saves space, stores easily
- Composite fenders with built-in step pads
- Radial tires (standard on most models)
- Aluminum alloy STAR mag wheels (optional on certain models)

OPTIMAL SAFETY

- Superior on-road stability and handling
- > Watertight LED light system
- > Factory-balanced wheels
- > Double safety chain
- Sealed hubs
- Complies with NMMA® and Transport Canada standards

STRATEGICALLY PLACED BUNKS AND LOAD GUIDES

- > Custom design
- Marine carpet-covered load guides protect your boat's hull (certain models only)
- Bunks remain in constant contact with the hull for optimally distributed support
- > Easier loading and unloading
- * On most models or optional



- 1 Heavy-duty winch*
- 2 Carpeted fixed bunks and load guides*
- 3 Swing tongue*
- 4 Fenders with step pads*
- 5 Optional mag wheels*
- 6 Waterproof recessed LED lights*

*On most models or optional



Most Princecraft® trailers are equipped with this system

This ingenious system combines the advantages of grease and oil to create an ultra high performance lubricant. At room temperature, its viscosity is similar to that of grease. But as the bearings heat up, the lubricant becomes more fluid coating the bearings better to more effectively reduce friction and dissipate the heat generated during towing.


Each bearing is encased in a completely sealed, airtight, leak-proof, pressurized chamber.

INGENIOUS LIVEWELLS

A MUST-HAVE FOR FISHING, GOOD LIVEWELLS HELP KEEP YOUR CATCH HEALTHY AND FRESH. PRINCECRAFT' OFFERS YOU THREE TOP-QUALITY OPTIONS TO HELP YOU GET THE MOST OUT OF EACH AND EVERY DAY OF FISHING!


PROFLO™ PLUS EXCLUSIVE

The ProFlo™ Plus livewell is virtually maintenance free, and features automatic filling and recirculation that lets you focus on fishing. Its dual-pump system keeps your bait alive and your catch beautifully fresh, whether you're cruising the open water or tied up at the dock.



Models featuring ProFlo™ Plus livewell system

Platinum SE Series Xpedition® Series



Includes all SportFlo™ features, plus:

- > A dual pump system that keeps water recirculating on the water or at the dock
- > Intermittent recirculation to control water aeration1
- → A light¹

Models featuring ProFlo™ livewell system

Kapture® Series



- > A pump for filling the tank and aerating the water
- > An overflow system that empties to the outside
- > Protection filter on the filling pump
- An anti-spill cover¹

Models featuring SportFlo™ livewell system


Sport 172	DLX Series						
Sport 172 MAX	DL and BT Series (except Yukon® 140 BT)						
Sport 164							

¹ On most models

CANVAS AND COVERS: A PERFECT FIT

PRINCECRAFT° CANVAS AND COVERS ARE SPECIALLY DESIGNED TO FIT YOUR BOAT.

What's more, almost all our boats come with snap buttons installed in our factory using extremely precise templates for a perfect, effortless fit. At Princecraft* we provide quality products from bow to stern!











FISHING PACKAGE*

*Optional on DLX Series (except Holiday® 162 DLX WS MAX and Holiday® 162 DLX SC MAX) and Hudson® 190 BT.















OPTIONAL EQUIPMENT


























































1 Stainless steel telescopic ladder 2 Rear boarding platform 3 Folding seat 4 Deluxe folding seat 5 Deluxe convertible seat (Platinum SE Series) 6 Heated reclining captain's chair with adjustable armrests (Platinum SE Series) 7 Bicycle seat package including bicycle seat and adjustable post 3 Side bench with storage compartment underneath 9 Reclining captain's chair with adjustable armrests (Kapture® Series only) 10 Control for Kicker® engine 11 Kicker® engine 12 160-watt AM/FM/Bluetooth® Jensen® Stereo 13 Ski pylon 14 Mercury® SmartCraft™ gauges 15 Downrigger supports (2) 16 Battery charger (many models available) 17 Wash down system 18 Head with holding tank and pump out system 19 Bow rider seat cushions 20 ACS system (Advanced Circulation System): ventilation in storage compartments (bow platform) 21 SeaStar® hydraulic steering system 22 RSP Combo: removable aft flip seats that can convert into a large casting platform including 2 cup holders 23 Multifunction Simrad® Go7 touch screen 24 Multifunction Simrad® NSS EVO 3 touch screen 25 Active Trim: automatic trim system















PLEASE READ CAREFULLY: Dimensions, capacities, ratings, and additional specifications, plus complete warranty and service information, are available from your Princecraft dealer. Product illustrations and data within this catalog are based upon information available at the time of publication. Not all accessories shown in pictures or described herein are standard equipment or even available as options. Specification measurements are approximations and subject to variance. Because Princecraft is dedicated to constant product improvements, Princecraft reserves the right to make changes without prior notice or obligation. Not all model year boats may contain all of the features meet the specifications described herein. Ask your Princecraft dealer for the most current product specifications prior to purchase. Some of the equipment shown separately or on products illustrated in this catalog may be optional at extra cost. Options and features are subject to change without notice. Princecraft is a member in good standing of the National Marine Manufacturers Association (NMMA) USA and Canada. All boats comply with Canadian Coast Guard and U.S. Coast Guard regulations. All Princecraft boats are in compliance with NMMA's Boat Certification Program.

Special thanks to: Mercury Marine, Rapala, Coleman, Cannon Downriggers, Stearns.

FOR MORE INFORMATION on our boats, to check out our videos, or to find your nearest dealer, visit our Website at princecraft.com or call us at 1800 395-8858

IN CANADA: Princecraft Boats Inc., A Brunswick Company, 725 Saint-Henri Street, Princeville (Quebec) 66L 5C2

IN THE UNITED STATES: Princecraft U.S., A Brunswick Company, 26125 N Riverwoods Blvd, Suite 500, Mettawa, IL 60045

Princecraft factory-packaged boats are available with various horsepower Mercury outboards. www.mercurymarine.com