

A SELECTION WITH SOMETHING FOR EVERYONE

You'll find Princecraft boats with slightly different personalities in the exciting Super Pro, Pro and Sport Series. The "Super Pros" and the "Pros" are dedicated, first and foremost, to the pleasures of fishing with more standard fishing "extras" than any other boats in their class. The popular Sport models target a somewhat softer side of family boating fun. Tubing, water skiing and wake boarding anyone? They're perfect for water sports. All of them provide room, seating and innovative features for comfortable cruising, picnicking, shore camping adventures, and fishing too.



1. Optional coaming pads and bow seat cushions* 2. Lockable in-floor rod organizer* 3. Fold-down stem jump seats that can be converted to a casting platform* 4. Cargo net in stem
5. Optional kicker engine* 6. AM/FM/CD Stereo with iPod controls and SAT Radio Compatible* * On some models only

SUPER PRO, PRO & SPORT SERIES





Super Pro 207

SPECIFICATIONS	Center line	Beam	Chine width	Max. depth	Approx. draft	Transom height	Approx. weight	NMMA (USA) / MANUFACTURER'S RECOMMENDATIONS				ALUMINUM THICKNESS		BUILT-IN GAS TANK (with in-dash gauge)
								Max. H.P. cap.	Max. weight cap.	Max. weight person cap.	Max. person cap.	Bottom	Side	
Super Pro 207	6.1 m (20'-0")	2.5 m (100")	2.1 m (84")	1.3 m (50")	0.9 m (34")	0.6 m (25")	826 kg (1820 lb.)	168 kW (225 H.P.)	1002 kg (2209 lb.)	612 kg (1350 lb.)	10	2.8 mm (.110")	1.8 mm (.072")	227 L (60 U.S. gal.)
Super Pro 206	6.1 m (20'-0")	2.5 m (99")	2.1 m (84")	1.2 m (48")	0.9 m (34")	0.6 m (25")	821 kg (1810 lb.)	168 kW (225 H.P.)	1002 kg (2209 lb.)	612 kg (1350 lb.)	10	2.8 mm (.110")	1.8 mm (.072")	227 L (60 U.S. gal.)

SUPER PRO 207 & 206

Pure power and excitement on the water

KEY STANDARD FEATURES

- Deep V double reverse chine hull design
- Deep self-draining splashwell
- 4 stainless steel cleats
- Raised bow casting platform with storage
- 2 stern jump seats
- 3 deluxe pedestal folding fishing seats
- Bow & stern ProFlo™ aerated livewell system
- Lowrance® X-52 fish/depth finder
- Built-in floor lockable rod organizer with tubes for 12 rods
- 12V or 24V bow trolling motor panel with voltmeter & tilt switch
- Walk-thru tinted curved tempered glass windshield with door
- No-FeedBack™ steering system
- AM/FM/CD Stereo with iPod controls & SAT Radio Compatible
- Automatic electric bilge pump
- Complete fully-lit instrumentation


Super Pro 207

- Aft raised casting platform with privacy enclosure and optional toilet

Super Pro 206

- Insulated fish box

Super Pro 206



Super Pro 207 Super Pro 206

- livewell
- storage compartment
- rod storage / organizer
- ice chest

For a complete list of standard and optional equipment, see pages 44-47. Photomontages show various features and options. Some accessories shown may not be available on all models.



1



2



3



4



5



6

1. ProFlo™ electric-fill aerated bow livewell 77 L (20 U.S. gal) with timer, recirculation, overflow, thru-hull drain, removable minnow bucket, light and anti-spill cover 2. Optional coaming pads and bow seat cushions
3. Open storage under the casting platform 4. Lockable side panel storage 5. Optional downrigger supports 6. Optional Lowrance HDS-5 fish/depth finder with GPS



Super Pro 176

SPECIFICATIONS	Center line	Beam	Chine width	Max. depth	Approx. draft	Transom height	Approx. weight	NMMA (USA) / TRANSPORT CANADA				ALUMINUM THICKNESS		BUILT-IN GAS TANK (with in-dash gauge)
								Max. H.P. cap.	Max. weight cap.	Max. weight person cap.	Max. person cap.	Bottom	Side	
Super Pro 186	5.6 m (18'-6")	2.4 m (95")	2.0 m (80")	1.2 m (46")	0.8 m (33")	0.6 m (25")	676 kg (1490 lb.)	131 kW (175 H.P.)	863 kg (1902 lb.)	525 kg (1158 lb.)	** 8 [7]	2.8 mm (.110")	1.8 mm (.072")	151 L (40 U.S. gal.)
Super Pro 185 GL	5.6 m (18'-6")	2.4 m (95")	2.0 m (80")	1.2 m (46")	0.8 m (33")	0.6 m (25")	658 kg (1450 lb.)	131 kW (175 H.P.)	863 kg (1902 lb.)	525 kg (1158 lb.)	6	2.8 mm (.110")	1.8 mm (.072")	151 L (40 U.S. gal.)
Super Pro 176	5.3 m (17'-6")	2.3 m (92")	2.0 m (80")	1.0 m (41")	0.8 m (31")	0.6 m (25")	635 kg (1400 lb.)	112 kW (150 H.P.)	787 kg (1736 lb.)	450 kg (992 lb.)	** 7 [6]	2.5 mm (.100")	1.8 mm (.072")	151 L (40 U.S. gal.)

** Max. person cap.: NMMA (Transport Canada)

SUPER PRO 186, 185 GL & 176

Expand your fishing horizons

KEY STANDARD FEATURES

- Deep V double reverse chine hull design
- Deep self-draining splashwell
- 4 stainless steel cleats
- 2 deluxe pedestal folding fishing seats
- Lowrance® X-52 fish/depth finder
- Walk-thru tinted curved tempered glass windshield with door
- No-FeedBack™ steering system
- AM/FM/CD Stereo with iPod controls & SAT Radio Compatible
- Automatic electric bilge pump

Super Pro 186 and Super Pro 176

- Raised bow and aft casting platforms with storage
- 2 stern jump seats
- Bow & stern ProFlo™ aerated livewell system
- Large lockable rod organizer with tubes for 6 rods


Super Pro 185 GL

- Raised bow casting platform with storage
- Bow ProFlo™ aerated livewell system
- Insulated fish box with cutting board
- In-floor lockable storage compartment



Super Pro 185 GL

Super Pro 186



Super Pro 186

Super Pro 185 GL

Super Pro 176

- livewell
- storage compartment
- rod storage / organizer
- ice chest



For a complete list of standard and optional equipment, see pages 44-47. Photomontages show various features and options. Some accessories shown may not be available on all models.



1. ProFlo™ electric-fill aerated stern livewell 64 L (17 U.S. gal) with timer, recirculation, overflow, thru-hull drain, removable minnow bucket, light and anti-spill cover (SP 186 and 176 only)
2. Lockable in-floor 6-rod organizer
3. Optional wash down system (SP 185 GL only)
4. Stern area with easy access to livewell and downriggers (SP 185 GL only)
5. Lowrance X-52 fish/depth finder on swivelling bracket
6. Optional vinyl floor covering and snap-in carpet
7. ProFlo™ electric-fill aerated bow livewell 77L (20 U.S. gal) with timer, recirculation, overflow, thru-hull drain, removable minnow bucket, light and anti-spill cover (SP 185 GL only).



Pro 179 SC

SPECIFICATIONS	Center line	Beam	Chine width	Max. depth	Approx. draft	Transom height	Approx. weight	NMMA (USA) / TRANSPORT CANADA				ALUMINUM THICKNESS		BUILT-IN GAS TANK (with in-dash gauge)
								Max. H.P. cap.	Max. weight cap.	Max. weight person cap.	Max. person cap.	Bottom	Side	
Pro 179 WS	5.3 m (17'-4")	2.3 m (92")	2.0 m (80")	0.9 m (37")	0.8 m (31")	0.6 m (25")	589 kg (1299 lb.)	101 kW (135 H.P.)	640 kg (1410 lb.)	304 kg (670 lb.)	** 5 [4]	2.5 mm (.100")	1.8 mm (.072")	151 L (40 U.S. gal.)
Pro 179 SC	5.3 m (17'-4")	2.3 m (92")	2.0 m (80")	0.9 m (37")	0.8 m (31")	0.6 m (25")	557 kg (1229 lb.)	101 kW (135 H.P.)	640 kg (1410 lb.)	304 kg (670 lb.)	** 5 [4]	2.5 mm (.100")	1.8 mm (.072")	151 L (40 U.S. gal.)

** Max. person cap.: NMMA [Transport Canada]

PRO 179 WS & 179 SC

Share memories with friends and family

KEY STANDARD FEATURES


- Deep V reverse chine hull design
- 4 chromed cleats
- Raised bow & aft casting platforms with storage
- 2 deluxe pedestal folding fishing seats
- Bow & stern SportFlo™ aerated livewell system
- Lowrance® X-52 fish/depth finder with swivel bracket
- Large lockable rod organizer with tubes for 6 rods
- Lockable 8-foot rod storage
- Built-in floor fuel system
- 12V or 24V bow trolling motor attachment
- No-FeedBack™ steering system
- Electric bilge pump
- Complete fully-lit instrumentation

Pro 179 WS

- Rotomolded twin consoles with dash panel and switches
- Walk-thru tinted curved tempered glass windshield with door

Pro 179 SC

- Rotomolded side console with dash panel and switches
- Smoked windscreen with quick release



- livewell
- storage compartment
- rod storage / organizer
- ice chest



For a complete list of standard and optional equipment, see pages 44-47. Photomontages show various features and options. Some accessories shown may not be available on all models.



1. Helm console with complete instrumentation 2. Interior light 3. Lowrance X-52 fish/depth finder on swivelling bracket 4. Optional AM/FM/CD Stereo with iPod controls and SAT Radio Compatible 5. Lockable in-floor 6-rod organizer 6. SportFlo™ electric-fill aerated stern livewell 77 L (20 U.S. gal.) with overflow, thru-hull drain, removable minnow bucket and anti-spill cover 7. Twin consoles with walk-thru tinted curved tempered glass windshield with door (on WS only)



Pro 169 WS

SPECIFICATIONS	Center line	Beam	Chine width	Max. depth	Approx. draft	Transom height	Approx. weight	NMMA (USA) / TRANSPORT CANADA				ALUMINUM THICKNESS		BUILT-IN GAS TANK (with in-dash gauge)
								Max. H.P. cap.	Max. weight cap.	Max. weight person cap.	Max. person cap.	Bottom	Side	
Pro 169 WS	4.9 m (16'-2")	2.2 m (87")	1.8 m (71")	0.9 m (35")	0.8 m (33")	0.5 m (20")	448 kg (987 lb.)	67 kW (90 H.P.)	553 kg (1220 lb.)	280 kg (618 lb.)	** 5 [3]	2.3 mm (.090")	1.8 mm (.072")	106 L (28 U.S. gal.)
Pro 169 SC	4.9 m (16'-2")	2.2 m (87")	1.8 m (71")	0.9 m (35")	0.8 m (33")	0.5 m (20")	420 kg (925 lb.)	67 kW (90 H.P.)	553 kg (1220 lb.)	280 kg (618 lb.)	** 5 [3]	2.3 mm (.090")	1.8 mm (.072")	106 L (28 U.S. gal.)
Pro 165 SC	4.9 m (16'-2")	2.2 m (87")	1.8 m (71")	0.8 m (33")	0.7 m (29")	0.5 m (20")	406 kg (895 lb.)	56 kW (75 H.P.)	554 kg (1221 lb.)	300 kg (661 lb.)	** 5 [4]	2.3 mm (.090")	1.8 mm (.072")	106 L (28 U.S. gal.)

** Max. person cap.: NMMA [Transport Canada]

PRO 169 WS, SC & 165 SC

Spacious enough to bring everyone together

KEY STANDARD FEATURES

- Reverse chine hull design
- Deep self-draining splashwell
- 4 chromed cleats
- Raised bow & aft casting platforms with storage
- 2 deluxe pedestal folding fishing seats
- Bow aerated livewell system
- Lockable 7-foot rod storage
- Electric bilge pump
- Complete fully-lit instrumentation

Pro 169 WS

- Lowrance® X-52 fish/depth finder
- Walk-thru tinted curved tempered glass windshield with door

Pro 169 SC

- Lowrance® X-52 fish/depth finder
- Smoked windscreen with quick release

Pro 165 SC

- Smoked windscreen with quick release



For a complete list of standard and optional equipment, see pages 44-47. Photomontages show various features and options. Some accessories shown may not be available on all models.



1



2



3



4



5



6

1. Helm console with complete instrumentation (Pro 169 WS and SC) 2. 7-foot lockable rod storage 3. Lowrance X-52 fish/depth finder on swiveling bracket (standard only on Pro 169 WS and SC) 4. Open storage under the bow platform 5. Deep self-draining splashwell 6. SportFlo™ electric-fill aerated stern livewell 39 L (10 U.S. gal) with overflow, thru-hull drain and anti-spill cover (Pro 169 WS and SC only)



SS 172

SPECIFICATIONS	Center line	Beam	Chine width	Max. depth	Approx. draft	Transom height	Approx. weight	NMMA (USA) / TRANSPORT CANADA				ALUMINUM THICKNESS		BUILT-IN GAS TANK (with in-dash gauge)
								Max. H.P. cap.	Max. weight cap.	Max. weight person cap.	Max. person cap.	Bottom	Side	
SS 182	5.6 m (18'-6")	2.4 m (95")	2.0 m (80")	1.2 m (46")	0.8 m (33")	0.6 m (25")	667 kg (1470 lb.)	131 kW (175 H.P.)	784 kg (1729 lb.)	492 kg (1085 lb.)	** 8 [7]	2.8 mm (.110")	1.8 mm (.072")	151 L (40 U.S. gal.)
SS 172	5.3 m (17'-5")	2.3 m (92")	1.9 m (75")	1.0 m (39")	0.8 m (30")	0.6 m (25")	556 kg (1225 lb.)	86 kW (115 H.P.)	712 kg (1570 lb.)	376 kg (830 lb.)	** 6 [5]	2.5 mm (.100")	1.8 mm (.072")	132 L (35 U.S. gal.)

** Max. person cap.: NMMA [Transport Canada]

SPORT SERIES 182 & 172

Get maximum usability and versatility

KEY STANDARD FEATURES

- Deep self-draining splashwell
- Stainless steel bow and stern eyes
- 4 chromed cleats
- Raised bow casting platform with storage
- 2 pedestal folding fishing seats
- Rear flip deck convert bench
- Bow SportFlo™ livewell system
- Storage compartment
- Ice chest
- Built-in floor fuel system
- 12V or 24V bow trolling motor attachment
- Walk-thru tinted curved tempered glass windshield with door
- No-FeedBack™ steering system
- Electric bilge pump
- Navigation lights

SS 182

- Deep V double reverse chine hull design
- Large lockable rod organizer with tubes for 6 rods

SS 172

- Deep V reverse chine hull design
- 7-foot rod storage



For a complete list of standard and optional equipment, see pages 44-47. Photomontages show various features and options. Some accessories shown may not be available on all models.



1. Optional bow seat cushions



2a



2b



3



4



5

1. Optional bow seat cushions 2. Flip-up bench seat on rear deck 3. SportFlo™ electric-fill areated bow livewell 64 L (17 U.S. gal.) with overflow and thru-hull drain 4. Optional ski pylon 5. Stern boarding ladder



SS 164

SPECIFICATIONS	Center line	Beam	Chine width	Max. depth	Approx. draft	Transom height	Approx. weight	NMMA (USA) / TRANSPORT CANADA				ALUMINUM THICKNESS		BUILT-IN GAS TANK (with in-dash gauge)
								Max. H.P. cap.	Max. weight cap.	Max. weight person cap.	Max. person cap.	Bottom	Side	
SS 174	5.3 m (17'-5")	2.3 m (92")	1.9 m (75")	1.0 m (40")	0.8 m (30")	0.6 m (25")	585 kg (1289 lb.)	86 kW (115 H.P.)	747 kg (1647 lb.)	411 kg (907 lb.)	** 7 [5]	2.5 mm (.100")	1.8 mm (.072")	132 L (35 U.S. gal.)
SS 164	5.0 m (16'-6")	2.1 m (84")	1.8 m (69")	0.9 m (35")	0.8 m (31")	0.5 m (20")	457 kg (1008 lb.)	67 kW (90 H.P.)	640 kg (1410 lb.)	367 kg (808 lb.)	** 6 [5]	2.3 mm (.090")	1.8 mm (.072")	77 L (20 U.S. gal.)

** Max. person cap.: NMMA [Transport Canada]

SPORT SERIES 174 & 164

The ideal combination of fishing & skiing

KEY STANDARD FEATURES

- Deep V reverse chine hull design
- Deep self-draining splashwell
- Stainless steel bow and stern eyes
- 4 chromed cleats
- Raised bow & aft casting platform with 2 jump seats
- 2 pedestal folding fishing seats
- Storage compartment
- Built-in floor fuel system
- Walk-thru tinted curved tempered glass windshield with door
- No-FeedBack™ steering system
- Electric bilge pump
- Navigation lights
- Complete fully-lit instrumentation

SS 174

- Lockable 7-foot rod storage with supports
- Stern SportFlo™ aerated livewell system
- 12V or 24V bow trolling motor attachment

SS 164

- 7-foot rod storage
- Bow SportFlo™ aerated livewell system
- 12V bow trolling motor attachment



For a complete list of standard and optional equipment, see pages 44-47. Photomontages show various features and options. Some accessories shown may not be available on all models.



1



2



3



4



5



6

1. Helm console with complete fully-lit instrumentation and optional Lowrance X-50 DS fish/depth finder on swivelling bracket 2. SportFlo™ electric-fill aerated stern livewell with overflow and thru-hull drain 3. Optional bow seat cushions 4. Optional stand-up high top with aluminum frame 5. Holding handles 6. Optional AM/FM/CD Stereo with iPod controls and SAT Radio Compatible