

BOATS THAT TAKE YOUR FISHING SERIOUSLY

Maximum fishability and durability blend together very effectively in the feature-packed Princecraft DLX & DL Series. They represent Princecraft's heritage of design superiority dedicated to truly committed fishing enthusiasts. They are built to take it. Fit and finish is outstanding. And, they provide the important standard-equipment features every boat owner wants. The bottom line: more fishing fun, and more fish caught for the money!



1. 7-foot lockable rod storage** 2. Large bow casting platform* 3. SportFlo™ electric-fill areated livewell with post-overflow and thru-hull drain** 4. Helm console with complete instrumentation, Carling switch panel with indicator lights and No-Feedback™ steering system* 5. Pressure-treated removable wood floor covered with marine grade vinyl***
* On most models ** On DLX Series only *** On DL Series only

DLX & DL SERIES





Hudson DLX WS

SPECIFICATIONS	Center line	Beam	Chine width	Max. depth	Approx. draft	Transom height	Approx. weight	NMMA (USA) / TRANSPORT CANADA				ALUMINUM THICKNESS		BUILT-IN GAS TANK (with in-dash gauge)
								Max. H.P. cap.	Max. weight cap.	Max. weight person cap.	Max. person cap.	Bottom	Side	
HUDSON DLX WS	5.8 m (19'-0")	2.2 m (87")	1.8 m (71")	0.8 m (33")	0.8 m (33")	0.5 m (20")	514 kg (1133 lb.)	86 kW (115 H.P.)	711 kg (1567 lb.)	375 kg (827 lb.)	** 6 [5]	2.5 mm (.100")	1.8 mm (.072")	106 L (28 U.S. gal.)
HUDSON DLX SC	5.8 m (19'-0")	2.2 m (87")	1.8 m (71")	0.8 m (33")	0.8 m (33")	0.5 m (20")	491 kg (1083 lb.)	86 kW (115 H.P.)	711 kg (1567 lb.)	375 kg (827 lb.)	** 6 [5]	2.5 mm (.100")	1.8 mm (.072")	106 L (28 U.S. gal.)
HUDSON DLX BT	5.8 m (19'-0")	2.2 m (87")	1.8 m (71")	0.8 m (33")	0.8 m (33")	0.5 m (20")	463 kg (1021 lb.)	56 kW (75 H.P.)	584 kg (1287 lb.)	375 kg (827 lb.)	** 6 [5]	2.5 mm (.100")	1.8 mm (.072")	106 L (28 U.S. gal.)

** Max. person cap.: NMMA [Transport Canada]

HUDSON DLX WS, SC & BT

Enjoy fun-filled, no-hassle days on the water

KEY STANDARD FEATURES

- Reverse chine hull design
- Deep self-draining splashwell
- Stainless steel bow and stern eyes
- 4 chromed cleats
- 2 pedestal folding fishing seats
- Bow SportFlo™ aerated livewell system
- Lockable 9-foot rod storage
- 12V or 24V bow trolling motor attachment
- Electric bilge pump
- Navigation lights

Hudson DLX WS & SC

- Raised bow & aft casting platforms with storage
- Rotomolded console with dash panel and switches
- No-FeedBack™ steering system
- Complete fully-lit instrumentation

Hudson DLX BT


- Raised bow casting platform with storage
- Fuel gauge



Hudson DLX BT



Hudson DLX SC



Hudson DLX WS

Hudson DLX SC

Hudson DLX BT

- livewell ■
- storage compartment ■
- rod storage / organizer ■

For a complete list of standard and optional equipment, see page 37. Photomontages show various features and options. Some accessories shown may not be available on all models.



1. Large bow casting platform with electric-fill aerated livewell and storage
2. Twin consoles with walk-thru tinted tempered glass windshield with door (on WS only)
3. Side storage
4. Helm console with complete instrumentation, Carling switch panel with indicator lights and No-Feedback™ steering system*
5. Optional Lowrance X-50 DS fish/depth finder on swivelling bracket
6. SportFlo™ electric-fill aerated bow livewell 77 L (20 U.S. gal.) with post-overflow and thru-hull drain

* On most models



Holiday DLX SC

SPECIFICATIONS	Center line	Beam	Chine width	Max. depth	Approx. draft	Transom height	Approx. weight	NMMA (USA) / TRANSPORT CANADA				ALUMINUM THICKNESS		BUILT-IN GAS TANK (with in-dash gauge)
								Max. H.P. cap.	Max. weight cap.	Max. weight person cap.	Max. person cap.	Bottom	Side	
HOLIDAY DLX WS	4.9 m (16'-2")	2.2 m (84")	1.8 m (69")	0.8 m (30")	0.7 m (26")	0.5 m (20")	378 kg (834 lb.)	45 kW (60 H.P.)	529 kg (1166 lb.)	302 kg (665 lb.)	** 5 [4]	2.3 mm (.090")	1.8 mm (.072")	77 L (20 U.S. gal.)
HOLIDAY DLX SC	4.9 m (16'-2")	2.2 m (84")	1.8 m (69")	0.8 m (30")	0.7 m (26")	0.5 m (20")	356 kg (784 lb.)	45 kW (60 H.P.)	529 kg (1166 lb.)	302 kg (665 lb.)	** 5 [4]	2.3 mm (.090")	1.8 mm (.072")	77 L (20 U.S. gal.)
HOLIDAY DLX BT	4.9 m (16'-2")	2.2 m (84")	1.8 m (69")	0.8 m (30")	0.7 m (26")	0.5 m (20")	342 kg (754 lb.)	37 kW (50 H.P.)	529 kg (1166 lb.)	302 kg (665 lb.)	** 5 [4]	2.3 mm (.090")	1.8 mm (.072")	77 L (20 U.S. gal.)

** Max. person cap.: NMMA [Transport Canada]

HOLIDAY DLX WS, SC & BT

Get more boat for your buck

KEY STANDARD FEATURES

- Reverse chine hull design
- Deep self-draining splashwell
- Stainless steel bow and stern eyes
- 4 chromed cleats
- Raised bow casting platform with storage
- 2 pedestal folding fishing seats
- Bow SportFlo™ aerated livewell system
- Lockable 7-foot rod storage
- Built-in floor fuel system
- 12V bow trolling motor attachment
- Electric bilge pump
- Navigation lights
- Pressure-treated wood floor covered with marine vinyl

Holiday DLX WS

- Rotomolded twin consoles with dash panel and switches
- Walk-thru tinted tempered glass windshield with door

Holiday DLX SC

- Rotomolded side console with dash panel and switches
- Smoked windscreen with quick release

Holiday DLX BT

- Fuel gauge



For a complete list of standard and optional equipment, see page 37. Photomontages show various features and options. Some accessories shown may not be available on all models.



1



2



3



4



5

1. Dash panel with lighted switches and optional Lowrance X-50 DS fish/ depth finder on swivelling bracket (Holiday DLX SC shown) 2. Carpeted trolling motor pad with plug and receptacle 3. SportFlo™ electric-fill stern livewell 61 L (16 U.S. gal.) with post-overflow and thru-hull drain 4. Pedestal folding fishing seat 5. In-floor built-in gas tank

STARFISH DLX SC, BT & YUKON DLX BT

Make

KEY STANDARD FEATURES

Starfish DLX SC and BT

- Reverse chine hull design
- Full-width self-draining splashwell
- Stainless steel bow and stern eyes
- Raised bow casting platform with storage
- Bow SportFlo™ aerated livewell system
- 2 pedestal folding fishing seats
- Lockable 7-foot rod storage
- 12V bow trolling motor attachment
- Pressure-treated wood floor covered with marine grade vinyl
- Electric bilge pump
- Navigation lights
- Battery holder

Starfish DLX SC

- Thermoformed side console with dash panel and switches
- Smoked windscreen with quick release

Starfish DLX BT

- Center side storage compartment

Yukon DLX BT

- Semi-Vee hull design with square chine
- Full-width self-draining splashwell
- 2 center side storage compartments
- Navigation lights

Yukon DLX BT



Starfish DLX SC




SPECIFICATIONS	Center line	Beam	Chine width	Max. depth	Approx. draft	Transom height	Approx. weight	NMMA (USA) / TRANSPORT CANADA				ALUMINUM THICKNESS		GAS TANK
								Max. H.P. cap.	Max. weight cap.	Max. weight person cap.	Max. person cap.	Bottom	Side	
STARFISH DLX SC	4.9 m (16'-0")	1.9 m (73")	1.6 m (63")	0.7 m (29")	0.4 m (17")	0.5 m (20")	231 kg (510 lb.)	30 kW (40 H.P.)	453 kg (998 lb.)	263 kg (580 lb.)	4	1.8 mm (.072")	1.6 mm (.064")	PORTABLE
STARFISH DLX BT	4.9 m (16'-0")	1.9 m (73")	1.6 m (63")	0.7 m (29")	0.4 m (17")	0.5 m (20")	213 kg (470 lb.)	30 kW (40 H.P.)	453 kg (998 lb.)	263 kg (580 lb.)	4	1.8 mm (.072")	1.6 mm (.064")	PORTABLE
YUKON DLX BT	4.3 m (14'-3")	1.7 m (68")	1.4 m (57")	0.7 m (28")	0.4 m (17")	0.5 m (20")	166 kg (365 lb.)	19 kW (25 H.P.)	372 kg (821 lb.)	225 kg (496 lb.)	** 4 [3]	1.6 mm (.064")	1.6 mm (.064")	PORTABLE

** Max. person cap.: NMMA [Transport Canada]

your dreams COME TRUE



Starfish DLX BT



Starfish DLX SC Starfish DLX BT Yukon DLX BT

livewell ■
 storage compartment ■
 rod storage /organizer ■

Photomontages show various features and options. Some accessories shown may not be available on all models.



1. 7-foot lockable rod storage (Starfish DLX SC and BT only) 2. Pedestal folding fishing seat (Starfish DLX SC and BT only)
 3. Carpeted trolling motor pad with plug and receptacle 4. SportFlo™ electric-fill bow livewell 61 L (16 U.S. gal.) with
 post-overflow and thru-hull drain (Starfish DLX SC and BT only) 5. Battery holder

FEATURES & OPTIONS

		HUDSON DLX WS	HUDSON DLX SC	HOLIDAY DLX WS	HOLIDAY DLX SC	STARFISH DLX SC	HUDSON DLX BT	HOLIDAY DLX BT	STARFISH DLX BT	YUKON DLX BT	
STANDARD FEATURES	HULL & DECK	5052-H36 marine-grade aluminum alloy	•	•	•	•	•	•	•	•	
		High-gloss oven-cured urethane paint	•	•	•	•	•	•	•	•	
		Semi-V hull (R= reverse chine, S= square chine)	R	R	R	R	R	R	R	R	S
		Aluminum clad transom	•	•	•	•	•	•	•	•	•
		Full-width self-draining splashwell	-	-	-	-	-	-	-	-	-
		Deep self-draining splashwell	•	•	•	•	•	•	•	•	•
		Twin plating from bow to mid-ship	•	•	•	•	-	•	•	-	-
		Twin plating at chine from mid-ship to stern	-	-	-	-	•	-	-	•	•
		Heavy-duty tubular seat to gunnel braces	-	-	-	-	•	-	-	•	•
		Stainless steel bow and stern eyes	•	•	•	•	•	•	•	•	•
		Bow eye and stern handles	-	-	-	-	-	-	-	-	•
		4 chromed cleats	•	•	•	•	•	•	•	•	-
		Bow raised casting platform	•	•	•	•	•	•	•	•	-
		Aft raised casting platform	•	•	-	-	-	-	-	-	-
		Storage & deep cycle battery compartments	•	•	•	•	•	•	•	•	-
Center side storage compartment	-	-	-	-	-	-	-	-	1	2	
STANDARD FEATURES	FISHING	Bow SportFlo™ electric-filled aerated livewell	•	•	•	•	•	•	•	•	
		(44", 77 L/20 U.S. gal.)	•	•	-	-	-	-	-	-	
		(34", 61 L/16 U.S. gal.)	-	-	•	•	•	-	-	-	
		(26", 39 L/10 U.S. gal.)	-	-	-	-	-	-	-	-	
		Dual livewell	•	•	-	-	-	-	-	-	
		Post-overflow with thru-hull drain (+ = anti-spill cover)	•+	•+	•+	•+	•+	•+	•+	•+	
		Lockable rod storage compartment without supports (feet)	9'	9'	7'	7'	7'	9'	7'	7'	-
		12V bow trolling motor plug & receptacle (+ = 12 or 24V)	•+	•+	•	•	•	•+	•	•	-
		Carpeted bow mounting trolling motor pad	•	•	•	•	•	•	•	•	-
		Floor seat bases	6	6	5	5	4	4	4	3	-
STANDARD FEATURES	SEATS	Folding fishing seats with no-pinch hinges	2	2	2	2	2	2	2	-	
		Parallel seats at stern covered with marine grade carpet	-	-	-	-	-	-	-	-	
		Bow bench seat covered with marine grade carpet	-	-	-	-	-	-	-	-	
STANDARD FEATURES	CONSOLES	Side console with quick-release smoked windscreen	-	•	-	•	-	-	-		
		Twin consoles with walk-thru tinted tempered glass windshield	•	•	-	-	-	-	-		
		Carling switch panel with indicator lights (+ = deluxe dash panel)	•+	•+	•+	•+	•+	•	•	•	
		No-FeedBack™ steering system	•	•	-	-	-	-	-	-	
		Instrumentation (gauges)	5	5	3	3	-	1	1	-	
		Tach., volt., speed., trim & fuel gauges	•	•	•	•	-	-	-	-	
STANDARD FEATURES	OTHERS	Tach., speed. & fuel gauges	-	-	•	•	-	-	-		
		Fuel gauge	-	-	-	-	-	•	•		
		Electric bilge pump	•	•	•	•	•	•	•		
		Navigation lights	•	•	•	•	•	•	•		
		Interior light	1	1	1	1	-	-	-		
		Holding handle(s)	-	-	-	-	1	1	1		
DEALER INSTALLED OPTIONS	COMPLETE PACKAGE	Cup holder(s)	2	1	2	1	-	-	-		
		Battery holder(s)	3	3	2	2	2	3	2		
		Pressure-treated wood floor covered with marine grade vinyl	•	•	•	•	•	•	•		
		Complete beige stand-up high top (+ = curtains connected to windshield)	o+	o	o+	o	o	-	-		
		Sun top	o	o	o	o	o	o	o		
		Mooring or trailer cover	o	o	o	o	o	o	o		
DEALER INSTALLED OPTIONS	SEATING	Folding fishing seat with spider and post	o	o	o	o	o	o			
		Bicycle seat with 27" post	o	o	o	o	o	o	o		
		Lowrance® X-50 DS fish/depth finder	o	o	o	o	o	o	o		
		Red or Black	•	•	•	•	-	•	-		
		Red (exterior and interior)	-	-	-	-	•	-	•		

• Standard o Option
 Boat packages available with Mercury® outboard engines.



Springbok DL BT

SPECIFICATIONS	Center line	Beam	Chine width	Max. depth	Approx. draft	Transom height	Approx. weight	NMMA (USA) / TRANSPORT CANADA				ALUMINUM THICKNESS		GAS TANK
								Max. H.P. cap.	Max. weight cap.	Max. weight person cap.	Max. person cap.	Bottom	Side	
SPRINGBOK DL BT	4.9 m (16'-0")	1.7 m (68")	1.4 m (57")	0.7 m (28")	0.4 m (17")	0.5 m (20")	170 kg (375 lb.)	24 kW (30 H.P.)	522 kg (1150 lb.)	332 kg (732 lb.)	** 5 [4]	1.6 mm (.064")	1.6 mm (.064")	PORTABLE
YUKON DL BT	4.3 m (14'-3")	1.7 m (68")	1.4 m (57")	0.7 m (28")	0.4 m (17")	0.5 m (20")	152 kg (335 lb.)	19 kW (25 H.P.)	411 kg (905 lb.)	263 kg (580 lb.)	4	1.6 mm (.064")	1.6 mm (.064")	PORTABLE


** Max. person cap.: NMMA [Transport Canada]

SPINGBOK DL BT & YUKON DL BT

Perfect for a fun-packed day of fishing

KEY STANDARD FEATURES

- Semi-V hull design with square chine
- Full-width self-draining splashwell
- Bow eye and stern handles
- Split center seat covered with marine grade carpet
- Stern storage compartment
- Battery holder
- Removable pressure-treated wood floor covered with marine grade vinyl
- High-gloss exterior paint finish with decal package
- Non-skid anti-glare interior paint finish
- Aluminium clad transom



FEATURES & OPTIONS

		SPRINGBOK DL BT	YUKON DL BT
STANDARD FEATURES	HULL & DECK	5052-H36 marine grade aluminum alloy	• •
		High-gloss oven-cured urethane paint	• •
		Semi-V hull with square chine	• •
		Aluminum clad transom	• •
		Full-width self-draining splashwell	• •
		Twin plating at chine from mid-ship to stern	• •
		Heavy-duty tubular seat to gunnel braces	• •
		Bow eye and stern handles	• •
	Stern storage compartment	• •	
	SEATS	Split center seat covered with marine grade carpet	• •
Parallel seats at stern covered with marine grade carpet		• •	
Bow bench seat covered with marine grade carpet		• •	
OTHERS	Battery holder	1 1	
	Removable pressure-treated wood floor covered with marine grade vinyl	• •	
DEALER INSTALLED OPTIONS	Sun top	o o	
	Mooring or trailer cover	o o	
COLOR	Black	• •	

Photomontages show various features and options. Some accessories shown may not be available on all models.



1. Split center seat covered with marine grade carpet 2. Removable pressure-treated wood floor covered with marine grade vinyl (front and back floor pieces)

THE ULTIMATE PORTABLES. LIGHTWEIGHT AND VERSATILE.

If you want a smaller boat for convenient fishing fun, there's no reason to compromise on quality. Princecraft's line of utility craft provides lightweight, compact models built to give you years of satisfaction. They combine legendary Princecraft durability and design excellence with precision construction. The advantages add up to greater value for you.



1. Full-width splashwell to keep you dry* 2. High-gloss paint* 3. Oar lock socket*

* On most models

UTILITY & CARTOPS SERIES



UTILITY & CARTOPS

KEY STANDARD FEATURES

- Wide and stable hull design
- Twin plating at chine from mid-ship to stern
- Full-width self-draining splashwell *
- High-gloss exterior paint finish with decal package
- Non-skid anti-glare interior paint finish
- Aluminum clad transom
- Parallel seats at stern (some models with battery storage)
- Bulkhead center seat
- Bow bench seat
- Durable ribbed polyethylene seat covering



Holiday



Starfish



Springbok



Yukon



Fisherman



Holiday



Ungava



Fisherman



1. Our exclusive polyethylene seat comes standard and stays dryer than wood seats*
 2. The stern parallel seats make moving around much easier*
 3. Aluminum-clad, hassle-free transom

* On some models




Scamper



Seasprite

FEATURES & OPTIONS

		UTILITIES										CARTOPS	
		HOLIDAY	STARFISH 20	STARFISH 15	SPRINGBOK 20	YUKON 20	YUKON 15	FISHERMAN	UNGAVA	SCAMPER	SEASPRITE		
STANDARD FEATURES	HULL & DECK	5052-H36 marine-grade aluminum alloy	•	•	•	•	•	•	•	•	•	•	•
		High-gloss exterior paint with decal package	•	•	•	•	•	•	•	•	•	•	•
		Decal package	-	-	-	-	-	-	-	-	-	-	-
		Non-skid anti-glare interior paint finish	•	•	•	•	•	•	•	•	•	•	•
		Semi-V hull (R= reverse chine, S= square chine, RC= round chine)	R	R	R	S	S	S	S	S	RC	RC	
		Aluminum clad transom	•	•	•	•	•	•	•	•	•	•	•
		Full-width self-draining splashwell	•	•	•	•	•	•	•	•	•	•	•
		Twin plating at the chine from mid-ship to stern	•	•	•	•	•	•	•	•	•	•	•
		Heavy-duty tubular seat to gunnel braces	•	•	•	•	•	•	•	•	•	•	•
		Bow and stern eyes (E) or bow eye and stern handles (H)	E	H	H	H	H	H	H	H	H	H	H
SEATS	Oar lock socket	-	-	-	-	-	-	•	•	•	•	•	
	Parallel seats at stern	•	•	•	•	•	•	•	•	•	•	•	
	Bulkhead center seat	•	•	•	•	•	•	•	•	•	•	•	
	Bow bench seat	•	•	•	•	•	•	•	•	•	•	•	
	Durable ribbed polyethylene seat covering	•	•	•	•	•	•	•	•	•	•	•	
DEALER INSTALLED OPTIONS	Sun top	o	o	o	o	o	o	o	o	-	-	-	
	Complete dark blue side console	o	o	o	o	o	o	-	-	-	-	-	
	Console only...dark blue	o	o	o	o	o	o	-	-	-	-	-	
	Smoked windscreen	o	o	o	o	o	o	-	-	-	-	-	
	Folding fishing seat with no-pinch hinges	o	o	o	o	o	o	o	o	-	-	-	
COLORS	Blue or Natural aluminum with graphics	■	■	■	■	■	■	■	■	■	■	■	



Starfish Springbok Yukon
Ungava Scamper Seasprite

SPECIFICATIONS	Center line	Beam	Chine width	Max. depth	Approx. draft	Transom height	Approx. weight	NMMA (USA) / TRANSPORT CANADA				ALUMINUM THICKNESS		GAS TANK (with in-dash gauge)
								Max. H.P. cap.	Max. weight cap.	Max. weight person cap.	Max. person cap.	Bottom	Side	
HOLIDAY	5.0 m (16'-4")	2.1 m (83")	1.8 m (69")	0.8 m (30")	0.6 m (22")	0.5 m (20")	181 kg (400 lb.)	37 kW (50 H.P.)	621 kg (1370 lb.)	394 kg (869 lb.)	** 6 [5]	2.3 mm (.090")	1.8 mm (.072")	PORTABLE
STARFISH 20	4.9 m (16'-0")	1.9 m (73")	1.6 m (63")	0.7 m (29")	0.4 m (16")	0.5 m (20")	145 kg (320 lb.)	30 kW (40 H.P.)	591 kg (1303 lb.)	401 kg (885 lb.)	** 7 [5]	1.8 mm (.072")	1.6 mm (.064")	PORTABLE
STARFISH 15	4.9 m (16'-0")	1.9 m (73")	1.6 m (63")	0.7 m (29")	0.4 m (17")	0.4 m (15")	138 kg (304 lb.)	30 kW (40 H.P.)	499 kg (1100 lb.)	309 kg (682 lb.)	** 5 [4]	1.8 mm (.072")	1.6 mm (.064")	PORTABLE
SPRINGBOK 20	4.9 m (16'-0")	1.7 m (68")	1.4 m (57")	0.7 m (28")	0.4 m (17")	0.5 m (20")	133 kg (293 lb.)	24 kW (30 H.P.)	522 kg (1150 lb.)	332 kg (732 lb.)	** 5 [4]	1.6 mm (.064")	1.6 mm (.064")	PORTABLE
YUKON 20	4.3 m (14'-3")	1.7 m (68")	1.4 m (57")	0.7 m (28")	0.4 m (17")	0.5 m (20")	120 kg (265 lb.)	19 kW (25 H.P.)	411 kg (905 lb.)	263 kg (580 lb.)	** 4	1.6 mm (.064")	1.6 mm (.064")	PORTABLE
YUKON 15	4.3 m (14'-3")	1.7 m (68")	1.4 m (57")	0.7 m (28")	0.4 m (17")	0.4 m (15")	109 kg (240 lb.)	19 kW (25 H.P.)	372 kg (821 lb.)	225 kg (496 lb.)	** 4 [3]	1.6 mm (.064")	1.6 mm (.064")	PORTABLE
FISHERMAN	4.3 m (14'-0")	1.5 m (60")	1.3 m (51")	0.7 m (26")	0.4 m (13")	0.4 m (15")	91 kg (201 lb.)	15 kW (20 H.P.)	372 kg (820 lb.)	225 kg (495 lb.)	** 4 [3]	1.4 mm (.057")	1.3 mm (.051")	PORTABLE
UNGAVA	3.7 m (12'-0")	1.5 m (60")	1.3 m (51")	0.6 m (25")	0.4 m (13")	0.4 m (15")	78 kg (171 lb.)	12 kW (15 H.P.)	318 kg (700 lb.)	226 kg (498 lb.)	** 4 [3]	1.4 mm (.057")	1.3 mm (.051")	PORTABLE
SCAMPER	4.3 m (14'-4")	1.5 m (58")	1.1 m (45")	0.5 m (21")	0.4 m (13")	0.4 m (15")	68 kg (150 lb.)	12 kW (15 H.P.)	340 kg (750 lb.)	249 kg (548 lb.)	** 4 [3]	1.3 mm (.051")	1.3 mm (.051")	PORTABLE
SEASPRITE	3.7 m (12'-4")	1.5 m (58")	1.1 m (45")	0.5 m (21")	0.4 m (13")	0.4 m (15")	59 kg (130 lb.)	8 kW (10 H.P.)	281 kg (620 lb.)	190 kg (418 lb.)	** 3 [2]	1.3 mm (.051")	1.3 mm (.051")	PORTABLE

** Max. person cap.: NMMA [Transport Canada]

Canvas



PRINCECRAFT CANVAS IS BETTER

- Only marine-tested fabric is used
- Each snap is mounted on molding at a 45-degree angle for better securing, easier removal
- Additional clear acrylic coating is applied to back side of fabric to repel water
- Every canvas enclosure is crafted to Princecraft's standard of quality

ADVANTAGES OF POLYESTER FABRIC

- Superior strength and tear resistance over solution-dyed acrylic marine fabrics
- Much higher degree of water repellence
- Significantly greater dimensional stability
- Vastly superior abrasion resistance

RUGGED CANVAS TOPS THAT FIT LIKE CUSTOM-MADE... BECAUSE THEY ARE!

Be prepared for any kind of weather with our custom-fitted canvas enclosures. By using the same precise specs to position the fasteners on every model your top fits perfectly at every snap.



WARRANTY

Limited 5-Year Canvas Warranty on canvas which has excessive fading or that has been rendered unserviceable from normal exposure conditions, including sunlight, rot, or normal atmospheric chemicals.



1. Mooring cover



2

2. Trailer cover



3

3. Complete stand-up high top with tonneau cover and curtains connected to windshield*



4

4. Sun top

* Should not be used if the engine or generator is running



1



2



5



10



14



19



22

1. Stem boarding ladder
 2. Combo swim platform and telescoping ladder
 3. Pedestal folding fishing seat
 4. Deluxe pedestal folding fishing seat
 5. Reclining captain's chair with adjustable armrests

Options

OPTIONAL EQUIPEMENT

	PLATINUM SE SERIES					SUPER PRO SERIES				SPORT SERIES				PRO SERIES			
	Platinum SE 207	Platinum SE 206	Platinum SE 198	Platinum SE 186, 176	Platinum SE 176 FnP	Super Pro 207	Super Pro 206	Super Pro 186, 176	Super Pro 185 GL	SS 182	SS 174	SS 172	SS 164	Pro 179 WS, 169 WS	Pro 179 SC, 169 SC	Pro 165 SC	
FACTORY INSTALLED OPTIONS	Port console with quick-release smoked windscreen	-	-	0	-	-	-	-	-	-	-	-	-	-	-	-	
	Pro Staff graphic package	-	-	E	-	-	-	-	-	-	-	-	-	-	-	-	
	Port-side sleeper seat	E	E	-	E	-	0	0	0	-	-	0	-	-	-	-	
	Reclining captain's chair with adjustable armrests (driver or companion seat)	E	E	E ¹	E	-	-	-	-	-	-	-	-	-	-	-	
	AM/FM/CD Stereo with iPod controls and SAT Radio Compatible (+= 200-watt AM/FM/CD with USB port/ MP3/ iPod and SAT Radio Compatible)	E+	E+	E+	E+	E+	-	-	-	-	0	0	0	0	0	0	0
	Vinyl floor covering	E	E	-	E	E	E	E	E	-	E	E	E	E	-	-	-
	Lowrance® HDS-5 High Resolution 5" Fish finder/ GPS Chartplotter	E	E	E	E	-	0	0	0	0	-	-	-	-	-	-	-
	Underwater lighting (2 lights)	0	0	0	0	0	0	0	0	0	-	-	-	-	-	-	-
	SmartCraft™ gauges (tach., speed. and trim) for Optimax and Verado engines	-	-	-	-	-	E	E	E	E	-	-	-	-	-	-	-
	Hydraulic steering system with tilt wheel	-	-	-	-	E	E	E	E	E	E	E	E	-	-	-	-
	Tilt steering mechanism	-	-	-	-	-	E	E	E	E	-	-	-	-	-	-	-
	Wash down system	0	0	-	-	0	0	0	0	0	-	-	-	-	-	-	-
	Chemical toilet with holding tank & pump out	0	-	-	-	0	-	-	-	-	-	-	-	-	-	-	-
	Mercury 9.9 BF 4 stroke kicker engine	0	0	0	0	0	0	0	0	0	0	0	0	-	-	-	-
	CANVAS	Complete stand-up high top with aluminum frame (+= stainless steel frame)	0+	0+	-	0	0	0	0	0	0	0	0	0	0	0	0
Mooring or trailer cover		0	0	-	0	0	0	0	0	0	0	0	0	0	0	0	
Sun top		-	-	0	-	-	-	-	-	-	-	-	-	0	0	0	
DEALER INSTALLED OPTIONS	Bow rider seat cushions	0	0	-	0	-	-	-	-	-	-	0	-	-	-	-	
	Coaming pads & bow rider seat cushions	-	-	-	-	-	0	0	0	-	0	0	-	0	0	-	
	Folding fishing seat with spider and post (D= deluxe)	D	D	D	D	D	D	D	D	0	0	0	0	D	D	D	
	Bicycle seat with 27" post	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Downrigger supports	0	0	0	0	0	0	0	0	0	0	-	0	0	0	-	
	Lowrance® X-50 DS fish/depth finder	-	-	-	-	-	-	-	-	-	0	0	0	0	-	-	0
	Pantographic parallel arm starboard side wiper	0	0	-	0	0	0	0	0	0	0	0	0	-	0	-	
	Onboard battery charger	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	
	24V battery charger and alternator module system	0	0	-	0	0	0	0	0	0	0	0	0	-	0	0	
	Stern boarding ladder	-	-	0	-	-	0	0	0	0	0	0	0	-	0	-	
	Combo-poly swim platform with telescoping ladder	0	0	-	0	0	0	0	0	0	-	-	-	-	-	-	
	Ski pylon	0	0	-	0	0	0	0	0	-	0	0	0	0	-	-	
Snap-in carpet (available with vinyl flooring)	0	0	-	0	0	0	0	0	-	-	-	-	-	-	-		
COLORS	* Platinum SE: Black & Metallic Beige	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	■ Black, ■ Red, ■ Blue	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	

0 Option E Upgrade Exchange 1 Not available with optional dual control installation.



6. Vinyl floor covering 7. Lowrance® X-50 DS fish/depth finder on swivelling bracket 8. Lowrance® X-52 fish/depth finder on swivelling bracket 9. Lowrance® HDS-5 fish/depth finder with GPS 10. Snap-in carpet 11. Control for optional kicker engine 12. Windshield wiper 13. Bicycle fishing seat with post 14. Mercury SmartCraft™ gauges 15. AM/FM/CD Stereo with iPod controls and SAT Radio Compatible 16. 200-watt Clarion AM/FM/CD with USB port/ MP3/ iPod and SAT Radio Compatible 17. Underwater lighting (2 lights) 18. Ski pylon 19. Downrigger supports (2) 20. Port-side sleeper seat 21. Battery charger 22. Wash down system 23. Chemical toilet 24. Kicker engine 25. Bow cushion set

STANDARD FEATURES		PLATINUM SE SERIES						SUPER PRO SERIES					
		207	206	198	186	176	176 FnP	207	206	186	185 GL	176	
HULL & DECK	5052-H36 marine-grade aluminum alloy	•	•	•	•	•	•	•	•	•	•	•	
	Reverse chine hull design (+ = Double)	•+	•+	•+	•+	•+	•	•+	•+	•+	•+	•+	
	High-gloss oven-cured urethane paint	• Metallic	• Metallic	•	• Metallic	• Metallic	•	•	•	•	•	•	
	Stainless steel bow and stern eyes	•	•	•	•	•	•	•	•	•	•	•	
	Raised casting platform	Fore & Aft	Fore	Fore & Aft	Fore & Aft	Fore & Aft	Fore & Aft	Fore & Aft	Fore	Fore & Aft	Fore	Fore & Aft	
	Storage compartment(s) (A = Anchor, B = Deep cycle battery, I = Ice chest, F = In-floor lockable storage and insulated fish box, S = Storage)	A, 2B, I, S	A, 2B, I, S	A, 3B, S	A, 2B, I, S	A, 2B, I, S	A, 2B, I, S	A, 2B, I, S	A, 2B, I, S	A, 2B, I, S	A, 2B, I, S	A, 2B, F, S	A, 2B, I, S
	Twin plating from bow to mid-ship	•	•	•	•	•	•	•	•	•	•	•	•
	Twin plating at the chine from mid-ship to stern	•	•	•	•	•	•	•	•	•	•	•	•
	Rigging tube under flooring (bow to stern)	•	•	•	•	•	•	•	•	•	•	•	•
	Cleats (SSR = Stainless steel recessed, SS = Stainless steel, C = Chromed)	4 SSR	4 SSR	4 SSR	4 SSR	4 SSR	4 SS	4 SS	4 SS	4 SS	4 SS	4 SS	4 SS
FISHING	Livewell system	ProFlo Plus	ProFlo Plus	ProFlo Plus	ProFlo Plus	ProFlo Plus	SportFlo	ProFlo	ProFlo	ProFlo	ProFlo	ProFlo	
	(A) Bow livewell - Length (inches) - Capacity (litres) - (Capacity [U.S. gal.]) ¹	44-77 (20)	44-77 (20)	44-77 (20)	30-64 (17)	30-64 (17)	30-64 (17)	44-77 (20)	44-77 (20)	30-64 (17)	44-77 (20)	30-64 (17)	
	(B) Stern livewell - Length (inches) - Capacity (litres) - (Capacity [U.S. gal.]) ¹	34-64 (17)	40-129 (34)	47-114 (30)	34-64 (17)	34-64 (17)	-	34-64 (17)	40-129 (34)	34-64 (17)	-	34-64 (17)	
	Dual livewell	A, B	A	A	A, B	A, B	A	A, B	A	A, B	A	A, B	
	Aeration (+ = with timer)	A+, B+	A+, B+	A+, B+	A+, B+	A, B+	A	A+, B+	A+, B+	A+, B+	A+	A, B+	
	Recirculation	A, B	A, B	A, B	A, B	A, B	-	A, B	A, B	A, B	A	A, B	
	Overflow	A, B	A, B	A, B	A, B	A, B	A	A, B	A, B	A, B	A	A, B	
	Thru-hull drain (+ = with remote)	A+, B+	A+, B+	A+, B+	A+, B+	A+, B+	A	A, B	A, B	A, B	A	A, B	
	Removable minnow bucket	A, B	A	A, B	B	B	-	A, B	A	B	A	B	
	Light	B	B	A, B	B	B	-	B	B	B	A	B	
	Anti-spill cover	A, B	A, B	A, B	A, B	A, B	A	A, B	A, B	A, B	A	A, B	
	Insulated lid	A, B	A	A, B	A, B	A, B	A	A, B	A	A, B	A	A, B	
	Rod storage compartment (+ = lockable, S = with supports, C = with tubes for rods, R = rod straps)	• +, 12 C	• +, 12 C	• +, 12 C	• +, 6 C	• +, 6 C	• +, S	• +, 12 C	• +, 12 C	• +, 6 C	• S (2)	• +, 6 C	
	Side panel storage compartment(s) (+ = lockable)	• + (2)	• + (2)	• + (2)	• + (2)	• + (2)	• + (2)	• + (2)	• + (2)	• + (2)	-	• + (2)	
	Lowrance® fish/depth finder	X-52	X-52	X-52	X-52	X-52	X-50 DS	X-52	X-52	X-52	X-52	X-52	
	Removable bow casting deck insert with floor base	•	•	•	•	•	•	•	•	•	•	•	
Bow trolling motor plug & receptacle (D = Deluxe panel)	12 or 24V - D	12 or 24V - D	36V - D	12 or 24V - D	12 or 24V - D	12 or 24V	12 or 24V	12 or 24V	12 or 24V	12 or 24V	12 or 24V		
Carpeted bow mount trolling motor pad	•	•	•	•	•	•	•	•	•	•	•		
SEATS	Floor seat bases	6	5	6	6	6	4	6	5	6	5	6	
	DS = Deluxe pedestal seat PS = Pedestal seat SS = Sleeper seat JS = Jump seat RB = Rear flip deck convert bench SR = Sliding rails for driver seat	3 DS, 2 JS, SR	3 DS, 2 JS, SR	3 DS	3 DS, 2 JS, SR	3 DS, 2 JS, SR	2 DS, SR, 1 SS, 2 JS	3 DS, 2 JS	3 DS, 2 JS	2 DS, 2 JS	2 DS	2 DS, 2 JS	
	Console with dash panel & switches	twin	twin	side	twin	twin	twin	twin	twin	twin	twin	twin	
CONSOLE	Steering system (NFB = No-FeedBack™, H = Hydraulic, + = with dual cables)	H	H	NFB+	H	H	NFB	NFB+	NFB+	NFB+	NFB+	NFB+	
	Tilt steering mechanism	•	•	-	•	•	•	-	-	-	-	-	
	Walk-thru tinted curved tempered glass windshield with door	•	•	-	•	•	•	•	•	•	•	•	
	Smoked windscreen with quick release	-	-	•	-	-	-	-	-	-	-	-	
	Instrumentation (gauges)	3	3	5	3	3	5	5	5	5	5	5	
	Speedometer	SmartCraft	SmartCraft	•	SmartCraft	SmartCraft	•	•	•	•	•	•	
	Tachometer	SmartCraft	SmartCraft	•	SmartCraft	SmartCraft	•	•	•	•	•	•	
	Voltmeter	-	-	•	-	-	•	•	•	•	•	•	
	Trim gauge	•	•	•	•	•	•	•	•	•	•	•	
	Fuel gauge	-	-	•	-	-	•	•	•	•	•	•	
	AM/FM/CD Stereo with iPod controls and SAT Radio Compatible	•	•	•	•	•	•	•	•	•	•	•	
	Easy-access driver's radio remote control	•	•	-	•	•	-	-	-	-	-	-	
	Waterproof speakers	4	4	2	4	4	4	2	2	2	2	2	
Electric horn	•	•	•	•	•	•	•	•	•	•	•		
12V outlet	•	•	•	•	•	•	•	•	•	•	•		
OTHERS	Pop-up privacy enclosure in stern casting platform	•	-	-	-	-	-	•	-	-	-	-	
	Electric bilge pump(s) (Auto = automatic)	Auto	Auto	Auto (2)	Auto	Auto	Auto	Auto	Auto	Auto	Auto	Auto	
	Bow rails (G = Grab, BH = Bow handle, + = Stainless steel)	G+	G+	-	G+	G+	G+	G+	G+	G+	BH	G+	
	Holding handle(s)	5	5	3	5	5	5	5	5	5	5	5	
	Navigation lights	•	•	•	•	•	•	•	•	•	•	•	
	Canvas top snap fasteners	•	•	-	•	•	•	•	•	•	•	•	
	CP = Coaming pads, BC = Bow cushions	CP	CP	-	CP	CP	CP, BC	-	-	-	-	-	
	Interior light(s)	3	3	1	3	1	2	3	3	1	1	1	
	Cup holder(s)	6	4	1	4	4	6	4	2	2	2	2	
	Battery holder(s)	3	3	4	3	3	3	3	3	3	3	3	
Pressure-treated wood floor covered with (C = 20-oz carpet, V = Vinyl)	C	C	C	C	C	C	C	C	C	V	C		
Fire extinguisher support (fire extinguisher not included)	•	•	•	•	•	•	•	•	•	•	•		
VERADO PACKAGE	Digital Throttle and Shift System (DTS)	•	•	•	•	•	-	•	•	•	•	•	
	Power steering with tilt wheel (with 225 H.P. Verado-L6 engine)	•	•	-	-	-	-	•	•	-	-	-	

**Holidays and weekends are times to be treasured.
THAT'S WHY YOUR NEW PRINCECRAFT
IS SUCH AN IMPORTANT INVESTMENT.**

Yes, leisure time has a way of passing too quickly. That's why Princecraft boats are designed to help you get the most enjoyment from every minute you spend on the water.

Whether you're fighting a trophy fish or pulling in a panfish that's clinging to a worm, whether you're jumping in for a swim while anchored or watching the kids frolic on their water-tubes in the wake, your Princecraft will help make each moment extra special. The fact is, all aluminum boats are not created equal. Princecraft innovative engineering, rugged construction, attention to detail and overall customer assurance makes a big difference. Welcome aboard!



WHEN SAFETY COMES FIRST, BOATING IS MORE FUN.

Every Princecraft boat comes fully equipped with safety features that meet or exceed applicable industry standards. The safety of you and your family is the number one concern of everyone on the Princecraft design and manufacturing team. But only you can add one additional, and very important, safety enhancement when you are on the water. And that's by wearing an approved life vest. Good looking, comfortable personal flotation devices make boating even more fun. Don't leave the dock without them. Remember, life vests float, you don't!

To get your 2010 Pontoon and Deck Boats brochure, for any details on why a Princecraft is the best boat for you or to find your nearest dealer, visit www.princecraft.com, or call 1-800-395-8858



In Canada: **Princecraft Boats Inc.**, A Brunswick Company, 725 Saint-Henri Street, Princeville (Quebec) G6L 5C2.
In the United States: **Princecraft U.S.**, A Brunswick Company, 1st Tennessee Plaza Bldg., Suite 1700,
800 S. Gay Street, Knoxville, TN 37929

Special thanks to: Berkley®, Blue Fox®, Brecks®, Columbia Sportswear Company®, Crocs™, Walker Downriggers®, Helly-Hansen®, Hot Spot Fishing & Lures LTD.®, Mercury Marine®, Mustang Survival®, Orizon Inc., Rapala®, Shimano®, Storm™



Princecraft factory-packaged boats are available with various horsepower Mercury® outboard. www.mercurymarine.com



PLEASE READ CAREFULLY: Dimensions, capacities, ratings, and additional specifications, plus complete warranty and service information, are available from your Princecraft dealer. Product illustrations and data within this catalog are based upon information available at the time of publication. Not all accessories shown in pictures or described herein are standard equipment or even available as options. Specification measurements are approximations and subject to variance. Because Princecraft is dedicated to constant product improvements, Princecraft reserves the right to make changes without prior notice or obligation. Not all model year boats may contain all of the features or meet the specifications described herein. Ask your Princecraft dealer for the most current product specifications prior to purchase. Some of the equipment shown separately or on products illustrated in this catalog may be optional at extra cost. Options and features are subject to change without notice.

Princecraft is a member in good standing of the National Marine Manufacturers Association (NMMA) USA and Canada. All boats comply with Canadian Coast Guard and U.S. Coast Guard regulations. All Princecraft® boats are in compliance with NMMA's Boat Certification Program. Atwood™ is a registered trademark of Atwood Corporation. Clarion™ is a registered trademark of Clarion Sales Corporation. Faria™ is a registered trademark of TG Faria, Inc. Pilot™ is a registered trademark of TG Faria, Inc. Flow-Rite™ is a registered trademark of Flow-Rite Controls. Lowrance® is a registered trademark of Lowrance Electronics, Inc. Marico™ is a registered trademark of Marico-AFI. McGill™ is a registered trademark of Emerson Electronics. Mercury®, MerCruiser®, Verado™, OptiMax® and SmartCraft™ are registered trademarks of Mercury Marine.