

Pontoon SERIES



SVX™ Series

Sometimes it simply makes sense to choose the very best. And that's what the Princecraft SVX series of ultra-pontoon boats is all about - the best of pontoon boating! Count up all the extras, the performance features and the top-of-the-line furnishings. Consider their beautiful, color-coordinated fabrics, their high-style, sporty good looks. Want to push the limits of pontoon enjoyment? This is where you want to be.



Versailles® Series

Comfort and elegance let you entertain your friends in style with the Versailles series of outstanding pontoon boats. Experience all the extra features you and your family could want to enjoy a memorable day together on the water. With exciting models from 20 to 27 feet, there's a Versailles just right for you. Nestle into the captain's chair and enjoy going first class.



Vantage® Series

Here's a selection of solid, feature-packed pontoons that offer all the fun you'll ever need on the water. Each of the Vantage models has luxury furniture groupings, a helm with all the conveniences and super-smart styling. You get a pontoon boat with the comfort of your family den that gives your guests the feeling they've been invited to spend a day on the water in a casual, relaxed environment. Vantage proves that for full-feature, top-performance pontoon boating, you don't have to go overboard.



Vision® & Vectra® Series

This is Princecraft's high-value, family sports-action series. For growing families, as well as empty nesters and their neighbors and friends who won't give up the water toys, these boats deliver pure joy. Stylish but practical, they give you great performance, comfort and lots of convenience features. And they have Princecraft's topnotch fit and finish. Bring along the snacks, fill up the coolers, and don't forget to bring the tow-behind tubes and boards!







SVX 29 I/O
Shown in Abyss Blue
Mystic Edition

SVX 29 I/O, 27 I/O & 25 I/O

SVX specifications

Enjoy velvet-smooth performance and dominate the water!


	29 I/O <small>(with 350 MAG - 3 logs)</small>	27 I/O <small>(with 4.3 L - 3 logs)</small>	25 I/O <small>(with 4.3 L - 3 logs)</small>
Overall length	9.1 m (29'-10")	8.5 m (27'-10")	7.9 m (25'-10")
Deck length	8.5 m (27'-10")	7.9 m (25'-10")	7.3 m (23'-10")
Beam	2.6 m (8'-6")	2.6 m (8'-6")	2.6 m (8'-6")
Pontoon length	8.2 m (26'-10")	7.6 m (24'-10")	7.0 m (22'-10")
Pontoon diameter	0.64 m (25")	0.64 m (25")	0.64 m (25")
Pontoon aluminum thickness	2.0 mm (.080")	2.0 mm (.080")	2.0 mm (.080")
Approx. weight	2214 kg (4880 lb.)	1996 kg (4400 lb.)	1867 kg (4117 lb.)
NMMA (USA) / MANUFACTURER'S RECOMMENDATIONS			
Max. H.P. cap.	279 kW (375 H.P.)	224 kW (300 H.P.)	224 kW (300 H.P.)
Max. weight cap.	1399 kg (3085 lb.)	1267 kg (2793 lb.)	1140 kg (2513 lb.)
Max. weight person cap.	816 kg (1800 lb.)	807 kg (1780 lb.)	680 kg (1500 lb.)
Max. person cap.	13	13	11
BUILT-IN GAS TANK <small>(with in-dash gauge)</small>	208 L (55 U.S. gal.)	125 L (33 U.S. gal.)	125 L (33 U.S. gal.)



SVX 25 I/O
Shown in Apache Red
Mystic Edition

SVX 27 I/O
Shown in Black
Mystic Edition

- 1 Optional BBQ gas grill 2 Optional pop-up ski pole
3 Portable armrest trimmed in woodgrain with stainless steel cup holders 4 Helm console with sink, windscreen, storage under & an optional refrigerator 5 Wakeboard towing tower & sun top package (SVX 29 I/O)



For a complete list of standard and optional equipment, see pages 38-46. Photomontages show various features and options. Some accessories shown may not be available on all models.



*S*VX 25
Shown in Apache Red
Mystic Edition

*S*VX 27 & 25

SVX specifications

All the luxuries you need for care-free times

	27	25
Overall length	8.3 m (27'-2")	7.7 m (25'-2")
Deck length	7.8 m (25'-6")	7.2 m (23'-6")
Beam	2.6 m (8'-6")	2.6 m (8'-6")
Pontoon length	7.6 m (24'-10")	7.0 m (22'-10")
Pontoon diameter	0.64 m (25")	0.64 m (25")
Pontoon aluminum thickness	2.0 mm (.080")	2.0 mm (.080")
Approx. weight	1198 kg (2642 lb.)	1096 kg (2417 lb.)
NMMA (USA) / MANUFACTURER'S RECOMMENDATIONS		
Max. H.P. cap.	86 kW (115 H.P.)	86 kW (115 H.P.)
Max. weight cap.	1143 kg (2520 lb.)	1016 kg (2240 lb.)
Max. weight person cap.	807 kg (1780 lb.)	680 kg (1500 lb.)
Max. person cap.	13	11
BUILT-IN GAS TANK (with in-dash gauge)	125 L (33 U.S. gal.)	125 L (33 U.S. gal.)

1 Optional in-floor ski storage 2 Luxury reclining captain's chair with slide & swivel 3 Optional stainless steel waterski tow bar 4 Optional 200-watt AM/FM/CD Clarion CMD6 with USB port, MP3, iPod and SAT Radio Compatible 5 Optional premium high power / sub audio system 6 Helm console with sink, windscreen and storage under



SVX 27
Shown in Black
Mystic Edition

SVX 25
Shown in Apache Red
Mystic Edition



For a complete list of standard and optional equipment, see pages 38-46. Photomontages show various features and options. Some accessories shown may not be available on all models.



Versailles 27 SE
Shown in Abyss Blue
Mystic Edition

Versailles 27 SE & 27-2S

Versailles specifications

Treat your family and friends to superior luxury and comfort

	27 SE	27-2S
Overall length	8.5 m (27'-9")	8.5 m (27'-9")
Deck length	8.4 m (27'-6")	8.4 m (27'-6")
Beam	2.6 m (8'-6")	2.6 m (8'-6")
Pontoon length	8.0 m (26'-4")	8.0 m (26'-4")
Pontoon diameter	0.64 m (25")	0.64 m (25")
Pontoon aluminum thickness	2.0 mm (.080")	2.0 mm (.080")
Approx. weight	1166 kg (2571 lb.)	1144 kg (2522 lb.)
NMMA (USA) / MANUFACTURER'S RECOMMENDATIONS		
Max. H.P. cap.	101 kW (135 H.P.)	101 kW (135 H.P.)
Max. weight cap.	1138 kg (2509 lb.)	1138 kg (2509 lb.)
Max. weight person cap.	802 kg (1769 lb.)	802 kg (1769 lb.)
Max. person cap.	13	13
BUILT-IN GAS TANK (with in-dash gauge)		
	117 L (31 U.S. gal.)	117 L (31 U.S. gal.)



Versailles 27 SE
Shown in Abyss Blue
Mystic Edition

Versailles 27-2S
Shown in Black
Mystic Edition

- 1 Removable bow gate seat (27 SE only)
- 2 Luxury reclining chairs (2)
- 3 Optional chemical toilet
- 4 Large pop-up privacy enclosure with a seat inside
- 5 Luxury reclining rear padded sundeck
- 6 Stern boarding ladder



For a complete list of standard and optional equipment, see pages 38-46. Photomontages show various features and options. Some accessories shown may not be available on all models.



Versailles 25
Shown in Apache Red

Versailles 25 & 21

Versailles specifications

The ultimate family weekend vacation package

	25	21
Overall length	7.8 m (25'-9")	6.6 m (21'-9")
Deck length	7.4 m (25'-6")	6.6 m (21'-6")
Beam	2.6 m (8'-6")	2.6 m (8'-6")
Pontoon length	7.4 m (24'-4")	6.2 m (20'-4")
Pontoon diameter	0.64 m (25")	0.64 m (25")
Pontoon aluminum thickness	2.0 mm (.080")	2.0 mm (.080")
Approx. weight	1062 kg (2341 lb.)	934 kg (2060 lb.)
NMMA (USA) / MANUFACTURER'S RECOMMENDATIONS		
Max. H.P. cap.	86 kW (115 H.P.)	67 kW (90 H.P.)
Max. weight cap.	1072 kg (2364 lb.)	835 kg (1840 lb.)
Max. weight person cap.	737 kg (1624 lb.)	562 kg (1238 lb.)
Max. person cap.	12	9
BUILT-IN GAS TANK (with in-dash gauge)	117 L (31 U.S. gal.)	117 L (31 U.S. gal.)





Versailles 25
Shown in Apache Red



Versailles 21
Shown in Royal Blue

1 Helm console with sink, windscreen & storage under
2 Large pop-up privacy enclosure with a seat inside
3 USB port and convenient parcel tray
4 Chromed bow corner light housing with halogen docking lights
5 24 oz. marine grade carpet with optional in-floor storage compartments
6 Optional vinyl floor covering and snap-in carpet



For a complete list of standard and optional equipment, see pages 38-46. Photomontages show various features and options. Some accessories shown may not be available on all models.



Versailles 23
Shown in Black
Mystic Edition

Versailles 23-25 & 23

Versailles specifications

*M*ake all your boating dreams come true

	23-2S	23
Overall length	7.2 m (23'-9")	7.2 m (23'-9")
Deck length	6.9 m (23'-6")	6.9 m (23'-6")
Beam	2.6 m (8'-6")	2.6 m (8'-6")
Pontoon length	6.8 m (22'-4")	6.8 m (22'-4")
Pontoon diameter	0.64 m (25")	0.64 m (25")
Pontoon aluminum thickness	2.0 mm (.080")	2.0 mm (.080")
Approx. weight	996 kg (2195 lb.)	1009 kg (2225 lb.)
NMMA (USA) / MANUFACTURER'S RECOMMENDATIONS		
Max. H.P. cap.	86 kW (115 H.P.)	86 kW (115 H.P.)
Max. weight cap.	945 kg (2083 lb.)	945 kg (2083 lb.)
Max. weight person cap.	609 kg (1343 lb.)	609 kg (1343 lb.)
Max. person cap.	10	10
BUILT-IN GAS TANK (with in-dash gauge)	117 L (31 U.S. gal.)	117L (31 U.S. gal.)



Versailles 23
Shown in Black
Mystic Edition

Versailles 23-2S
Shown in Apache Red
Mystic Edition

- 1 Large pop-up privacy enclosure with a seat inside
- 2 Optional raised helm
- 3 Multifunction instrumentation
- 4 200-watt AM/FM/CD Clarion M309 with USB port, MP3, iPod and SAT Radio Compatible
- 5 Portable armrest trimmed in woodgrain with stainless steel cup holders
- 6 Luxury reclining rear padded sundeck



For a complete list of standard and optional equipment, see pages 38-46. Photomontages show various features and options. Some accessories shown may not be available on all models.



Vantage 25
Shown in Royal Blue

Vantage 25, 23-25, 23 & 21

Vantage specifications

Where smoothness joins robustness

	25	23-2S	23	21
Overall length	7.8 m (25'-9")	7.2 m (23'-9")	7.2 m (23'-9")	6.6 m (21'-9")
Deck length	7.5 m (24'-9")	6.9 m (22'-9")	6.9 m (22'-9")	6.3 m (20'-9")
Beam	2.6 m (8'-6")	2.6 m (8'-6")	2.6 m (8'-6")	2.6 m (8'-6")
Pontoon length	7.4 m (24'-4")	6.8 m (22'-4")	6.8 m (22'-4")	6.2 m (20'-4")
Pontoon diameter	0.64 m (25")	0.64 m (25")	0.64 m (25")	0.64 m (25")
Pontoon aluminum thickness	2.0 mm (.080")	2.0 mm (.080")	2.0 mm (.080")	2.0 mm (.080")
Approx. weight	925 kg (2040 lb.)	853 kg (1881 lb.)	853 kg (1881 lb.)	817 kg (1801 lb.)
NMMA (USA) / MANUFACTURER'S RECOMMENDATIONS				
Max. H.P. cap.	86 kW (115 H.P.)	86 kW (115 H.P.)	86 kW (115 H.P.)	67 kW (90 H.P.)
Max. weight cap.	1174 kg (2589 lb.)	1077 kg (2375 lb.)	1077 kg (2375 lb.)	894 kg (1970 lb.)
Max. weight person cap.	839 kg (1849 lb.)	742 kg (1635 lb.)	742 kg (1635 lb.)	621 kg (1368 lb.)
Max. person cap.	13	12	12	10
BUILT-IN GAS TANK (with in-dash gauge)	125 L (33 U.S. gal.)			



Vantage 23
Shown in Royal Blue

Vantage 23-2S
Shown in Apache Red

- 1 Helm console with quick-release windscreen and storage under
 2 Optional in-floor ski storage (N/A on 21) 3 Optional pop-up
 privacy enclosure 4 Bucket seat captain's chair with slide and
 swivel 5 Optional console galley conversion



For a complete list of standard and optional equipment, see pages 38-46. Photomontages show various features and options. Some accessories shown may not be available on all models.



Vantage 24 SF
Shown in Apache Red

Vantage 24 SF, 22 SF & 20 SF

Vantage specifications

The perfect combination of fishability and comfort

	24 SF	22 SF	20 SF
Overall length	7.5 m (24'-7")	6.8 m (22'-4")	6.5 m (21'-2")
Deck length	7.3 m (24'-0")	6.7 m (22'-0")	6.1 m (20'-0")
Beam	2.6 m (8'-6")	2.6 m (8'-6")	2.6 m (8'-6")
Pontoon length	7.4 m (24'-4")	6.8 m (22'-4")	6.2 m (20'-4")
Pontoon diameter	0.64 m (25")	0.64 m (25")	0.64 m (25")
Pontoon aluminum thickness	2.0 mm (.080")	2.0 mm (.080")	2.0 mm (.080")
Approx. weight	975 kg (2150 lb.)	862 kg (1900 lb.)	771 kg (1700 lb.)
NMMA (USA) / MANUFACTURER'S RECOMMENDATIONS			
Max. H.P. cap.	86 kW (115 H.P.)	86 kW (115 H.P.)	67 kW (90 H.P.)
Max. weight cap.	1174 kg (2589 lb.)	1077 kg (2375 lb.)	894 kg (1970 lb.)
Max. weight person cap.	839 kg (1849 lb.)	742 kg (1635 lb.)	621 kg (1368 lb.)
Max. person cap.	11	9	7
BUILT-IN GAS TANK (with in-dash gauge)	125 L (33 U.S. gal.)	125 L (33 U.S. gal.)	125 L (33 U.S. gal.)



Vantage 20 SF
Shown in Black



Vantage 22 SF
Shown in Teal

1 Helm console with quick-release windscreen, storage under and optional galley conversion 2 AM/FM/CD Stereo with iPod controls & SAT Radio Compatible 3 7-foot lockable rod storage 4 Optional bow electric-fill aerated livewell 5 Large pop-up privacy enclosure 6 Optional vinyl floor covering and snap-in carpet



For a complete list of standard and optional equipment, see pages 38-46. Photomontages show various features and options. Some accessories shown may not be available on all models.



PRINCECRAFT

PRINCECRAFT

Vision 21

Vision 21
Shown in Brite Blue

Vision 23, 21 & 19

Vision specifications

Perfectly matched to your boating lifestyle

	23	21	19
Overall length	7.1 m (23'-2")	6.5 m (21'-2")	5.8 m (19'-2")
Deck length	6.9 m (22'-7")	6.3 m (20'-7")	5.7 m (18'-7")
Beam	2.6 m (8'-6")	2.6 m (8'-6")	2.4 m (8'-0")
Pontoon length	6.8 m (22'-4")	6.2 m (20'-4")	5.6 m (18'-4")
Pontoon diameter	0.64 m (25")	0.64 m (25")	0.58 m (23")
Pontoon aluminum thickness	2.0 mm (.080")	2.0 mm (.080")	2.0 mm (.080")
Approx. weight	850 kg (1875 lb.)	791 kg (1744 lb.)	691 kg (1524 lb.)
NMMA (USA) / MANUFACTURER'S RECOMMENDATIONS			
Max. H.P. cap.	86 kW (115 H.P.)	67 kW (90 H.P.)	*45 kW (60 H.P.)
Max. weight cap.	1077 kg (2375 lb.)	931 kg (2052 lb.)	*746 kg (1645 lb.)
Max. weight person cap.	742 kg (1635 lb.)	658 kg (1450 lb.)	*519 kg (1144 lb.)
Max. person cap.	12	10	** 8 [6]
BUILT-IN GAS TANK (with in-dash gauge)	125 L (33 U.S. gal.)	125 L (33 U.S. gal.)	Optional (68 L / 18 U.S. gal.)
GAS TANK (with hose & bulb.)	-	-	Portable

* NMMA (USA) / Transport Canada

** Max. person cap.: NMMA [Transport Canada]

1, 2, 3 Optional leisure package: pop-up privacy enclosure, stern boarding ladder and stern snack table 4 Bow lounge seat with chaise lounge & storage under 5 Storage under chaise lounge & optional carry-on bag 6 Helm console with woodgrain dash panel, fully-lit instrumentation and AM/FM/CD Stereo with iPod controls & SAT Radio Compatible



Vision 23
Shown in Regal Red



Vision 19
Shown in Black



For a complete list of standard and optional equipment, see pages 38-46. Photomontages show various features and options. Some accessories shown may not be available on all models.