



PRINCECRAFT®

The More You Know The Better We Look



2006
Aluminum
Fishing
Boats





CANADA

Abu Garcia

7000000000

TALL TALES HAVE ALWAYS BEEN A PART OF FISHING

Ever since mankind began to fish, unbelievable, over-inflated stories became part of the scene. Expert anglers can smell baloney a mile away, while others need more experience to know the difference between fact and fiction. Similarly, this is our explanation for why Princecraft boats and other brands peacefully co-exist. Because if you know fishing, and you know boats, you'll know you won't find a better fishing machine than a Princecraft.

Now, if you don't have much experience with Princecraft that may sound like just another in a long line of over-inflated promises from one more boat manufacturer. But take a test drive. If you're going to spend your hard-earned dollars on a fish boat you owe it to yourself to at least drive the brand many believe to be the best. Compare every detail of construction—the seams and joints, the quality of components. Compare the serious fishing features. Compare the performance—out of the hole, on rough water, in tight corners.

We believe you will agree Princecraft boats offer the best design, performance and fishability. We're willing to stake our reputation on it, as will our legions of loyal owners and fishing pros that recommend Princecraft boats to anyone who may need some expert advice. We're up to the test-drive challenge, what about you?

2006 INDEX

Super Pro Special Edition	4-5
Platinum Series	6-11
Super Pro 196 & 220	8-9
Super Pro 186	10
Fish'n Promenade Series	11
Super Pro 176	11
Tournament Series	12-15
Super Pro 178 & 198 SC	14-15
Pro Fishing Series	16-21
Pro 196 GL & 196	18-19
Pro 166 & 176	20-21
Pro Super Sport Series	22-23
Pro 162 SS, 164 SS & 174 SS	22-23
Pro Series ®	24-31
Pro 179 DX BT & 179 DX SC	26-27
Pro 169 BT, 169 LX SC & 179 LX SC	28-29
Pro 145 SC, 165 BT & 165 SC	30-31
Deluxe Series	32-34
Resorter® DLX SC, Starfish™ DLX SC, Holiday™ DLX SC, Hudson® DLX SC, Yukon® DLX BT, Resorter® DLX BT, Starfish™ DLX BT & Holiday™ DLX BT	
Utility Series & Cartops	35-37
Ungava, Fisherman, Yukon®, Resorter®, Starfish™, Holiday™, Seasprite & Scamper	
The Princecraft Difference	38-39
Trailers	40-41
Canvas	42
Optional Equipment	43
Standard Features	44-45
Protection plan	45
10 reasons to buy Princecraft	45
Website, Apparel, Tournaments, Engines	46-47


THE ULTIMATE BOAT PACKAGE

SUPER PRO SPECIAL EDITION SERIES

For those who dream of a world that's three-thirds water.

If you're one of those people more at home on water than on land, Princecraft Special Edition boats are created for you. Every element of design, construction and performance blends together.

Special Edition boat packages are coordinated in a rich metallic-beige color and monochrome interior with matching motor and black trailer, and include many extra features.



1. SmartCraft™ system tachometer includes light brightness, light control adjustment, engine alarm display, TrollControl™, battery voltage, digital tachometer, engine hour meter, engine temperature, fuel flow, power trim angle and water pressure.
2. SmartCraft™ system speedometer includes light brightness, light contrast adjustment, TrollControl™, clock, digital speedometer, fuel economy, fuel range, fuel tank level, lake water temperature, bow livewell temperature and trip log.
3. Verado™ packages come standard with hydraulic steering system w/ tilt wheel (135, 150 & 175 H.P.), power steering w/ tilt wheel (200 H.P. and up) and Digital Throttle and Shift System (DTS).

Opt Optimax
Ver Verado

KEY FEATURES	PLATINUM SERIES			FISHN PROMENADE	TOURNAMENT SERIES	
	SP 220 SE	SP 196 SE	SP 186 SE		SP 176 FNP SE	SP 198 SC SE
For the boat's regular features, consult page	9	9	10	11	15	15
Optional Mercury® outboard power	150XL Opt 175XL Ver ³ 200XL Ver ³ 225XL Opt 225XL Ver ³ 250XL Ver ³	150XL Opt 150XL Ver ³ 175XL Opt 175XL Ver ³ 200XL Ver ³	135XL Opt 135XL Ver ³ 150XL Opt 150XL Ver ³ 175XL Opt 175XL Ver ³	90 ELPT EFI 4S 115 ELPT EFI 4S	135XL Opt 150XL Opt 150XL Ver ³ 175XL Opt 175XL Ver ³ 200XL Opt 200XL Ver ³	115 EXLPT Opt 135XL Opt 135XL Ver ³ 150XL Opt 150XL Ver ³
Dark beige metallic hull w/ black accent color	•	•	•	•	•	•
Mercury SmartCraft System Tachometer (11 functions) ¹	•	•	•	-	•	•
Mercury SmartCraft System Speedometer (11 functions) ²	•	•	•	-	•	•
200-watt Clarion™ marine AM/FM/CD player	•	•	•	•	•	•
Sea Star hydraulic steering system w/ tilt wheel (except with Verado engines) ³	•	•	•	-	•	•
Onboard battery charger	2-12 V	2-12 V	2-12 V	-	3-12 V	3-12 V
Stern boarding ladder	•	•	•	•	-	-
Cargo net in bow area	•	•	•	•	-	-
Custom-fit black trailer w/ swing tongue & drop axle	Disc brakes	Disc brakes	Disc brakes	•	Disc brakes	•
Checker polished aluminum covered step pads	•	•	•	•	•	•



For a complete list of standard and optional equipment, see pages 40-45.

Photo montages show various features and options. Some features shown may not be available on all models.



1 Special Edition models include a 200-watt Clarion™, marine AM/FM/CD player. 2 A battery charger connects easily to shore power when docked.* 3 A stern boarding ladder provides convenient access.* 4 Equipped with hydraulic steering system with tilt wheel.* 5 Look great out of the water too with a matching trailer including checker polished aluminum step pads and optional mag wheels. 6 The boat helm station features complete, fully lit, digital Mercury SmartCraft™ gauges. They include multi-function speedometer and tachometer—including its exclusive TrollControl™ trolling motor feature on both allowing the operator to conveniently monitor 22 separate functions at the touch of a button (except SP 176 FnP SE). 7 A bow cargo net is the perfect way to prevent clothing, life preservers and other necessities from blowing around the boat.*

* Most models



COMFORT & CONVENIENCE

- Unsurpassed fit and finish
- Premier package graphics and colors
- 200-watt Clarion™ AM/FM/CD player
- Onboard battery charger*
- Boarding ladder*
- Cargo net in bow*
- Trailer equipped with checker polished aluminum step pads

PERFORMANCE

- High-performance reverse-chine hull design
- Custom engineered to Mercury power
- Available with the incredible performance of Verado™ four-stroke outboard engines*
- Available with Mercury SmartCraft™ gauges*
- Color-coordinated, custom-fit trailer with swing tongue and disc brakes*

FISHABILITY

- Everything we know about fishing and comfort in one boat
- Extra-high freeboard*

* Most models




THE ULTIMATE FISH BOAT

SUPER PRO PLATINUM SERIES

IT'S LONELY AT THE TOP. BUT YOU'RE OUT HERE TO GET AWAY FROM EVERYBODY ANYWAY.

Each truth be told, you'll run into a lot of amateurs who don't possess the experience necessary to fully appreciate our Platinum Series boat. It is crafted with all kinds of nuances and subtleties that elevate it from a fine fish boat to the ultimate fishing machine. With the best fit and finish of any fish boat available and all-day comfort and ergonomics, Platinum Series boats are at the top of the food chain on any water.



1 Platinum Series boats feature our ProFlo™ Plus livewell system. It is perhaps the smartest and most durable livewell system ever invented. It's designed to be virtually maintenance-free, with timed aeration and recirculation, so you can stay focused on what you're on the water to do—catch fish. Plus, our two-pump system ensures your catch remains healthy while running or docked. 2A Our exclusive bow insert allows for a raised casting deck with a pedestal seat base. 2B The insert is easily removed. 2C Add the optional cushions and you've created comfortable V-configuration bow seating. 3 Each model comes standard with a Lowrance® X-52 fish/depth finder. 4 A deep motorwell with 25" transoms to keep the water out. 5 Our recessed cleats stay out of your way.



Super Pro 196 & 220 *Platinum Series*




SP 220

Shown in Special Edition Version with optional reclining captain's chair (port and starboard side) and downrigger supports



- Livewell ■
- Storage Compartment ■
- Rod Storage ■
- Ice Chest ■



SP 196

SP 220

SP 196

Shown with optional reclining captain's chair and vinyl flooring



1 The rear bench converts from a 60/40 full width rear bench seat to a casting platform (SP 196).
 2 Extra-high freeboard provides additional safety and security in big water, with convenient toe kicks. 3 Keep the water out with the extra-deep splashwell with 25" transom, made for backing down in rougher conditions. 4 Standard rear jump seats allow you to have additional seating. (SP 220) 5 Optional snap-in carpet and vinyl flooring give you the best of both worlds—easy-to-clean vinyl and the comfort of carpet. 6 The double-reverse chine is designed for the outer chine to enhance performance at slower speeds or with heavier loads. While the inner chine enhances performance when the boat is running at higher speeds or with lighter loads.

COMFORT & CONVENIENCE

- Coaming pads
- Deluxe molded dash panel with fully lit switch panel
- AM/FM stereo with CD player and 4 waterproof speakers
- 3 deluxe pedestal folding seats
- Additional seating with 2 fold-down jump seats (SP 220) or a 60/40 convertible rear bench seat (SP 196)
- Upholstered side panels

PERFORMANCE

- Double-reverse chine, deep-Vee hull design
- No-Feedback™ steering system with dual cables and tilt steering wheel
- Breaker system
- Automatic electric bilge pump
- 25" transom
- Custom engineered to Mercury power
- Available with the incredible performance of Verado™ four-stroke outboard engines
- Custom-designed heavy load capacity trailer

FISHABILITY

- Bow casting platform with removable bow deck insert, anchor and battery storage compartments
- Aft casting platform (SP 196)
- Bow, dual-aerated ProFlo™ Plus livewell with minnow bucket, timer, light, anti-spill cover, insulated lid, and a second pump for recirculation (77 L/20 U.S. gal.) (SP 220)
- Bow, dual-aerated ProFlo™ Plus livewell with timer, anti-spill cover, insulated lid, and a second pump for recirculation (64 L/17 U.S. gal.) (SP 196)
- Stern, dual-aerated ProFlo™ Plus livewell with timer, light, anti-spill cover, insulated lid, and a second pump for recirculation (68 L/18 U.S. gal.) (SP 196)
- Stern, aerated ProFlo™ Plus livewell with timer, minnow bucket, anti-spill cover, and a second pump for recirculation (86 L/23 U.S. gal.) (SP 220)
- Lowrance® X-52 fish/depth finder
- 7-foot lockable rod storage compartment with supports
- 24-volt deluxe bow trolling motor panel with Marincó™ plug and receptacle, voltmeter, tilt switch and wiring harness
- 4 recessed cleats

SPECIFICATIONS

SP 196

SP 220

Center line	5.9 m (19'-6")	6.7 m (22'-0")
Beam	2.4 m (96")	2.5 m (100")
Bottom width	2.0 m (80")	2.1 m (84")
Max. depth	1.2 m (47.5")	1.3 m (50")
Approx. draft	0.8 m (31")	0.9 m (34")
Transom height	0.6 m (25")	0.6 m (25")
Approx. weight	680 kg (1500 lb.)	850 kg (1875 lb.)
NMMA (USA) / TRANSPORT CANADA		
Max. H.P. cap.	149 kW (200 H.P.)	* 186 kW (250 H.P.)
Max. weight cap.	869 kg (1915 lb.)	* 975 kg (2150 lb.)
Max. weight person cap.	531 kg (1171 lb.)	* 611 kg (1347 lb.)
Max. person cap.	** 9 [7]	* 10
ALUMINUM THICKNESS		
Bottom	2.8 mm (.110")	2.8 mm (.110")
Side	1.8 mm (.072")	1.8 mm (.072")
BUILT-IN GAS TANK		
(w/ in-dash gauge)	227 L (60 U.S. gal.)	227 L (60 U.S. gal.)

* NMMA (USA) / Manufacturer's Recommendations
 ** Max. person cap.: NMMA [Transport Canada]

COMFORT + CONVENIENCE

- ▶ Coaming pads
- ▶ AM/FM radio with CD player and 4 waterproof speakers
- ▶ Deluxe molded dash panel with fully lit switch panel
- ▶ 3 deluxe pedestal folding seats
- ▶ 60/40 convertible full-width rear bench seat
- ▶ Upholstered side panels

PERFORMANCE

- ▶ High performance reverse chine, deep-Vee hull design
- ▶ Breaker system
- ▶ Automatic electric bilge pump
- ▶ No-Feedback™ steering system with dual cable and tilt wheel
- ▶ 25" transom
- ▶ Custom engineered to Mercury power
- ▶ Available with the incredible performance of Verado™ four-stroke outboard engines
- ▶ Custom-designed heavy load capacity trailer

FISHABILITY

- ▶ Bow casting platform with removable bow casting insert, anchor and battery storage compartments
- ▶ Aft casting platform with seat base
- ▶ Bow, dual-aerated ProFlo™ Plus livewell with timer, anti-spill cover and insulated lid (64 L/17 U.S. gal.)
- ▶ Stern, dual-aerated ProFlo™ Plus livewell with minnow bucket, timer, light, anti-spill cover and insulated lid (68 L/18 U.S. gal.)
- ▶ Lowrance® X-52 fish/depth finder
- ▶ 7-foot lockable rod storage compartment with supports
- ▶ 24-volt deluxe bow trolling motor panel with Marincor™ plug and receptacle, voltmeter, tilt switch and wiring harness
- ▶ 4 recessed cleats



- Livewell
- Storage Compartment
- Rod Storage
- Ice Chest

SPECIFICATIONS

SP 186

Center line	5.6 m (18'-4")
Beam	2.4 m (94")
Bottom width	1.9 m (76")
Max. depth	1.1 m (43")
Approx. draft	0.8 m (31")
Transom height	0.6 m (25")
Approx. weight	630 kg (1390 lb.)

NMMA (USA) / TRANSPORT CANADA

Max. H.P. cap.	131 kW (175 H.P.)
Max. weight cap.	809 kg (1784 lb.)
Max. weight person cap.	472 kg (1040 lb.)
Max. person cap.	** 8 [6]

ALUMINUM THICKNESS

Bottom	2.5 mm (.100")
Side	1.8 mm (.072")

BUILT-IN GAS TANK

(w/ in-dash gauge)	227 L (60 U.S. gal.)
--------------------	----------------------

** Max. person cap.: NMMA [Transport Canada]

Super Pro 186 Platinum Series



SP 186

Shown with optional reclining captain's chair



1 60/40 convertible full-width rear bench seat. 2 Our deluxe fishing seats feature super thick padding under durable upholstery with an ergonomic design and a hidden-hinge fold-down locking system. 3 A 7-foot lockable rod storage compartment with supports keeps rods safe and organized. 4 Included is our factory-installed 24-v bow trolling motor control panel.

For a complete list of standard and optional equipment, see pages 40-45. Photomontages show various features and options. Some features shown may not be available on all models.




FUN FOR EVERYONE


SUPER PRO FISH'N PROMENADE SERIES

WHICH IS MORE FUN, A FISH ON THE LINE OR A SKIER?

With our Fish'n Promenade model, you get both a pro-class fish boat and a world-class fun boat in one package. Look at all the features, equipment and seating options and you'll wonder how it was all engineered into one boat.



1 This foldout sleeper seat allows you to stretch out and relax. 2 The optional ski tow bar keeps the rope away from the engine and at the perfect height for watersports. 3 Relax and enjoy the sun on our plush bow cushions.



SP 176

Shown in Special Edition Version with optional waterski tow bar



COMFORT + CONVENIENCE


- Coaming pads and bow rider seat cushions
- Deluxe molded dash panel with fully lit aluminum-brushed dome instrumentation
- AM/FM radio with CD player and 4 waterproof speakers
- 2 deluxe pedestal folding seats
- Sleeper seat
- 2 rear jump seats

PERFORMANCE

- The perfect boat for both serious fishing and thrilling watersports
- High performance reverse chine, deep-Vee hull design
- Automatic electric bilge pump
- No-Feedback™ steering system with tilt wheel
- Custom engineered to Mercury power
- Custom-designed heavy load capacity trailer

FISHABILITY

- Bow casting platform with anchor and battery storage compartments, and ice chest
- Aft casting platform with seat base
- Bow, aerated SportFlo™ livewell (50 L/13 U.S. gal.)
- Lowrance® X-47 fish/depth finder
- 7-foot lockable rod storage compartment with supports
- 12 or 24-volt deluxe bow trolling motor panel with Marincor plug and jumper



SPECIFICATIONS

Center line	5.3 m (17'-5")
Beam	2.2 m (87")
Bottom width	1.7 m (68")
Max. depth	1.0 m (40")
Approx. draft	0.8 m (30")
Transom height	0.5 m (20")
Approx. weight	517 kg (1140 lb.)

NMMA (USA) / TRANSPORT CANADA

Max. H.P. cap.	86 kW (115 H.P.)
Max. weight cap.	725 kg (1598 lb.)
Max. weight person cap.	401 kg (885 lb.)
Max. person cap.	** 7 [5]

ALUMINUM THICKNESS

Bottom	2.3 mm (.090")
Side	1.8 mm (.072")

BUILT-IN GAS TANK

(w/ in-dash gauge)	106 L (28 U.S. gal.)
--------------------	----------------------

** Max. person cap.: NMMA [Transport Canada]



SP 176



FISH LIKE A PRO

SUPER PRO TOURNAMENT SERIES

OFFICIAL SPONSOR OF ENVY FOR MORE THAN 50 YEARS.

Who hasn't watched a fishing show and imagined living the life of a fishing pro. Yet if you can't swing the pro-fishing lifestyle, you can still fish like a pro and generate plenty of envy yourself in a Tournament Series boat. From the tip of the bow to the skeg on the motor, these boats are designed by fisherman, for fisherman, and no reason to exist other than to boat more fish.

With pro-fishing features and advantages nothing has been overlooked.



1 Features our ProFlo™ Plus livewell system. It is perhaps the smartest and most durable livewell system ever invented. It's designed to be virtually maintenance-free, with timed aeration and recirculation, so you can stay focused on what you're on the water to do—catch fish. Plus, our two-pump system ensures your catch remains healthy while running or docked. 2 The large bow raised casting platform provides enough room to easily move around. 3 Fish like the pros fish with the Lowrance® X-52 fish/depth finder. 4 Recessed cleats stay out of your way when not in use. 5 The molded console includes everything you need at your fingertips--AM/FM radio with CD player and complete instrumentation (shown with optional SmartCraft™ gauges). 6 An extra-large stern livewell. 7 The rod organizer with room for up to 12 rods (SP 198) (SP 178-8 rods).




Super Pro 178 SC & 198 SC *Tournament Series*



SP 198 SC

Shown with optional SmartCraft™ instrumentation and downrigger supports

- Livewell ■
- Storage Compartment ■
- Rod Storage ■
- Ice Chest ■



SP 178 SC SP 198 SC



SP 178 SC
Shown in Special Edition Version



1 Keep fish healthy with our ProFlo™ Plus livewells. With timed aeration and remote control thru-hull drainage, it includes a removable minnow bucket. 2 An extra-large, lockable rod storage compartment enables you to organize up to 12 rods. (SP 198) (SP 178—8 rods) 3 A large storage compartment helps organize your gear with room for drop-in tackle boxes with tie-downs. (SP 198) 4 Tournament Series boats are designed with all the storage and accessories true fishermen need. 5 The console efficiently presents all the dash instrumentation, AM/FM/CD player, and Lowrance® X-52 fish/depth finder (Shown with optional SmartCraft™ gauges). 6 Recessed cleats stay out of your way when not in use. 7 Convenient options are available such as a port console with quick-release windscreen and a bicycle seat.

COMFORT + CONVENIENCE

- Large windscreen with quick disconnect
- Deluxe molded dash panel with fully lit switch panel
- AM/FM radio with CD player
- Ample leg room for driver
- 3 deluxe pedestal folding seats
- Abundant storage compartments
- Plenty of options to customize your boat

PERFORMANCE

- High-performance reverse chine, deep-Vee hull design (double-reverse on SP 198)
- No-Feedback™ steering system with dual cables
- Automatic electric bilge pump (2 for SP 198)
- Custom engineered to Mercury power
- Available with the incredible performance of Verado™ four-stroke outboard engines
- Custom-designed heavy load capacity trailer

FISHABILITY

- Large bow and aft casting platforms with storage compartments
- Practical built-in storage compartments for all your gear
- Bow, dual-aerated ProFlo™ Plus livewell with minnow bucket, timer, light, anti-spill cover, insulated lid and a second pump for recirculation (77 L/20 U.S. gal.)
- Stern, aerated ProFlo™ Plus livewell with minnow bucket, timer, light, anti-spill cover, insulated lid and a second pump for recirculation (114 L/30 U.S. gal.) (SP 198 SC)
- Stern, dual-aerated ProFlo™ Plus livewell with minnow bucket, timer and anti-spill cover, insulated lid and a second pump for recirculation (77 L/20 U.S. gal.) (SP 178 SC)
- Tackle storage with drop-in tackle box (SP 198 SC)
- Lowrance® X-52 fish/depth finder
- 36-volt deluxe bow trolling motor panel with battery power level gauge, Marincot™ plug and receptacle, voltmeter, tilt switch and wiring harness
- Large, lockable rod storage with tubes for up to 12 rods (8 rods for SP 178 SC)
- 4 recessed cleats

SPECIFICATIONS

	SP 178 SC	SP 198 SC
Center line	5.3 m (17'-5")	5.9 m (19'-5")
Beam	2.3 m (92")	2.5 m (97")
Bottom width	1.9 m (75")	2.1 m (84")
Max. depth	1.0 m (40")	1.0 m (38")
Approx. draft	0.8 m (31")	0.8 m (31")
Transom height	0.6 m (25")	0.6 m (25")
Approx. weight	528 kg (1164 lb.)	708 kg (1560 lb.)
NMMA (USA) / TRANSPORT CANADA		
Max. H.P. cap.	112 kW (150 H.P.)	149 kW (200 H.P.)
Max. weight cap.	675 kg (1488 lb.)	748 kg (1650 lb.)
Max. weight person cap.	337 kg (744 lb.)	411 kg (906 lb.)
Max. person cap.	** 6 [4]	** 7 [5]
ALUMINUM THICKNESS		
Bottom	2.5 mm (.100")	2.8 mm (.110")
Side	1.8 mm (.072")	1.8 mm (.072")
BUILT-IN GAS TANK		
(w/ in-dash gauge)	132 L (35 U.S. gal.)	227 L (60 U.S. gal.)

** Max. person cap.: NMMA [Transport Canada]

For a complete list of standard and optional equipment, see pages 40-45. Photomontages show various features and options. Some features shown may not be available on all models.



SERIOUS FISH BOAT

PRO SERIES® (WINDSHIELD)

FEEL FREE TO MAKE UP MORE LAME EXCUSES TO AVOID WORKING.

Life is too short to waste precious moments not fishing. And Princecraft Pro Fishing Series boats give you all the speed, amenities and efficiency of a pro on the last day of a tournament. With raised casting platforms, rod storage and an electric-fill livewell standard, we've also included more fishing extras than any other boat in this class.



1 Handles located right where you need them to hang on at high speeds. 2 A radio/CD player is conveniently located in the glove compartment. 3 The console is ergonomically designed to allow for legroom and clear sight lines. 4 Our reverse-chine hull design provides optimum performance at any speed. (Double reverse on Pro 196) 5 The Lowrance® X-47 fish/depth finder. (Pro 166, 176, 196 and 196 GL) 6 2 pedestal fishing seats can be moved into seat bases around the boat. 7 The dash panel features full instrumentation. 8 Our factory-installed 24-V bow trolling control panel makes it easy to add a trolling motor. (Pro 196, Pro 196 GL, Pro 176)



PRINCECRAFT


MERCURY

Pro 196 GL & 196 *Fishing Series*



PRO 196 GL
Shown with optional downrigger supports

- Livewell ■
- Storage Compartment ■
- Rod Storage ■
- Ice Chest ■



PRO 196 GL PRO 196



PRO 196



1 A durable marine-grade vinyl floor covering helps keep your boat clean and dry (Standard on Pro 196 GL and optional on Pro 196). 2 The extra-deep splashwell with 25" transom on the Pro 196 GL is made for big water. 3 A large capacity ProFlo™ 1 livewell is located at the bow. 4 Optional downrigger supports offer more durability and flexibility. 5 Higher freeboard dramatically increases your safety in boat waves and choppy water. 6 Handy jump seats add capacity and folds away when not in use (Pro 196).

COMFORT + CONVENIENCE

- ▶ High windshield offers great protection from the elements
- ▶ Deluxe molded dash panel with fully lit switch panel
- ▶ AM/FM radio with CD player and 4 waterproof speakers
- ▶ 2 folding fishing seats
- ▶ 2 fold-down jump seats (Pro 196)
- ▶ Practical built-in storage compartments for all your gear
- ▶ Removable bow deck insert with seat base (Pro 196)
- ▶ Upholstered side panels
- ▶ 20-ounce marine-grade carpet (Pro 196)
- ▶ Marine-grade vinyl flooring (Pro 196 GL)

PERFORMANCE

- ▶ High-performance double-reverse chine, deep-Vee hull design
- ▶ No-Feedback™ steering system with dual cables
- ▶ Automatic electric bilge pump
- ▶ Custom engineered to Mercury power
- ▶ Available with the incredible performance of Verado™ four-stroke outboard engines
- ▶ Custom-designed heavy load capacity trailer

FISHABILITY

- ▶ Large bow casting platform with anchor and storage compartments
- ▶ Aft casting platform with seat base (Pro 196)
- ▶ Bow, dual-aerated ProFlo™ 1 livewell with anti-spill cover (64 L/17 U.S. gal.) (Pro 196)
- ▶ Bow, dual-aerated ProFlo™ 1 livewell with minnow bucket, timer, light, anti-spill cover (151 L/40 U.S. gal.) (Pro 196 GL)
- ▶ Stern, dual-aerated ProFlo™ 1 livewell with minnow bucket, timer, light, anti-spill cover (64 L/17 U.S. gal.) (Pro 196)
- ▶ Lowrance® X-47 fish/depth finder
- ▶ 7-foot lockable rod storage compartment with supports
- ▶ 24-volt deluxe bow trolling motor panel with plug and receptacle, voltmeter, tilt switch and wiring harness

SPECIFICATIONS

PRO 196 GL

PRO 196

Center line	5.9 m (19'-6")	5.9 m (19'-6")
Beam	2.4 m (96")	2.4 m (96")
Bottom width	2.0 m (80")	2.0 m (80")
Max. depth	1.2 m (46")	1.2 m (46")
Approx. draft	0.8 m (31")	0.8 m (31")
Transom height	0.6 m (25")	0.6 m (25")
Approx. weight	644 kg (1419 lb.)	689 kg (1520 lb.)
NMMA (USA) / TRANSPORT CANADA		
Max. H.P. cap.	149 kW (200 H.P.)	149 kW (200 H.P.)
Max. weight cap.	869 kg (1915 lb.)	869 kg (1915 lb.)
Max. weight person cap.	531 kg (1171 lb.)	531 kg (1171 lb.)
Max. person cap.	** 9 [7]	** 9 [7]
ALUMINUM THICKNESS		
Bottom	2.8 mm (.110")	2.8 mm (.110")
Side	1.8 mm (.072")	1.8 mm (.072")
BUILT-IN GAS TANK		
(w/ in-dash gauge)	227 L (60 U.S. gal.)	227 L (60 U.S. gal.)

** Max. person cap.: NMMA [Transport Canada]

For a complete list of standard and optional equipment, see pages 40-45. Photomontages show various features and options. Some features shown may not be available on all models.


Pro 166 & 176 *Fishing Series*



PRO 176

Shown with optional stand-up high convertible top and downrigger supports

Livewell ■
 Storage Compartment ■
 Rod Storage ■
 Ice Chest ■



PRO 166

PRO 176



PRO 166

COMFORT + CONVENIENCE


PERFORMANCE

FISHABILITY

- Molded dash panel with fully lit switch panel
- AM/FM radio with CD player
- 2 folding fishing seats
- 2 fold-down jump seats
- Automatic electric bilge pump
- Practical built-in storage compartments for all your gear
- Upholstered side panels
- 20-ounce marine-grade carpet

- High-performance reverse chine, deep-Vee hull design
- Custom engineered to Mercury power
- No-Feedback™ steering system
- 25" transom (Pro 176)
- Custom-designed heavy load capacity trailer

- Large bow and aft raised casting platforms with storage compartments and seat base
- Removable bow deck insert with seat base
- Bow, dual-aerated ProFlo™ 1 livewell with anti-spill cover (64 L/17 U.S. gal.) (Pro 176)
- Bow, dual-aerated SportFlo™ livewell with anti-spill cover (64 L/17 U.S. gal.) (Pro 166)
- Stern, dual-aerated ProFlo™ 1 livewell with minnow bucket, timer, light, anti-spill cover (64 L/17 U.S. gal.) (Pro 176)
- Lowrance® X-47 fish/depth finder
- 7-foot lockable rod storage compartment with supports
- 24-volt deluxe bow trolling motor with plug, receptacle, voltmeter, tilt switch and wiring harness (Pro 176)
- 12 or 24-volt bow trolling motor panel with plug, receptacle and wiring harness (Pro 166)
- Deep-cycle battery storage with tie-downs



1 The ProFlo™ 1 livewell system features post-overflow with thru-hull drain, recirculation, anti-spill cover and some models even include a minnow bucket, a light and timed aeration. (Pro 176) 2 The clever bow insert allows you to transform the bow area into a large platform. 3 The console is complete with full instrumentation and a Lowrance® X-47 fish/depth finder. 4 24-volt deluxe bow trolling motor panel with plug and receptacle, voltmeter, tilt switch and wiring harness is standard on the Pro 176. 5 When not in use these jump seats fold down to create a large platform.

SPECIFICATIONS

	PRO 166	PRO 176
Center line	5.0 m (16'-6")	5.3 m (17'-5")
Beam	2.2 m (88")	2.3 m (92")
Bottom width	1.8 m (71")	1.9 m (75")
Max. depth	1.0 m (38")	1.0 m (40")
Approx. draft	0.8 m (30")	0.8 m (30")
Transom height	0.5 m (20")	0.6 m (25")
Approx. weight	458 kg (1009 lb.)	592 kg (1305 lb.)
NMMA (USA) / TRANSPORT CANADA		
Max. H.P. cap.	67 kW (90 H.P.)	112 kW (150 H.P.)
Max. weight cap.	620 kg (1367 lb.)	745 kg (1643 lb.)
Max. weight person cap.	347 kg (765 lb.)	408 kg (899 lb.)
Max. person cap.	** 6 [4]	** 7 [5]
ALUMINUM THICKNESS		
Bottom	2.3 mm (.090")	2.5 mm (.100")
Side	1.8 mm (.072")	1.8 mm (.072")
BUILT-IN GAS TANK		
(w/ in-dash gauge)	106 L (28 U.S. gal.)	132 L (35 U.S. gal.)

** Max. person cap.: NMMA [Transport Canada]

For a complete list of standard and optional equipment, see pages 40-45. Photomontages show various features and options. Some features shown may not be available on all models.

Pro 162 SS, 164 SS & 174 SS *Super Sport Series*




1066 ON
No. 3901
Trophy
Ting Meeting
- \$100.00
- \$50.00
- \$50.00
BOTH PRICES - \$50.00
TICKETS \$2.00 each or 3 for \$5.00
Please
Hazard not for persons 18 yrs
or older



PRO 174 SS

Shown with optional rear bench seat

Livewell ■
 Storage Compartment ■
 Rod Storage ■
 Ice Chest ■



PRO 162 SS PRO 164 SS PRO 174 SS



PRO 162 SS



PRO 164 SS



1 An optional, full-width, two-piece rear seat is a simple way to add more seating. (Pro 164 SS and 174 SS)
2 A 12 or 24 volt bow mount trolling motor panel with Marincos plug and jumper makes it than ever to install your trolling motor (Pro 164 SS et 174 SS).
3 Several handles throughout the boat for everyone to be secure while underway **4** The bow livewell features thru-hull drainage. **5** Our pedestal seat can be moved to the seat base at the stern or bow.
6 The dash panel is complete with five gauges.

COMFORT +
CONVENIENCE

- Molded dash panel with fully lit instrumentation
- 2 folding fishing seats
- Practical built-in storage compartments for all your gear
- Built-in floor fuel system
- Electric bilge pump
- New gunnel molding with rubber bumper (Pro 162 SS & 174 SS)
- 20-ounce marine-grade carpet

PERFORMANCE

- High-performance reverse chine, deep-Vee hull design
- Custom engineered to Mercury power
- No-Feedback™ steering system (Pro 164 SS & 174 SS)
- Custom-designed heavy load capacity trailer

FISHABILITY

- Bow and aft casting platforms with anchor and storage compartments and seat bases
- Bow, aerated SportFlo™ livewell with anti-spill cover (39 L/10 U.S. gal.) (Pro 162 SS)
- Bow, dual-aerated SportFlo™ livewell with anti-spill cover (77 L/20 U.S. gal.) (Pro 164 SS)
- Stern, dual-aerated, SportFlo™ livewell with anti-spill cover (64L/17 U.S. gal) (Pro 174 SS)
- 7-foot lockable rod storage compartment
- 12 or 24-volt bow trolling motor panel with Marincos™ plug and jumper (Pro 174 SS & 164 SS)
- 12-volt bow trolling motor plug and receptacle (Pro 162 SS)
- Deep-cycle battery storage with tie-downs

SPECIFICATIONS

	PRO 162 SS	PRO 164 SS	PRO 174 SS
Center line	5.0 m (16'-6")	5.0 m (16'-6")	5.3 m (17'-5")
Beam	2.1 m (84")	2.2 m (88")	2.3 m (92")
Bottom width	1.8 m (69")	1.8 m (71")	1.9 m (75")
Max. depth	0.9 m (35")	0.9 m (37")	1.0 m (40")
Approx. draft	0.7 m (27")	0.8 m (30")	0.8 m (30")
Transom height	0.5 m (20")	0.5 m (20")	0.6 m (25")
Approx. weight	457 kg (1008 lb.)	447 kg (985 lb.)	527 kg (1162 lb.)

NMMA (USA) / TRANSPORT CANADA

Max. H.P. cap.	56 kW (75 H.P.)	67 kW (90 H.P.)	101 kW (135 H.P.)
Max. weight cap.	640 kg (1410 lb.)	590 kg (1300 lb.)	735 kg (1620 lb.)
Max. weight person cap.	386 kg (850 lb.)	317 kg (698 lb.)	411 kg (907 lb.)
Max. person cap.	** 6 [5]	** 5 [4]	** 7 [5]

ALUMINUM THICKNESS


Bottom	2.3 mm (.090")	2.3 mm (.090")	2.5 mm (.100")
Side	1.8 mm (.072")	1.8 mm (.072")	1.8 mm (.072")

BUILT-IN GAS TANK

(w/ in-dash gauge)	77 L (20 U.S. gal.)	106 L (28 U.S. gal.)	132 L (35 U.S. gal.)
--------------------	---------------------	----------------------	----------------------

** Max. person cap.: NMMA (Transport Canada)

For a complete list of standard and optional equipment, see pages 40-45. Photomontages show various features and options. Some features shown may not be available on all models.



FOR ANGLERS ON THE GO

PRO SERIES®

(OPEN FISHING BOATS)

IF YOU'RE A FISHING PUREST, YOU HAVE ENOUGH EXPERTISE TO KNOW EXACTLY WHAT YOU WANT IN A FISH BOAT; NOTHING MORE, NOTHING LESS.

One of our Pro Series® side console or backroller models is the perfect boat for you. Each offers a very particular kind of fisherman all the quality and features you demand.




1 / A large splashwell to keep the water out. 2 Side console models offer large, quick-release windscreens. 3 A dash panel at the stern enables you to captain while backrolling, including a tachometer, voltmeter, speedometer and fuel gauge. (Backroller models) 4 The extra-wide beam enhances stability and provides an amazing amount of floor space.






Pro 179 DX SC & 179 DX BT *Pro Series*[®]



4
1919
\$ 2.25

Livewell ■
 Storage Compartment ■
 Rod Storage ■



PRO 179 DX SC PRO 179 DX BT

PRO 179 DX BT

- COMFORT + CONVENIENCE**
- ▶ Molded dash panel with lighted switches and instrumentation (Pro 179 DX SC)
 - ▶ Stern side-mount dash panel with Carling® switches (Pro 179 DX BT)
 - ▶ AM/FM radio with CD player (Pro 179 DX SC)
 - ▶ Electric bilge pump (Automatic on Pro 179 DX SC)
 - ▶ Built-in floor fuel system
 - ▶ 20-ounce marine-grade carpet

- PERFORMANCE**
- ▶ High-performance reverse chine, deep-Vee hull design
 - ▶ Custom engineered to Mercury power
 - ▶ No-Feedback™ steering system (Pro 179 DX SC)
 - ▶ Custom-designed heavy load capacity trailer

- FISHABILITY**
- ▶ Bow and aft casting platforms with storage compartments
 - ▶ 3 folding fishing seats
 - ▶ Practical built-in storage compartments for all your gear
 - ▶ Bow, dual-aerated ProFlo™ 1 livewell with minnow bucket, timer, light, anti-spill cover and a second pump for recirculation (77 L/20 U.S. gal.)
 - ▶ Stern, aerated ProFlo™ 1 livewell with timer, anti-spill cover and a second pump for recirculation (39 L/10 U.S. gal.)
 - ▶ Lowrance® X-47 fish/depth finder
 - ▶ 7-foot lockable rod storage compartment
 - ▶ 24-volt deluxe bow trolling motor panel with plug, receptacle, voltmeter, tilt switch and wiring harness
 - ▶ Deep-cycle battery storage with tie-downs



1 The console features all your switches and instrumentation plus a radio with CD player (Pro 179 DX SC)
 2 Keep rods secure with the rod-storage compartment.
 3 Optional port console also includes a quick-release windscreen. (Pro 179 DX SC) 4 The large bow livewell includes everything you need to keep fish healthy. 5 The trolling motor easily connects to the factory installed bow panel. 6 Our deluxe stern dash panel will keep you over fish (Pro 179 DX BT). 7 The ProFlo™ 1 livewell system features post-overflow with thru-hull drain, recirculation, anti-spill cover and some models even include a minnow bucket and light.

SPECIFICATIONS

	PRO 179 DX SC	PRO 179 DX BT
Center line	5.4 m (17'-10")	5.4 m (17'-10")
Beam	2.3 m (92")	2.3 m (92")
Bottom width	1.9 m (76")	1.9 m (76")
Max. depth	0.9 m (36")	0.9 m (36")
Approx. draft	0.8 m (31")	0.8 m (31")
Transom height	0.5 m (20")	0.5 m (20")
Approx. weight	544 kg (1200 lb.)	497 kg (1095 lb.)
NMMA (USA) / TRANSPORT CANADA		
Max. H.P. cap.	101 kW (135 H.P.)	56 kW (75 H.P.)
Max. weight cap.	590 kg (1300 lb.)	590 kg (1300 lb.)
Max. weight person cap.	266 kg (587 lb.)	336 kg (740 lb.)
Max. person cap.	** 4 [3]	** 5 [4]
ALUMINUM THICKNESS		
Bottom	2.5 mm (.100")	2.5 mm (.100")
Side	1.8 mm (.072")	1.8 mm (.072")
BUILT-IN GAS TANK		
(w/ in-dash gauge)	132 L (35 U.S. gal.)	132 L (35 U.S. gal.)

** Max. person cap.: NMMA [Transport Canada]


For a complete list of standard and optional equipment, see pages 40-45. Photomontages show various features and options. Some features shown may not be available on all models.

Pro 169 LX SC, 169 BT & 179 LX SC *Pro Series*[®]



PRO 179 LX SC

Livewell ■
 Storage Compartment ■
 Rod Storage ■



PRO 169 LX SC PRO 169 BT PRO 179 LX SC



PRO 169 BT



PRO 169 LX SC



1 A convenient 7-foot lockable rod storage compartment comes standard. 2 A trolling motor panel is already pre-wired with your choice of either 12 or 24-volts. 3 The console features all the switches and instrumentation you need. 4 The large bow livewell is conveniently located right at your feet. 5 An optional bicycle seat is designed to relieve some of the strain from standing and casting all day. 6 Our deluxe stern dash panel has everything you need to control the boat while backtrolling (Pro 169 BT).

COMFORT +
CONVENIENCE

- Molded dash panel with fully lit instrumentation (Pro 169 LX SC & 179 LX SC)
- Stern side-mount dash panel (Pro 169 BT)
- 2 folding fishing seats
- Practical built-in storage compartments for all your gear
- Built-in floor fuel system
- 20-ounce marine-grade carpet

PERFORMANCE

- Reverse-chine hull design
- Custom engineered to Mercury power
- No-Feedback™ steering system (Pro 179 LX SC)
- Custom-designed heavy load capacity trailer

FISHABILITY

- Bow and aft casting platforms with storage compartments
- Bow, dual-aerated SportFlo™ livewell with anti-spill cover (77 L/20 U.S. gal.) (Pro 169 LX SC & 169 BT)
- Bow, dual-aerated SportFlo™ livewell with minnow bucket and anti-spill cover (77 L/20 U.S. gal.) (Pro 179 LX SC)
- Stern, aerated SportFlo™ livewell with anti-spill cover (39 L/10 U.S. gal.) (Pro 169 LX SC & 179 LX SC)
- Lowrance® X-47 fish/depth finder (Pro 169 LX SC and 179 LX SC)
- 7-foot lockable rod storage compartment
- 12 or 24-volt deluxe bow trolling motor panel with Marincro™ plug and jumper
- Deep-cycle battery storage with tie-downs

SPECIFICATIONS PRO 169 LX SC PRO 169 BT PRO 179 LX SC

Center line	4.9 m (16'-2")	4.9 m (16'-2")	5.4 m (17'-10")
Beam	2.2 m (87")	2.2 m (87")	2.3 m (92")
Bottom width	1.8 m (71")	1.8 m (71")	1.9 m (76")
Max. depth	0.8 m (33")	0.8 m (33")	0.9 m (36")
Approx. draft	0.7 m (29")	0.7 m (29")	0.8 m (31")
Transom height	0.5 m (20")	0.5 m (20")	0.5 m (20")
Approx. weight	403 kg (889 lb.)	354 kg (780 lb.)	512 kg (1129 lb.)

NMMA (USA) / TRANSPORT CANADA

Max. H.P. cap.	67 kW (90 H.P.)	45 kW (60 H.P.)	101 kW (135 H.P.)
Max. weight cap.	572 kg (1260 lb.)	527 kg (1162 lb.)	590 kg (1300 lb.)
Max. weight person cap.	298 kg (658 lb.)	300 kg (661 lb.)	266 kg (587 lb.)
Max. person cap.	** 5 [4]	** 5 [4]	** 4 [3]

ALUMINUM THICKNESS

Bottom	2.3 mm (.090")	2.3 mm (.090")	2.5 mm (.100")
Side	1.8 mm (.072")	1.8 mm (.072")	1.8 mm (.072")

BUILT-IN GAS TANK

(w/ in-dash gauge)	106 L (28 U.S. gal.)	106 L (28 U.S. gal.)	132 L (35 U.S. gal.)
--------------------	----------------------	----------------------	----------------------

** Max. person cap.: NMMA (Transport Canada)

For a complete list of standard and optional equipment, see pages 40-45. Photomontages show various features and options. Some features shown may not be available on all models.

Pro 145 SC, 165 SC & 165 BT *Pro Series*[®]



PRO 165 SC

Shown with optional Lowrance[®] X-47 fish/depth finder

A COMPLETE, EXPERT GUIDE TO ALL KINDS OF TROUT, AND 7...


UNWORLDLY TO TAKE THEM WITH OVER 100 H.P. TO



PRO 145 SC

PRO 165 BT

Shown with optional Lowrance X-47 fish depth finder



1 A large bow livewell (86 L/23 U. S. gal.). 2 A large, 7-foot lockable rod-storage compartment. 3 A 12 or 24-volt trolling motor panel makes it easy to install your trolling motor. 4 Models with a side console offer easy-to-read gauges. 5 Our comfortable pedestal seats fold and lock for convenience, and you can choose from several seat bases around your boat.

COMFORT + CONVENIENCE

- Molded dash panel with lighted switches (Pro 145 SC & 165 SC)
- Stern side-mount dash panel (Pro 165 BT)
- Built-in floor fuel system (Pro 165 BT & SC)
- 20-ounce marine-grade carpet

PERFORMANCE

- Reverse-chine hull design
- Wide bottom for greater stability
- Custom engineered to Mercury power
- Custom-designed heavy load capacity trailer

FISHABILITY

- Bow and aft casting platforms with storage compartments
- 2 folding fishing seats
- Practical built-in storage compartments for all your gear
- Bow, aerated SportFlo™ livewell with anti-spill cover (86 L/23 U.S. gal.)
- 7-foot lockable rod storage compartment
- 12 or 24-volt deluxe bow trolling motor panel with Marincor™ plug and jumper
- Deep-cycle battery storage with tie-downs

SPECIFICATIONS

	PRO 145 SC	PRO 165 SC	PRO 165 BT
Center line	4.4 m (14'-6")	4.9 m (16'-2")	4.9 m (16'-2")
Beam	2.2 m (84")	2.2 m (84")	2.2 m (84")
Bottom width	1.8 m (69")	1.8 m (69")	1.8 m (69")
Max. depth	0.8 m (30")	0.8 m (30")	0.8 m (30")
Approx. draft	0.7 m (27")	0.7 m (26")	0.7 m (26")
Transom height	0.5 m (20")	0.5 m (20")	0.5 m (20")
Approx. weight	318 kg (700 lb.)	353 kg (778 lb.)	351 kg (774 lb.)

NMMA (USA) / TRANSPORT CANADA

Max. H.P. cap.	45 kW (60 H.P.)	56 kW (75 H.P.)	45 kW (60 H.P.)
Max. weight cap.	454 kg (1001 lb.)	538 kg (1185 lb.)	538 kg (1185 lb.)
Max. weight person cap.	227 kg (500 lb.)	283 kg (625 lb.)	310 kg (684 lb.)
Max. person cap.	** 4 [3]	** 5 [3]	** 5 [4]

ALUMINUM THICKNESS


Bottom	2.3 mm (.090")	2.3 mm (.090")	2.3 mm (.090")
Side	1.8 mm (.072")	1.8 mm (.072")	1.8 mm (.072")

BUILT-IN GAS TANK

(w/ in-dash gauge)	PORTABLE	77 L (20 U.S. gal.)	77 L (20 U.S. gal.)
--------------------	----------	---------------------	---------------------

** Max. person cap.: NMMA [Transport Canada]

For a complete list of standard and optional equipment, see pages 40-45. Photomontages show various features and options. Some features shown may not be available on all models.



PURE FISHING

DLX Series

YOUR BOAT SAYS MORE ABOUT WHAT YOU KNOW THAN A DIPLOMA.


On the water it's easy to see which fishermen know their stuff. Our DLX Series instantly sends the message that you know boats, fishing and value from a mile away.

Compare the roominess, versatility and fishability and we know you'll make a very well educated choice.



1 Lockable rod storage means you don't have to worry about stepping on rods.* **2** Our non-skid vinyl flooring is the answer for rainy days or fish slime. **3** An electric-fill aerated livewell is conveniently located at the bow. **4** Deep cycle battery storage compartment. **5** A larger windscreen provides more protection from the elements.

* Most models



Side Console Models



RESORTER®
DLX SC

STARFISH™
DLX SC

HOLIDAY®
DLX SC

Hudson®
DLX SC

Backtroller Models



YUKON®
DLX BT

RESORTER®
DLX BT

STARFISH™
DLX BT

HOLIDAY®
DLX BT

COMFORT & CONVENIENCE

- 2 folding fishing seats*
- Built-in storage for rods*
- Carpeted bow deck and vinyl flooring
- High-gloss paint

PERFORMANCE


- Reverse-chine hull design*
- Custom engineered to Mercury power
- Custom-designed galvanized heavy load capacity trailer

FISHABILITY

- Bow casting platforms with storage compartments*
- Bow, SportFlo™ livewell (61 L/16 U.S. gal.)*
- Bow, SportFlo™ livewell (39 L/10 U.S. gal.) (Yukon DLX BT)
- 7-foot lockable rod storage compartment*
- 12-volt bow trolling motor plug and receptacle*
- Deep-cycle battery storage with tie-downs*
- *Most models




- Livewell
- Storage Compartment
- Rod Storage
- Ice Chest



SPECIFICATIONS	RESORTER DLX SC	STARFISH DLX SC	HOLIDAY DLX SC	HUDSON DLX SC	YUKON DLX BT	RESORTER DLX BT	STARFISH DLX BT	HOLIDAY DLX BT
Center line	4.4 m (14'-6")	4.9 m (16'-0")	5.0 m (16'-4")	5.9 m (19'-4")	4.3 m (14'-3")	4.4 m (14'-6")	4.9 m (16'-0")	5.0 m (16'-4")
Beam	1.9 m (73")	1.9 m (73")	2.1 m (82")	2.2 m (84")	1.7 m (68")	1.9 m (73")	1.9 m (73")	2.1 m (82")
Bottom width	1.6 m (63")	1.6 m (63")	1.8 m (69")	1.8 m (69")	1.4 m (57")	1.6 m (63")	1.6 m (63")	1.8 m (69")
Max. depth	0.7 m (29")	0.7 m (29")	0.8 m (30")	0.8 m (33")	0.7 m (28")	0.7 m (29")	0.7 m (29")	0.8 m (30")
Approx. draft	0.4 m (17")	0.4 m (17")	0.6 m (24")	0.7 m (27")	0.4 m (17")	0.4 m (17")	0.4 m (17")	0.6 m (24")
Transom height	0.5 m (20")	0.5 m (20")	0.5 m (20")	0.5 m (20")	0.4 m (15")	0.5 m (20")	0.5 m (20")	0.5 m (20")
Approx. weight	206 kg (455 lb.)	231 kg (510 lb.)	281 kg (620 lb.)	336 kg (740 lb.)	146 kg (322 lb.)	181 kg (400 lb.)	213 kg (470 lb.)	265 kg (585 lb.)
NMMA (USA) / TRANSPORT CANADA								
Max. H.P. cap.	30 kW (40 H.P.)	30 kW (40 H.P.)	45 kW (60 H.P.)	67 kW (90 H.P.)	19 kW (25 H.P.)	24 kW (30 H.P.)	30 kW (40 H.P.)	37 kW (50 H.P.)
Max. weight cap.	469 kg (1035 lb.)	597 kg (1317 lb.)	610 kg (1345 lb.)	804 kg (1773 lb.)	372 kg (821 lb.)	469 kg (1035 lb.)	597 kg (1317 lb.)	610 kg (1345 lb.)
Max. weight person cap.	280 kg (617 lb.)	408 kg (899 lb.)	383 kg (844 lb.)	531 kg (1171 lb.)	225 kg (496 lb.)	280 kg (617 lb.)	408 kg (899 lb.)	383 kg (844 lb.)
Max. person cap.	** 5 [3]	** 7 [5]	** 6 [5]	** 9 [7]	** 4 [3]	** 5 [3]	** 7 [5]	** 6 [5]
ALUMINUM THICKNESS								
Bottom	1.8 mm (.072")	1.8 mm (.072")	2.3 mm (.090")	2.5 mm (.100")	1.6 mm (.064")	1.8 mm (.072")	1.8 mm (.072")	2.3 mm (.090")
Side	1.6 mm (.064")	1.6 mm (.064")	1.8 mm (.072")	1.8 mm (.072")	1.4 mm (.057")	1.6 mm (.064")	1.6 mm (.064")	1.8 mm (.072")
GAS TANK PORTABLE PORTABLE PORTABLE - PORTABLE PORTABLE PORTABLE PORTABLE								
BUILT-IN (w/ in-dash gauge) - - 68 L (18 U.S. gal.) - -								

** Max. person cap.: NMMA (Transport Canada)



1 Side console models provide you with greater command of your boat. 2 The aft switch panel on all backtroller models is easily accessible for the driver. 3 A factory-installed trolling motor pad is ready for your trolling motor.* 4 A bow livewell enables you to keep fish healthy.

FEATURES + OPTIONS

	RESORTER DLX SC	STARFISH DLX SC	HOLIDAY DLX SC	HUDSON DLX SC	YUKON DLX BT	RESORTER DLX BT	STARFISH DLX BT	HOLIDAY DLX BT
HULL + DECK	5052-H36 marine-grade aluminum alloy NMMA & Canadian Coast Guard certified Flotation to latest Canadian Government and U.S. Coast standards	•	•	•	•	•	•	•
High gloss oven-cured urethane paint	•	•	•	•	•	•	•	•
Semi-V hull (R= w/ reverse chine, S= w/ square chine)	•R	•R	•R	•R	•S	•R	•R	•R
Stainless steel & aluminum fasteners	•	•	•	•	•	•	•	•
Aluminum clad transom	•	•	•	•	•	•	•	•
Full-width splashwell	•	•	-	-	•	•	•	-
Deep self draining splashwell	-	-	•	•	-	-	-	•
Heavy-duty tubular seat to gunnel braces	•	•	•	•	•	•	•	•
Stainless steel bow eye and stern eyes	•	•	•	•	•	•	•	•
Bow raised casting platform	•	•	•	•	-	-	•	•
Storage compartments (S= Storage, B= Deep-Cycle Battery, C= Center side)	S, B	S, B	S, B	S, B	C (2)	C (2)	S, B	S, B
SEATS	Bow SportFlo™ livewell (34", 61L/16 U.S. gal.) ¹ (26", 39L/10 U.S. gal.) ¹	•	•	•	-	•	•	•
Post-overflow	-	-	-	-	•	•	-	-
Thru hull-drain	•	•	•	•	•	•	•	•
Anti-spill cover	•	•	•	•	-	-	•	•
7-foot lockable rod storage compartment without supports	•	•	•	•	-	-	•	•
12-V bow trolling motor plug & receptacle	•	•	•	•	-	-	•	•
Carpeted bow deck	•	•	•	•	-	•	•	•
Floor seat bases	4	4	4	5	-	-	3	3
Monochrome pedestal folding seats w/ no-pinch hinges	2	2	2	2	-	-	2	2
Parallel seats at stern covered w/ marine-grade carpet	-	-	-	-	•	•	-	-
Bow bench seat covered w/ marine grade carpet	-	-	-	-	•	•	-	-
CONSOLES	Side console w/ steering system & smoked windscreen w/ quick release	•	•	•	•	-	-	-
Switch panel w/ McGill rocker switches w/ indicator lights (+= Deluxe plastic molded dash panel)	•+	•+	•+	•+	•	•	•	•
Electrical system protection (fuses)	•	•	•	•	•	•	•	•
Instrumentation (5 gauges): tachometer, voltmeter, speedometer, trim & fuel	-	-	-	•	-	-	-	-
OTHER	Electric bilge pump	•	•	•	•	•	•	•
Navigation lights	•	•	•	•	•	•	•	•
Carpeted aluminum hatch lids	•	•	•	•	•	•	•	•
Interior light	-	-	-	1	-	-	-	-
Holding handle(s)	1	1	1	2	-	-	1	1
Battery holder(s)	2	2	2	2	1	1	2	2
Built-in fuel system	-	-	-	•	-	-	-	-
Pressure treated wood floor (5/8") covered w/ marine-grade vinyl	•	•	•	•	•	•	•	•
DEALER INSTALLED OPTIONS	Sun top	○	○	○	○	○	○	○
Monochrome pedestal folding seat w/ no-pinch hinges	○	○	○	○	-	-	○	○
Lowrance® X-47 fish/depth finder	○	○	○	○	○	○	○	○
COLORS	Red & beige	•	•	•	•	•	•	•

1 All our livewells are electric-filled and aerated. • Standard ○ Option
Boat/motor/trailer packages available with Mercury® outboard power.



FISHING FUN Utility Series & Cartops

REMEMBER YOU'RE NOT TAKING HYPE
WITH YOU OUT ON THE WATER.

Remember back in the good old days when quality mattered? So do we. Our Utility Series fish boats are so pure in quality they don't make claims about superior design and construction—they define it.



- 1 Our exclusive ribbed polyethylene seat comes standard in Utility Series boats and stays drier than wood seats.*
- 2 Stern parallel seats make it easy to drive from either side of the boat.*
- 3 An aluminum-clad maintenance-free transom.*

*Most models

Utility *SERIES*



- Livewell
- Storage Compartment
- Rod Storage
- Ice Chest

SPECIFICATIONS

Center line
Beam
Bottom width
Max. depth
Approx. draft
Transom height
Approx. weight
NMMA (USA) / TRANSPORT CANADA
Max. H.P. cap.
Max. weight cap.
Max. weight person cap.
Max. person cap.
ALUMINUM THICKNESS
Bottom
Side
GAS TANK

** Max. person cap.: NMMA [Transport Canada]



YUKON®



RESORTER®



STARFISH™



HOLIDAY™



UNGAVA



FISHERMAN


Cartops *SERIES*

SEASPRITE



SCAMPER





UNGAVA	FISHERMAN	YUKON 15"	RESORTER 20"	STARFISH 15"	STARFISH 20"	HOLIDAY	SEASPRITE	SCAMPER
3.7 m (12'-0")	4.3 m (14'-0")	4.3 m (14'-3")	4.4 m (14'-6")	4.9 m (16'-0")	4.9 m (16'-0")	5.0 m (16'-4")	3.7 m (12'-4")	4.3 m (14'-4")
1.5 m (60")	1.5 m (60")	1.7 m (68")	1.9 m (73")	1.9 m (73")	1.9 m (73")	2.1 m (83")	1.5 m (58")	1.5 m (58")
1.3 m (51")	1.3 m (51")	1.4 m (57")	1.6 m (63")	1.6 m (63")	1.6 m (63")	1.8 m (69")	1.1 m (45")	1.1 m (45")
0.6 m (25")	0.7 m (26")	0.7 m (28")	0.7 m (29")	0.7 m (29")	0.7 m (29")	0.8 m (30")	0.5 m (21")	0.5 m (21")
0.4 m (13")	0.4 m (13")	0.4 m (17")	0.4 m (16")	0.4 m (17")	0.4 m (16")	0.6 m (22")	0.4 m (13")	0.4 m (13")
0.4 m (15")	0.4 m (15")	0.4 m (15")	0.5 m (20")	0.4 m (15")	0.5 m (20")	0.5 m (20")	0.4 m (15")	0.4 m (15")
71 kg (156 lb.)	79 kg (175 lb.)	93 kg (205 lb.)	121 kg (267 lb.)	133 kg (293 lb.)	136 kg (300 lb.)	170 kg (375 lb.)	59 kg (130 lb.)	68 kg (150 lb.)
12 kW (15 H.P.)	15 kW (20 H.P.)	19 kW (25 H.P.)	24 kW (30 H.P.)	30 kW (40 H.P.)	30 kW (40 H.P.)	37 kW (50 H.P.)	8 kW (10 H.P.)	12 kW (15 H.P.)
318 kg (700 lb.)	372 kg (820 lb.)	372 kg (821 lb.)	489 kg (1079 lb.)	499 kg (1100 lb.)	591 kg (1303 lb.)	621 kg (1370 lb.)	281 kg (620 lb.)	340 kg (750 lb.)
226 kg (498 lb.)	225 kg (495 lb.)	225 kg (496 lb.)	300 kg (661 lb.)	309 kg (682 lb.)	401 kg (885 lb.)	394 kg (869 lb.)	190 kg (418 lb.)	249 kg (548 lb.)
** 4 [3]	** 4 [3]	** 4 [3]	** 5 [3]	** 5 [4]	** 7 [5]	** 6 [5]	** 3 [2]	** 4 [3]
1.4 mm (.057")	1.4 mm (.057")	1.6 mm (.064")	1.8 mm (.072")	1.8 mm (.072")	1.8 mm (.072")	2.3 mm (.090")	1.3 mm (.051")	1.3 mm (.051")
1.3 mm (.051")	1.3 mm (.051")	1.4 mm (.057")	1.6 mm (.064")	1.6 mm (.064")	1.6 mm (.064")	1.8 mm (.072")	1.3 mm (.051")	1.3 mm (.051")
PORTABLE	PORTABLE	PORTABLE	PORTABLE	PORTABLE	PORTABLE	PORTABLE	PORTABLE	PORTABLE



1 A full-width splashwell helps everything in the boat stay drier in rough conditions. 2 This optional side console with steering wheel makes maneuvers much easier.* 3 The high-gloss paint resists weather, fading and looks stylish.

*Most models

For a complete list of standard and optional equipment, see page 37. Photomontages show various features and options. Some features shown may not be available on all models.

COMFORT + CONVENIENCE

- ▶ Plenty of durable seating
- ▶ Durable ribbed-polyethylene seat covering*
- ▶ High-gloss paint*
- ▶ Non-skid, anti-glare interior finish
- ▶ Parallel seat at stern*

PERFORMANCE

- ▶ High-performance hull design
- ▶ Built for Mercury power
- ▶ Aluminum-clad, maintenance-free transom
- ▶ Lasts for decades
- ▶ Great maneuverability
- ▶ Requires smaller engine
- ▶ Easy to transport

FISHABILITY

- ▶ Wide and stable
- ▶ Worry-free beaching on rocks or sand

*Some models

FEATURES + OPTIONS

STANDARD FEATURES

HULL + DECK

SEATS

DEALER INSTALLED OPTIONS

COLORS

	UTILITES								CARTOPS	
	UNGAVA	FISHERMAN	YUKON 15	RESORTER 20	STARFISH 15	STARFISH 20	HOLIDAY	SEASPRITE	SCAMPER	
5052-H36 marine-grade aluminum alloy	•	•	•	•	•	•	•	•	•	
NMMA & Canadian Coast Guard certified	•	•	•	•	•	•	•	•	•	
Flotation to latest Canadian Government and U.S. Coast standards	•	•	•	•	•	•	•	•	•	
High gloss exterior paint (P) with decal package (D)	P,D	P,D	P,D	P,D	P,D	P,D	P,D	D	D	
Non-skid anti-glare interior paint finish	•	•	•	•	•	•	•	•	•	
Semi-V hull (R = w/ reverse chine, S = w/ square chine)	•S	•S	•S	•R	•R	•R	•R	•	•	
Stainless steel & aluminum fasteners	•	•	•	•	•	•	•	•	•	
Aluminum clad transom	•	•	•	•	•	•	•	•	•	
Full-width splashwell	-	-	•	•	•	•	•	-	-	
Heavy-duty tubular seat to gunnel braces	•	•	•	•	•	•	•	-	-	
Bow eye and stern eyes (E) or handles (H) (+ = Stainless steel)	•H	•H	•H	•H	•H	•H	•E+	•H	•H	
Oar lock socket	•	•	-	-	-	-	-	•	•	
Parallel seats at stern	•	•	•	•	•	•	•	-	-	
Bulkhead center seat	•	•	•	•	•	•	•	-	-	
Bow bench seat	-	•	•	•	•	•	•	•	•	
Durable ribbed polyethylene seat covering	•	•	•	•	•	•	•	-	-	
Sun top	○	○	○	○	○	○	○	-	-	
Complete side console...dark blue	-	-	○	○	○	○	○	-	-	
Console only...dark blue	-	-	○	○	○	○	○	-	-	
Smoked windscreen	-	-	○	○	○	○	○	-	-	
Monochrome pedestal folding seat w/ no-pinch hinges	○	○	○	○	○	○	○	-	-	
Natural	-	-	-	-	-	-	-	•	•	
Blue	•	•	•	•	•	•	•	-	-	

- Standard
 - Option
- Boat/motor packages are available with Mercury® outboard power.

WHEN YOU BUILD IT BETTER, IT PERFORMS BETTER



STATE-OF-THE-ART ENGINEERING AND HULLS THAT HAVE BEEN PERFORMING FOR MORE THAN 50 YEARS

BETTER-PERFORMING HULLS MADE USING

- ▶ State-of-the-art CAD design system
- ▶ High-tech CNC cutting equipment so cuts are extremely precise
 - Every component fits precisely, performs better and lasts longer
 - The biggest difference in assembly from model to model are the serial numbers
- ▶ We maximize the structural strength of hulls with heavy-gauge H36 aluminum transverse and longitudinal framings
- ▶ We further reinforce hulls with:
 - H36 center keel from stern to mid ship
 - H36 brace-plate from mid-ship to bow
- ▶ Boats absorb most pounding at the bow:
 - Princecraft twin-plates largest hulls (boats 18'+) from bow to mid-ship
 - Twin-plating beyond mid-ship adds unnecessary weight decreasing overall performance
- ▶ Go the extra step of double-plating at the chine where the hull bottom is fastened to the hull sides
 - Transfers the stress from the bottom to the side panels
 - Prevents cracking of the side panels or bottom
- ▶ Princecraft hulls offer unmatched handling and performance at a wider spectrum of speeds and loads





BUILT USING A STRONGER ALUMINUM ALLOY: 5052-H36 *Why do we use the toughest aluminum?*

- We insist on H36 throughout our boats because we won't compromise on durability
- H36 is 25% harder than other aluminum used by some competitors
 - Provides uniform strength and a truer hull shape
 - Provides a better ride, more durability and lasting value

ALUMINUM BOATS ARE LIGHTER (Fiberglass is 50% heavier than aluminum), **& ALUMINUM HULLS:**

- Provide better performance from a smaller engine
- Plane faster and stay on plane at slower speeds
- Provide better fuel efficiency and easier trailering
- Require less maintenance than fiberglass
- Can be beached on a rocky shore without chipping or cracking the hull
- Are more durable, which is why they manufacture airplanes and semi-trucks from aluminum



PROVEN FASTENING METHODS

- Rivets are the most dependable fastening method ever invented
 - High-stress vehicles like airplanes are constructed with riveted seams
- Princecraft boats, like airplanes, are engineered with riveted seams for years of reliability
- All 18' boats and bigger structural members are riveted with 1/4" solid aluminum rivets where it counts



WIDER, MORE STABLE BOTTOMS

- Princecraft has some of the widest bottoms in the industry for increased stability and fishability
- Up to an 18-degree deadrise depending on size of the hull for much more comfort especially in big, rough water



MORE FISHING EXTRAS

- Boats designed by fishermen for fishermen
- More room for rods, gear and buddies
- Toe kicks and lots of handles for more convenience
- High freeboards and larger motorwells for increased safety in rough water
- Very comfortable fishing seats
- Waterproof electrical marine connectors

CUSTOM-ENGINEERED


- OPTIONS TO OUR STANDARDS
- Many options are manufactured specifically for each model and use
 - Trailers are custom-built to fit each model
 - Fasteners for canvas enclosures are factory installed on every boat for a precise fit (See page 42 for details)
 - From downrigger-mounting supports to reclining captain's chairs, all the custom options you want are available

QUALITY CONSTRUCTION

- Deep-V and modified-V aluminum hulls
- Reverse chine hull design
- Every boat is tank tested
- Pressure-treated plywood with a limited lifetime warranty

UNMATCHED FIT AND FINISH

- No other aluminum boat manufacturer can match our craftsmanship
- Compare fit and finish with any other boat
- Inspect hull sides and seams



PRINCECRAFT PROFLO™ PLUS LIVEWELL SYSTEM

Our exclusive ProFlo™ Plus is perhaps the smartest and most durable livewell system ever invented. It's designed to be virtually maintenance-free, with timed aeration and recirculation so you can stay focused on what you're on the water to do — catch fish. Plus, our two-pump system ensures your bait fish stay fresh and your catch remains healthy while running or docked.

- Notice we have no exposed wiring or gaps in components
- If you see sloppy seams and joints on competitors' boats, imagine the level of quality in parts you can't see

BETTER VALUE AT RESALE TOO

- You can easily recognize the quality and durability built into every Princecraft boat
- Other buyers will too, if you ever decide to sell your boat

HASSLE-FREE BOATING EXPERIENCE

- Quality through and through enhances every day on the water
- We offer the best limited warranty in the industry from hull to canvas enclosure
- It's your assurance our boats are built every bit as good as we say they are

Go to pages 40-47 or visit princecraft.com for more details.



TRAILERS

DURABILITY AND PERFORMANCE ARE JUST AS IMPORTANT IN YOUR TRAILER.

At Princecraft, we want you to have incredible experiences boating. Including the transportation of your boat and your time at the ramp. So we don't treat trailers as an afterthought. Every trailer is custom-engineered to each model, with the same level of craftsmanship as our legendary boats.



Standard Features

STANDARD FEATURES

- Painted bunk style trailer
- Galvanized bunk style trailer
- Single axle (S= w/ swing tongue)
- Tandem axle (S= w/ swing tongue)
- Brakes (D= Disc brakes)
- Carpeted fixed bunks
- Carpeted load guides
- Built-in steps & composite fenders
- Checker polished aluminum covered step pads
- Bearing protectors
- Swivel tongue jack
- Ball coupler
- Carrying capacity (lb./kg)
- Weight (lb./kg)
- Wheels w/ radial tires
- Tire size
- Factory balanced steel wheel

OPTIONS

- Galvanized bunk trailer
- Swing tongue
- Deluxe transom tie downs
- Transom saver motor support bar
- Carpeted load guides
- Spare wheel
- Aluminum Star wheel
- Aluminum spare Star wheel

COLOR OPTIONS

	SP 220 SE	SP 198 SE	SP 196 SE	SP 186 SE	SP 178 SC SE	SP 176 FNP SE	SP 220	SP 198	SP 196, PRO 196	SP 186	PRO 179 DX SC & BT, 179 LX SC	SP 178 SC, PRO 176, 174 SS	SP 176 FNP	PRO 169 LX, 169 BT, 166, 164 SS	PRO 165 BT & SC, 162 SS	PRO 145 SC	HUDSON DLX, HOLIDAY DLX, HOLIDAY
Painted bunk style trailer	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Galvanized bunk style trailer	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	•
Single axle (S= w/ swing tongue)	-	•S	•S	•S	•S	•S	-	•S	•S	•S	•	•	•	•	•	•	•
Tandem axle (S= w/ swing tongue)	•S	-	-	-	-	-	•S	-	-	-	-	-	-	-	-	-	-
Brakes (D= Disc brakes)	•D	•D	•D	•D	-	-	-	-	-	-	-	-	-	-	-	-	-
Carpeted fixed bunks	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Carpeted load guides	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Built-in steps & composite fenders	-	-	-	-	-	-	-	-	-	-	•	•	•	•	•	•	•
Checker polished aluminum covered step pads	•	•	•	•	•	•	-	-	-	-	-	-	-	-	-	-	-
Bearing protectors	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Swivel tongue jack	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Ball coupler	2"	2"	2"	2"	2"	2"	2"	2"	2"	2"	2"	2"	2"	2"	2"	2"	2"
Carrying capacity (lb./kg)	5720/2600	3500/1588	3500/1588	2800/1273	2500/1136	2500/1136	5720/2600	3500/1591	3500/1591	2800/1273	2500/1136	2500/1136	2500/1136	1800/818	1800/818	1350/614	1800/818
Weight (lb./kg)	1213/550	705/320	683/310	571/259	503/228	489/222	1213/550	705/320	683/310	571/259	518/235	503/228	489/222	474/215	450/204	362/164	450/204
Wheels w/ radial tires	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Tire size	ST205/75R14	ST225/75R15	ST225/75R15	ST225/75R15	ST205/75R14	ST205/75R14	ST205/75R14	ST225/75R15	ST225/75R15	ST225/75R15	ST205/75R14	ST205/75R14	ST205/75R14	ST175/80R13	ST175/80R13	5.30 x 12"	ST175/80R13
Factory balanced steel wheel	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Galvanized bunk trailer	-	-	-	-	-	-	-	-	UE	UE	UE	UE	UE	UE	UE	UE	-
Swing tongue	-	-	-	-	-	-	-	-	-	-	UE	UE	UE	UE	UE	UE	UE
Deluxe transom tie downs	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o
Transom saver motor support bar	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o
Carpeted load guides	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Spare wheel	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o
Aluminum Star wheel	UE	UE	UE	UE	UE	UE	UE	UE	UE	UE	UE	UE	UE	-	-	-	-
Aluminum spare Star wheel	o	o	o	o	o	o	o	o	o	o	o	o	o	-	-	-	-
COLOR OPTIONS	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■

DARK BEIGE TRAILER



GALVANIZED TRAILER

CUSTOM-DESIGNED TO EACH BOAT

- You get Princecraft quality
- Engineered for wider Princecraft boats
- Custom design provides better stability and handling on the road
- Easy on, easy off

MORE DURABLE FRAME

- Heavy-duty tubular framing
- Years of reliability
- Wiring and brake lines installed inside steel tubing for protection from the elements

STRATEGICALLY PLACED BUNK & LOAD GUIDES

- Customized load pads and bunks for each boat model
- Smoother loading and unloading
- Fully carpeted to protect hull of the boat
- Bunks maintain contact with hull, giving more equal support

A CUSTOMIZED LOOK

- Boat, motor and trailer are all part of one integrated package
- Matching boat & trailer colors & graphics

SPECIAL FEATURES

- Heavy-duty winch
- Swiveling tongue jack dolly
- Welded mounting bracket for optional motor support installation
- Galvanized axle to avoid corrosion
- Convenient swing tongue is standard on select models
 - Saves space
 - Easier to store
- Integrated composite fenders with step pads
- Radial tires are standard on most models
- STAR aluminum mag wheels are offered as an option*

SAFETY ADVANTAGES

- Waterproof lighting system
- Factory balanced wheels
- Double safety chain
- Bearing protectors
- Meets NMMA and Transport Canada Guidelines

OUR UNSURPASSED WARRANTY

- When you build trailers this well you can stand behind them
- Princecraft offers:
 - Limited One-Year Parts and Components Warranty
 - Limited Two-Year Paint/Rust Warranty

* Most models

RESORTER DLX, STARFISH DLX	YUKON DLX, UTILITY
-	-
•	•
•	•
-	-
•	•
•	•
-	-
-	-
•	•
•	•
-	-
2"	2"
1250/568	800/364
320/145	198/90
-	-
5.30 x 12"	5.30 x 12"
•	•
-	-
○	○
○	○
○	○
-	-
-	-
■	■

Legend

- Standard
- Option
- UE Upgrade Exchange

- Black
- Beige
- Galvanized



1. Swing tongue
2. Carpeted load guide
3. Fenders with step pad
4. Optional mag wheel
5. Waterproof light
6. Heavy-duty winch



CANVAS

A CUSTOM CANVAS TOP IS THE PERFECT WAY TO ENHANCE ANY DAY ON THE WATER.

Sunny and hot, cool and raining. The weather is always a factor in determining what kind of a day your family will have boating. And there's no better way to be prepared for any kind of weather than our custom-fitted canvas enclosures. Every

Princecraft boat is fitted with fasteners for canvas tops at the factory. By using the same precise specs to position the fasteners on every model, your top fits perfectly at every snap.

PRINCECRAFT CANVAS IS BETTER*

- Only the most durable marine-tested fabric is used
- Each snap is mounted on molding at a 45-degree angle for better securing, easier removal
- Additional clear acrylic coating is applied to back side of fabric to repel water
- Every canvas enclosure is crafted to Princecraft's standard of quality

ADVANTAGES OF POLYESTER FABRIC*

- Superior strength and tear resistance over solution-dyed acrylic marine fabrics
- Much higher degree of water repellence
- Significantly greater dimensional stability
- Vastly superior abrasion resistance



WARRANTY*

- Princecraft canvas comes with a 5-year limited warranty against excessive loss of color or strength under normal exposure conditions, including sunlight, rot, mildew and atmospheric chemicals.

* Remember to refer to your *Owner's Manual* for information concerning carbon monoxide and the use of canvas while boat is underway.



1 HIGH TOP*

- Tall enough to enable you to stand
- Covers all the seating areas
- Features removable side and back curtains and tonneau cover
- Curtain enclosure for windshield walk-thru when tonneau cover is not in use
- Color-coordinated to your boat
- Easy to assemble

2 CONVERTIBLE TOP*

- A roomy convertible canvas top with curtains and tonneau cover
- Features a special curtain section, which encloses the area below the windshield walk-thru when the tonneau cover is not in use
- Color-coordinated to your boat
- Easy to assemble

3 COCKPIT COVER*

- Offers quick dockside protection
- Uses the same snaps as our convertible tops

4 SUN TOP*

- Offers some welcome shade on extra-hot days, or shelter during an unexpected rain
- Easy to assemble

* Remember to refer to your *Owner's Manual* for information concerning carbon monoxide and the use of canvas while boat is underway.



OPTIONAL EQUIPMENT

FACTORY INSTALLED OPTIONS

- Port console w/ quick-release smoked windscreen
- Port-side sleeper seat
- Reclining captain's chair w/ adjustable armrests on a fixed post and base for driver or companion seat
- AM/FM stereo with CD player
- 160=160W, 200=200W w/ detachable control panel (upgrade exchange)
- Vinyl floor covering
- SmartCraft gauges (speedometer, tachometer, trim and fuel) for Optimax and Verado engines
- Sea Star hydraulic steering system w/ tilt wheel (Optimax + non-Verado 4 stroke engines)
- Tilt steering mechanism
- Mercury 9.9 BF 4 stroke kicker engine

canvas SH= Stand-up high CC= Cockpit cover CT= Convertible top ST= Sun top

DEALER INSTALLED OPTIONS

- Bow rider seat cushions
- Coaming pads & bow rider seat cushions
- Monochrome pedestal seat with spider and post (DS= Deluxe)
- Full-width rear bench seat (2 pcs)
- Bicycle seat w/ 27" post
- Downrigger supports
- Lowrance® X-47 fish/depth finder
- Pantographic parallel arm starboard side wiper
- Onboard battery charger for 1, 2 or 3-12 V battery
- Stern boarding ladder
- Removable water ski tow bar
- Snap-in carpet (available with vinyl flooring)

COLORS

Legend

- Option
- SE Black available on Special Edition models only.
- UE Upgrade Exchange models only.
- Black ■ Red ■ Blue
- 1 Also available as a Special Edition package. See pages 4-5 for details.
- 2 Not available with optional dual control installation.
- 3 Not available in Black

SUPER PRO SERIES						PRO SERIES®					
PLATINUM	TOURNAMENT	FISH'N PROMENADE	FISHING			SUPER SPORT		PRO			
220 196 186	198 SC 178 SC	176	196 GL	196 176	166	174 SS 164 SS	162 SS	179 DX SC 179 DX BT ³	179 LX SC 169 LX SC	169 BT	165 SC 165 BT 145 SC
-	○ ¹	-	-	-	-	-	-	○ (179 DX SC)	-	-	-
UE ¹	-	-	-	○	○	○	-	-	-	-	-
UE ¹	UE ^{1 2}	-	-	-	-	-	-	-	-	-	-
UE (200)	UE (200)	UE (200)	UE (200)	UE (200)	UE (200)	○ (160)	○ (160)	-	○ (160)	-	○ (160) 165 SC
UE ¹	-	-	-	UE	UE	UE	-	-	-	-	-
UE	UE	-	UE	UE	-	UE (174 SS)	-	-	-	-	-
UE	UE	-	UE	UE	-	UE (174 SS)	-	-	-	-	-
-	-	-	UE	UE	UE	-	-	-	-	-	-
○ ¹	○ ¹	-	○	○	-	○ (174 SS)	-	-	-	-	-
SH, CC ¹	ST ¹	SH, CT, CC ¹	SH, CC	SH, CC	SH, CC	SH, CC	SH, CC	ST	ST	ST	ST
○ ¹	-	-	-	-	-	-	-	-	-	-	-
-	-	-	○	○	○	○	○	-	-	-	-
○ DS ¹	○ DS ¹	○ DS ¹	○	○	○+	○	○	○	○	○	○
-	-	-	-	-	-	○	-	-	-	-	-
○ ¹	○ ¹	○ ¹	○	○	○	○	○	○	○	○	○
○ ¹	○ ¹	○ ¹	○	○	○	○	○	○	○	○	○
-	-	-	-	-	-	○	○	-	-	○	○
○ ¹	-	○ ¹	-	-	-	○	-	-	-	-	-
○ (2)	○ (3)	-	○ (1)(2)	○ (1)(2)	○ (1)(2)	-	-	○ (1)(2)	○ (1)(2)	○ (1)(2)	-
○	○	-	○	○	○	○	○	-	-	-	-
○ ¹	-	○ ¹	○	○	○	○	○	-	-	-	-
○ ¹	-	-	○	○	○	-	-	-	-	-	-
SE	SE	SE									



1 Stern boarding ladder* 2 Bow cushion set* 3 Battery charger* 4 Tilt-steering wheel* 5 Marine-grade vinyl flooring* 6 Windshield wiper* 7 Dual controls for optional kicker engine installation* 8 Full-width rear bench seat* 9 Lowrance® X-47 fish-depth finder* 10 Removable ski tow bar* 11 Reclining captain's chair with arm and head rests* 12 SmartCraft™ gauges* 13 AM/FM/CD player* 14 Snap-on carpet* 15 200-watt Clarion™ AM/FM/CD player* 16 Downrigger installation support system* 17 Fold out sleeper seat*

*Please consult optional features chart for details.



MERCURY®

At Princecraft we take great pride in every boat we craft. So much goes into the design and construction of our boats we aren't about to compromise on power. That's why we design every model for Mercury power, with a wide range of clean-burning engines. From OptiMax® D.F.I. TwoStroke and E.F.I. FourStroke outboards to the revolutionary Verado™. For speed, power and reliability you can't beat Mercury.

REVOLUTIONARY
VERADO

➤ Supercharged Power

With a fast hole shot, powerful mid-range punch and awesome top-end speed the revolutionary Verado four-stroke engine can't be matched by competitive two or four-stroke engines.

➤ Fully Integrated Propulsion

Featuring hydraulic and hydraulic power steering and SmartCraft™ Digital Throttle and Shift (DTS) technology, which offers digitally precise, maintenance-free data cable for smooth, quiet shifts, instant throttle response and exceptional durability.

➤ Whisper Quiet

Patented silencing technology makes the Verado the quietest marine engine ever. With an insulated and isolated cowl system, muffling chambers in the air-induction system and a specially designed idle-relief exhaust-silencer.

➤ Low Emissions

Mercury four-stroke technology also enables Verado to produce exceedingly low emissions. So low, Verado will be emission-compliant for years to come.

WEBSITE

The Princecraft website is more prepared than ever to be your 24/7 resource for the latest information about model specs, construction advantages, dealers, FAQ, owner's testimonials, our history and more. Just visit Princecraft.com whenever it's convenient for you.

PRINCECRAFT APPAREL

Everybody wants to fish like a pro. And with our stylish Princecraft apparel you can look like one even when you're not posing with a fish. Visit our website for Princecraft caps, polo shirts, fishing shirts and accessories and then be prepared to tell everyone about your great Princecraft boat.

PRINCECRAFT TOURNAMENT PROS

At any given time of the year you'll find pros touring North America with their Princecraft boats. And when you spend as much time on the water as they do, you demand the best. So not only do they enjoy talking about fishing, they also enjoy talking about Princecraft boats. Chat 'em up if you get the chance. And to read some of their real-life adventures, and get some tried-and-true fishing tips along the way, visit our website.



www.princecraft.com





WHY WEEKENDS ARE SHORTER ON A PRINCECRAFT THAN ON ANY OTHER BOAT?

Have you ever noticed how quickly time passes when you're in your element? When you're doing what you were put on earth to do, and everything falls into place, time flies. Princecraft boats are engineered to offer you nothing short of perfect days on the water. And when you're out there fishing in your favorite spot and everything feels exactly right, the weekend is just too short. Might we suggest you just quit that job that keeps you from fishing full-time. At least you'd have the boat that enables you to fish like a pro.

For details on why a Princecraft is the best boat for you, visit www.princecraft.com, or to find the dealer nearest you call 1-800-395-8858.

Remember, life vests float, you don't.

Everything we do at Princecraft comes from our desire for your family to have the times of your life with our boats. And safety is a big part of your experience. That's why we encourage you to always wear life preservers while aboard any moving vessel.



In Canada: **Princecraft Boats Inc.**, A subsidiary of Brunswick International Limited
725 Saint-Henri Street, Princeville (Quebec) G6L 5C2.

In the United States: **Princecraft U.S.**, A division of Brunswick Corporation
2600 Sea Ray Blvd, Building #2, Knoxville, TN 37914.



Princecraft factory-packaged boats are available with various horsepower Mercury® outboard.



Special thanks to:
Berkley®, Blue Fox®, Bollé®, Brecks®, Bushnell Performance Optics®, Columbia Sportswear Company®, Flambeau Outdoors®, Hot Spot Fishing & Lures LTD.®, Mercury Marine®, Mustang Survival®, Rapala®, Scotty Downriggers & Rod Holders®, Shimano®, Storm™.

PLEASE READ CAREFULLY: Dimensions, capacities, ratings, and additional specifications, plus complete warranty and service information, are available from your Princecraft dealer. Product illustrations and data within this catalog are based upon information available at the time of publication. Not all accessories shown in pictures or described herein are standard equipment or even available as options. Specification measurements are approximations and subject to variance. Because Princecraft is dedicated to constant product improvements, Princecraft reserves the right to make changes without prior notice or obligation. Not all model year boats may contain all of the features or meet the specifications described herein. Ask your Princecraft dealer for the most current product specifications prior to purchase. Some of the equipment shown separately or on products illustrated in this catalog may be optional at extra cost.

Princecraft is a member in good standing of the National Marine Manufacturers Association (NMMA) and the Canadian Marine Manufacturers Association (CMMA). All boats comply with Canadian Coast Guard and U.S. Coast Guard regulations. All Princecraft® boats are in compliance with NMMA and CMMA's Boat Certification Program. Atwood™ is a registered trademark of Atwood Corporation. Clarion™ is a registered trademark of Clarion Sales Corporation. Faria™ is a registered trademark of TG Faria, Inc. Pilot™ is a registered trademark of TG Faria, Inc. Flow-Rite™ is a registered trademark of Flow-Rite Controls. Lowrance® is a registered trademark of Lowrance Electronics, Inc. Marincos™ is a registered trademark of Marincos-AFI. McGill™ is a registered trademark of Emerson Electronics. Mercury®, MerCruiser®, Verado™, OptiMax® and SmartCraft™ are registered trademarks of Mercury Marine.