



### Pro 176

Shown in Black with optional vinyl flooring, downrigger supports and trolling motor



**PRO 186**



**PRO 176**

- Livewell
- Storage Compartment
- Rod Storage
- Ice Chest



### SPECIFICATIONS

|                | Center line    | Beam        | Bottom width | Max. depth  | Approx. draft | Transom height | Approx. weight    | NMMA (USA) / TRANSPORT CANADA |                   |                         |                  | ALUMINUM THICKNESS |                | BUILT-IN GAS TANK (w/ in-dash gauge) |
|----------------|----------------|-------------|--------------|-------------|---------------|----------------|-------------------|-------------------------------|-------------------|-------------------------|------------------|--------------------|----------------|--------------------------------------|
|                |                |             |              |             |               |                |                   | Max. H.P. cap.                | Max. weight cap.  | Max. weight person cap. | Max. person cap. | Bottom             | Side           |                                      |
| <b>Pro 186</b> | 5.6 m (18'-6") | 2.4 m (95") | 2.0 m (80")  | 1.2 m (46") | 0.8 m (33")   | 0.6 m (25")    | 676 kg (1490 lb.) | 131 kW (175 H.P.)             | 863 kg (1902 lb.) | 525 kg (1158 lb.)       | ** 8 [7]         | 2.8 mm (.110")     | 1.8 mm (.072") | 151 L (40 U.S. gal.)                 |
| <b>Pro 176</b> | 5.3 m (17'-6") | 2.3 m (92") | 2.0 m (80")  | 1.0 m (41") | 0.8 m (31")   | 0.6 m (25")    | 635 kg (1400 lb.) | 112 kW (150 H.P.)             | 787 kg (1736 lb.) | 450 kg (992 lb.)        | ** 7 [6]         | 2.5 mm (.100")     | 1.8 mm (.072") | 151 L (40 U.S. gal.)                 |

\*\* Max. person cap.: NMMA [Transport Canada]

For a complete list of standard and optional equipment, see pages 34-39. Photomontages show various features and options. Some accessories shown may not be available on all models.

# Pro 186 & 176 Fishing Series

Plus many more features...

- Stern converts from two jumpseats to a casting platform
- Tinted windshield
- Deep cycle battery storage
- Double-reverse chine hull design



**Pro 186**  
Shown in Blue, with optional trolling motor and kicker



Stern ProFlo I livewell with minnow bucket



Optional vinyl flooring with snap-in carpet bucket



Stern converts into a casting platform with 2 jump seats and a livewell



Lockable 6-rod organizer



Handle for stability in rough water



12-volt or 24-volt trolling motor panel

Aerated Proflo™ I livewell with minnow bucket, light, timer and recirculation (64 L / 17 U.S. gal.)

Removable deck insert

Molded dash with fully-lit switch panel

Sirius compatible and MP3-ready radio/CD player

No-feedback™ steering system


Lockable storage on both side panels



Lockable 6-rod organizer

Aerated Proflo™ I livewell with minnow bucket, light, timer and recirculation (64 L / 17 U.S. gal.)

Lowrance® X-50 DS fish/depth finder



Pro 186  
Shown with optional kicker and trolling motor

# Pro 166 Fishing Series

## Plus many more features...

- 2 fishing seats
- Lockable storage in side panel
- Sirius compatible and MP3-ready radio/CD player
- Molded dash with complete fully lit switch panel

12 or 24-volt bow trolling motor panel

Aerated Sportflo™ livewell (64 L / 17 U.S. gal.)

Lowrance® X-50 DS fish/depth finder

Removable deck insert

Deep cycle battery storage


7-foot lockable rod storage

No-feedback™ steering system

fold-down jump seats that can be converted to a casting platform



**Pro 166**  
Shown in Red with optional downrigger supports and trolling motor



**Pro 166**  
Shown with optional downrigger supports and trolling motor



**PRO 166**

- Livewell
- Storage Compartment
- Rod Storage
- Ice Chest

## SPECIFICATIONS

| PRO 166        | Center line<br>5.0 m<br>(16'-6") | Beam<br>2.2 m<br>(88") | Bottom width<br>1.8 m<br>(71") | Max. depth<br>1.0 m<br>(38") | Approx. draft<br>0.8 m<br>(30") | Transom height<br>0.5 m<br>(20") | Approx. weight<br>458 kg<br>(1009 lb.) | NMMA (USA) / TRANSPORT CANADA     |                                       |   |                              | ALUMINUM THICKNESS       |                        | BUILT-IN GAS TANK (w/ in-dash gauge)<br>106 L (28 U.S. gal.) |
|----------------|----------------------------------|------------------------|--------------------------------|------------------------------|---------------------------------|----------------------------------|--|-----------------------------------|---------------------------------------|---|------------------------------|--------------------------|------------------------|--|
|                |                                  |                        |                                |                              |                                 |                                  |  | Max. H.P. cap.<br>67 kW (90 H.P.) | Max. weight cap.<br>620 kg (1367 lb.) | Max. weight person cap.<br>347 kg (765 lb.) | Max. person cap.<br>** 6 [4] | Bottom<br>2.3 mm (.090") | Side<br>1.8 mm (.072") |  |
| <b>Pro 166</b> | 5.0 m (16'-6")                   | 2.2 m (88")            | 1.8 m (71")                    | 1.0 m (38")                  | 0.8 m (30")                     | 0.5 m (20")                      | 458 kg (1009 lb.)                      | 67 kW (90 H.P.)                   | 620 kg (1367 lb.)                     | 347 kg (765 lb.)                            | ** 6 [4]                     | 2.3 mm (.090")           | 1.8 mm (.072")         | 106 L (28 U.S. gal.)   |

\*\* Max. person cap.: NMMA [Transport Canada]

For a complete list of standard and optional equipment, see pages 34-39. Photomontages show various features and options. Some accessories shown may not be available on all models.

# Super Pro 176

## Fish'n Promenade Series

Plus many more features...

- Molded dash with complete fully lit instruments
- 12 or 24-volt bow trolling motor panel
- No-feedback™ steering with tilt wheel



**SP 176 FNP SE**  
Shown in Special Edition version with optional waterski tow bar and trolling motor



Lowrance® X-50 DS fish/depth finder

Aerated Sportflo™ livewell (50 L/13 U.S. gal.)

Sirius compatible and MP3-ready radio/CD player


Deep cycle battery storage

Lockable 7-foot rod storage

2 fishing seats

2 fold-down jump seats

Lockable storage in side panel



SP 176 FNP SE  
Shown in Special Edition version with optional trolling motor

### Fun For Everyone

Keep everyone happy in our Super Pro 176 Fish'n Promenade Series boats. With all the watersports features, and all the pro-class fishing features and options in one boat, it's the perfect backdrop for a happy family photo.




- Livewell
- Storage Compartment
- Rod Storage
- Ice Chest

SP 176 FNP


| SPECIFICATIONS | Center line    | Beam        | Bottom width | Max. depth  | Approx. draft | Transom height | Approx. weight    | NMMA (USA) / TRANSPORT CANADA |                   |                         |                  | ALUMINUM THICKNESS |                | BUILT-IN GAS TANK (w/ in-dash gauge) |
|----------------|----------------|-------------|--------------|-------------|---------------|----------------|-------------------|-------------------------------|-------------------|-------------------------|------------------|--------------------|----------------|--------------------------------------|
|                |                |             |              |             |               |                |                   | Max. H.P. cap.                | Max. weight cap.  | Max. weight person cap. | Max. person cap. | Bottom             | Side           |                                      |
| SP 176 FNP     | 5.3 m (17'-5") | 2.2 m (87") | 1.7 m (68")  | 1.0 m (40") | 0.8 m (30")   | 0.5 m (20")    | 517 kg (1140 lb.) | 86 kW (115 H.P.)              | 726 kg (1600 lb.) | 390 kg (860 lb.)        | ** 6 [5]         | 2.3 mm (.090")     | 1.8 mm (.072") | 106 L (28 U.S. gal.)                 |

\*\* Max. person cap.: NMMA (Transport Canada)



### Pro 174 SS

Shown in Blue with optional rear bench seat, stern boarding ladder and fish/depth finder



174 SS

164 SS

- Livewell
- Storage Compartment
- Rod Storage
- Ice Chest

### SPECIFICATIONS

|                   | Center line    | Beam        | Bottom width | Max. depth  | Approx. draft | Transom height | Approx. weight    | NMMA (USA) / TRANSPORT CANADA |                   |                         |                  | ALUMINUM THICKNESS |                | BUILT-IN GAS TANK (w/ in-dash gauge) |
|-------------------|----------------|-------------|--------------|-------------|---------------|----------------|-------------------|-------------------------------|-------------------|-------------------------|------------------|--------------------|----------------|--------------------------------------|
|                   |                |             |              |             |               |                |                   | Max. H.P. cap.                | Max. weight cap.  | Max. weight person cap. | Max. person cap. | Bottom             | Side           |                                      |
| <b>PRO 174 SS</b> | 5.3 m (17'-5") | 2.3 m (92") | 1.9 m (75")  | 1.0 m (40") | 0.8 m (30")   | 0.6 m (25")    | 527 kg (1162 lb.) | 101 kW (135 H.P.)             | 747 kg (1647 lb.) | 411 kg (907 lb.)        | ** 7 [5]         | 2.5 mm (.100")     | 1.8 mm (.072") | 132 L (35 U.S. gal.)                 |
| <b>PRO 164 SS</b> | 5.0 m (16'-6") | 2.1 m (84") | 1.8 m (69")  | 0.9 m (35") | 0.8 m (31")   | 0.5 m (20")    | 457 kg (1008 lb.) | 56 kW (75 H.P.)               | 640 kg (1410 lb.) | 386 kg (850 lb.)        | ** 6 [5]         | 2.3 mm (.090")     | 1.8 mm (.072") | 77 L (20 U.S. gal.)                  |

\*\* Max. person cap.: NMMA [Transport Canada]

For a complete list of standard and optional equipment, see pages 34-39. Photomontages show various features and options. Some accessories shown may not be available on all models.

# Pro 174 SS & 164 SS Super Sport Series

Plus many more features...

- Molded dash with complete fully-lit switch panel
- Electric bilge pump
- 2 fishing seats<sup>3</sup>



## Pro 164 SS

Shown in Black with optional fish/depth finder and trolling motor

12 or 24-volt bow trolling motor panel (Pro 174 SS)<sup>1</sup>



Removable deck insert

No-feedback™ steering system (Pro 174 SS)

Deep cycle battery storage

Lockable 7-foot rod storage

Holding handles

Aerated SportFlo™ livewell with minnow bucket (64 L / 17 U.S. gal.) (Pro 174 SS)<sup>2</sup>

Pro 174 SS



5-gauge dash panel



Fishing seat for casting or optional deck cushions for extra seating



Several handles throughout the boat



Optional full-width, two-piece rear seat (Pro 174 SS)



SportFlo™ livewell

## On the Pro 164 SS

- 1 12-volt bow trolling motor plug and receptacle
- 2 Bow aerated SportFlo™ livewell (39 L / 10 U.S. gal.)
- 3 2 fishing seats and fold-down jump seats

# Pro Series® Open Fishing Boats



## FOR ANGLERS ON THE GO

The world is two-thirds water, and our Pro Series boats were designed to cover most of it. If you're always moving from hole to hole, lake to lake, our Pro Series boats offer the features, performance and convenient trailering to exceed even your rigorous demands.




Raised platform with optional bicycle seat

7-foot lockable rod storage compartment

Large quick-release windscreen (side console models)

12 or 24-volt bow trolling motor panel with Marincor plug and jumper



**Pro 179 LX SC**


Shown in Red with optional trolling motor





**Pro 179 LX SC**

Shown in Black with optional AM/FM radio with CD player



**179 LX SC**



**169 LX SC**

- Livewell
- Storage Compartment
- Rod Storage



**SPECIFICATIONS**

|                      | Center line     | Beam        | Bottom width | Max. depth  | Approx. draft | Transom height | Approx. weight    | NMMA (USA) / TRANSPORT CANADA |                   |                         |                  | ALUMINUM THICKNESS |                | BUILT-IN GAS TANK (w/ in-dash gauge) |
|----------------------|-----------------|-------------|--------------|-------------|---------------|----------------|-------------------|-------------------------------|-------------------|-------------------------|------------------|--------------------|----------------|--------------------------------------|
|                      |                 |             |              |             |               |                |                   | Max. H.P. cap.                | Max. weight cap.  | Max. weight person cap. | Max. person cap. | Bottom             | Side           |                                      |
| <b>PRO 179 LX SC</b> | 5.4 m (17'-10") | 2.3 m (92") | 1.9 m (76")  | 0.9 m (36") | 0.8 m (31")   | 0.5 m (20")    | 512 kg (1129 lb.) | 101 kW (135 H.P.)             | 590 kg (1300 lb.) | 254 kg (560 lb.)        | ** 4 [3]         | 2.5 mm (.100")     | 1.8 mm (.072") | 132 L (35 U.S. gal.)                 |
| <b>PRO 169 LX SC</b> | 4.9 m (16'-2")  | 2.2 m (87") | 1.8 m (71")  | 0.9 m (35") | 0.8 m (33")   | 0.5 m (20")    | 403 kg (889 lb.)  | 67 kW (90 H.P.)               | 572 kg (1260 lb.) | 298 kg (658 lb.)        | ** 5 [4]         | 2.3 mm (.090")     | 1.8 mm (.072") | 106 L (28 U.S. gal.)                 |

\*\* Max. person cap.: NMMA [Transport Canada]

For a complete list of standard and optional equipment, see pages 34-39. Photomontages show various features and options. Some accessories shown may not be available on all models.

# Pro 179 LX SC & 169 LX SC

## Pro Series

Plus many more features...

- Electric bilge pump
- Raised casting platforms
- 2 fishing seats



**Pro 169 LX SC**  
Shown in Blue with optional trolling motor

Aerated SportFlo™ livewell (77 L / 20 U.S. gal.)

12 or 24-volt bow trolling motor panel

Deep cycle battery storage

Molded dash with fully lit instruments\*

Lowrance® X-50 DS fish/depth finder



Lockable 7-foot rod storage

Aerated SportFlo™ livewell (39 L / 10 U.S. gal.)

Battery storage compartment

Pro 169 LX SC  
Shown with optional trolling motor



Lockable 7-foot rod storage



A large splashwell to help keep the boat dry



Full instrumentation and Lowrance® X-50 DS fish/depth finder




The bow SportFlo™ livewell is located right at your feet

\*The Pro 179 LX SC is equipped with a No-FeedBack™ steering system



### Pro 165 SC

Shown in Red  
with optional trolling motor,  
AM/FM/CD player  
and fish/depth finder



**169 BT**    **165 SC**    **165 BT**

### SPECIFICATIONS

|                   | Center line    | Beam        | Bottom width | Max. depth  | Approx. draft | Transom height | Approx. weight   | NMMA (USA) / TRANSPORT CANADA |                   |                         |                  | ALUMINUM THICKNESS |                | BUILT-IN GAS TANK (w/ in-dash gauge) |
|-------------------|----------------|-------------|--------------|-------------|---------------|----------------|------------------|-------------------------------|-------------------|-------------------------|------------------|--------------------|----------------|--------------------------------------|
|                   |                |             |              |             |               |                |                  | Max. H.P. cap.                | Max. weight cap.  | Max. weight person cap. | Max. person cap. | Bottom             | Side           |                                      |
| <b>PRO 169 BT</b> | 4.9 m (16'-2") | 2.2 m (87") | 1.8 m (71")  | 0.8 m (33") | 0.7 m (29")   | 0.5 m (20")    | 354 kg (780 lb.) | 45 kW (60 H.P.)               | 527 kg (1162 lb.) | 300 kg (661 lb.)        | ** 5 [4]         | 2.3 mm (.090")     | 1.8 mm (.072") | 106 L (28 U.S. gal.)                 |
| <b>PRO 165 SC</b> | 4.9 m (16'-2") | 2.2 m (84") | 1.8 m (69")  | 0.8 m (30") | 0.7 m (26")   | 0.5 m (20")    | 359 kg (791 lb.) | 56 kW (75 H.P.)               | 538 kg (1185 lb.) | 283 kg (625 lb.)        | ** 5 [3]         | 2.3 mm (.090")     | 1.8 mm (.072") | 77 L (20 U.S. gal.)                  |
| <b>PRO 165 BT</b> | 4.9 m (16'-2") | 2.2 m (84") | 1.8 m (69")  | 0.8 m (30") | 0.7 m (26")   | 0.5 m (20")    | 351 kg (774 lb.) | 45 kW (60 H.P.)               | 538 kg (1185 lb.) | 310 kg (684 lb.)        | ** 5 [4]         | 2.3 mm (.090")     | 1.8 mm (.072") | 77 L (20 U.S. gal.)                  |

\*\* Max. person cap.: NMMA [Transport Canada]

For a complete list of standard and optional equipment, see pages 34-39. Photomontages show various features and options. Some accessories shown may not be available on all models.

# Pro 169 BT, 165 SC & 165 BT

## Pro Series

Plus many more features...

- Electric bilge pump
- Reverse chine hull design




**Pro 169 BT**  
Shown in Red with optional fish/depth finder and trolling motor



**Pro 165 BT**  
Shown in Blue with optional fish/depth finder and trolling motor




A large SportFlo™ livewell



7-foot lockable rod storage compartment



Stern panel with full controls for backtroller models



Aerated SportFlo™ livewell (86 L / 23 U.S. gal.) (Pro 165 SC & BT)

Raised casting platforms

12 or 24-volt bow trolling motor panel

Deep cycle battery storage



Molded dash with fully lit instruments<sup>2</sup> (Pro 165 SC)



2 fishing seats

Lockable 7-foot rod storage

Battery storage compartment

Pro 165 SC  
Shown with optional fish/depth finder and trolling motor

### On backtroller models

- 1 Aerated SportFlo™ livewell (77 L / 20 U.S. gal.) (Pro 169 BT)
- 2 Stern side-mount dash panel (Pro 165 BT & 169 BT)

# DLX Series


## Pure Fishing

In every sport there are purists, and in fishing we take a lot of pride in keeping it simple and still achieving outstanding results. DLX Series boats are roomy, versatile and include all the essential fishing features to put you on fish.



### STARFISH DLX SC

Shown with optional trolling motor and fish/depth finder



Lockable rod storage\*

Quick-release windscreen\*

Convenient electric-fill aerated SportFlo™ livewell

Easy-maintenance, non-skid vinyl flooring

\*Most models

Bow raised casting platform

12-volt bow trolling motor plug\*



Deep cycle battery storage\*


Aerated SportFlo™ livewell (61 L / 16 U.S. gal.)

Large quick-release windscreen (side console models)

7-foot lockable rod storage\*

2 fishing seats\*

Vinyl flooring



Electric bilge pump

Large splashwell

Holiday DLX SC  
Shown with optional trolling motor

\*Most models

**I The Yukon DLX BT** is equipped with an aerated SportFlo™ livewell (39 L / 10 U.S. gal.)

# Side Console models

# Backtroller models



Resorter® DLX SC \*



Yukon® DLX BT



Starfish™ DLX SC \*\*



Resorter® DLX BT



Holiday® DLX SC \*



Starfish™ DLX BT \*



Hudson® DLX SC \*



Holiday® DLX BT \*

\* Shown with optional trolling motor  
 \*\* Shown with optional trolling motor and fish/depth finder