

FEATURES & OPTIONS

	HUDSON DLX SC	HOLIDAY DLX SC	STARFISH DLX SC	RESORTER DLX SC	HOLIDAY DLX BT	STARFISH DLX BT	RESORTER DLX BT	YUKON DLX BT
HULL & DECK	5052-H36 marine-grade aluminum alloy	•	•	•	•	•	•	•
	NMMA & Canadian Coast Guard certified	•	•	•	•	•	•	•
	Flotation to latest Canadian Government and U.S. Coast standards	•	•	•	•	•	•	•
	High gloss oven-cured urethane paint	•	•	•	•	•	•	•
	Semi-V hull (R= w/ reverse chine, S= w/ square chine)	•R	•R	•R	•R	•R	•R	•S
	Aluminum clad transom	•	•	•	•	•	•	•
	Full-width self draining splashwell	-	-	-	-	-	-	-
	Deep self draining splashwell	•	•	•	•	•	•	•
	Heavy-duty tubular seat to gunnel braces	•	•	•	•	•	•	•
	Bow eye and stern eyes (E) or handles (H) (+= Stainless Steel)	•E+	•E+	•E+	•E+	•E+	•E+	•E+
Bow raised casting platform	•	•	•	•	•	•	•	-
Storage compartments (S= Storage, B= Deep-Cycle Battery, C= Center side)	S, B	S, B	S, B	S, B	S, B	S, B	C (2)	C (2)
STANDARD FEATURES	Bow SportFlo™ livewell (34", 61L/16 U.S. gal.) ¹	•	•	•	•	•	•	•
	(26", 39L/10 U.S. gal.) ¹	-	-	-	-	-	-	-
	Post-overflow	•	•	•	•	•	•	•
	Thru hull-drain	•	•	•	•	•	•	•
	Anti-spill cover	•	•	•	•	•	•	-
	7-foot lockable rod storage compartment without supports	•	•	•	•	•	•	-
	12-V bow trolling motor plug & receptacle	•	•	•	•	•	•	-
	Carpeted bow deck	•	•	•	•	•	•	-
	Floor seat bases	5	4	4	4	3	3	-
	Pedestal folding seats w/ no-pinch hinges	2	2	2	2	2	2	-
SEATS	Parallel seats at stern covered with marine-grade carpet	-	-	-	-	-	•	•
	Bow bench seat covered with marine grade carpet	-	-	-	-	-	•	•
	Side console with smoked windscreen with quick release	•	•	•	•	-	-	-
	Switch panel with McGill rocker switches with indicator lights (+= Deluxe plastic molded dash panel)	•+	•+	•+	•+	•	•	•
CONSOLES	Electrical system protection (fuses)	•	•	•	•	•	•	•
	Instrumentation : tachometer, voltmeter, speedometer, trim & fuel	•	-	-	-	-	-	-
	Electric bilge pump	•	•	•	•	•	•	•
OTHER	Navigation lights	•	•	•	•	•	•	•
	Interior light	1	-	-	-	-	-	-
	Holding handle(s)	2	-	1	1	1	1	-
	Battery holder(s)	2	2	2	2	2	2	1
	Built-in fuel system	•	-	-	-	-	-	-
	Pressure treated wood floor (5/8") covered with marine-grade vinyl	•	•	•	•	•	•	•
DEALER INSTALLED OPTIONS	Complete beige canvas enclosure	•	•	•	•	•	•	•
	Sun top	•	•	•	•	•	•	•
	Pedestal folding seat with no-pinch hinges	•	•	•	•	•	•	•
COLORS	Lowrance® X-50 DS fish/depth finder with water temperature, gimbal brackets and swivel adaptor	•	•	•	•	•	•	•
	Red & beige	•	•	•	•	•	•	•

SPECIFICATIONS

	Center line	Beam	Bottom width	Max. depth	Approx. draft	Transom height	Approx. weight	NMMA (USA) / TRANSPORT CANADA				ALUMINUM THICKNESS		GAS TANK
								Max. H.P. cap.	Max. weight cap.	Max. weight person cap.	Max. person cap.	Bottom	Side	
Hudson DLX SC	5.9 m (19'-4")	2.2 m (84")	1.8 m (69")	0.8 m (33")	0.7 m (27")	0.5 m (20")	336 kg (740 lb.)	67 kW (90 H.P.)	804 kg (1773 lb.)	531 kg (1171 lb.)	** 9 [7]	2.5 mm (.100")	1.8 mm (.072")	BUILT-IN (w/ in-dash gauge) 68 L (18 U.S. gal.)
Holiday DLX SC	5.0 m (16'-4")	2.1 m (82")	1.8 m (69")	0.8 m (30")	0.6 m (24")	0.5 m (20")	281 kg (620 lb.)	45 kW (60 H.P.)	610 kg (1345 lb.)	383 kg (844 lb.)	** 6 [5]	2.3 mm (.090")	1.8 mm (.072")	PORTABLE
Starfish DLX SC	4.9 m (16'-0")	1.9 m (73")	1.6 m (63")	0.7 m (29")	0.4 m (17")	0.5 m (20")	231 kg (510 lb.)	30 kW (40 H.P.)	597 kg (1317 lb.)	408 kg (899 lb.)	** 7 [5]	1.8 mm (.072")	1.6 mm (.064")	PORTABLE
Resorter DLX SC	4.4 m (14'-6")	1.9 m (73")	1.6 m (63")	0.7 m (29")	0.4 m (17")	0.5 m (20")	206 kg (455 lb.)	30 kW (40 H.P.)	469 kg (1035 lb.)	280 kg (617 lb.)	** 5 [3]	1.8 mm (.072")	1.6 mm (.064")	PORTABLE
Holiday DLX BT	5.0 m (16'-4")	2.1 m (82")	1.8 m (69")	0.8 m (30")	0.6 m (24")	0.5 m (20")	265 kg (585 lb.)	37 kW (50 H.P.)	610 kg (1345 lb.)	383 kg (844 lb.)	** 6 [5]	2.3 mm (.090")	1.8 mm (.072")	PORTABLE
Starfish DLX BT	4.9 m (16'-0")	1.9 m (73")	1.6 m (63")	0.7 m (29")	0.4 m (17")	0.5 m (20")	213 kg (470 lb.)	30 kW (40 H.P.)	597 kg (1317 lb.)	408 kg (899 lb.)	** 7 [5]	1.8 mm (.072")	1.6 mm (.064")	PORTABLE
Resorter DLX BT	4.4 m (14'-6")	1.9 m (73")	1.6 m (63")	0.7 m (29")	0.4 m (17")	0.5 m (20")	181 kg (400 lb.)	24 kW (30 H.P.)	469 kg (1035 lb.)	280 kg (617 lb.)	** 5 [3]	1.8 mm (.072")	1.6 mm (.064")	PORTABLE
Yukon DLX BT	4.3 m (14'-3")	1.7 m (68")	1.4 m (57")	0.7 m (28")	0.4 m (17")	0.4 m (15")	146 kg (322 lb.)	19 kW (25 H.P.)	372 kg (821 lb.)	225 kg (496 lb.)	** 4 [3]	1.6 mm (.064")	1.4 mm (.057")	PORTABLE

** Max. person cap.: NMMA (Transport Canada)

For a complete list of standard and optional equipment, see pages 26-28. Photomontages show various features and options. Some accessories shown may not be available on all models.

• Standard ○ Option 1 All our livewells are electric-filled and aerated. Boat/motor/trailer packages available with Mercury® outboard power.

Utility Series & Cartops

Fishing Fun

Are you nostalgic for the good old days when you fished with worms from a rusty soup can? The boat is still alive and well, and more than capable of creating lifelong memories for your family.



A full-width splashwell to help keep everything dry*



Optional side console with steering wheel for easier control



High-gloss paint resists weather and fading



Oar locks*

*Some models



Holiday™



Resorter®



Ungava



Starfish™



Yukon®



FEATURES & OPTIONS

		UTILITES							CARTOPS	
		HOLIDAY	STARFISH 20	STARFISH 15	RESORTER 20	YUKON 15	FISHERMAN	UNGAVA	SCAMPER	SEASPRITE
STANDARD FEATURES	HULL & DECK									
	5052-H36 marine-grade aluminum alloy	•	•	•	•	•	•	•	•	•
	NMMA & Canadian Coast Guard certified	•	•	•	•	•	•	•	•	•
	Flotation to latest Canadian Government and U.S. Coast standards	•	•	•	•	•	•	•	•	•
	High gloss exterior paint (P) with decal package (D)	P,D	P,D	P,D	P,D	P,D	P,D	P,D	D	D
	Non-skid anti-glare interior paint finish	•	•	•	•	•	•	•	•	•
	Semi-V hull (R = with reverse chine, S = with square chine)	•R	•R	•R	•R	•S	•S	•S	•	•
	Aluminum clad transom	•	•	•	•	•	•	•	•	•
	Full-width self draining splashwell	•	•	•	•	•	•	•	•	•
	Heavy-duty tubular seat to gunnel braces	•	•	•	•	•	•	•	•	•
SEATS	Bow eye and stern eyes (E) or handles (H) (+= Stainless steel)	•E+	•H	•H	•H	•H	•H	•H	•H	•H
	Oar lock socket	-	-	-	-	-	-	-	-	-
	Parallel seats at stern	•	•	•	•	•	•	•	-	-
	Bulkhead center seat	•	•	•	•	•	•	•	•	•
DEALER INSTALLED OPTIONS	Bow bench seat	•	•	•	•	•	•	•	•	•
	Durable ribbed polyethylene seat covering	•	•	•	•	•	•	•	-	-
	Sun top	○	○	○	○	○	○	○	-	-
	Complete side console...dark blue	○	○	○	○	○	○	○	-	-
COLORS	Console only...dark blue	○	○	○	○	○	○	-	-	-
	Smoked windscreen	○	○	○	○	○	○	-	-	-
	Monochrome pedestal folding seat with no-pinch hinges	○	○	○	○	○	○	○	-	-
Natural	-	-	-	-	-	-	-	•	•	
Blue	•	•	•	•	•	•	•	-	-	

• Standard ○ Option Boat/motor packages are available with Mercury® outboard power.



HOLIDAY



STARFISH




RESORTER




YUKON



FISHERMAN



UNGAVA



SCAMPER



SEASPRITE

SPECIFICATIONS

HOLIDAY

STARFISH 20"

STARFISH 15"

RESORTER 20"

YUKON 15"

FISHERMAN

UNGAVA

SCAMPER

SEASPRITE

Utility Series & Cartops




Fisherman



Scamper



Seasprite



Plenty of durable seating

Non-skid, anti-glare interior finish

Ribbed polyethylene seat covering*

Parallel seats at stern*



Aluminum-clad, hassle-free transom

Full-width splashwell*

Wide and stable bottoms

Holiday



Our exclusive polyethylene seat comes standard and stays dryer than wood seats*




The stern parallel seats make moving around much easier.*

Center line	Beam	Bottom width	Max. depth	Approx. draft	Transom height	Approx. weight	NMMA (USA) / TRANSPORT CANADA				ALUMINUM THICKNESS		GAS TANK
							Max. H.P. cap.	Max. weight cap.	Max. weight person cap.	Max. person cap.	Bottom	Side	
5.0 m (16'-4")	2.1 m (83")	1.8 m (69")	0.8 m (30")	0.6 m (22")	0.5 m (20")	170 kg (375 lb.)	37 kW (50 H.P.)	621 kg (1370 lb.)	394 kg (869 lb.)	** 6 [5]	2.3 mm (.090")	1.8 mm (.072")	PORTABLE
4.9 m (16'-0")	1.9 m (73")	1.6 m (63")	0.7 m (29")	0.4 m (16")	0.5 m (20")	136 kg (300 lb.)	30 kW (40 H.P.)	591 kg (1303 lb.)	401 kg (885 lb.)	** 7 [5]	1.8 mm (.072")	1.6 mm (.064")	PORTABLE
4.9 m (16'-0")	1.9 m (73")	1.6 m (63")	0.7 m (29")	0.4 m (17")	0.4 m (15")	133 kg (293 lb.)	30 kW (40 H.P.)	499 kg (1100 lb.)	309 kg (682 lb.)	** 5 [4]	1.8 mm (.072")	1.6 mm (.064")	PORTABLE
4.4 m (14'-6")	1.9 m (73")	1.6 m (63")	0.7 m (29")	0.4 m (16")	0.5 m (20")	121 kg (267 lb.)	24 kW (30 H.P.)	489 kg (1079 lb.)	300 kg (661 lb.)	** 5 [3]	1.8 mm (.072")	1.6 mm (.064")	PORTABLE
4.3 m (14'-3")	1.7 m (68")	1.4 m (57")	0.7 m (28")	0.4 m (17")	0.4 m (15")	93 kg (205 lb.)	19 kW (25 H.P.)	372 kg (821 lb.)	225 kg (496 lb.)	** 4 [3]	1.6 mm (.064")	1.4 mm (.057")	PORTABLE
4.3 m (14'-0")	1.5 m (60")	1.3 m (51")	0.7 m (26")	0.4 m (13")	0.4 m (15")	79 kg (175 lb.)	15 kW (20 H.P.)	372 kg (820 lb.)	225 kg (495 lb.)	** 4 [3]	1.4 mm (.057")	1.3 mm (.051")	PORTABLE
3.7 m (12'-0")	1.5 m (60")	1.3 m (51")	0.6 m (25")	0.4 m (13")	0.4 m (15")	71 kg (156 lb.)	12 kW (15 H.P.)	318 kg (700 lb.)	226 kg (498 lb.)	** 4 [3]	1.4 mm (.057")	1.3 mm (.051")	PORTABLE
4.3 m (14'-4")	1.5 m (58")	1.1 m (45")	0.5 m (21")	0.4 m (13")	0.4 m (15")	68 kg (150 lb.)	12 kW (15 H.P.)	340 kg (750 lb.)	249 kg (548 lb.)	** 4 [3]	1.3 mm (.051")	1.3 mm (.051")	PORTABLE
3.7 m (12'-4")	1.5 m (58")	1.1 m (45")	0.5 m (21")	0.4 m (13")	0.4 m (15")	59 kg (130 lb.)	8 kW (10 H.P.)	281 kg (620 lb.)	190 kg (418 lb.)	** 3 [2]	1.3 mm (.051")	1.3 mm (.051")	PORTABLE

** Max. person cap.: NMMA [Transport Canada]

*Some models.

When you build it better,
it performs better.



Built using a stronger aluminum alloy: 5052-H36

Why do we use the toughest aluminum?

- We insist on 5052-H36 throughout our boats because we won't compromise on durability
- 5052-H36 is 25% harder than other aluminum used by some competitors
- Provides uniform strength and a truer hull shape
- Provides a better ride, more durability and lasting value

Aluminum boats are lighter (Fiberglass is 50% heavier than aluminum), and aluminum hulls:

- Provide better performance from a smaller engine
- Plane faster and stay on plane at slower speeds
- Provide better fuel efficiency and easier trailering
- Require less maintenance than fiberglass
- Can be beached on a rocky shore without chipping or cracking the hull
- Are more durable, which is why they manufacture airplanes and semi-trucks from aluminum



State-of-the-art engineering and hulls that have been performing for more than 50 years.

Better-performing hulls made using:

- State-of-the-art combination of computer assisted design and SolidWorks® 3-D software.
- High-tech CNC cutting equipment so cuts are extremely precise.
 - Every component fits precisely and lasts longer.
 - The biggest difference in assembly from model to model are the serial numbers.
- One-piece aluminum hull bottoms ensure optimum strength and rigidity for the lifetime of the boat.*



- We further reinforce hulls with:
 - 5052-H36 center keel from stern to mid-ship.
 - 5052-H36 brace-plate from mid-ship to bow.
- Boats absorb most pounding at the bow:
 - Princecraft twin-plates most deep-V hulls from bow to mid-ship.
- Go the extra step of double-plating at the chine where the hull bottom is fastened to the hull sides.
 - Transfers the stress from the bottom to the side panels.
 - Prevents cracking of the side panels or bottom.

A With increased power at the back of every boat we combined longitudinal and transversal framing to strengthen the hull.

Proven fastening methods

- Rivets are the most dependable fastening method ever invented
 - High-stress vehicles like airplanes are constructed with riveted seams
- Princecraft boats, like airplanes are engineered with riveted seams for years of reliability.
- Princecraft double rivets where the hull bottom is joined to the sides and stern.
- The structural members of all models 18' and longer are riveted with 1/4" - shank diameter solid-aluminum rivets where it counts.

Wider, more stable bottoms

- B** Princecraft has some of the widest bottoms in the industry for increased stability and fishability.
- Up to an 18-degree deadrise depending on size of the hull for much more comfort especially in big, rough water.

Our hulls perform better for a variety of reasons

- Princecraft hulls are precision-tested for enhanced performance and safety
- Our engineering has lead to some breakthroughs in hull design
 - Wider bottoms for unmatched stability
 - Reverse chine hull design*
 - Provides lift so the boat gets on plane faster
 - Lift also provides less hull resistance in the water
 - Double-reverse chine hull design
 - Adapts to the speed and load of the boat
 - The outer chine enhances performance at slower speeds or heavier loads
 - The inner chine enhances performance when the boat is running at higher speeds or with lighter loads
- Performance-proven hulls offer better handling and control
- Lightweight aluminum hulls that perform better are also more fuel efficient
- Deeper-V hulls cut through the water better and offer a dry, comfortable ride

*Most models




Unmatched fit and finish

- No other aluminum boat manufacturer can match our craftsmanship.
- Compare fit and finish with any other boat.
- Ⓒ Inspect hull sides and seams.
- Notice we have no exposed wiring or gaps in components.
- If you see sloppy seams and joints on competitors' boats, imagine the level of quality in parts you can't see
- You can easily recognize the quality and durability built into every Princecraft boat.
- Other buyers will too, if you ever decide to sell your boat.

More fishing extras

- Ⓓ More room for gear, buddies and rods – 9 models have large rod organizers.
- Ⓔ Very comfortable fishing seats with easy-change seats and posts.
 - Three livewell systems: ProFlo Plus, ProFlo 1 and SportFlo depending on model.
- Ⓕ Toe kick and lots of handles for more convenience.
 - Waterproof electrical marine connectors.
- Ⓖ Among the largest built-in fuel tanks.
- Ⓗ Larger motorwells for increased safety in rough water.



Princecraft Proflo™ Plus livewell system

Our exclusive Proflo Plus is perhaps the smartest livewell system ever invented. Its two-pump system keeps water fresher. One pump fills the livewell and the other recirculates, to keep fresh water continuously replenished. So bait fish and your catch stay healthy while running or docked. Plus, timed aeration, controlled from the helm, ensures you can stay focused on what you're on the water to do - catch fish.

Unrivaled Mercury Power

- Provides optimum performance and reliability
- Choose Mercury's OptiMax 2-Stroke Direct Fuel Injected engines or FourStroke outboard engines
- Princecraft boats are available with Mercury Verado FourStroke outboard power
- Princecraft has achieved Mercury's Installation Quality Certification on all Mer cruiser powered boats
- All of Mercury's OptiMax and FourStroke engines are covered with a 3 year limited warranty



Hassle-free boating experience

- Quality through and through enhances every day on the water
- We offer the best limited warranty in the industry from hull to canvas enclosure
- It's our assurance our boats are built every bit as good as we say they are



Go to pages 34-39 or visit Princecraft.com for more details.

Trailers

DURABILITY AND PERFORMANCE ARE JUST AS IMPORTANT IN YOUR TRAILER.

At Princecraft, we want you to have incredible experiences boating. Including the transportation of your boat and your time at the ramp. So we don't treat trailers as an afterthought. Every trailer is custom-engineered to each model, with the same level of craftsmanship as our legendary boats.



FEATURES & OPTIONS		SP 206 SE SP 207 SE	SP 198 SE	SP 186 SE	SP 176 SE	SP 178 SC SE	SP 176 FNP SE	PRO 206 PRO 207	SP 198	PRO 186	PRO 176	PRO 179 LX SC	SP 178 SC, PRO 174 SS	SP 176 FNP	PRO 169 LX, 169 BT, 166
STANDARD FEATURES	Painted bunk style trailer	•	•	•	•	•	•	•	•	•	•	•	•	•	•
	Galvanized bunk style trailer	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Single axle (S= with swing tongue)	-	•S	•S	•S	•S	•S	•S	•S	•S	•	•	•	•	•
	Tandem axle (S= with swing tongue)	•S	-	-	-	-	-	-	-	-	-	-	-	-	-
	Brakes (D= Disc brakes)	•D	•D	•D	•D	-	-	•S	•	•	•	•	-	-	-
	Carpeted fixed bunks	•	•	•	•	•	•	•	•	•	•	•	•	•	•
	Carpeted load guides	•	•	•	•	•	•	•	•	•	•	•	•	•	•
	Built-in steps & composite fenders	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Checker polished aluminum covered step pads	•	•	•	•	•	•	-	-	-	-	-	-	-	-
	Bearing protectors	•	•	•	•	•	•	•	•	•	•	•	•	•	•
	Swivel tongue jack	•	•	•	•	•	•	•	•	•	•	•	•	•	•
	Ball coupler	2"	2"	2"	2"	2"	2"	2"	2"	2"	2"	2"	2"	2"	2"
	Weight (lb./kg)	1215/551	1015/460	575/260	505/229	505/229	490/222	1215/551	1015/460	575/260	505/229	520/235	505/229	490/222	475/215
	Carrying capacity (lb./kg)	5785/2624	3285/1490	2945/1336	3015/1368	2355/1068	2370/1075	5785/2624	3285/1490	2945/1336	3015/1368	2340/1061	2355/1068	2370/1075	2245/1018
Wheels with radial tires	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
Tire size	ST205/75R14 C	ST225/75R15 C	ST205/75R14 C	ST205/75R14 C	ST205/75R14 C	ST205/75R14 C	ST205/75R14 C	ST225/75R15 C	ST205/75R14 C	ST205/75R14 C	ST205/75R14 C	ST205/75R14 C	ST205/75R14 C	ST175/80R13 C	
Factory balanced steel wheel	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
OPTIONS	Galvanized bunk trailer	-	-	-	-	-	-	UE	UE	UE	UE	UE	UE	UE	UE
	Swing tongue	-	-	-	-	-	-	-	-	-	UE	UE	UE	UE	UE
	Deluxe transom tie downs	○	○	○	○	○	○	○	○	○	○	○	○	○	○
	Transom saver motor support bar	○	○	○	○	○	○	○	○	○	○	○	○	○	○
	Carpeted load guides	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Spare wheel	○	○	○	○	○	○	○	○	○	○	○	○	○	○
	Aluminum Star wheel	UE	UE	UE	UE	UE	UE	UE	UE	UE	UE	UE	UE	UE	-
	Aluminum spare Star wheel	○	○	○	○	○	○	○	○	○	○	○	○	○	-
COLOR OPTIONS		■	■	■	■	■	■	■	■	■	■	■	■	■	■

• Standard ○ Option UE Upgrade Exchange ■ Black ■ Beige ■ Galvanized

Canvas

A CUSTOM CANVAS TOP IS THE PERFECT WAY TO ENHANCE ANY DAY ON THE WATER.

Be prepared for any kind of weather with our custom-fitted canvas enclosures. By using the same precise specs to position the fasteners on every model your top fits perfectly at every snap.

PRINCECRAFT CANVAS IS BETTER

- Only the most durable marine-tested fabric is used
- Each snap is mounted on molding at a 45-degree angle for better securing, easier removal
- Additional clear acrylic coating is applied to back side of fabric to repel water
- Every canvas enclosure is crafted to Princecraft's standard of quality

ADVANTAGES OF POLYESTER FABRIC

- Superior strength and tear resistance over solution-dyed acrylic marine fabrics
- Much higher degree of water repellence
- Significantly greater dimensional stability
- Vastly superior abrasion resistance



WARRANTY

Princecraft canvas comes with a 5-year limited warranty against excessive loss of color or strength under normal exposure conditions, including sunlight, rot, mildew and atmospheric chemicals.



Complete canvas enclosure for side console models^{1,2}



For most models with walk thru windshield, stand up high top with curtains' color-coordinated to your boat



Bow trolling motor can be installed even when canvas is up



Cockpit cover^{1,2}



Sun top^{1,2}

Optional Equipment

1. Port side-console
2. Kicker engine
3. Reclining captain's chair with arm and headrest
4. Deluxe folding fishing seat
5. Folding fishing seat
6. Bicycle seat
7. Full-width rear bench seat
8. Bow cushion set
9. Fold-out sleeper seat
10. AM/FM/CD player Sirius compatible and MP3-ready
11. Marine-grade vinyl flooring
12. Snap-on carpet
13. Chemical toilet
14. Tilt-steering wheel
15. Mercury SmartCraft™ gauges
16. Dual controls for optional kicker engine installation
17. Battery charger
18. Lowrance® X-50 DS fishdepth finder
19. Ski pylon
20. Removable ski-tow bar
21. Downrigger installation support system
22. Windshield wiper
23. Stern boarding ladder

Please consult optional features chart for details and availability.

1. Remember to refer to your Owner's Manual for information concerning carbon monoxide and the use of canvas while boat is underway.
2. Offered in beige





Optional Equipment

		SUPER PRO SPECIAL EDITIONS		SUPER PRO TOURNAMENT	SUPER PRO FISH'N PROMENADE	PRO SERIES®									
		207 SE ³	206 SE ³ 186 SE ³ 176 SE ³	198 SC ¹ 178 SC ¹	176 FNP ¹	FISHING			SUPER SPORT		PRO				
						207	206 186 176	166	174 SS	164 SS	179 LX SC 169 LX SC	169 BT	165 SC	165 BT	
FACTORY INSTALLED OPTIONS	Port console with quick-release smoked windscreen	-	-	o ¹	-	-	-	-	-	-	-	-	-	-	
	Port-side sleeper seat	UE	UE	-	-	o	o	o	o	o	-	-	-	-	
	Reclining captain's chair with adjustable armrests on a fixed post and base for driver or companion seat	UE	UE	UE ^{1,2}	-	-	-	-	-	-	-	-	-	-	
	AM/FM/CD Player, Sirius Satellite compatible and MP3 Ready (+ = 208 Watt)	UE+	UE+	UE+ ³	UE+ ³	-	-	-	o	o	o	-	o	-	
	Vinyl floor covering	UE	UE	-	-	UE	UE	UE	UE	UE	-	-	-	-	
	SmartCraft gauges (speedometer, tachometer, trim and fuel) for Optimax and Verado engines	-	-	UE	-	UE	UE	-	UE	UE	-	-	-	-	
	Sea Star hydraulic steering system with tilt wheel (Optimax + non-Verado 4 stroke engines)	-	-	UE	-	UE	UE	-	UE	-	-	-	-	-	
	Chemical toilet with holding tank & pump out (11 L / 3 U.S. gal.)	o	-	-	-	o	o	-	-	-	-	-	-	-	
Tilt steering mechanism	-	-	-	-	UE	UE	UE	-	-	-	-	-	-		
Mercury 9.9 BF 4 stroke kicker engine	o	o	o ¹	-	o	o	-	o	-	-	-	-	-		
canvas	SH= Stand-up high CE= Canvas enclosure CC= Cockpit cover CT= Convertible top ST= Sun top		SH, CC	SH, CC	ST ¹	SH ¹ , CT ¹ , CC ¹	SH, CC	SH, CC	SH, CC	SH, CC	SH, CC	CE, ST	ST	CE, ST	ST
DEALER INSTALLED OPTIONS SEATS	Bow rider seat cushions	o	o	-	-	-	-	-	-	-	-	-	-	-	
	Coaming pads & bow rider seat cushions	-	-	-	-	o	o	o	o	o	o	o	o	o	
	Monochrome pedestal seat with spider and post (DS= Deluxe)	o DS	o DS	o DS ¹	o DS ¹	o	o	o	o	o	o	o	o	o	
	Full-width rear bench seat (2 pcs)	-	-	-	-	-	-	-	o	o	o	o	o	o	
	Bicycle seat with 27" post	o	o	o ¹	o ¹	o	o	o	o	o	o	o	o	o	
	Downrigger supports	o	o	o ¹	o ¹	o	o	o	o	o	o	o	o	o	
	Lowrance fish/depth finder with water temperature, gimbal brackets and swivel adaptor	-	-	-	-	-	-	-	o	o	o	o	o	o	
Pantographic parallel arm starboard side wiper	o	o	-	o ¹	o	o	o	o	o	o	o	o	o		
Onboard battery charger for 1, 2 or 3-12 V battery	o (1)(2)	o (1)(2)	o (3) ¹	-	o (1)(2)	o (1)(2)	o (1)(2)	o (1)(2)	o (1)(2)	-	o (1)(2)	o (1)(2)	-		
Stern boarding ladder	-	-	o	o	o	o	o	o	o	o	o	o	o		
Combo-poly swim platform with telescoping ladder	o	o	-	-	o	o	o	o	o	o	o	o	o		
B= Removable water ski tow bar, P= Ski pylon	o P	o P	-	o B ¹	o P	o P	o P	o P	o P	o B	-	-	-		
Snap-in carpet (available with vinyl flooring)	o	o	-	-	o	o	o	-	-	-	-	-	-		
Colors	SE	SE	SE	SE	SE	SE	SE	SE	SE	SE	SE	SE	SE	SE	

o Option UE Upgrade Exchange SE Black and Dark Beige Metallic ■ Black ■ Red ■ Blue 1 Also available in Special Edition version. See pages 4-5 for details. 2 Not available with optional dual control installation. 3 Only available in Special Edition version.



Pontoons



Deck Boats

Why weekends are shorter on a Princecraft than any other boat?

Have you ever noticed how quickly time passes when you're in your element? When you're doing what you were put on earth to do, and everything falls into place, time flies. Princecraft boats are engineered to offer you nothing short of perfect days on the water. And when you're out there fishing in your favorite spot and everything feels exactly right, the weekend is just too short. Might we suggest you just quit that job that keeps you from fishing full-time. At least you'd have the boat that enables you to fish like a pro.

For details on why a Princecraft is the best boat for you,
visit www.princecraft.com
or to find the dealer nearest you call 1-800-395-8858.

Remember, life vests float, you don't.

Everything we do at Princecraft comes from our desire for your family to have the times of your life with our boats. And safety is a big part of your experience. That's why we encourage you to always wear life preservers while aboard any moving vessel.



In Canada: **Princecraft Boats Inc.**, A subsidiary of Brunswick International Limited, 725 Saint-Henri Street, Princeville (Quebec) G6L 5C2.
In the United States: **Princecraft U.S.**, A division of Brunswick Corporation, 1 N. Field Court, Lake Forest, IL 60096.

Special thanks to:

- Berkley®, Blue Fox®, Brecks®, Columbia Sportswear Company®,
- Cros®™, Flambeau Outdoors®, Helly-Hansen®,
- Hot Spot Fishing & Lures LTD.®, Mercury Marine®,
- Mustang Survival®, Orizon Inc., Rapala®, Scotty®,
- Shimano®, Storm™



Princecraft factory-packaged boats are available with various horsepower Mercury® outboard.



PLEASE READ CAREFULLY: Dimensions, capacities, ratings, and additional specifications, plus complete warranty and service information, are available from your Princecraft dealer. Product illustrations and data within this catalog are based upon information available at the time of publication. Not all accessories shown in pictures or described herein are standard equipment or even available as options. Specification measurements are approximations and subject to variance. Because Princecraft is dedicated to constant product improvements, Princecraft reserves the right to make changes without prior notice or obligation. Not all model year boats may contain all of the features or meet the specifications described herein. Ask your Princecraft dealer for the most current product specifications prior to purchase. Some of the equipment shown separately or on products illustrated in this catalog may be optional at extra cost.

Princecraft is a member in good standing of the National Marine Manufacturers Association (NMMA) and the Canadian Marine Manufacturers Association (CMMA). All boats comply with Canadian Coast Guard and U.S. Coast Guard regulations. All Princecraft® boats are in compliance with NMMA and CMMAs Boat Certification Program. Attwood™ is a registered trademark of Attwood Corporation. Clarion™ is a registered trademark of Clarion Sales Corporation. Faria™ is a registered trademark of TG Faria, Inc. Pilot™ is a registered trademark of TG Faria, Inc. Flow-Rite™ is a registered trademark of Flow-Rite Controls. Lowrance® is a registered trademark of Lowrance Electronics, Inc. Marincó™ is a registered trademark of Marincó-AFI. McGill™ is a registered trademark of Emerson Electronics. Mercury®, MerCruiser®, Verado™, OptiMax® and SmartCraft™ are registered trademarks of Mercury Marine.