



Pro Series® Windshield

You can find our Pro Series boats where all-day fishability and all-day comfort meet. If you're fortunate enough to be chasing fish from sunrise to sunset your boat better have the features and comfort to make every minute a fantastic experience. With raised casting platforms, rod storage and an aerated electric-fill livewell standard, we've also included more fishing extras than any other boat in this class.



Convenient rod organizer*

Jump seats fold-down into a casting platform*

AM/FM/CD Stereo with iPod controls and Sirius Satellite ready*

Side panels with lockable storage*

* Most models





CRAFT

Pro 176


Pro 176



Pro 207

SPECIFICATIONS	Center line	Beam	Chine width	Max. depth	Approx. draft	Transom height	Approx. weight	NMMA (USA) / MANUFACTURER'S RECOMMENDATIONS				ALUMINUM THICKNESS		BUILT-IN GAS TANK (w/ in -dash gauge)
								Max. H.P. cap.	Max. weight cap.	Max. weight person cap.	Max. person cap.	Bottom	Side	
PRO 207	6.1 m (20'-0")	2.5 m (100")	2.1 m (84")	1.3 m (50")	0.9 m (34")	0.6 m (25")	826 kg (1820 lb.)	168 kW (225 H.P.)	1002 kg (2209 lb.)	612 kg (1350 lb.)	10	2.8 mm (.110")	1.8 mm (.072")	227 L (60 U.S. gal.)
PRO 206	6.1 m (20'-0")	2.5 m (99")	2.1 m (84")	1.2 m (48")	0.9 m (34")	0.6 m (25")	821 kg (1810 lb.)	168 kW (225 H.P.)	1002 kg (2209 lb.)	612 kg (1350 lb.)	10	2.8 mm (.110")	1.8 mm (.072")	227 L (60 U.S. gal.)

For a complete list of standard and optional equipment, see pages 38-43. Photomontages show various features and options. Some accessories shown may not be available on all models.



Pro 207 & 206 Fishing Series



Pro 206



- Plus many more features...
- Double-plated aluminum bottom
 - Double-reverse chine hull design
 - Automatic electric bilge pump
 - 12-volt or 24-volt deluxe trolling motor panel
 - Molded dash with fully-lit switch panel
 - No-feedback™ steering system

ProFlo™ livewell with minnow bucket, timer and recirculation (77 L / 20 U.S. gal.)

Lowrance® X-50 DS fish/depth finder on swiveling bracket



Removable deck insert with floor base

AM/FM/CD stereo with iPod controls and Sirius Satellite Ready

Lockable 12-rod organizer

3 folding fishing seats

Lockable storage in both sides



2 jump seats (with removable cushions on Pro 206)

ProFlo™ livewell with light, timer and recirculation (129 L / 34 U.S. gal.) or a fish box (40" x 15" x 21") (Pro 206)

PRO 206
Photomontage may show various features and options.

The double-reverse chine is designed for the outer chine to enhance performance at slower speeds or with heavier loads, while the inner chine enhances performance when the boat is running at higher speeds or with lighter loads

Open storage under the casting platform allows one to store a cooler or a tackle box

The Pro 207 has a ProFlo™ livewell with minnow bucket, light, timer and recirculation (64 L / 17 U.S. gal.) at the stern

Privacy enclosure located under fold-down seat and optional chemical toilet (Pro 207)


Molded dash with fully-lit switch panel



Pro 176



SPECIFICATIONS	Center line	Beam	Chine width	Max. depth	Approx. draft	Transom height	Approx. weight	NMMA (USA) / TRANSPORT CANADA				ALUMINUM THICKNESS		BUILT-IN GAS TANK (w/ in -dash gauge)
								Max. H.P. cap.	Max. weight cap.	Max. weight person cap.	Max. person cap.	Bottom	Side	
Pro 186	5.6 m (18'-6")	2.4 m (95")	2.0 m (80")	1.2 m (46")	0.8 m (33")	0.6 m (25")	676 kg (1490 lb.)	131 kW (175 H.P.)	863 kg (1902 lb.)	525 kg (1158 lb.)	** 8 [7]	2.8 mm (.110")	1.8 mm (.072")	151 L (40 U.S. gal.)
Pro 176	5.3 m (17'-6")	2.3 m (92")	2.0 m (80")	1.0 m (41")	0.8 m (31")	0.6 m (25")	635 kg (1400 lb.)	112 kW (150 H.P.)	787 kg (1736 lb.)	450 kg (992 lb.)	** 7 [6]	2.5 mm (.100")	1.8 mm (.072")	151 L (40 U.S. gal.)



Pro 186

Pro 176

** Max. person cap.: NMMA [Transport Canada]
 For a complete list of standard and optional equipment, see pages 38-43. Photomontages show various features and options. Some accessories shown may not be available on all models.


Pro 186 & 176 Fishing Series



Pro 186



- Plus many more features...**
- Double-plated aluminum bottom
 - Double-reverse chine hull design
 - 2 fishing seats and 2 fold-down jump seats
 - Stern converts from two jump seats to a casting platform
 - Tinted windshield
 - Deep cycle battery storage



12-volt or 24-volt deluxe trolling motor panel



Removable deck insert with floor base

Lowrance® X-50 DS fish/depth finder on swiveling bracket

Aerated Proflo™ livewell with minnow bucket, light, timer and recirculation (64 L / 17 U.S. gal.)

AM/FM/CD stereo with iPod controls and Sirius Satellite ready

Molded dash with fully-lit switch panel

No-feedBack™ steering system

Lockable 6-rod organizer

Lockable storage in both side panels



Pro 186
Photomontage may show various features and options.



Stern Proflo™ livewell with minnow bucket Optional vinyl flooring with snap-in carpet



Stern converts into a casting platform with 2 fold-down jump seats and a livewell



Lockable 6-rod organizer



Handle for stability in rough water



Aerated Proflo™ livewell with minnow bucket, light, timer and recirculation (64 L / 17 U.S. gal.)

Pro 185 GL Fishing Series



Pro 185 GL



Plus many more features...

- Double-plated aluminum bottom
- Double-reverse chine hull design
- 2 folding fishing seats
- Tinted windshield
- Deep cycle battery storage
- Lowrance® X-50 DS fish/depth finder on swiveling bracket
- Wash down system

Aerated Proflo™ livewell with minnow bucket, light, timer and recirculation (77 L / 20 U.S. gal.)

12 or 24-volt trolling motor plug and receptacle

Molded dash with fully-lit switch panel

Am/FM/CD stereo with iPod controls and Sirius Satellite Ready


No-feedBack™ steering system

In-floor lockable storage compartment


Rod holders on each side

Stern rod holders (2)

Insulated fish box



Pro 185 GL
Photomontage may show various features and options.



PRO 185 GL

- Livewell
- Storage Compartment
- Rod Storage
- Ice Chest



SPECIFICATIONS	Center line	Beam	Chine width	Max. depth	Approx. draft	Transom height	Approx. weight	NMMA (USA) / TRANSPORT CANADA				ALUMINUM THICKNESS		BUILT-IN GAS TANK (w/ in -dash gauge)
								Max. H.P. cap.	Max. weight cap.	Max. weight person cap.	Max. person cap.	Bottom	Side	
Pro 185 GL	5.6 m (18'-6")	2.4 m (95")	2.0 m (80")	1.2 m (46")	0.8 m (33")	0.6 m (25")	658 kg (1450 lb.)	131 kW (175 H.P.)	863 kg (1902 lb.)	525 kg (1158 lb.)	6	2.8 mm (.110")	1.8 mm (.072")	151 L (40 U.S. gal.)


For a complete list of standard and optional equipment, see pages 38-43. Photomontages show various features and options. Some accessories shown may not be available on all models.

Pro 166 Fishing Series



Plus many more features...

- 2 folding fishing seats
- Lockable storage in side panel
- AM/FM/CD stereo with iPod controls and Sirius Satellite Ready
- Molded dash with fully-lit switch panel



Pro 166

12 or 24-volt bow trolling motor panel

Lowrance® X-50 DS fish/depth finder on swiveling bracket

Aerated Sportflo™ livewell (64 L / 17 U.S. gal.)

Removable deck insert

Deep cycle battery storage



7-foot lockable rod storage

No-feedBack™ steering system

fold-down jump seats that can be converted to a casting platform



Pro 166
Photomontage may show various features and options.



- Livewell
- Storage Compartment
- Rod Storage
- Ice Chest




SPECIFICATIONS	Center line	Beam	Chine width	Max. depth	Approx. draft	Transom height	Approx. weight	NMMA (USA) / TRANSPORT CANADA				ALUMINUM THICKNESS		BUILT-IN GAS TANK (w/ in-dash gauge)
								Max. H.P. cap.	Max. weight cap.	Max. weight person cap.	Max. person cap.	Bottom	Side	
Pro 166	5.0 m (16'-6")	2.2 m (88")	1.8 m (71")	1.0 m (38")	0.8 m (30")	0.5 m (20")	458 kg (1009 lb.)	67 KW (90 H.P.)	620 kg (1367 lb.)	347 kg (765 lb.)	** 6 [4]	2.3 mm (.090")	1.8 mm (.072")	106 L (28 U.S. gal.)

** Max. person cap.: NMMA [Transport Canada]
For a complete list of standard and optional equipment, see pages 38-43. Photomontages show various features and options. Some accessories shown may not be available on all models.

PRO 166



Pro 174 SS



SPECIFICATIONS	Center line	Beam	Chine width	Max. depth	Approx. draft	Transom height	Approx. weight	NMMA (USA) / TRANSPORT CANADA				ALUMINUM THICKNESS		BUILT-IN GAS TANK (w/ in -dash gauge)
								Max. H.P. cap.	Max. weight cap.	Max. weight person cap.	Max. person cap.	Bottom	Side	
PRO 174 SS	5.3 m (17'-5")	2.3 m (92")	1.9 m (75")	1.0 m (40")	0.8 m (30")	0.6 m (25")	585 kg (1289 lb.)	86 kW (115 H.P.)	747 kg (1647 lb.)	411 kg (907 lb.)	** 7 (5)	2.5 mm (.100")	1.8 mm (.072")	132 L (35 U.S. gal.)
PRO 164 SS	5.0 m (16'-6")	2.1 m (84")	1.8 m (69")	0.9 m (35")	0.8 m (31")	0.5 m (20")	457 kg (1008 lb.)	56 kW (75 H.P.)	640 kg (1410 lb.)	386 kg (850 lb.)	** 6 (5)	2.3 mm (.090")	1.8 mm (.072")	77 L (20 U.S. gal.)

- Livewell
- Storage Compartment
- Rod Storage
- Ice Chest



PRO 174 SS



PRO 164 SS

** Max. person cap.: NMMA [Transport Canada]

For a complete list of standard and optional equipment, see pages 38-43. Photomontages show various features and options. Some accessories shown may not be available on all models.

Pro 174 SS & 164 SS Super Sport Series

Plus many more features...

- Double-plated aluminum bottom
- Molded dash with fully-lit switch panel
- Electric bilge pump
- 2 fishing seats and 2 fold-down jump seats

12 or 24-volt bow trolling motor panel (Pro 174 SS)¹



Removable deck insert

No-feedBack™ steering system (Pro 174 SS)

Deep cycle battery storage

Lockable 7-foot rod storage²

Holding handles

2 fishing seats and 2 fold-down jump seats

Aerated SportFlo™ livewell with minnow bucket (64 L / 17 U.S. gal.) (Pro 174 SS)³

Pro 174 SS
Photomontage may show various features and options.



Pro 164 SS



Fishing seat for casting or optional deck cushions for extra seating



5-gauge dash panel



Several handles throughout the boat



2 fold-down jump seats



SportFlo™ stern livewell (Pro 174 SS)

On the Pro 164 SS


- 1 12-volt bow trolling motor plug and receptacle
- 2 The storage is not lockable
- 3 Bow aerated SportFlo™ livewell (39 L / 10 U.S. gal.)

Super Pro 176

Fish'n Promenade Series

Fun For Everyone

Keep everyone happy in our Super Pro 176 Fish'n Promenade Series boats. With all the watersports features, and all the pro-class fishing features and options in one boat, it's the perfect backdrop for a happy family photo.



SP 176 FNP SE



Sleeper seat

Plus many more features...

- Double-plated aluminum bottom
- Molded dash with complete fully-lit instruments
- 12 or 24-volt bow trolling motor panel
- No-feedBack™ steering with tilt wheel



Plush bow seat cushions to create extra seating

Lowrance® X-50 DS fish/depth finder on swiveling bracket

Aerated Sportflo™ livewell (64 L/17 U.S. gal.)

Am/FM/CD stereo with iPod controls and Sirius Satellite Ready

Deep cycle battery storage

Lockable 7-foot rod storage

2 fishing seats

2 fold-down jump seats

Lockable storage in side panel



SP 176 FNP SE
Photomontage may show various features and options.



- Livewell
- Storage Compartment
- Rod Storage
- Ice Chest

SP 176 FNP

SPECIFICATIONS	Center line	Beam	Chine width	Max. depth	Approx. draft	Transom height	Approx. weight	NMMA (USA) / TRANSPORT CANADA				ALUMINUM THICKNESS		BUILT-IN GAS TANK (w/ in-dash gauge)
								Max. H.P. cap.	Max. weight cap.	Max. weight person cap.	Max. person cap.	Bottom	Side	
SP 176 FNP	5.3 m (17'-5")	2.3 m (92")	1.9 m (75")	1.0 m (40")	0.8 m (30")	0.6 m (25")	588 kg (1296 lb.)	86 kW (115 H.P.)	747 kg (1647 lb.)	411 kg (907 lb.)	** 7 [5]	2.5 mm (.100")	1.8 mm (.072")	132 L (35 U.S. gal.)

** Max. person cap.: NMMA [Transport Canada]
For a complete list of standard and optional equipment, see pages 38-43. Photomontages show various features and options. Some accessories shown may not be available on all models.

Pro Series Open Fishing Boats

FOR ANGLERS ON THE GO

The world is two-thirds water, and our Pro Series boats were designed to cover most of it. If you're always moving from hole to hole, lake to lake, our Pro Series boats offer the features, performance and convenient trailering to exceed even your rigorous demands.



Pro 179 LX SC



Large quick-release smoked windscreen (side console models)



12 or 24-volt bow trolling motor panel with Marincotm plug and jumper

Raised platform with optional bicycle seat

7-foot lockable rod storage compartment

Pro 179 LX SC

Pro Series



Pro 179 LX SC

Plus many more features...

- Electric bilge pump
- Raised casting platforms
- 2 fishing seats



Lockable 7-foot rod storage

The bow SportFlo™ livewell is located right at your feet

Downrigger mounting support

Molded dash panel with fully-lit instruments


A large splashwell to help keep the boat dry



- Livewell
- Storage Compartment
- Rod Storage
- Ice Chest

SPECIFICATIONS	Center line	Beam	Chine width	Max. depth	Approx. draft	Transom height	Approx. weight	NMMA (USA) / TRANSPORT CANADA				ALUMINUM THICKNESS		BUILT-IN GAS TANK (w/ in -dash gauge)
								Max. H.P. cap.	Max. weight cap.	Max. weight person cap.	Max. person cap.	Bottom	Side	
Pro 179 LX SC	5.4 m (17'-10")	2.3 m (92")	1.9 m (76")	0.9 m (36")	0.8 m (31")	0.5 m (20")	512 kg (1129 lb.)	101 kW (135 H.P.)	590 kg (1300 lb.)	254 kg (560 lb.)	** 4 [3]	2.5 mm (.100")	1.8 mm (.072")	132 L (35 U.S. gal.)

** Max. person cap.: NMMA [Transport Canada]
 For a complete list of standard and optional equipment, see pages 38-43. Photomontages show various features and options. Some accessories shown may not be available on all models.



Deep cycle battery storage

12 or 24-volt bow trolling motor panel

Aerated SportFlo™ livewell (77 L / 20 U.S. gal.)

Lowrance® X-50 DS fish/depth finder on swiveling bracket



Molded dash panel with fully-lit instruments

No-feedBack™ steering system

Lockable 7-foot rod storage

Aerated SportFlo™ livewell (39 L / 10 U.S. gal.)

Battery storage compartment

Pro 179 LX SC
 Photomontage may show various features and options.

Pro 165 SC

Pro Series



Pro 165 SC

Plus many more features...

- Double-plated aluminum bottom
- Reverse chine hull design
- Electric bilge pump

12 or 24-volt bow trolling motor panel

Raised casting platform

Aerated SportFlo™ livewell (86 L / 23 U.S. gal.)

Deep cycle battery storage

Lockable 7-foot rod storage



2 folding fishing seats

Battery storage compartment



Pro 165 SC
Photomontage may show various features and options.



A large bow SportFlo™ livewell



Battery storage compartment



Molded dash panel with fully-lit instruments



Pro 165 SC

- Livewell
- Storage Compartment
- Rod Storage

SPECIFICATIONS	Center line	Beam	Chine width	Max. depth	Approx. draft	Transom height	Approx. weight	NMMA (USA) / TRANSPORT CANADA				ALUMINUM THICKNESS		BUILT-IN GAS TANK (w/ in -dash gauge)
								Max. H.P. cap.	Max. weight cap.	Max. weight person cap.	Max. person cap.	Bottom	Side	
Pro 165 SC	4.9 m (16'-2")	2.2 m (87")	1.8 m (71")	0.8 m (33")	0.7 m (29")	0.5 m (20")	406 kg (895 lb.)	56 kW (75 H.P.)	554 kg (1221 lb.)	300 kg (661 lb.)	** 5 [4]	2.3 mm (.090")	1.8 mm (.072")	106 L (28 U.S. gal.)

** Max. person cap.: NMMA [Transport Canada]
For a complete list of standard and optional equipment, see pages 38-43. Photomontages show various features and options. Some accessories shown may not be available on all models.




Pro 169 LX WS



SPECIFICATIONS	Center line	Beam	Chine width	Max. depth	Approx. draft	Transom height	Approx. weight	NMMA (USA) / TRANSPORT CANADA				ALUMINUM THICKNESS		BUILT-IN GAS TANK (w/ in-dash gauge)
								Max. H.P. cap.	Max. weight cap.	Max. weight person cap.	Max. person cap.	Bottom	Side	
PRO 169 LX WS	4.9 m (16'-2")	2.2 m (87")	1.8 m (71")	0.9 m (35")	0.8 m (33")	0.5 m (20")	448 kg (987 lb.)	67 kW (90 H.P.)	553 kg (1220 lb.)	280 kg (618 lb.)	** 5 [3]	2.3 mm (.090")	1.8 mm (.072")	106 L (28 U.S. gal.)
PRO 169 LX SC	4.9 m (16'-2")	2.2 m (87")	1.8 m (71")	0.9 m (35")	0.8 m (33")	0.5 m (20")	420 kg (925 lb.)	67 kW (90 H.P.)	553 kg (1220 lb.)	280 kg (618 lb.)	** 5 [3]	2.3 mm (.090")	1.8 mm (.072")	106 L (28 U.S. gal.)
PRO 169 BT	4.9 m (16'-2")	2.2 m (87")	1.8 m (71")	0.8 m (33")	0.7 m (29")	0.5 m (20")	354 kg (780 lb.)	45 kW (60 H.P.)	527 kg (1162 lb.)	300 kg (661 lb.)	** 5 [4]	2.3 mm (.090")	1.8 mm (.072")	106 L (28 U.S. gal.)

- Livewell
- Storage Compartment
- Rod Storage



PRO 169 LX WS PRO 169 LX SC PRO 169 BT

** Max. person cap.: NMMA [Transport Canada]

For a complete list of standard and optional equipment, see pages 38-43. Photomontages show various features and options. Some accessories shown may not be available on all models.

Pro 169 LX WS, 169 LX SC & 169 BT Pro Series



Pro 169 LX SC



Pro 169 BT

Plus many more features...

- Double-plated aluminum bottom (Pro 169 LX SC & LX WS only)
- Electric bilge pump
- Raised casting platforms
- 2 fishing seats

Aerated SportFlo™ livewell (86 L / 23 U.S. gal.)¹

12 or 24-volt bow trolling motor panel

Deep cycle battery storage



Molded dash with fully-lit instruments



Lowrance® X-50 DS fish/depth finder on swiveling bracket



Lockable 7-foot rod storage

Aerated SportFlo™ livewell (39 L / 10 U.S. gal.)²

Battery storage compartment

Pro 169 LX SC
Photomontage may show various features and options.



A large splashwell to help keep the boat dry



Full-width tinted windshield with easy access to the bow (Pro 169 LX WS only)



The bow SportFlo™ livewell is located right at your feet

1 On the Pro 169 LX SC and LX WS. 77 L / 20 U.S. gal. on the Pro 169 BT
2 On the Pro 169 LX SC and LX WS only