

DLX series

PURE FISHING

In every sport there are purists, and in fishing we take a lot of pride in keeping it simple and still achieving outstanding results. DLX Series boats are roomy, versatile and include all the essential fishing features to put you on fish.



Holiday DLX WS



Lockable rod storage*
*Most models

Convenient electric-fill aerated SportFlo™ livewell

Full-width tinted windshield with easy access to the bow (Holiday DLX WS only)

Easy-maintenance, non-skid vinyl flooring

Quick-release smoked windscreen (SC models)



Backtroller models



Yukon® DLX BT



Resorter® DLX BT



Starfish™ DLX BT



Holiday® DLX BT

Bow raised casting platform*

12-volt bow trolling motor plug and receptacle*

Aerated SportFlo™ livewell (61 L / 16 U.S. gal.)¹*

7-foot lockable rod storage*

2 fishing seats*

Vinyl floor covering

Large splashwell



Electric bilge pump

Starfish DLX BT
Photomontage may show various features and options.

*Most models

¹ The Yukon DLX BT is equipped with an aerated SportFlo™ livewell (39 L / 10 U.S. gal.)

Single and twin Console models



Resorter® DLX SC

Starfish™ DLX SC

Holiday® DLX SC

Holiday® DLX WS

Hudson® DLX SC



12-volt bow trolling motor plug and receptacle

Bow livewell Aerated Sportflo™ livewell (61 L / 16 U.S. gal.)

Bow raised casting platform

Large quick-release smoked windscreen (side console models)

2 fishing seats

Vinyl floor covering





7-foot lockable rod storage

Large splashwell

Holiday DLX SC
Photomontage may show various features and options.

For a complete list of standard and optional equipment, see page 33. Photomontages show various features and options. Some accessories shown may not be available on all models.

DLX features & options



SPECIFICATIONS	Center line	Beam	Chine width	Max. depth	Approx. draft	Transom height	Approx. weight	NMMA (USA) / TRANSPORT CANADA				ALUMINUM THICKNESS		GAS TANK
								Max. H.P. cap.	Max. weight person cap.	Max. weight person cap.	Max. person cap.	Bottom	Side	
Hudson DLX SC	5.9 m (19'-4")	2.2 m (84")	1.8 m (69")	0.8 m (33")	0.7 m (27")	0.5 m (20")	336 kg (740 lb.)	67 kW (90 H.P.)	804 kg (1773 lb.)	531 kg (1171 lb.)	** 9 [7]	2.5 mm (.100")	1.8 mm (.072")	* 68 L (18 U.S. gal.)
Holiday DLX WS	5.0 m (16'-4")	2.1 m (82")	1.8 m (69")	0.8 m (30")	0.7 m (26")	0.5 m (20")	378 kg (834 lb.)	45 kW (60 H.P.)	529 kg (1166 lb.)	302 kg (665 lb.)	** 5 [4]	2.3 mm (.090")	1.8 mm (.072")	* 77 L (20 U.S. gal.)
Holiday DLX SC	4.9 m (16'-2")	2.2 m (84")	1.8 m (69")	0.8 m (30")	0.7 m (26")	0.5 m (20")	356 kg (784 lb.)	45 kW (60 H.P.)	529 kg (1166 lb.)	302 kg (665 lb.)	** 5 [4]	2.3 mm (.090")	1.8 mm (.072")	* 77 L (20 U.S. gal.)
Starfish DLX SC	4.9 m (16'-2")	1.9 m (73")	1.6 m (63")	0.7 m (29")	0.4 m (17")	0.5 m (20")	231 kg (510 lb.)	30 kW (40 H.P.)	597 kg (1317 lb.)	408 kg (899 lb.)	** 7 [5]	1.8 mm (.072")	1.6 mm (.064")	PORTABLE
Resortier DLX SC	4.4 m (14'-6")	1.9 m (73")	1.6 m (63")	0.7 m (29")	0.4 m (17")	0.5 m (20")	206 kg (455 lb.)	30 kW (40 H.P.)	469 kg (1035 lb.)	280 kg (617 lb.)	** 5 [3]	1.8 mm (.072")	1.6 mm (.064")	PORTABLE
Holiday DLX BT	4.9 m (16'-2")	2.2 m (84")	1.8 m (69")	0.8 m (30")	0.7 m (26")	0.5 m (20")	342 kg (754 lb.)	37 kW (50 H.P.)	529 kg (1166 lb.)	302 kg (665 lb.)	** 5 [4]	2.3 mm (.090")	1.8 mm (.072")	* 77 L (20 U.S. gal.)
Starfish DLX BT	4.9 m (16'-2")	1.9 m (73")	1.6 m (63")	0.7 m (29")	0.4 m (17")	0.5 m (20")	213 kg (470 lb.)	30 kW (40 H.P.)	597 kg (1317 lb.)	408 kg (899 lb.)	** 7 [5]	1.8 mm (.072")	1.6 mm (.064")	PORTABLE
Resortier DLX BT	4.4 m (14'-6")	1.9 m (73")	1.6 m (63")	0.7 m (29")	0.4 m (17")	0.5 m (20")	181 kg (400 lb.)	24 kW (30 H.P.)	469 kg (1035 lb.)	280 kg (617 lb.)	** 5 [3]	1.8 mm (.072")	1.6 mm (.064")	PORTABLE
Yukon DLX BT	4.3 m (14'-3")	1.7 m (68")	1.4 m (57")	0.7 m (28")	0.4 m (17")	0.4 m (15")	146 kg (322 lb.)	19 kW (25 H.P.)	372 kg (821 lb.)	225 kg (496 lb.)	** 4 [3]	1.6 mm (.064")	1.6 mm (.064")	PORTABLE

* BUILT-IN (w/ in-dash gauge) ** Max. person cap.: NMMA [Transport Canada]

For a complete list of standard and optional equipment, see pages 30-33. Photomontages show various features and options. Some accessories shown may not be available on all models.

FEATURES & OPTIONS

	HUDSON DLX SC	HOLIDAY DLX WS	HOLIDAY DLX SC	STARFISH DLX SC	RESORTER DLX SC	HOLIDAY DLX BT	STARFISH DLX BT	RESORTER DLX BT	YUKON DLX BT
HULL & DECK	5052-H36 marine-grade aluminum alloy								
	NMMA & Canadian Coast Guard certified								
	Flotation to latest Canadian Government and U.S. Coast standards								
	High gloss oven-cured urethane paint								
	Semi-V Hull (R= with reverse chine, S= with square chine)								
	R	R	R	R	R	R	R	R	S
	Aluminum clad transom								
	Full-width self draining splashwell								
	-	-	-	-	-	-	-	-	-
	Deep self draining splashwell								
	•	•	•	•	•	•	•	•	•
	Twin plating from bow to mid-ship								
	-	•	•	•	•	•	•	•	•
	Twin plating at chine from mid-ship to stern								
	•	-	-	-	-	-	-	-	-
	Heavy-duty tubular seat to gunnel braces								
	•	•	•	•	•	•	•	•	•
	Bow eye and stern eyes (E) or handles (H) (+= Stainless Steel)								
	E+	E+	E+	E+	E+	E+	E+	E+	H
	4 chromed cleats								
	•	•	•	•	•	•	•	•	•
	Bow raised casting platform								
	S, B	S, B	S, B	S, B	S, B	S, B	S, B, C	C (2)	C (2)
	Storage compartments (S= Storage, B= Deep cycle battery, C= Center side)								
STANDARD FEATURES	Bow SportFlo™ livewell (34", 61L/16 U.S. gal.) ¹								
	•	•	•	•	•	•	•	•	•
	(26", 39L/10 U.S. gal.) ¹								
	-	-	-	-	-	-	-	-	-
	Post-overflow w/ thru-hull drain								
	•	•	•	•	•	•	•	•	•
	Anti-spill cover								
	•	•	•	•	•	•	•	•	•
	7-foot lockable rod storage compartment without supports								
	•	•	•	•	•	•	•	•	•
	12V bow trolling motor plug & receptacle								
	•	•	•	•	•	•	•	•	•
	Carpeted bow deck								
	•	•	•	•	•	•	•	•	•
	Floor seat bases								
	5	5	5	4	4	4	3	-	-
	Folding fishing seats with no-pinch hinges								
	2	2	2	2	2	2	2	-	-
	Parallel seats at stern covered with marine-grade carpet								
	-	-	-	-	-	-	-	-	•
	Bow bench seat covered with marine grade carpet								
	-	-	-	-	-	-	-	•	•
	Side console with quick-release smoked windscreen								
	•	-	•	•	•	-	-	-	-
	Twin console with walk-thru curved tempered glass windshield with door								
	-	•	-	-	-	-	-	-	-
CONSOLE	Switch panel with McGill rocker switches with indicator lights (+= Deluxe plastic molded dash panel)								
	•+	•+	•+	•+	•+	•	•	•	•
	Electrical system protection (B= breaker, F= fuses)								
	F	B	B	F	F	B	F	F	F
	Instrumentation (gauges)								
	5	3	3	-	-	1	-	-	-
	Tachometer, voltmeter, speedometer, trim & fuel gauges								
	•	-	-	-	-	-	-	-	-
	Tachometer, speedometer & fuel gauges								
	-	•	•	•	•	•	•	•	•
	Fuel gauge								
	-	-	-	-	-	•	-	-	-
	Electric bilge pump								
	•	•	•	•	•	•	•	•	•
	Navigation lights								
	•	•	•	•	•	•	•	•	•
	Interior light								
	1	1	1	-	-	-	-	-	-
	Holding handle(s)								
	2	1	1	1	1	1	1	-	-
	Cup holder(s)								
	-	2	-	-	-	-	-	-	-
	Battery holder(s)								
	2	2	2	2	2	2	2	1	1
	Built-in fuel system (F= floor)								
	•	F	F	-	-	F	-	-	-
	Pressure treated wood floor (5/8") covered with marine-grade vinyl								
	•	•	•	•	•	•	•	•	•
DEALER INSTALLED OPTIONS	Complete beige canvas enclosure (+ = stand-up high)								
	o	o+	o	o	o	-	-	-	-
	Sun top								
	o	o	o	o	o	o	o	o	o
	Cockpit cover								
	•	•	•	•	•	•	•	•	•
	Folding fishing seat with spider and post								
	o	o	o	o	o	o	o	o	o
	Lowrance® X-50 DS fish/depth finder with swivel adaptor								
	o	o	o	o	o	o	o	o	o
COLORS	Red or Black								
	•	•	•	•	•	•	•	•	•

• Standard ○ Option 1 All our livewells are electric-filled and aerated. Boat/motor/trailer packages available with Mercury® outboard power.

Utility Series & Cartops

FISHING FUN

Are you nostalgic for the good old days when you fished with worms from a rusty soup can? The boat is still alive and well, and more than capable of creating lifelong memories for your family.



A full-width splashwell to help keep everything dry*



Optional side console with steering wheel for easier control



High-gloss paint resists weather and fading
*Some models



Oar locks*

Starfish




Cartops



Scamper



Seasprite



Scamper


STANDARD FEATURES

		SCAMPER	SEASPRITE
HULL & DECK	5052-H36 marine-grade aluminum alloy	•	•
	NMMA & Canadian Coast Guard certified	•	•
	Flotation to latest Canadian Government and U.S. Coast standards	•	•
	Decal package	•	•
	Non-skid anti-glare interior paint finish	•	•
	Semi-V hull with round chine	•	•
	Aluminum clad transom	•	•
	Heavy-duty tubular seat to gunnel braces	•	•
	Bow eye and stern handles	•	•
	Oar lock socket	•	•
SEATS	Bulkhead center seat	•	•
	Bow bench seat	•	•
COLOR	Natural aluminum with graphics	•	•


Boat/motor packages are available with Mercury® outboard power.

SPECIFICATIONS	Center line	Beam	Chine width	Max. depth	Approx. draft	Transom height	Approx. weight	NMMA (USA) / TRANSPORT CANADA				ALUMINUM THICKNESS		GAS TANK
								Max. H.P. cap.	Max. weight cap.	Max. weight person cap.	Max. person cap.	Bottom	Side	
SCAMPER	4.3 m (14'-4")	1.5 m (58")	1.1 m (45")	0.5 m (21")	0.4 m (13")	0.4 m (15")	68 kg (150 lb.)	12 kW (15 H.P.)	340 kg (750 lb.)	249 kg (548 lb.)	** 4 [3]	1.3 mm (.051")	1.3 mm (.051")	PORTABLE
SEASPRITE	3.7 m (12'-4")	1.5 m (58")	1.1 m (45")	0.5 m (21")	0.4 m (13")	0.4 m (15")	59 kg (130 lb.)	8 kW (10 H.P.)	281 kg (620 lb.)	190 kg (418 lb.)	** 3 [2]	1.3 mm (.051")	1.3 mm (.051")	PORTABLE

** Max. person cap.: NMMA [Transport Canada]



Scamper



Seasprite

Utility Series



Holiday™




Resorter®




Starfish™




Yukon®



HOLIDAY



STARFISH



SPRINGBOK



RESORTER



YUKON



FISHERMAN



UNGAVA

SPECIFICATIONS	Center line	Beam	Chine width	Max. depth	Approx. draft	Transom height	Approx. weight	NMMA (USA) / TRANSPORT CANADA				ALUMINUM THICKNESS		GAS TANK
								Max. H.P. cap.	Max. weight cap.	Max. weight person cap.	Max. person cap.	Bottom	Side	
HOLIDAY	5.0 m (16'-4")	2.1 m (83")	1.8 m (69")	0.8 m (30")	0.6 m (22")	0.5 m (20")	181 kg (400 lb.)	37 kW (50 H.P.)	621 kg (1370 lb.)	394 kg (869 lb.)	** 6 [5]	2.3 mm (.090")	1.8 mm (.072")	PORTABLE
STARFISH 20	4.9 m (16'-0")	1.9 m (73")	1.6 m (63")	0.7 m (29")	0.4 m (16")	0.5 m (20")	145 kg (320 lb.)	30 kW (40 H.P.)	591 kg (1303 lb.)	401 kg (885 lb.)	** 7 [5]	1.8 mm (.072")	1.6 mm (.064")	PORTABLE
STARFISH 15	4.9 m (16'-0")	1.9 m (73")	1.6 m (63")	0.7 m (29")	0.4 m (17")	0.4 m (15")	138 kg (304 lb.)	30 kW (40 H.P.)	499 kg (1100 lb.)	309 kg (682 lb.)	** 5 [4]	1.8 mm (.072")	1.6 mm (.064")	PORTABLE
SPRINGBOK 20	4.9 m (16'-0")	1.7 m (68")	1.4 m (57")	0.7 m (28")	0.4 m (17")	0.5 m (20")	133 kg (293 lb.)	24 kW (30 H.P.)	522 kg (1150 lb.)	332 kg (732 lb.)	** 5 [4]	1.6 mm (.064")	1.4 mm (.064")	PORTABLE
RESORTER 20	4.4 m (14'-6")	1.9 m (73")	1.6 m (63")	0.7 m (29")	0.4 m (16")	0.5 m (20")	132 kg (290 lb.)	24 kW (30 H.P.)	489 kg (1079 lb.)	300 kg (661 lb.)	** 5 [3]	1.8 mm (.072")	1.6 mm (.064")	PORTABLE
YUKON 15	4.3 m (14'-3")	1.7 m (68")	1.4 m (57")	0.7 m (28")	0.4 m (17")	0.4 m (15")	109 kg (240 lb.)	19 kW (25 H.P.)	372 kg (821 lb.)	225 kg (495 lb.)	** 4 [3]	1.6 mm (.064")	1.6 mm (.064")	PORTABLE
FISHERMAN	4.3 m (14'-0")	1.5 m (60")	1.3 m (51")	0.7 m (26")	0.4 m (13")	0.4 m (15")	91 kg (201 lb.)	15 kW (20 H.P.)	372 kg (820 lb.)	225 kg (495 lb.)	** 4 [3]	1.4 mm (.057")	1.3 mm (.051")	PORTABLE
UNGAVA	3.7 m (12'-0")	1.5 m (60")	1.3 m (51")	0.6 m (25")	0.4 m (13")	0.4 m (15")	78 kg (171 lb.)	12 kW (15 H.P.)	318 kg (700 lb.)	226 kg (498 lb.)	** 4 [3]	1.4 mm (.057")	1.3 mm (.051")	PORTABLE

** Max. person cap.: NMMA [Transport Canada]



Springbok



fisherman




Ungava



FEATURES & OPTIONS		UTILITIES							
		HOLIDAY	STARFISH 20	STARFISH 15	SPRINGBOK 20	RESORTER 20	YUKON 15	FISHERMAN	UNGAVA
STANDARD FEATURES	HULL & DECK								
	5052-H36 marine-grade aluminum alloy	•	•	•	•	•	•	•	•
	NMMA & Canadian Coast Guard certified	•	•	•	•	•	•	•	•
	Flotation to latest Canadian Government and U.S. Coast standards	•	•	•	•	•	•	•	•
	High gloss exterior paint with decal package	•	•	•	•	•	•	•	•
	Non-skid anti-glare interior paint finish	•	•	•	•	•	•	•	•
	Semi-V hull (R = with reverse chine, S = with square chine)	•R	•R	•R	•S	•R	•S	•S	•S
	Aluminum clad transom	•	•	•	•	•	•	•	•
	Full-width self draining splashwell	•	•	•	•	•	•	-	-
	Twin plating at the chine from mid-ship to stern	•	•	•	•	•	•	•	•
Heavy-duty tubular seat to gunnel braces	•	•	•	•	•	•	•	•	
Bow eye and stern eyes (E) or stern handles (H) (+ = Stainless steel)	E+	H	H	H	H	H	H	H	
Oar lock socket	-	-	-	-	-	-	•	•	
SEATS	Parallel seats at stern	•	•	•	•	•	•	•	•
	Bulkhead center seat	•	•	•	•	•	•	•	•
	Bow bench seat	•	•	•	•	•	•	•	-
	Durable ribbed polyethylene seat covering*	•	•	•	•	•	•	•	•
DEALER INSTALLED OPTIONS	Sun top	○	○	○	○	○	○	○	○
	Complete dark blue side console	○	○	○	○	○	○	-	-
	Console only (dark blue)	○	○	○	○	○	○	-	-
	Smoked windscreen	○	○	○	○	○	○	-	-
Folding fishing seat with no-pinch hinges	○	○	○	○	○	○	○	○	
COLOR	Blue with graphics	•	•	•	•	•	•	•	•

• Standard ○ Option Boat/motor packages are available with Mercury® outboard power.



Plenty of durable seating

Non-skid, anti-glare interior finish

Ribbed polyethylene seat covering*

Parallel seats at stern*



Aluminum-clad, hassle-free transom

Wide and stable bottoms

Full-width splashwell*

Holiday Photomontage may show various features and options.



Our exclusive polyethylene seat comes standard and stays dryer than wood seats*



The stern parallel seats make moving around much easier*

*Some models.

Trailers

DURABILITY AND PERFORMANCE ARE JUST AS IMPORTANT IN YOUR TRAILER.

At Princecraft, we want you to have incredible experiences boating. Including the transportation of your boat and your time at the ramp. So we don't treat trailers as an afterthought. Every trailer is custom-engineered to each model, with the same level of craftsmanship as our legendary boats.



FEATURES & OPTIONS		SP 206 SE SP 207 SE	SP 198 SC SE	SP 186 SE	SP 176 SE	SP 178 SC SE SP 176 FNP SE
STANDARD FEATURES	Painted bunk style trailer	•	•	•	•	•
	Galvanized bunk style trailer	-	-	-	-	-
	Single axle (S= with swing tongue)	-	•S	•S	•S	•S
	Tandem axle (S= with swing tongue)	•S	-	-	-	-
	Brakes (D= Disc brakes)	•D	•D	•D	•D	-
	Carpeted fixed bunks	•	•	•	•	•
	Carpeted load guides	•	•	•	•	•
	Built-in steps & composite fenders	-	-	-	-	-
	Checker polished aluminum covered step pads	•	•	•	•	•
	Bearing protectors	•	•	•	•	•
	Swivel tongue jack	•	•	•	•	•
	Ball coupler	2"	2"	2"	2"	2"
	Weight (lb./kg)	1215/551	1015/460	575/260	505/229	505/229
	Carrying capacity (lb./kg)	5785/2624	3285/1490	2945/1336	3015/1368	2355/1068
	Wheels with radial tires	•	•	•	•	•
Tire size	ST205/75R14 C	ST225/75R15 C	ST205/75R14 C	ST205/75R14 C	ST205/75R14 C	
Factory balanced steel wheel	•	•	•	•	•	
OPTIONS	Galvanized bunk trailer	-	-	-	-	-
	Swing tongue	-	-	-	-	-
	Deluxe transom tie downs	○	○	○	○	○
	Transom saver motor support bar	○	○	○	○	○
	Carpeted load guides	-	-	-	-	-
	Spare wheel	○	○	○	○	○
	Aluminum Star wheel	UE	UE	UE	UE	UE
Aluminum spare Star wheel	○	○	○	○	○	
COLOR OPTIONS		■	■	■	■	■

• Standard ○ Option UE Upgrade Exchange ■ Black ■ Beige ■ Galvanized



Dark Beige Trailer

Galvanized Trailer

CUSTOM-DESIGNED TO EACH BOAT

- Engineered for wider Princecraft boats
- Custom design provides better stability and handling on the road
- Easy on, easy off

MORE DURABLE FRAME

- Heavy-duty tubular framing
- Years of reliability
- Wiring and brake lines installed inside steel tubing for protection from the elements

STRATEGICALLY PLACED BUNK & LOAD GUIDES

- Customized load pads and bunks for each boat model
- Smoother loading and unloading
- Fully carpeted to protect hull of the boat
- Bunks maintain contact with hull, giving more equal support

A CUSTOMIZED LOOK

Boat, motor and trailer are all part of one integrated package

SPECIAL FEATURES

- Heavy-duty winch
- Swiveling tongue jack dolly
- Welded mounting bracket for optional motor support installation
- Galvanized axle to avoid corrosion
- Convenient swing tongue is standard on select models
 - Saves space
 - Easier to store
- Integrated composite fenders with step pads
- Radial tires are standard on most models
- STAR aluminum mag wheels are offered as an option*

SAFETY ADVANTAGES

- Waterproof lighting system
- Factory balanced wheels
- Double safety chain
- Bearing protectors
- Meets NMMA and Transport Canada Guidelines

OUR UNSURPASSED WARRANTY

- When you build trailers this well you can stand behind them
- Princecraft offers:
 - Limited One-Year Parts and Components Warranty
 - Limited Two-Year Paint/Rust Warranty

* Most models

	PRO 206 PRO 207	SP 198 SC	PRO 186 PRO 185 GL	PRO 176	PRO 179 LX SC	SP 178 SC, SP 176 FNP, PRO 174 SS	PRO 169 LX SC & WS, 169 BT, 166, 165 SC	PRO 164 SS, HOLIDAY DLX BT, SC & WS	HUDSON DLX	RESORTER DLX, STARFISH DLX, HOLIDAY	YUKON DLX, UTILITIES
	•	•	•	•	•	•	•	•	-	-	-
	-	-	-	-	-	-	-	-	•	•	•
	-	•S	•S	•	•	•	•	•	•	•	•
	•S	-	-	-	-	-	-	-	-	-	-
	•	•	•	•	•	•	•	•	•	•	•
	•	•	•	•	•	•	•	•	•	•	•
	•	•	•	•	•	•	•	•	•	•	•
	•	•	•	•	•	•	•	•	•	•	•
	-	-	-	-	-	-	-	-	-	-	-
	•	•	•	•	•	•	•	•	•	•	•
	•	•	•	•	•	•	•	•	•	•	•
	2"	2"	2"	2"	2"	2"	2"	2"	2"	2"	2"
	1215/551	1015/460	575/260	505/229	520/235	505/229	475/215	450/204	450/204	320/145	200/90
	5785/2624	3285/1490	2945/1336	3015/1368	2340/1061	2355/1068	2245/1018	2270/1030	2270/1030	1770/803	1890/857
	•	•	•	•	•	•	•	•	•	•	•
	ST205/75R14 C	ST225/75R15 C	ST205/75R14 C	ST205/75R14 C	ST205/75R14 C	ST205/75R14 C	ST175/80R13 C	ST175/80R13 C	ST175/80R13 C	5.30 x 12" C	5.30 x 12" C
	•	•	•	•	•	•	•	•	•	•	•
	UE	UE	UE	UE	UE	UE	UE	UE	-	-	-
	-	-	-	UE	UE	UE	UE	UE	UE	-	-
	o	o	o	o	o	o	o	o	o	o	o
	o	o	o	o	o	o	o	o	o	o	o
	-	-	-	-	-	-	-	-	-	o	-
	o	o	o	o	o	o	o	o	o	o	o
	UE	UE	UE	UE	UE	UE	-	-	-	-	-
	o	o	o	o	o	o	-	-	-	-	-

Canvas

A CUSTOM CANVAS TOP IS THE PERFECT WAY TO ENHANCE ANY DAY ON THE WATER.

Be prepared for any kind of weather with our custom-fitted canvas enclosures. By using the same precise specs to position the fasteners on every model your top fits perfectly at every snap.



For most models with walk thru windshield, stand-up high top with curtains¹ color-coordinated to your boat

PRINCECRAFT CANVAS IS BETTER

- Only the most durable marine-tested fabric is used
- Each snap is mounted on molding at a 45-degree angle for better securing, easier removal
- Additional clear acrylic coating is applied to back side of fabric to repel water
- Every canvas enclosure is crafted to Princecraft's standard of quality

ADVANTAGES OF POLYESTER FABRIC

- Superior strength and tear resistance over solution-dyed acrylic marine fabrics
- Much higher degree of water repellence
- Significantly greater dimensional stability
- Vastly superior abrasion resistance



WARRANTY

Princecraft canvas comes with a 5-year limited warranty against excessive loss of color or strength under normal exposure conditions, including sunlight, rot, mildew and atmospheric chemicals.

1. Remember to refer to your Owner's Manual for information concerning carbon monoxide and the use of canvas while boat is underway.
2. Offered in beige



Optional



Fold-out sleeper seat



Battery charger



Downrigger installation support system



Complete canvas enclosure for side console models^{1,2}



Bow trolling motor can be installed even when canvas is up



Cockpit cover²



Sun top²

Equipment

Please consult optional features chart for details and availability.



OPTIONAL EQUIPMENT		SUPER PRO		SUPER PRO		PRO SERIES®									
		SPECIAL EDITION		TOURNAMENT	FISH'N PROMENADE	FISHING			SUPER SPORT		PRO				
		207 SE ³	206 SE ³ 186 SE ³ 176 SE ³	198 SC ¹ 178 SC ¹	176 FNP ¹	207	206 186 176	185 GL	166	174 SS	164 SS	179 LX SC 169 LX SC	169 LX WS	169 BT	165 SC
FACTORY INSTALLED OPTIONS	Port console with quick-release smoked windscreen	-	-	○ ¹	-	-	-	-	-	-	-	-	-	-	
	Port-side sleeper seat	UE	UE	-	-	○	○	-	○	○	-	-	-	-	
	Reclining captain's chair with adjustable armrests on a fixed post and base for driver or companion seat	UE	UE	UE ^{1,2}	-	-	-	-	-	-	-	-	-	-	
	AM/FM/CD Stereo with iPod controls and Sirius Satellite ready (+ = 200-watt Clarion M475 AM/FM/CD with MP3, iPod and SAT Radio Ready)	UE+	UE+	UE+ ³	UE+ ³	-	-	-	-	○	○	○	○	-	○
	Vinyl floor covering	UE	UE	-	UE ¹	UE	UE	-	UE	UE	UE	-	-	-	
	SmartCraft™ gauges (speedometer, tachometer and trim) for Optimax and Verado engines	-	-	UE	-	UE	UE	UE	-	-	-	-	-	-	
	Sea Star hydraulic steering system with tilt wheel	-	-	UE	UE ¹	UE	UE	UE	-	UE	-	-	-	-	
	Chemical toilet with holding tank & pump out (11 L/ 3 U.S. gal.)	○	-	-	-	○	-	-	-	-	-	-	-	-	
Tilt steering mechanism	-	-	-	-	UE	UE	UE	UE	-	-	-	-	-		
Mercury 9.9 BF 4 stroke kicker engine	○	○	○ ¹	○ ¹	○	○	○	-	○	○	-	-	-		
Canvas	SH, CC	SH, CC	ST ¹	SH ¹ , CC ¹	SH, CC	SH, CC	SH, CC	SH, CC	SH, CC	SH, CC	CE, CC, ST	SH, CC, ST	ST	CE, CC, ST	
DEALER INSTALLED OPTIONS	Bow rider seat cushions	○	○	-	-	-	-	-	-	-	-	-	-	-	
	Coaming pads & bow rider seat cushions	-	-	-	-	○	○	-	○	○	-	-	-		
	Folding fishing seat with spider and post (DS= Deluxe)	○ DS	○ DS	○ DS ¹	○ DS ¹	○	○	○	○	○	○	○	○	○	
	Bicycle seat with 27" post	○	○	○ ¹	○ ¹	○	○	○	○	○	○	○	○	○	
	Downrigger supports	○	○	○ ¹	○ ¹	○	○	○	○	○	○	○	-	-	
	Lowrance® X-50 DS fish/depth finder with water temperature, gimbal brackets and swivel adaptor	-	-	-	-	-	-	-	-	○	○	-	-	○	
	Pantographic parallel arm starboard side wiper	-	○	-	○ ¹	○	○	○	○	○	○	-	-	-	
	Onboard battery charger for 1, 2 or 3-12V battery	○ (1)(2)	○ (1)(2)	○ (3) ¹	○ (1)(2) ¹	○ (1)(2)	○ (1)(2)	○ (1)(2)	○ (1)(2)	○ (1)(2)	-	○ (1)(2)	○ (1)(2)	○ (1)(2)	
Stern boarding ladder	-	-	○	○	○	○	○	○	○	○	-	-	-		
Combo-poly swim platform with telescoping ladder	-	-	○	○ ¹	○	○	○	○	○	○	-	-	-		
Ski pylon	○	○	-	○ ¹	○	○	-	○	○	○	-	-	-		
Snap-in carpet (available with vinyl flooring)	○	○	-	○ ¹	○	○	○	○	○	○	-	-	-		
COLORS	SE	SE	SE	SE	SE	SE	SE	SE	SE	SE	SE	SE	SE	SE	

○ Option UE Upgrade Exchange SE Black and Dark Beige Metallic ■ Black ■ Red ■ Blue 1 Also available in Special Edition version. See pages 6-7 for details. 2 Not available with optional dual control installation. 3 Only available in Special Edition version.

STANDARD FEATURES		SUPER PRO SPECIAL EDITION SERIES				SUPER PRO TOURNAMENT SERIES		FNP SERIES	PRO FISHING SERIES			
		207 SE ³	206 SE ³	186 SE ³	176 SE ³	198 SC ¹	178 SC ¹	176 FNP ¹	207 ¹	206 ¹	185 GL	186 ¹
HULL & DECK	5052-H36 marine-grade aluminum alloy	•	•	•	•	•	•	•	•	•	•	•
	NMMA & Canadian Coast Guard certified	•	•	•	•	•	•	•	•	•	•	•
	Reverse chine hull design (Dbl.= Double)	• Dbl.	• Dbl.	• Dbl.	• Dbl.	• Dbl.	• Dbl.	•	• Dbl.	• Dbl.	• Dbl.	• Dbl.
	High-gloss oven-cured urethane paint	•metallic	•metallic	•metallic	•metallic	•	•	•	•	•	•	•
	Stainless steel eyes (B= Bow, S= Stern)	B, S	B, S	B, S	B, S	B, S	B, S	B, S	B, S	B, S	B, S	B, S
	Raised casting platform	Fore & Aft	Fore	Fore & Aft	Fore & Aft	Fore & Aft	Fore & Aft	Fore & Aft	Fore & Aft	Fore	Fore	Fore & Aft
	Storage compartment(s) (A= Anchor, B= Deep cycle battery, I= Ice chest, F= In-floor lockable storage and insulated fish box, S= Storage)	A, 2B, I, S	A, 2B, I, S	A, 2B, I, S	A, 2B, I, S	A, 3B, I, S	A, 3B, S	A, 2B, I, S	A, 2B, I, S	A, 2B, I, S	A, 2B, F, S	A, 2B, I, S
	Twin plating from bow to mid-ship	•	•	•	•	•	-	•	•	•	•	•
	Twin plating at the chine from mid-ship to stern	•	•	•	•	•	•	•	•	•	•	•
	Rigging tube under flooring (bow to stern)	•	•	•	•	•	•	•	•	•	•	•
Cleats (SSR= Stainless steel recessed, SS= Stainless steel, C= Chromed)	4 SSR	4 SSR	4 SSR	4 SSR	4SSR	4SSR	4SS	4SS	4SS	4SS	4SS	
FISHING	Livewell system	ProFlo Plus	ProFlo Plus	ProFlo Plus	ProFlo Plus	ProFlo Plus	ProFlo Plus	SportFlo	ProFlo	ProFlo	ProFlo	ProFlo
	(A) Bow livewell Length (inches) - Capacity (litres) - (Capacity [U.S. gal.] ²)	44-77 (20)	44-77 (20)	30-64 (17)	30-64 (17)	44-77 (20)	44-77 (20)	30-64 (17)	44-77 (20)	44-77 (20)	44-77 (20)	30-64 (17)
	(B) Stern livewell Length (inches) - Capacity (litres) - (Capacity [U.S. gal.] ²)	34-64 (17)	40-129 (34)	34-64 (17)	34-64 (17)	47-114 (30)	44-77 (20)	-	34-64 (17)	40-129 (34)	-	34-64 (17)
	Dual livewell	A, B	A	A, B	A, B	A	A, B	A	A, B	A	A	A, B
	Aeration (+= with timer)	A+, B+	A+, B+	A+, B+	A, B+	A+, B+	A+, B+	A	A+, B+	A+, B+	A+	A+, B+
	Recirculation	A, B	A, B	A, B	A, B	A, B	A, B	-	A, B	A, B	A	A, B
	Overflow	A, B	A, B	A, B	A, B	A, B	A, B	A	A, B	A, B	A	A, B
	Thru-hull drain (+= with remote)	A+, B+	A+, B+	A+, B+	A+, B+	A+, B+	A+, B+	A	A, B	A, B	A	A, B
	Removable minnow bucket	A, B	A	B	B	A, B	A, B	-	A, B	A	A	B
	Light	B	B	B	B	A, B	A	-	B	B	A	B
	Anti-spill cover	A, B	A, B	A, B	A, B	A, B	A, B	A	A, B	A, B	A	A, B
	Insulated lid	A, B	A	A, B	A, B	A, B	A, B	A	A, B	A	A	A, B
	7-foot rod storage (+= lockable, S= with supports, C= with tubes for rods)	• +, 12 C	• +, 12 C	• +, 6 C	• +, 6 C	• +, 12 C	• +, 8 C	• S+	• +, 12 C	• +, 12 C	S (2)	• +, 6 C
	Side panel storage compartment(s) (+= lockable)	• + (2)	• + (2)	• + (2)	• + (2)	• + (2)	• + (2)	• + (2)	• + (2)	• + (2)	-	• + (2)
	Lowrance® fish/depth finder with water temperature, gimbals brackets and swivel adaptor	X-52	X-52	X-52	X-52	X-52	X-52	X-50 DS	X-50 DS	X-50 DS	X-50 DS	X-50 DS
	Removable bow casting deck insert with floor base	•	•	•	•	-	-	•	•	•	•	•
Bow trolling motor plug & receptacle (DP= Deluxe Panel, P= Panel)	12 or 24V - DP	12 or 24V - DP	12 or 24V - DP	12 or 24V - DP	36V - DP	36V - DP	12 or 24V - P	12 or 24V - DP	12 or 24V - DP	12V or 24V	12 or 24V - DP	
Carpeted bow mount trolling motor pad	•	•	•	•	•	•	•	•	•	•	•	
Tackle box (+= Drop-in)	-	-	-	-	•+	•	-	-	-	-	-	
Wash down system	-	-	-	-	-	-	-	-	-	•	-	
SEATS	Floor seat bases	6	5	6	6	6	6	4	6	5	5	6
	PS= Pedestal seats DS= Deluxe pedestal seats SS= Sleeper seats							2 DS, SR, 1 SS, 2 JS				
	JS= Jump seats SR= Sliding rails for driver seat	3 DS, 2 JS, SR	3 DS, 2 JS, SR	3 DS, 2 JS, SR	3 DS, 2 JS, SR	3 DS	3 DS		3 PS, 2 JS	3 PS, 2 JS	2 PS	2 PS, 2 JS
CONSOLE	Console with dash panel & switches	twin	twin	twin	twin	side	side	twin	twin	twin	twin	twin
	Steering system (NFB= No-FeedBack™, H= Hydraulic, += with dual cables)	H	H	H	H	NFB+	NFB+	NFB	NFB+	NFB+	NFB+	NFB+
	Tilt steering mechanism	•	•	•	•	-	-	•	-	-	-	-
	Instrumentation	3 gauges	3 gauges	3 gauges	3 gauges	5 gauges	5 gauges	5 gauges	5 gauges	5 gauges	5 gauges	5 gauges
	Speedometer	SmartCraft	SmartCraft	SmartCraft	SmartCraft	•	•	•	•	•	•	•
	Tachometer	SmartCraft	SmartCraft	SmartCraft	SmartCraft	•	•	•	•	•	•	•
	Voltmeter	-	-	-	-	•	•	•	•	•	•	•
	Trim gauge	•	•	•	•	•	•	•	•	•	•	•
	Fuel gauge	-	-	-	-	•	•	•	•	•	•	•
	Electrical system protection (Breakers)	•	•	•	•	•	•	•	•	•	•	•
	AM/FM/CD Stereo with iPod controls and Sirius Satellite ready	•	•	•	•	•	•	•	•	•	•	•
	Waterproof speakers	4	4	4	4	2	2	4	2	2	2	2
	Electric horn	•	•	•	•	•	•	•	•	•	•	•
12V receptacle	•	•	•	•	•	•	•	•	•	•	•	
OTHER	Pop-up privacy enclosure in stern casting platform	•	-	-	-	-	-	-	-	-	-	-
	Electric bilge pump(s) (AUTO=automatic)	AUTO	AUTO	AUTO	AUTO	AUTO (2)	AUTO	AUTO	AUTO	AUTO	AUTO	AUTO
	Stainless steel bow grab rails (G= Grab, BH= Bow handle)	G	G	G	G	-	-	G	G	G	-	G
	Holding handle(s)	5	5	5	5	3	3	5	5	5	3	5
	Navigation lights	•	•	•	•	•	•	•	•	•	•	•
	Canvas top snap fasteners	•	•	•	•	-	-	•	•	•	•	•
	CP= Coaming pads, BC= Bow cushions	CP	CP	CP	CP	-	-	CP, BC	-	-	-	-
	Interior light(s)	3	3	3	1	1	1	2	3	3	1	1
	Cup holder(s)	6	4	4	4	1	1	6	4	2	2	2
	Battery holder(s)	3	3	3	3	4	4	3	3	3	3	3
	Built-in floor fuel system	•	•	•	•	•	•	•	•	•	•	•
Pressure treated wood floor (covered with C= 20-oz carpet, V= vinyl)	C	C	C	C	C	C	C	C	C	V	C	
Fire extinguisher support (fire extinguisher not included)	•	•	•	•	•	•	•	•	•	•	•	
VERADO PACKAGE	Digital Throttle and Shift System (DTS)	•	•	•	•	•	•	-	•	•	•	•
	Power steering with tilt wheel (with 200 H.P. and up Verado L6 engines)	•	•	-	-	-	-	-	•	•	-	-

Why weekends are shorter on a Princecraft than any other boat?



Pontoons

Have you ever noticed how quickly time passes when you're in your element? When you're doing what you were put on earth to do, and everything falls into place, time flies. Princecraft boats are engineered to offer you nothing short of perfect days on the water. And when you're out there fishing in your favorite spot and everything feels exactly right, the weekend is just too short. Might we suggest you just quit that job that keeps you from fishing full-time. At least you'd have the boat that enables you to fish like a pro.

For any details on why a Princecraft is the best boat for you, visit www.princecraft.com or to find your nearest dealer call 1-800-395-8858.



Deck Boats

Remember, life vests float, you don't.

Everything we do at Princecraft comes from our desire for you and your family to have the times of your life with our boats. And safety is a big part of your experience. That's why we encourage you to always wear life preservers while aboard any moving vessel.



In Canada: **Princecraft Boats Inc.**, A Brunswick Company, 725 Saint-Henri Street, Princeville (Quebec) G6L 5C2.
In the United States: **Princecraft U.S.**, A Brunswick Company, 1 N. Field Court, Lake Forest, IL 60099.

Special thanks to:

Berkley®, Blue Fox®, Brecks®, Columbia Sportswear Company®, Crocs™, Flambeau Outdoors®, Helly-Hansen®, Hot Spot Fishing & Lures LTD.®, Mercury Marine®, Mustang Survival®, Orizon Inc., Rapala®, Scotty®, Shimano®, Storm™

MERCURY
Outboards

Princecraft factory-packaged boats are available with various horsepower Mercury® outboard.
www.mercurymarine.com

NMMA
CERTIFIED
using ABYC standards

CMMA
Canadian Marine Manufacturers Association

PLEASE READ CAREFULLY: Dimensions, capacities, ratings, and additional specifications, plus complete warranty and service information, are available from your Princecraft dealer. Product illustrations and data within this catalog are based upon information available at the time of publication. Not all accessories shown in pictures or described herein are standard equipment or even available as options. Specification measurements are approximations and subject to variance. Because Princecraft is dedicated to constant product improvements, Princecraft reserves the right to make changes without prior notice or obligation. Not all model year boats may contain all of the features or meet the specifications described herein. Ask your Princecraft dealer for the most current product specifications prior to purchase. Some of the equipment shown separately or on products illustrated in this catalog may be optional at extra cost. Options and features are subject to change without notice.

Princecraft is a member in good standing of the National Marine Manufacturers Association (NMMA) and the Canadian Marine Manufacturers Association (CMMA). All boats comply with Canadian Coast Guard and U.S. Coast Guard regulations. All Princecraft® boats are in compliance with NMMA and CMMA's Boat Certification Program. Atwood™ is a registered trademark of Atwood Corporation. Clarion™ is a registered trademark of Clarion Sales Corporation. Faria™ is a registered trademark of TG Faria, Inc. Pilot™ is a registered trademark of TG Faria, Inc. Flow-Rite™ is a registered trademark of Flow-Rite Controls. Lowrance® is a registered trademark of Lowrance Electronics, Inc. Marincó™ is a registered trademark of Marincó-AFI. McGill™ is a registered trademark of Emerson Electronics. Mercury®, MerCruiser®, Verado™, OptiMax® and SmartCraft™ are registered trademarks of Mercury Marine.