



PONTOON SERIES





VERSAILLES SERIES

Come on, **pamper yourself.**

Get away and envelope your senses in the luxury and comfort of the Versailles Series, featuring more standard equipment per inch than any other pontoon in its class.



VANTAGE SERIES

Reconnect with your family **and your spirit.**

Nothing reorders your priorities like an escape with family and friends. And with our Vantage Series, you can recharge with a lifetime of summer activities.



VISION AND VECTRA SERIES

Comfort **never goes out of style.**

Here's the dilemma. Get away from it all with the Vision and Vectra Series, or show it off? Do you gloat over its long list of many stylish features, or just keep this floating sanctuary to yourself?



SPORTFISHER SERIES

Redefining **"gone fishing."**

A day aboard a Sportfisher Series pontoon is not your typical fishing trip. Combining the benefits of a spacious pontoon and a great fishing boat, you'll never have a shortage of buddies ready to cast a line.





Versailles SVX 27 LP
Shown in Islander Blue



Versailles SVX 25 LP
Shown in Mocha



VERSAILLES SVX 27 LP & SVX 25 LP

The new look of luxury

SPECIFICATIONS	VERSAILLES SVX 27 LP	VERSAILLES SVX 25 LP
Overall length	8.3 m (27'-2")	7.7 m (25'-2")
Deck length	7.8 m (25'-6")	7.2 m (23'-6")
Beam	2.6 m (8'-6")	2.6 m (8'-6")
Pontoon length	7.6 m (24'-10")	7.0 m (22'-10")
Pontoon diameter	0.64 m (25")	0.64 m (25")
Pontoon aluminum thickness	2.0 mm (.080")	2.0 mm (.080")
Approx. weight	1198 kg (2642 lb.)	1096 kg (2417 lb.)
NMMA (USA) / Manufacturer's recommendations		
Max. H.P. cap.	86 kW (115 H.P.)	86 kW (115 H.P.)
Max. weight cap.	1143 kg (2520 lb.)	1016 kg (2240 lb.)
Max. weight person cap.	807 kg (1780 lb.)	680 kg (1500 lb.)
Max. person cap.	13	11
BUILT-IN GAS TANK (w/ in-dash gauge)	125 L (33 U.S. gal.)	125 L (33 U.S. gal.)



1



3



2



4



5

1 Optional in-floor storage **2** Luxurious reclining captain's chair with slide and swivel **3** Fiberglass console with galley unit (Versailles SVX 27 LP) **4** Optional 200-watt CMD5 Clarion AM/FM/CD with MP3, iPod & SAT Radio Ready **5** An optional ski tow bar adds even more fun options for your day on the water

For a complete list of standard and optional equipment, see pages 40-41 and 44-52. Photomontages show various features and options. Some accessories shown may not be available on all models.



Versailles SVX 25 LP Vazer (I/O)
Shown in Burgundy Red



Versailles SVX 25 LP Vazer (I/O)
Shown in Burgundy Red

VERSAILLES SVX 25 LP VAZER (I/O)

Elegance and unequalled
comfort on the water

SPECIFICATIONS

VERSAILLES SVX 25 LP VAZER (I/O) (w/ 1.6 L - 2 logs)

Overall length	7.9 m (25'-10")
Deck length	7.3 m (23'-10")
Beam	2.6 m (8'-6")
Pontoon length	7.0 m (22'-10")
Pontoon diameter	0.64 m (25")
Pontoon aluminum thickness	2.0 mm (.080")
Approx. weight	1523 kg (3357 lb.)
NMMA (USA) / Manufacturer's recommendations	
Max. H.P. cap.	74.5 kW (100 H.P.)
Max. weight cap.	968 kg (2134 lb.)
Max. weight person cap.	680 kg (1500 lb.)
Max. person cap.	11
BUILT-IN GAS TANK (w/ in-dash gauge)	125 L (33 U.S. gal.)



1 Large pop-up privacy enclosure **2** Generous rear swim platform **3** Fiberglass bow section with halogen docking lights and two bumper racks **4** Floor mood lighting for a fantastic ambience

For a complete list of standard and optional equipment, see pages 44-52. Photomontages show various features and options. Some accessories shown may not be available on all models.



Versailles 26 SE
Shown in Burgundy Red



Versailles 26 WK
Shown in Sunset Orange

VERSAILLES 29 LP I/O, 26 SE, 26 WK, 26 LP O/B & I/O

Taking family boating
to the next level



SPECIFICATIONS	VERSAILLES 29 LP I/O (w/ 4.3 L - 3 logs)	VERSAILLES 26 SE	VERSAILLES 26 WK	VERSAILLES 26 LP	VERSAILLES 26 LP I/O (w/ 4.3 L - 3 logs)
Overall length	8.9 m (29'-1")	8.0 m (26'-4")	8.0 m (26'-4")	8.0 m (26'-4")	8.0 m (26'-4")
Deck length	8.2 m (26'-10")	8.0 m (26'-3")	8.0 m (26'-3")	8.0 m (26'-3")	8.0 m (26'-3")
Beam	2.6 m (8'-6")	2.6 m (8'-6")	2.6 m (8'-6")	2.6 m (8'-6")	2.6 m (8'-6")
Pontoon length	8.0 m (26'-4")	8.0 m (26'-4")	8.0 m (26'-4")	8.0 m (26'-4")	8.0 m (26'-4")
Pontoon diameter	0.64 m (25")	0.64 m (25")	0.64 m (25")	0.64 m (25")	0.64 m (25")
Pontoon aluminum thickness	2.0 mm (.080")	2.0 mm (.080")	2.0 mm (.080")	2.0 mm (.080")	2.0 mm (.080")
Approx. weight	1848 kg (4074 lb.)	1041 kg (2294 lb.)	1059 kg (2335 lb.)	1041 kg (2294 lb.)	1757 kg (3874 lb.)
NMMA (USA) / Manufacturer's recommendations					
Max. H.P. cap.	164 kW (220 H.P.)	101 kW (135 H.P.)	101 kW (135 H.P.)	101 kW (135 H.P.)	164 kW (220 H.P.)
Max. weight cap.	1397 kg (3080 lb.)	1273 kg (2807 lb.)	1273 kg (2807 lb.)	1273 kg (2807 lb.)	1397 kg (3080 lb.)
Max. weight person cap.	943 kg (2080 lb.)	938 kg (2067 lb.)	938 kg (2067 lb.)	938 kg (2067 lb.)	943 kg (2080 lb.)
Max. person cap.	15	15	15	15	15
BUILT-IN GAS TANK (w/ in-dash gauge)	125 L (33 U.S. gal.)	125 L (33 U.S. gal.)	125 L (33 U.S. gal.)	125 L (33 U.S. gal.)	125 L (33 U.S. gal.)

1 Plenty of seating for socializing or just relaxing **2** Fiberglass console includes complete fully-lit instrumentation with gold bezel gauges **3** Bow area features abundant seating (Versailles 26 SE) **4** Large pop-up privacy enclosure **5** The optional privacy kit includes a curtain dividing the full enclosure into two rooms with curtains for each window (26 WK) **6** Large fiberglass rear galley with cooler, sink, faucet, portable water tank, courtesy light & 12-V receptacle (26 SE & 26 WK)

For a complete list of standard and optional equipment, see pages 40-41 and 44-52. Photomontages show various features and options. Some accessories shown may not be available on all models.



Versailles 22 LP-SS
Shown in Mocha



Versailles 26 LP-SS
Shown in Burgundy Red

VERSAILLES 29 LP-SS I/O, 26 LP-SS O/B & I/O & 22 LP-SS

A week-end at
the lake with friends



1



3



2



4



5

SPECIFICATIONS	VERSAILLES 29 LP-SS I/O (w/ 4.3 L - 3 logs)	VERSAILLES 26 LP-SS	VERSAILLES 26 LP-SS I/O (w/ 4.3 L - 3 logs)	VERSAILLES 22 LP-SS
Overall length	8.9 m (29'-1")	8.0 m (26'-4")	8.0 m (26'-4")	6.8 m (22'-4")
Deck length	8.2 m (26'-10")	8.0 m (26'-3")	8.0 m (26'-3")	6.8 m (22'-3")
Beam	2.6 m (8'-6")	2.6 m (8'-6")	2.6 m (8'-6")	2.6 m (8'-6")
Pontoon length	8.0 m (26'-4")	8.0 m (26'-4")	8.0 m (26'-4")	6.8 m (22'-4")
Pontoon diameter	0.64 m (25")	0.64 m (25")	0.64 m (25")	0.64 m (25")
Pontoon aluminum thickness	2.0 mm (.080")	2.0 mm (.080")	2.0 mm (.080")	2.0 mm (.080")
Approx. weight	1866 kg (4113 lb.)	1058 kg (2333 lb.)	1775 kg (3913 lb.)	919 kg (2025 lb.)
NMMA (USA) / Manufacturer's recommendations				
Max. H.P. cap.	164 kW (220 H.P.)	101 kW (135 H.P.)	164 kW (220 H.P.)	86 kW (115 H.P.)
Max. weight cap.	1397 kg (3080 lb.)	1273 kg (2807 lb.)	1397 kg (3080 lb.)	1077 kg (2375 lb.)
Max. weight person cap.	943 kg (2080 lb.)	938 kg (2067 lb.)	943 kg (2080 lb.)	742 kg (1635 lb.)
Max. person cap.	15	15	15	12
BUILT-IN GAS TANK (w/ in-dash gauge)	125 L (33 U.S. gal.)	125 L (33 U.S. gal.)	125 L (33 U.S. gal.)	125 L (33 U.S. gal.)

- 1 Refreshment table with sliding top
- 2 Convenient storage under all lounge seats
- 3 Large console with integrated galley (26 LP-SS)
- 4 Two (2) luxurious reclining bow seats
- 5 200-watt M475 Clarion AM/FM/CD with MP3, iPod and SAT Radio Ready

For a complete list of standard and optional equipment, see pages 40-41 and 44-52. Photomontages show various features and options. Some accessories shown may not be available on all models.



Versailles 22 LP
Shown in Sage



Versailles 20 LP
Shown in Islander Blue

VERSAILLES 25 LP I/O, 24 LP, 22 LP O/B & I/O & 20 LP

It's all about **being together**



1



2



4



3

SPECIFICATIONS	VERSAILLES 25 LP I/O (w/ 4.3 L - 3 logs)	VERSAILLES 24 LP	VERSAILLES 22 LP	VERSAILLES 22 LP I/O (w/ 4.3 L - 3 logs)	VERSAILLES 20 LP
Overall length	7.6 m (25'-1")	7.6 m (24'-11")	6.8 m (22'-4")	6.8 m (22'-4")	6.4 m (20'-11")
Deck length	7 m (22'-10")	7.4 m (24'-3")	6.8 m (22'-3")	6.8 m (22'-3")	6.2 m (20'-3")
Beam	2.6 m (8'-6")	2.6 m (8'-6")	2.6 m (8'-6")	2.6 m (8'-6")	2.6 m (8'-6")
Pontoon length	6.8 m (22'-4")	7.4 m (24'-4")	6.8 m (22'-4")	6.8 m (22'-4")	6.2 m (20'-4")
Pontoon diameter	0.64 m (25")	0.64 m (25")	0.64 m (25")	0.64 m (25")	0.64 m (25")
Pontoon aluminum thickness	2.0 mm (.080")	2.0 mm (.080")	2.0 mm (.080")	2.0 mm (.080")	2.0 mm (.080")
Approx. weight	1658 kg (3656 lb.)	998 kg (2200 lb.)	904 kg (1992 lb.)	1568 kg (3456 lb.)	867 kg (1915 lb.)
NMMA (USA) / Manufacturer's recommendations					
Max. H.P. cap.	164 kW (220 H.P.)	86 kW (115 H.P.)	86 kW (115 H.P.)	164 kW (220 H.P.)	67 kW (90 H.P.)
Max. weight cap.	1195 kg (2635 lb.)	1207 kg (2660 lb.)	1077 kg (2375 lb.)	1195 kg (2635 lb.)	931 kg (2052 lb.)
Max. weight person cap.	742 kg (1635 lb.)	871 kg (1920 lb.)	742 kg (1635 lb.)	742 kg (1635 lb.)	658 kg (1450 lb.)
Max. person cap.	12	14	12	12	10
BUILT-IN GAS TANK (w/ in-dash gauge)	125 L (33 U.S. gal.)	125 L (33 U.S. gal.)	125 L (33 U.S. gal.)	125 L (33 U.S. gal.)	125 L (33 U.S. gal.)

1 A very convenient bow seating group shown with optional bow gate seat **2** Stern boarding ladder with handrail and platform **3** Halogen docking lights **4** Large convenient pop-up privacy enclosure

For a complete list of standard and optional equipment, see pages 40-41 and 44-52. Photomontages show various features and options. Some accessories shown may not be available on all models.



Vantage 24 L
Shown in Mocha



Vantage 20 L
Shown in Islander Blue

VANTAGE 24 L & 20 L

Plenty of room
to make it a week-end

SPECIFICATIONS

	VANTAGE 24 L	VANTAGE 20 L
Overall length	7.4 m (24'-4")	6.6 m (20'-10")
Deck length	7.3 m (24'-0")	6.1 m (20'-0")
Beam	2.6 m (8'-6")	2.6 m (8'-6")
Pontoon length	7.4 m (24'-4")	6.2 m (20'-4")
Pontoon diameter	0.64 m (25")	0.64 m (25")
Pontoon aluminum thickness	2.0 mm (.080")	2.0 mm (.080")
Approx. weight	919 kg (2025 lb.)	805 kg (1775 lb.)
NMMA (USA) / Manufacturer's recommendations		
Max. H.P. cap.	86 kW (115 H.P.)	67 kW (90 H.P.)
Max. weight cap.	1207 kg (2660 lb.)	931 kg (2052 lb.)
Max. weight person cap.	871 kg (1920 lb.)	658 kg (1450 lb.)
Max. person cap.	14	10
BUILT-IN GAS TANK (w/ in-dash gauge)	125 L (33 U.S. gal.)	125 L (33 U.S. gal.)



1



4



2



3



5

1 Optional reversible flip-flop seat and table (20 L only) **2** Radio AM/FM/CD Stereo with iPod controls and Sirius Satellite Ready **3** Convenient 12-volt outlet **4** Elegant dash panel with complete fully-lit instrumentation **5** Padded rear sun deck

For a complete list of standard and optional equipment, see pages 40-41 and 44-52. Photomontages show various features and options. Some accessories shown may not be available on all models.



Vantage 22 L-SS
Shown in Islander Blue with Yellow accent



Vantage 22 L
Shown in Sunset Orange

VANTAGE 22 L-SS & 22 L

A day for fun in the sun



SPECIFICATIONS	VANTAGE 22 L-SS	VANTAGE 22 L
Overall length	6.8 m (22'-4")	6.8 m (22'-4")
Deck length	6.7 m (22'-0")	6.7 m (22'-0")
Beam	2.6 m (8'-6")	2.6 m (8'-6")
Pontoon length	6.8 m (22'-4")	6.8 m (22'-4")
Pontoon diameter	0.64 m (25")	0.64 m (25")
Pontoon aluminum thickness	2.0 mm (.080")	2.0 mm (.080")
Approx. weight	844 kg (1860 lb.)	844 kg (1860 lb.)
NMMA (USA) / Manufacturer's recommendations		
Max. H.P. cap.	86 kW (115 H.P.)	86 kW (115 H.P.)
Max. weight cap.	1077 kg (2375 lb.)	1077 kg (2375 lb.)
Max. weight person cap.	742 kg (1635 lb.)	742 kg (1635 lb.)
Max. person cap.	12	12
BUILT-IN GAS TANK (w/ in-dash gauge)	125 L (33 U.S. gal.)	125 L (33 U.S. gal.)

1 Optional console galley conversion with portable water tank **2** Optional halogen docking lights
3 Relax on the chaise lounge **4** 2 comfortable luxurious bow seats (22 L-SS only)
5 Storage pouch

For a complete list of standard and optional equipment, see pages 40-41 and 44-52. Photomontages show various features and options. Some accessories shown may not be available on all models.



Vision 23 L
Shown in Regal Red with Yellow accent



Vision 21 L
Shown in Brite Blue



VISION 23 L & 21 L

Great pace of life starts here

SPECIFICATIONS	VISION 23 L	VISION 21 L
Overall length	7.1 m (23'-2")	6.5 m (21'-2")
Deck length	6.9 m (22'-7")	6.3 m (20'-7")
Beam	2.6 m (8'-6")	2.6 m (8'-6")
Pontoon length	6.8 m (22'-4")	6.2 m (20'-4")
Pontoon diameter	0.64 m (25")	0.64 m (25")
Pontoon aluminum thickness	2.0 mm (.080")	2.0 mm (.080")
Approx. weight	850 kg (1875 lb.)	791 kg (1744 lb.)
NMMA (USA) / Manufacturer's recommendations		
Max. H.P. cap.	86 kW (115 H.P.)	67 kW (90 H.P.)
Max. weight cap.	1077 kg (2375 lb.)	931 kg (2052 lb.)
Max. weight person cap.	742 kg (1635 lb.)	658 kg (1450 lb.)
Max. person cap.	12	10
BUILT-IN GAS TANK (w/ in-dash gauge)	125 L (33 U.S. gal.)	125 L (33 U.S. gal.)



1 Integrated full-width swim platform **2** Optional pedestal mount stern removable snack table **3** Optional halogen docking lights **4** Built-in gas tank **5** Optional 4-step stern folding ladder **6** Console with fully-lit instrumentation puts everything within easy reach

For a complete list of standard and optional equipment, see pages 40-41 and 44-52. Photomontages show various features and options. Some accessories shown may not be available on all models.