

Pure comfort on the water

Pure comfort



SVX 25

Shown in Special Edition
with Apache Red color package


SPECIFICATIONS	Overall length	Deck length	Beam	Pontoon length	Pontoon diameter	Pontoon aluminum thickness	Approx. weight	NMMA (USA) / Manufacturer's recommendations				BUILT-IN GAS TANK (w/ in-dash gauge)
								Max. H.P. cap.	Max. weight cap.	Max. weight person cap.	Max. person cap.	
SVX 27	8.3 m (27'-2")	7.8 m (25'-6")	2.6 m (8'-6")	7.6 m (24'-10")	0.64 m (25")	2.0 mm (.080")	1198 kg (2642 lb.)	86 kW (115 H.P.)	1143 kg (2520 lb.)	807 kg (1780 lb.)	13	125 L (33 U.S. gal.)
SVX 25	7.7 m (25'-2")	7.2 m (23'-6")	2.6 m (8'-6")	7.0 m (22'-10")	0.64 m (25")	2.0 mm (.080")	1096 kg (2417 lb.)	86 kW (115 H.P.)	1016 kg (2240 lb.)	680 kg (1500 lb.)	11	125 L (33 U.S. gal.)

SVX 27 & 25

SVX 25
Shown in Special Edition
with Apache Red color package



SVX 27
Shown in Navy Blue



1. Optional in-floor ski storage 2. Luxury reclining captain's chair with slide & swivel 3. Optional stainless steel waterski tow bar 4. Helm console with sink, smoked windscreen & storage under (SVX 27) 5. Floor mood lighting 6. Optional 200-watt Clarion CMD5 AM/FM/CD with MP3, iPod & SAT Radio Compatible

For a complete list of standard and optional equipment, see pages 42-50. Photomontages show various features and options. Some accessories shown may not be available on all models.

Cruise in style and luxury

Style & Luxury



SVX 27 I/O
Shown in Special Edition
with Black color package

SPECIFICATIONS	Overall length	Deck length	Beam	Pontoon length	Pontoon diameter	Pontoon aluminum thickness	Approx. weight	NMMA (USA) / Manufacturer's recommendations				BUILT-IN GAS TANK (w/ in-dash gauge)
								Max. H.P. cap.	Max. weight cap.	Max. weight person cap.	Max. person cap.	
SVX 27 I/O (w/ 4.3 L - 3 logs)	8.5 m (27'-10")	7.9 m (25'-10")	2.6 m (8'-6")	7.6 m (24'-10")	0.64 m (25")	2.0 mm (.080")	1996 kg (4400 lb.)	224 kW (300 H.P.)	1267 kg (2793 lb.)	807 kg (1780 lb.)	13	125 L (33 U.S. gal.)
SVX 25 I/O (w/ 4.3 L - 3 logs)	7.9 m (25'-10")	7.3 m (23'-10")	2.6 m (8'-6")	7.0 m (22'-10")	0.64 m (25")	2.0 mm (.080")	1867 kg (4117 lb.)	224 kW (300 H.P.)	1140 kg (2513 lb.)	680 kg (1500 lb.)	11	125 L (33 U.S. gal.)

SVX 27 I/O & 25 I/O

SVX 25 I/O
Shown in Royal Blue



SVX 27 I/O
Shown in Special Edition
with Black color package



1. Optional BBQ gas grill 2. Optional pop-up ski pole 3. Portable armrest trimmed in woodgrain with stainless steel cup holders 4. Helm console with sink, smoked windscreen, storage under & an optional refrigerator (SVX 27 I/O) 5. Helm console with SmartCraft™ instrumentation (optional on 25 I/O), depth finder, tilt sport steering wheel, power steering & optional 200-watt Clarion CMD5 AM/FM/CD Stereo (SVX 27 I/O)

For a complete list of standard and optional equipment, see pages 42-50. Photomontages show various features and options. Some accessories shown may not be available on all models.

Great pace of life starts here

Great life



Versailles 22
Shown in Royal Blue

SPECIFICATIONS	Overall length	Deck length	Beam	Pontoon length	Pontoon diameter	Pontoon aluminum thickness	Approx. weight	NMMA (USA) / Manufacturer's recommendations				BUILT-IN GAS TANK (w/ in-dash gauge)
								Max. H.P. cap.	Max. weight cap.	Max. weight person cap.	Max. person cap.	
VERSAILLES 26	8.0 m (26'-4")	8.0 m (26'-3")	2.6 m (8'-6")	8.0 m (26'-4")	0.64 m (25")	2.0 mm (.080")	1041 kg (2294 lb.)	101 kW (135 H.P.)	1273 kg (2807 lb.)	938 kg (2067 lb.)	15	125 L (33 U.S. gal.)
VERSAILLES 24	7.6 m (24'-11")	7.4 m (24'-3")	2.6 m (8'-6")	7.4 m (24'-4")	0.64 m (25")	2.0 mm (.080")	998 kg (2200 lb.)	86 kW (115 H.P.)	1207 kg (2660 lb.)	871 kg (1920 lb.)	14	125 L (33 U.S. gal.)
VERSAILLES 22	6.8 m (22'-4")	6.8 m (22'-3")	2.6 m (8'-6")	6.8 m (22'-4")	0.64 m (25")	2.0 mm (.080")	904 kg (1992 lb.)	86 kW (115 H.P.)	1077 kg (2375 lb.)	742 kg (1635 lb.)	12	125 L (33 U.S. gal.)
VERSAILLES 20	6.4 m (20'-11")	6.2 m (20'-3")	2.6 m (8'-6")	6.2 m (20'-4")	0.64 m (25")	2.0 mm (.080")	867 kg (1915 lb.)	67 kW (90 H.P.)	931 kg (2052 lb.)	658 kg (1450 lb.)	10	125 L (33 U.S. gal.)

VERSAILLES 26, 24, 22 & 20

Versailles 20
Shown in Teal



Versailles 24
Shown in Apache Red



1. Pop-up privacy enclosure 2. Chromed bow corner light housings with halogen docking lights 3. Optional vinyl floor covering & snap-in-carpet 4. Helm console with complete instrumentation, tilt sport steering wheel, 200-watt AM/FM/CD Stereo & depth finder gauge 5. Chaise lounge

For a complete list of standard and optional equipment, see pages 42-50. Photomontages show various features and options. Some accessories shown may not be available on all models.

Live a day of fun on the water

day of fun



Versailles 29 I/O
Shown in Black

SPECIFICATIONS	Overall length	Deck length	Beam	Pontoon length	Pontoon diameter	Pontoon aluminum thickness	Approx. weight	NMMA (USA) / Manufacturer's recommendations				BUILT-IN GAS TANK (w/ in-dash gauge)
								Max. H.P. cap.	Max. weight cap.	Max. weight person cap.	Max. person cap.	
VERSAILLES 29 I/O (w/ 4.3 L - 3 logs)	8.9 m (29'-1")	8.2 m (26'-10")	2.6 m (8'-6")	8.0 m (26'-4")	0.64 m (25")	2.0 mm (.080")	1848 kg (4074 lb.)	224 kW (300 H.P.)	1397 kg (3080 lb.)	943 kg (2080 lb.)	15	125 L (33 U.S. gal.)
VERSAILLES 29-2S I/O (w/ 4.3 L - 3 logs)	8.9 m (29'-1")	8.2 m (26'-10")	2.6 m (8'-6")	8.0 m (26'-4")	0.64 m (25")	2.0 mm (.080")	1866 kg (4113 lb.)	224 kW (300 H.P.)	1397 kg (3080 lb.)	943 kg (2080 lb.)	15	125 L (33 U.S. gal.)
VERSAILLES 25 I/O (w/ 4.3 L - 3 logs)	7.6 m (25'-1")	7.0 m (22'-10")	2.6 m (8'-6")	6.8 m (22'-4")	0.64 m (25")	2.0 mm (.080")	1658 kg (3656 lb.)	224 kW (300 H.P.)	1195 kg (2635 lb.)	742 kg (1635 lb.)	12	125 L (33 U.S. gal.)

VERSAILLES 29 I/O, 29-2S I/O & 25 I/O

Versailles



Versailles
29-2S I/O
Shown in Apache Red



Versailles 25 I/O
Shown in Royal Blue



1



2



3



4



5

1. Luxury reclining captain's chair with slide & swivel 2. Full-width rear swim platform with built-in stainless steel boarding ladder 3. Optional BBQ gas grill 4. 32 oz. "Magnitude" pattern marine carpet covering with optional in-floor storage compartments 5. Helm console with SmartCraft™ instrumentation (optional on 25 I/O), depth finder, tilt sport steering wheel, power steering & 200-watt AM/FM/CD Stereo (Versailles 29 I/O & 29-2S I/O)

For a complete list of standard and optional equipment, see pages 42-50. Photomontages show various features and options. Some accessories shown may not be available on all models.

The perfect weekend relaxation station

relaxation



Versailles 26 SE
Shown in Apache Red

SPECIFICATIONS	Overall length	Deck length	Beam	Pontoon length	Pontoon diameter	Pontoon aluminum thickness	Approx. weight	NMMA (USA) / Manufacturer's recommendations				BUILT-IN GAS TANK (w/ in-dash gauge)
								Max. H.P. cap.	Max. weight cap.	Max. weight person cap.	Max. person cap.	
VERSAILLES 26 SE	8.0 m (26'-4")	8.0 m (26'-3")	2.6 m (8'-6")	8.0 m (26'-4")	0.64 m (25")	2.0 mm (.080")	1041 kg (2294 lb.)	101 kW (135 H.P.)	1273 kg (2807 lb.)	938 kg (2067 lb.)	15	125 L (33 U.S. gal.)
VERSAILLES 26 WK	8.0 m (26'-4")	8.0 m (26'-3")	2.6 m (8'-6")	8.0 m (26'-4")	0.64 m (25")	2.0 mm (.080")	1059 kg (2335 lb.)	101 kW (135 H.P.)	1273 kg (2807 lb.)	938 kg (2067 lb.)	15	125 L (33 U.S. gal.)
VERSAILLES 26-2S	8.0 m (26'-4")	8.0 m (26'-3")	2.6 m (8'-6")	8.0 m (26'-4")	0.64 m (25")	2.0 mm (.080")	1058 kg (2333 lb.)	101 kW (135 H.P.)	1273 kg (2807 lb.)	938 kg (2067 lb.)	15	125 L (33 U.S. gal.)
VERSAILLES 22-2S	6.8 m (22'-4")	6.8 m (22'-3")	2.6 m (8'-6")	6.8 m (22'-4")	0.64 m (25")	2.0 mm (.080")	919 kg (2025 lb.)	86 kW (115 H.P.)	1077 kg (2375 lb.)	742 kg (1635 lb.)	12	125 L (33 U.S. gal.)

VERSAILLES 26 SE, 26 WK, 26-2S & 22-2S

Versailles

Versailles 22-2S
Shown in Teal



Versailles 26 WK
Shown in Black



1. Removable bow gate seat (standard on 26 SE & optional on 26 WK) 2. Large rear galley with cooler, sink, faucet, portable water tank, courtesy light & 12-V receptacle (on 26 SE & 26 WK only)
3. Luxury reclining chairs (2) in bow area (on 26 SE only) 4. Pop-up privacy enclosure 5. Optional in-floor anchor storage

For a complete list of standard and optional equipment, see pages 42-50. Photomontages show various features and options. Some accessories shown may not be available on all models.

Create your own island of paradise

paradise



Vantage 25
Shown in Royal Blue

SPECIFICATIONS	Overall length	Deck length	Beam	Pontoon length	Pontoon diameter	Pontoon aluminum thickness	Approx. weight	NMMA (USA) / Manufacturer's recommendations				BUILT-IN GAS TANK (w/ in-dash gauge)
								Max. H.P. cap.	Max. weight cap.	Max. weight person cap.	Max. person cap.	
VANTAGE 25	7.8 m (25'-9")	7.5 m (24'-9")	2.6 m (8'-6")	7.4 m (24'-4")	0.64 m (25")	2.0 mm (.080")	925 kg (2040 lb.)	86 kW (115 H.P.)	1174 kg (2589 lb.)	839 kg (1849 lb.)	13	125 L (33 U.S. gal.)
VANTAGE 21	6.6 m (21'-9")	6.3 m (20'-9")	2.6 m (8'-6")	6.2 m (20'-4")	0.64 m (25")	2.0 mm (.080")	817 kg (1801 lb.)	67 kW (90 H.P.)	894 kg (1970 lb.)	621 kg (1368 lb.)	10	125 L (33 U.S. gal.)

VANTAGE 25 & 21

Vantage

Vantage 25
Shown in Royal Blue



Vantage 21
Shown in Teal



1. Helm console with quick-release smoked windscreen, storage under & optional galley conversion 2. Bucket seat captain's chair with slide & swivel 3. Optional in-floor ski storage (N/A on 21) 4. Optional pop-up privacy enclosure 5. Helm console with woodgrain dash panel, complete instrumentation & optional 200-watt Clarion CMD5 AM/FM/CD Stereo

For a complete list of standard and optional equipment, see pages 42-50. Photomontages show various features and options. Some accessories shown may not be available on all models.

Family fun and great memories

Family fun



Vantage 23-2S
Shown in Black

SPECIFICATIONS	Overall length	Deck length	Beam	Pontoon length	Pontoon diameter	Pontoon aluminum thickness	Approx. weight	NMMA (USA) / Manufacturer's recommendations				BUILT-IN GAS TANK (w/ in-dash gauge)
								Max. H.P. cap.	Max. weight cap.	Max. weight person cap.	Max. person cap.	
VANTAGE 23-2S	7.2 m (23'-9")	6.9 m (22'-9")	2.6 m (8'-6")	6.8 m (22'-4")	0.64 m (25")	2.0 mm (.080")	853 kg (1881 lb.)	86 kW (115 H.P.)	1077 kg (2375 lb.)	742 kg (1635 lb.)	12	125 L (33 U.S. gal.)
VANTAGE 23	7.2 m (23'-9")	6.9 m (22'-9")	2.6 m (8'-6")	6.8 m (22'-4")	0.64 m (25")	2.0 mm (.080")	853 kg (1881 lb.)	86 kW (115 H.P.)	1077 kg (2375 lb.)	742 kg (1635 lb.)	12	125 L (33 U.S. gal.)

VANTAGE 23-2S & 23

Vantage

Vantage
23-2S
Shown in Apache Red



Vantage 23
Shown in
Royal Blue / Yellow



1



2



3



4



5

1. Optional 200-watt Clarion CMD5 AM/FM/CD with MP3, iPod & SAT Radio Compatible 2. Plush & heavy weight upholstery with bow lounge seat 3. Optional console galley conversion 4. Optional in-floor anchor storage 5. Full-width rear swim platform with boarding ladder

For a complete list of standard and optional equipment, see pages 42-50. Photomontages show various features and options. Some accessories shown may not be available on all models.

The perfect pontoon for the active family

perfect pontoon



Vision 21
Shown in Brite Blue

SPECIFICATIONS	Overall length	Deck length	Beam	Pontoon length	Pontoon diameter	Pontoon aluminum thickness	Approx. weight	NMMA (USA) / Manufacturer's recommendations				GAS TANK	
								Max. H.P. cap.	Max. weight cap.	Max. weight person cap.	Max. person cap.	BUILT-IN (w/ in-dash gauge)	(w/ hose & bulb)
VISION 23	7.1 m (23'-2")	6.9 m (22'-7")	2.6 m (8'-6")	6.8 m (22'-4")	0.64 m (25")	2.0 mm (.080")	850 kg (1875 lb.)	86 kW (115 H.P.)	1077 kg (2375 lb.)	742 kg (1635 lb.)	12	125 L (33 U.S. gal.)	-
VISION 21	6.5 m (21'-2")	6.3 m (20'-7")	2.6 m (8'-6")	6.2 m (20'-4")	0.64 m (25")	2.0 mm (.080")	791 kg (1744 lb.)	67 kW (90 H.P.)	931 kg (2052 lb.)	658 kg (1450 lb.)	10	125 L (33 U.S. gal.)	-
VISION 19	5.8 m (19'-2")	5.7 m (18'-7")	2.4 m (8'-0")	5.6 m (18'-4")	0.58 m (23")	2.0 mm (.080")	691 kg (1524 lb.)	*45 kW (60 H.P.)	*746 kg (1645 lb.)	*519 kg (1144 lb.)	** 8 [6]	Optional 68 L (18 U.S. gal.)	Portable

* NMMA (USA) / Transport Canada ** Max. person cap.: NMMA [Transport Canada]

VISION 23, 21 & 19

Vision 19
Shown in Black



Vision 23
Shown in Regal Red



1, 2 & 3. Optional leisure package: pop-up privacy enclosure, stern boarding ladder & stern snack table 4. Helm console with woodgrain dash panel, fully-lit instrumentation & AM/FM/CD Stereo with iPod controls & Sirius Satellite Compatible 5. Bow lounge seat with chaise lounge & storage under 6. Storage under chaise lounge & optional carry-on bag

For a complete list of standard and optional equipment, see pages 42-50. Photomontages show various features and options. Some accessories shown may not be available on all models.