





THERE IS BEAUTY IN SIMPLICITY

We realize that there are purists out there who prefer to keep it as basic as possible. That's why we make the DLX Series. These basic yet versatile boats have enough room to stretch out while still offering all the essential features to help you find the fish.



1. SportFlo™ electric-fill aerated bow livewell 61 L (16 U.S. gal.) with post-overflow and thru-hull drain* **2.** Large bow casting platform with electric-fill aerated livewell and storage* **3.** Helm console with complete instrumentation, Carling switch panel with indicator lights and No-FeedBack™ steering system*

* On most models

Don't think, **fish**



HUDSON DLX WS

SPECIFICATIONS	Center line	Beam	Chine width	Max. depth	Approx. draft	Transom height	Approx. weight	NMMA (USA) / Transport Canada				ALUMINUM THICKNESS		BUILT-IN GAS TANK (w/ in-dash gauge)
								Max. H.P. cap.	Max. weight cap.	Max. weight person cap.	Max. person cap.	Bottom	Side	
HUDSON DLX WS	5.8 m (19'-0")	2.2 m (87")	1.8 m (71")	0.8 m (33")	0.8 m (33")	0.5 m (20")	514 kg (1133 lb.)	86 kW (115 H.P.)	711 kg (1567 lb.)	375 kg (827 lb.)	** 6 [5]	2.5 mm (.100")	1.8 mm (.072")	106 L (28 U.S. gal.)
HUDSON DLX SC	5.8 m (19'-0")	2.2 m (87")	1.8 m (71")	0.8 m (33")	0.8 m (33")	0.5 m (20")	491 kg (1083 lb.)	86 kW (115 H.P.)	711 kg (1567 lb.)	375 kg (827 lb.)	** 6 [5]	2.5 mm (.100")	1.8 mm (.072")	106 L (28 U.S. gal.)

** Max. person cap.: NMMA [Transport Canada]

For a complete list of standard and optional equipment, see pages 48-51. Photomontages show various features and options. Some accessories shown may not be available on all models.

Hudson DLX WS & SC



Hudson DLX SC



Hudson DLX WS



Hudson DLX SC

- livewell
- storage compartment
- rod storage /organizer



HUDSON DLX SC

/ KEY STANDARD FEATURES

- Reverse chine hull design
- 71" of chine width & 20" transom
- Raised bow and aft casting platforms w/ storage
- Bow dual SportFlo™ aerated livewell system
- 2 pedestal folding fishing seats w/ no-pinch hinges
- 9-foot lockable rod storage
- Complete fully-lit instrumentation
- 12 or 24V bow trolling motor attachment
- Electrical system w/ breaker protection
- Electric bilge pump
- Built-in floor fuel system
- Pressure treated wood floor covered w/ marine grade vinyl

/ WS only

- Rotomolded twin consoles w/ dash panel and switches
- Walk-thru tinted tempered glass windshield w/ door

/ SC only

- Rotomolded side console w/ dash panel and switches
- Smoked windscreen w/ quick release



1. Large bow casting platform with electric-fill aerated livewell and storage 2. Optional Lowrance® X-50 DS fish/depth finder on swiveling bracket 3. Twin consoles with walk-thru tinted tempered glass windshield with door (on WS only) 4. 9-foot lockable side rod storage 5. Helm console with complete instrumentation, Carling switch panel with indicator lights and No-FeedBack™ steering system

Make your dreams **come true**



HOLIDAY DLX SC

1. Dash panel with lighted switches and optional Lowrance® X-50 DS fish / depth finder on swiveling bracket (on SC models only)
2. SportFlo™ electric-fill aerated bow livewell 61 L (16 U.S. gal.) with post-overflow and thru-hull drain **3.** 7-foot lockable rod storage **4.** Quick-release smoked windscreen (on SC models only)

For a complete list of standard and optional equipment, see pages 48-51. Photomontages show various features and options. Some accessories shown may not be available on all models.



STARFISH
DLX SC



RESORTER
DLX SC



HOLIDAY
DLX WS



HOLIDAY
DLX SC

- livewell
- storage compartment
- rod storage /organizer

Holiday
DLX WS

Holiday **DLX WS & SC**, Starfish **DLX SC** & Resorter **DLX SC**



Holiday DLX
WS & SC
only



Resorter DLX SC



Starfish DLX SC



Holiday DLX WS

/ KEY STANDARD FEATURES

- Reverse chine hull design
- Self draining splashwell
- 4 chromed cleats *
- Raised bow casting platform
- Bow SportFlo™ aerated livewell system
- 2 pedestal folding fishing seats
- 7-foot lockable rod storage
- Fully-lit instrumentation *
- 12V bow trolling motor attachment
- Built-in floor fuel system *
- Pressure treated wood floor covered w/ marine grade vinyl
- Electric bilge pump

/ WS only



- Rotomolded twin consoles w/ dash panel and switches
- Walk-thru tinted tempered glass windshield w/ door

/SC only

- Rotomolded side console w/ dash panel and switches
- Smoked windscreen w/ quick release

* Holiday DLX SC & WS only

Backtrollers designed to put you **out in front**



- livewell
- storage compartment
- rod storage /organizer

Starfish DLX BT



Holiday DLX BT only

Yukon® DLX BT

Resorter® DLX BT

Starfish™ DLX BT


Holiday® DLX BT

/ KEY STANDARD FEATURES

- Reverse chine hull design (except Yukon DLX BT)
- 20" transom (except Yukon DLX BT)
- Full-width self draining splashwell (Deep self draining splashwell on Holiday DLX BT)
- Stainless steel bow and stern eyes *
- Raised bow casting platform w/ storage *
- SportFlo™ aerated livewell system
- 2 pedestal folding fishing seats *
- 7-foot lockable rod storage *
- 12V bow trolling motor attachment *
- Built-in floor fuel system (Holiday DLX BT only)
- Pressure treated wood floor covered w/ marine grade vinyl
- Electric bilge pump
- Navigation lights
- Battery holder

* Some models

DLX features & options



SPECIFICATIONS	Center line	Beam	Chine width	Max. depth	Approx. draft	Transom height	Approx. weight	NMMA (USA) / TRANSPORT CANADA				ALUMINUM THICKNESS		GAS TANK
								Max. H.P. cap.	Max. weight cap.	Max. weight person cap.	Max. person cap.	Bottom	Side	
Holiday DLX WS	4.9 m (16'-2")	2.2 m (84")	1.8 m (69")	0.8 m (30")	0.7 m (26")	0.5 m (20")	378 kg (834 lb.)	45 kW (60 H.P.)	529 kg (1166 lb.)	302 kg (665 lb.)	** 5 [4]	2.3 mm (.090")	1.8 mm (.072")	* 77 L (20 U.S. gal.)
Holiday DLX SC	4.9 m (16'-2")	2.2 m (84")	1.8 m (69")	0.8 m (30")	0.7 m (26")	0.5 m (20")	356 kg (784 lb.)	45 kW (60 H.P.)	529 kg (1166 lb.)	302 kg (665 lb.)	** 5 [4]	2.3 mm (.090")	1.8 mm (.072")	* 77 L (20 U.S. gal.)
Starfish DLX SC	4.9 m (16'-0")	1.9 m (73")	1.6 m (63")	0.7 m (29")	0.4 m (17")	0.5 m (20")	231 kg (510 lb.)	30 kW (40 H.P.)	597 kg (1317 lb.)	408 kg (899 lb.)	** 7 [5]	1.8 mm (.072")	1.6 mm (.064")	PORTABLE
Resorter DLX SC	4.4 m (14'-6")	1.9 m (73")	1.6 m (63")	0.7 m (29")	0.4 m (17")	0.5 m (20")	206 kg (455 lb.)	30 kW (40 H.P.)	469 kg (1035 lb.)	280 kg (617 lb.)	** 5 [3]	1.8 mm (.072")	1.6 mm (.064")	PORTABLE
Holiday DLX BT	4.9 m (16'-2")	2.2 m (84")	1.8 m (69")	0.8 m (30")	0.7 m (26")	0.5 m (20")	342 kg (754 lb.)	37 kW (50 H.P.)	529 kg (1166 lb.)	302 kg (665 lb.)	** 5 [4]	2.3 mm (.090")	1.8 mm (.072")	* 77 L (20 U.S. gal.)
Starfish DLX BT	4.9 m (16'-0")	1.9 m (73")	1.6 m (63")	0.7 m (29")	0.4 m (17")	0.5 m (20")	213 kg (470 lb.)	30 kW (40 H.P.)	597 kg (1317 lb.)	408 kg (899 lb.)	** 7 [5]	1.8 mm (.072")	1.6 mm (.064")	PORTABLE
Resorter DLX BT	4.4 m (14'-6")	1.9 m (73")	1.6 m (63")	0.7 m (29")	0.4 m (17")	0.5 m (20")	181 kg (400 lb.)	24 kW (30 H.P.)	469 kg (1035 lb.)	280 kg (617 lb.)	** 5 [3]	1.8 mm (.072")	1.6 mm (.064")	PORTABLE
Yukon DLX BT	4.3 m (14'-3")	1.7 m (68")	1.4 m (57")	0.7 m (28")	0.4 m (17")	0.4 m (15")	146 kg (322 lb.)	19 kW (25 H.P.)	372 kg (821 lb.)	225 kg (496 lb.)	** 4 [3]	1.6 mm (.064")	1.6 mm (.064")	PORTABLE

* BUILT-IN (w/ in-dash gauge) ** Max. person cap.: NMMA (Transport Canada)

Photomontages show various features and options. Some accessories shown may not be available on all models.


FEATURES & OPTIONS		HUDSON DLX WS	HUDSON DLX SC	HOLIDAY DLX WS	HOLIDAY DLX SC	STARFISH DLX SC	RESORTER DLX SC	HOLIDAY DLX BT	STARFISH DLX BT	RESORTER DLX BT	YUKON DLX BT		
STANDARD FEATURES	HULL & DECK	5052-H36 marine-grade aluminum alloy	•	•	•	•	•	•	•	•	•		
		High gloss oven-cured urethane paint	•	•	•	•	•	•	•	•	•	•	
		Semi-V hull (R= reverse chine, S= square chine)	R	R	R	R	R	R	R	R	R	S	
		Aluminum clad transom	•	•	•	•	•	•	•	•	•	•	
		Full-width self draining splashwell	-	-	-	-	-	-	-	-	-	-	
		Deep self draining splashwell	•	•	•	•	•	•	•	•	•	•	
		Twin plating from bow to mid-ship	•	•	•	•	•	•	•	•	•	•	
		Twin plating at chine from mid-ship to stern	-	-	-	-	-	-	-	-	-	-	
		Heavy-duty tubular seat to gunnel braces	•	•	•	•	•	•	•	•	•	•	
		Stainless steel bow and stern eyes	•	•	•	•	•	•	•	•	•	•	
		Bow eye and stern handles	-	-	-	-	-	-	-	-	-	•	
		4 chromed cleats	•	•	•	•	•	•	•	•	•	•	
		Bow raised casting platform	•	•	•	•	•	•	•	•	•	•	
		Aft raised casting platform	•	•	•	•	•	•	•	•	•	•	
		Storage & deep cycle battery compartments	•	•	•	•	•	•	•	•	•	•	
Center side storage compartment	-	-	-	-	-	-	-	-	1	2	2		
STANDARD FEATURES	FISHING	Bow SportFlo™ livewell (44", 77 L/20 U.S. gal.) ¹	•	•	•	•	•	•	•	•	•		
		(34", 61 L/16 U.S. gal.) ¹	-	-	-	-	-	-	-	-	-		
		(26", 39 L/10 U.S. gal.) ¹	-	-	-	-	-	-	-	-	-	•	
		Dual livewell	•	•	-	-	-	-	-	-	-	-	
		Post-overflow w/ thru-hull drain (+= anti-spill cover)	•+	•+	•+	•+	•+	•+	•+	•+	•+	•	
		Lockable rod storage compartment	9'	9'	7'	7'	7'	7'	7'	7'	-	-	
		12V bow trolling motor plug & receptacle (+= 12 or 24V)	•+	•+	•	•	•	•	•	•	-	-	
		Carpeted bow deck	•	•	•	•	•	•	•	•	•	-	
		STANDARD FEATURES	SEATS	Floor seat bases	6	6	5	5	4	4	4	3	-
				Folding fishing seats w/ no-pinch hinges	2	2	2	2	2	2	2	2	-
				Parallel seats at stern w/ marine carpet	-	-	-	-	-	-	-	-	•
				Bow bench seat w/ marine carpet	-	-	-	-	-	-	-	-	•
		STANDARD FEATURES	CONSOLE	Carpet seat covering	-	-	-	-	-	-	-	-	•
				Side console w/ quick-release smoked windscreen	-	•	-	•	•	•	-	-	-
				Twin console w/ walk-thru tinted tempered glass windshield	•	-	•	-	-	-	-	-	-
Carling switch panel w/ indicator lights (+= deluxe dash panel)	•+			•+	•+	•+	•+	•+	•	•	•		
Electrical system protection (breakers)	•			•	•	•	•	•	•	•	•		
No-FeedBack™ steering system	•			•	-	-	-	-	-	-	-		
Instrumentation (gauges)	5			5	3	3	-	-	1	-	-		
Tach., volt., speed., trim & fuel gauges	•			•	•	•	-	-	-	-	-		
Tach., speed. & fuel gauges	-			-	-	-	-	-	-	-	-		
Fuel gauge	-			-	-	-	-	-	•	-	-		
STANDARD FEATURES	OTHERS			Electric bilge pump	•	•	•	•	•	•	•	•	•
				Navigation lights	•	•	•	•	•	•	•	•	•
				Interior light	1	1	1	1	-	-	-	-	-
				Holding handle(s)	-	-	1	1	1	1	1	1	-
				Cup holder(s)	2	-	2	-	-	-	-	-	-
		Battery holder(s)	3	3	2	2	2	2	2	2	1		
		Built-in floor fuel system	•	•	•	•	-	-	-	-	-		
		Pressure-treated wood floor w/ marine vinyl	•	•	•	•	•	•	•	•	•		
		DEALER INSTALLED OPTIONS	OPTIONS	Complete beige canvas enclosure (+= stand-up high)	o+	o	o+	o	o	o	-	-	
				Sun top	o	o	o	o	o	o	o	o	
				Mooring or trailer cover	o	o	o	o	o	o	-	-	
				Folding fishing seat w/ spider and post	o	o	o	o	o	o	o	o	
				Lowrance® X-50 DS fish/depth finder	o	o	o	o	o	o	o	o	
		COLORS	COLORS	Red or Black	•	•	•	•	•	•	•	•	
					•	•	•	•	•	•	•	•	

• Standard o Option 1 All our livewells are electric-filled and aerated. Boat/motor/trailer packages available with Mercury® outboard power.


Cartops

STANDARD FEATURES

		SCAMPER	SEASPRITE
HULL & DECK	5052-H36 marine-grade aluminum alloy	•	•
	NMMA & Canadian Coast Guard certified	•	•
	Flotation to latest Canadian Government and U.S. Coast standards	•	•
	Decal package	•	•
	Non-skid anti-glare interior paint finish	•	•
	Semi-V hull with round chine	•	•
	Aluminum clad transom	•	•
	Heavy-duty tubular seat to gunnel braces	•	•
	Bow eye and stern handles	•	•
Oar lock socket	•	•	
SEATS	Bulkhead center seat	•	•
	Bow bench seat	•	•
COLOR	Natural aluminum with graphics	•	•



SPECIFICATIONS	Center line	Beam	Chine width	Max. depth	Approx. draft	Transom height	Approx. weight	NMMA (USA) / Transport Canada				ALUMINUM THICKNESS		GAS TANK
								Max. H.P. cap.	Max. weight cap.	Max. weight person cap.	Max. person cap.	Bottom	Side	
Seasprite	3.7 m (12'-4")	1.5 m (58")	1.1 m (45")	0.5 m (21")	0.4 m (13")	0.4 m (15")	59 kg (130 lb.)	8 kW (10 H.P.)	281 kg (620 lb.)	190 kg (418 lb.)	** 3 [2]	1.3 mm (.051")	1.3 mm (.051")	PORTABLE
Scamper	4.3 m (14'-4")	1.5 m (58")	1.1 m (45")	0.5 m (21")	0.4 m (13")	0.4 m (15")	68 kg (150 lb.)	12 kW (15 H.P.)	340 kg (750 lb.)	249 kg (548 lb.)	** 4 [3]	1.3 mm (.051")	1.3 mm (.051")	PORTABLE



Scamper



Seasprite

** Max. person cap.: NMMA [Transport Canada]



You and the water. And little else.

Cane poles. Worms in an old coffee can. If you yearn to relive these memories, good news: we still make your boat. It is alive and well and ready to create even more memories.



1



2



3

1. A full-width splashwell to help keep everything dry* 2. High-gloss paint resists weather and fading 3. Oar lock socket*

* Some models

Utility Series




1. Our exclusive polyethylene seat comes standard and stays dryer than wood seats* 2. The stern parallel seats make moving around much easier* 3. Aluminum-clad, hassle-free transom

* Some models



Holiday




HOLIDAY



STARFISH




SPRINGBOK



RESORTER



YUKON



FISHERMAN



UNGAVA

/ KEY STANDARD FEATURES

- Wide and stable hull design
- Twin plating at chine from mid-ship to stern
- Full-width self draining splashwell *
- High gloss exterior paint finish w/ decal package
- Non-skid anti-glare interior paint finish
- Aluminum clad transom
- Parallel seats at stern (some models w/ battery storage)
- Bulkhead center seat
- Bow bench seat
- Durable ribbed polyethylene seat covering

* Some models

Starfish™



Resorter®



Fisherman



Ungava

Canvas



PRINCECRAFT CANVAS ARE BETTER

- Only marine-tested fabric is used
- Each snap is mounted on molding at a 45-degree angle for better securing, easier removal
- Additional clear acrylic coating is applied to back side of fabric to repel water
- Every canvas enclosure is crafted to Princecraft's standard of quality

ADVANTAGES OF POLYESTER FABRIC

- Superior strength and tear resistance over solution-dyed acrylic marine fabrics
- Much higher degree of water repellence
- Significantly greater dimensional stability
- Vastly superior abrasion resistance



For most models with walk-thru windshield, stand-up high top with curtains¹ color-coordinated to your boat



Complete canvas enclosure for side console models^{1,3}

Mooring cover²

Sun top

Bow trolling motor can be installed even when canvas is up

A CUSTOM CANVAS TOP IS THE PERFECT WAY TO ENHANCE ANY DAY ON THE WATER.

Be prepared for any kind of weather with our custom-fitted canvas enclosures. By using the same precise specs to position the fasteners on every model your top fits perfectly at every snap.

Optional

OPTIONAL EQUIPMENT

FACTORY INSTALLED OPTIONS	CANVAS	DEALER INSTALLED OPTIONS	COLORS
Port console w/ quick-release smoked windscreen Pro Staff graphic package Port-side sleeper seat Reclining captain's chair with adjustable armrests (driver or companion seat) AM/FM/CD Stereo w/ iPod controls and Sirius Satellite Compatible (+= 200-watt AM/FM/CD with MP3, iPod and SAT Radio Compatible) Vinyl floor covering Lowrance® X135 Sonar Fishfinder Lowrance® LMS-522C iGPS Sonar Underwater lighting (2 lights) SmartCraft™ gauges (tach., speed, and trim) for Optimax and Verado engines Hydraulic steering system w/ tilt wheel Tilt steering mechanism Wash down system Chemical toilet w/ holding tank & pump out Mercury 9.9 BF 4 stroke kicker engine	S= Stand-up high w/ aluminum frame (+= stainless steel frame) C= Canvas enclosure Mooring or trailer cover Sun top	Bow rider seat cushions Coaming pads & bow rider seat cushions Folding fishing seat with spider and post (D= deluxe) Bicycle seat w/ 27" post Downrigger supports Lowrance® X-50 DS fish/depth finder Pantographic parallel arm starboard side wiper Onboard battery charger Stern boarding ladder Combo-poly swim platform w/ telescoping ladder Ski pylon Snap-in carpet (available w/ vinyl flooring)	Special Edition: Black & Metallic Beige, Black, Red, Blue

1. Remember to refer to your Owner's Manual for information concerning carbon monoxide and the use of canvas while boat is underway 2. Offered in beige 3. Full canvas enclosure should not be used if the engine on generator is running

STANDARD FEATURES		SUPER PRO SPECIAL EDITION SERIES				SUPER PRO		SUPER SPORT SERIES			207 ¹	206 ¹
		207 SE ³	206 SE ³	186 SE ³	176 SE ³	TOURNAMENT 198 ¹	FNP SERIES 176 FNP ¹	SS 174	SS 172	SS 164		
HULL & DECK	5052-H36 marine-grade aluminum alloy	•+	•+	•+	•+	•	•	•	•	•	•+	•
	Reverse chine hull design (+= Double)	•	•+	•+	•+	•+	•	•	•	•	•+	•+
	High-gloss oven-cured urethane paint	•	•	•	•	•	•	•	•	•	•	•
	Stainless steel bow and stern eyes	•	•	•	•	•	•	•	•	•	•	•
	Raised casting platform	•	•	•	•	•	•	•	•	•	•	•
	Storage compartment(s) (A= Anchor, B= Deep cycle battery, I= Ice chest, F= In-floor lockable storage and insulated fish box, S= Storage)	•	•	•	•	•	•	•	•	•	•	•
	Twin plating from bow to mid-ship	•	•	•	•	•	•	•	•	•	•	•
	Twin plating at the chine from mid-ship to stern	•	•	•	•	•	•	•	•	•	•	•
	Rigging tube under flooring (bow to stern)	•	•	•	•	•	•	•	•	•	•	•
	Cleats (SSR= Stainless steel recessed, SS= Stainless steel, C= Chromed)	•	•	•	•	•	•	•	•	•	•	•
FISHING	Livewell system	•	•	•	•	•	•	•	•	•	•	•
	(A) Bow livewell - Length (inches) - Capacity (litres) - (Capacity [U.S. gal.] ²)	•	•	•	•	•	•	•	•	•	•	•
	(B) Stern livewell - Length (inches) - Capacity (litres) - (Capacity [U.S. gal.] ²)	•	•	•	•	•	•	•	•	•	•	•
	Dual livewell	•	•	•	•	•	•	•	•	•	•	•
	Aeration (+= with timer)	•	•	•	•	•	•	•	•	•	•	•
	Recirculation	•	•	•	•	•	•	•	•	•	•	•
	Overflow	•	•	•	•	•	•	•	•	•	•	•
	Thru-hull drain (+= with remote)	•	•	•	•	•	•	•	•	•	•	•
	Removable minnow bucket	•	•	•	•	•	•	•	•	•	•	•
	Light	•	•	•	•	•	•	•	•	•	•	•
SEATS	Floor seat bases	•	•	•	•	•	•	•	•	•	•	•
	DS= Deluxe pedestal seat PS= Pedestal seat SS= Sleeper seat JS= Jump seat	•	•	•	•	•	•	•	•	•	•	•
	RB= Rear flip deck convert bench SR= Sliding rails for driver seat	•	•	•	•	•	•	•	•	•	•	•
	Console with dash panel & switches	•	•	•	•	•	•	•	•	•	•	•
	Steering system (NFB= No-FeedBack™, H= Hydraulic, += with dual cables)	•	•	•	•	•	•	•	•	•	•	•
	Tilt steering mechanism	•	•	•	•	•	•	•	•	•	•	•
	Walk-thru tinted curved tempered glass windshield w/ door	•	•	•	•	•	•	•	•	•	•	•
	Smoked windscreen w/ quick release	•	•	•	•	•	•	•	•	•	•	•
	Instrumentation (gauges)	•	•	•	•	•	•	•	•	•	•	•
	Speedometer	•	•	•	•	•	•	•	•	•	•	•
CONSOLE	Tachometer	•	•	•	•	•	•	•	•	•	•	•
	Voltmeter	•	•	•	•	•	•	•	•	•	•	•
	Trim gauge	•	•	•	•	•	•	•	•	•	•	•
	Fuel gauge	•	•	•	•	•	•	•	•	•	•	•
	Electrical system protection (Breakers)	•	•	•	•	•	•	•	•	•	•	•
	AM/FM/CD Stereo with iPod controls and Sirius Satellite Compatible	•	•	•	•	•	•	•	•	•	•	•
	Waterproof speakers	•	•	•	•	•	•	•	•	•	•	•
	Electric horn	•	•	•	•	•	•	•	•	•	•	•
	12V receptacle	•	•	•	•	•	•	•	•	•	•	•
	Pop-up privacy enclosure in stern casting platform	•	•	•	•	•	•	•	•	•	•	•
OTHERS	Electric bilge pump(s) (Auto= automatic)	•	•	•	•	•	•	•	•	•	•	•
	Bow rails (G= Grab, BH= Bow handle, += Stainless Steel)	•	•	•	•	•	•	•	•	•	•	•
	Holding handle(s)	•	•	•	•	•	•	•	•	•	•	•
	Navigation lights	•	•	•	•	•	•	•	•	•	•	•
	Canvas top snap fasteners	•	•	•	•	•	•	•	•	•	•	•
	CP= Coaming pads, BC= Bow cushions	•	•	•	•	•	•	•	•	•	•	•
	Interior light(s)	•	•	•	•	•	•	•	•	•	•	•
	Cup holder(s)	•	•	•	•	•	•	•	•	•	•	•
	Battery holder(s)	•	•	•	•	•	•	•	•	•	•	•
	Built-in floor fuel system	•	•	•	•	•	•	•	•	•	•	•
VERADO PACK	Pressure treated wood floor covered with (C= 20-oz carpet, V= vinyl)	•	•	•	•	•	•	•	•	•	•	•
	Fire extinguisher support (fire extinguisher not included)	•	•	•	•	•	•	•	•	•	•	•
	Digital Throttle and Shift System (DTS)	•	•	•	•	•	•	•	•	•	•	•
	Power steering with tilt wheel (w/ 225 H.P. Verado-L6 engine)	•	•	•	•	•	•	•	•	•	•	

Why weekends are better on a Princecraft than on any other boat?

Have you ever noticed how quickly time passes when you're in your element? When you're doing what you were put on earth to do, and everything falls into place, time flies. Princecraft boats are engineered to offer you nothing short of perfect days on the water. And when you're out there fishing in your favorite spot and everything feels exactly right, the weekend is just too short. Might we suggest you just quit that job that keeps you from fishing full-time. At least you'd have the boat that enables you to fish like a Pro.

Remember, life vests float, you don't.

Everything we do at Princecraft comes from our desire for you and your family to have the times of your life with our boats. And safety is a big part of your experience. That's why we encourage you to always wear life preservers while aboard any moving vessel.



To get your 2009 Pontoon and Deck Boats brochure, for any details on why a Princecraft is the best boat for you or to find your nearest dealer, visit www.princecraft.com, or call 1-800-395-8858



In Canada: **Princecraft Boats Inc.**, A Brunswick Company, 725 Saint-Henri Street, Princeville (Quebec) G6L 5C2
 In the United States: **Princecraft U.S.**, A Brunswick Company, 1st Tennessee Plaza Bldg., Suite 1700, 800 S. Gay Street, Knoxville, TN 37929

Special thanks to: Berkley®, Blue Fox®, Brecks®, Columbia Sportswear Company®, Crocs™, Flambeau Outdoors®, Helly-Hansen®, Hot Spot Fishing & Lures LTD.®, Mercury Marine®, Mustang Survival®, Orizon Inc., Rapala®, Scotty®, Shimano®, Storm™



Princecraft factory-packaged boats are available with various horsepower Mercury® outboard. www.mercury-marine.com



PLEASE READ CAREFULLY: Dimensions, capacities, ratings, and additional specifications, plus complete warranty and service information, are available from your Princecraft dealer. Product illustrations and data within this catalog are based upon information available at the time of publication. Not all accessories shown in pictures or described herein are standard equipment or even available as options. Specification measurements are approximations and subject to variance. Because Princecraft is dedicated to constant product improvements, Princecraft reserves the right to make changes without prior notice or obligation. Not all model year boats may contain all of the features or meet the specifications described herein. Ask your Princecraft dealer for the most current product specifications prior to purchase. Some of the equipment shown separately or on products illustrated in this catalog may be optional at extra cost. Options and features are subject to change without notice.

Princecraft is a member in good standing of the National Marine Manufacturers Association (NMMA) USA and Canada. All boats comply with Canadian Coast Guard and U.S. Coast Guard regulations. All Princecraft® boats are in compliance with NMMA's Boat Certification Program. Atwood™ is a registered trademark of Atwood Corporation. Clarion™ is a registered trademark of Clarion Sales Corporation. Faria™ is a registered trademark of TG Faria, Inc. Pilot™ is a registered trademark of TG Faria, Inc. Flow-Rite™ is a registered trademark of Flow-Rite Controls. Lowrance® is a registered trademark of Lowrance Electronics, Inc. Marinco™ is a registered trademark of Marinco-AFI. McGill™ is a registered trademark of Emerson Electronics. Mercury®, MerCruiser®, Verado™, OptiMax® and SmartCraft™ are registered trademarks of Mercury Marine.