

# 2011

ALUMINUM FISHING BOATS



**PRINCECRAFT**

# ***Behind every Princecraft boat stands our dedicated team of passionate employees.***

From the initial design to the final finishing touches, nothing escapes their nimble fingers and sharp eyes. Over the years, they have developed incomparable know-how, sustained by a desire for innovation, precision, and performance — expertise that is reflected in every aspect of your boat. When a Princecraft boat leaves the factory to become a part of your life, our pride goes along with it, because we know it will continue to inspire passion!



# PRINCECRAFT

VISIT [PRINCECRAFT.COM](http://PRINCECRAFT.COM)  
OR CALL US 1 800 395-8858

Hulls .....	22
Trailers.....	24
Livewells .....	25

## **PLATINUM SE SERIES**

Platinum SE 207 and 206 .....	28
Platinum SE 186 and 176 .....	30
Platinum SE 176 FnP .....	32

## **SUPER PRO SERIES**

Super Pro 186, 185 GL and 176 .....	36
-------------------------------------	----

## **SPORT SERIES**

Sport 182 and 172.....	40
Sport 174 and 164.....	42

## **PRO SERIES**

Pro 198 SC, 179 SC, 179 WS and 165 SC.....	46
--	----

## **DLX AND DL SERIES**

Hudson DLX WS, SC and BT .....	50
Holiday DLX WS, SC and BT .....	52
Starfish DLX SC and BT .....	54
Yukon DLX BT.....	56
Springbok and Yukon DL BT .....	58
Yukon <sup>e</sup> DL BT.....	60

## **UTILITIES AND CARTOPS**




Holiday, Starfish, Springbok and Yukon .....	64
Fisherman, Ungava, Scamper and SeaSprite .....	65

Canvas and covers.....	66
Optional equipment .....	67
Standard features .....	68

## Our secret: H36 Aluminum

Princecraft boat hulls are the strongest and most durable on the market. Why? Because they are built using 5052-H36, the best marine aluminum alloy in the industry.

- 25% stronger than the aluminum used by most of our competitors
- More resistant to shock and warping
- Maintains peak performance
- Permits peace of mind on the water
- Helps boost boat resale value



### Why don't all manufacturers use H36?

Because H36 is more rigid, it's also harder to work with. Shaping it requires cutting edge equipment that is very tough and extremely precise. Just like the kind you'll find in our plants.

But most of all, working with H36 requires extraordinary expertise, the kind Princecraft has developed over 56 years of manufacturing premium quality aluminum watercraft—boats that can last a lifetime.



### Twice the Quality

Our larger boats feature **double chines**. This means that the bottom of the hull consists of two layers of H36 aluminum extending from midship to stern.

This design helps diffuse stress from the bottom of the boat to the side panels. The result? Enhanced performance at high speeds.

### Knock on the hull

The double H36 aluminum layer has a stiffness you can feel—and hear!

# The Double Reverse Chine Difference

Invented by Princecraft, the double reverse chine offers unbridled performance. Its ingenious structure ensures remarkable maneuverability no matter what the boating conditions you encounter, so you can maintain maximum control of your craft.

- Enhances performance at all speeds and in all cruising conditions
- Provides steady control at the helm and in terms of speed
- Boosts lift while reducing resistance, helping the boat to plane easily even when heavily loaded
- Prevents rolling at high speeds



## High and Dry

The double reverse chine combined with our signature hull design helps keep you and your passengers dry—a real plus for fishermen and pleasure boaters!

## Exceptional Hulls

Princecraft hulls are renowned for their extreme performance and durability. Our hull bottoms are made of a single panel for unparalleled durability and rigidity throughout the life of your boat.

Our seasoned engineers and designers work tirelessly to improve the quality of our hulls. Their dedication to innovation translates into careful attention to detail—and regular improvements to the already exceptional stability of our craft.

## Built to Take a Licking

At Princecraft, we know the weather conditions faced by our customers. We believe that your boat should always deliver you to your destination with a maximum of efficiency and comfort. That's why we build our craft to offer the most reliability, particularly when it comes to absorbing impact from waves.

Just like airplanes and tractor-trailers, which are subject to extreme pressures, Princecraft boats are built with riveted joints to provide impact resistance for years and years to come.

What's more, in areas subject to maximum tension, all models measuring 18 feet and more are secured with .25 inch solid aluminum rivets.

# Custom Multifunction Trailers

To ensure that your pleasure craft lives up to its name, it should be a pleasure to handle all down the line—evening when you're towing and launching it.



- 1. Heavy-duty winch\* 2. Carpeted load guides\* 3. Swing tongue\*
- 4. Optional mag wheels\* 5. Waterproof recessed lights\* 6. Fenders with step pads\*

That's why each of our trailers is custom-made according to the highest standards of quality to offer topnotch stability and maneuverability on the road, in addition to easy loading and unloading.



Painted trailer



Galvanized steel trailer

## AN EXTRA DURABLE FRAME

- Extra sturdy tubular structure
- Brake cables and circuits are inserted in a steel tube to protect them from the elements
- Guaranteed longterm reliability

## OPTIMAL SAFETY

- Superior on-road stability and handling
- Watertight light system (5)
- Factory-balanced wheels
- Double safety chain
- Ball bearing protectors
- Complies with NMMA and Transport Canada standards

## STRATEGICALLY PLACED BUNKS AND LOAD GUIDES

- Custom design
- Marine carpet-covered load guides protect your boat's hull (certain models only) (2)
- Bunks remain in constant contact with the hull for optimally distributed support
- Easier loading and unloading

## SPECIAL FEATURES

- Sturdy winch (1)
- Standard parking jack
- Soldered attachment for optional motor stand installation
- Galvanized steel wheelbase for rust protection
- Practical swing tongue: saves space, stores easily (standard on certain models; optional on other models) (3)
- Composite fenders with built-in running boards (6)
- Radial tires (standard on most models)
- Aluminum alloy STAR rims (optional on certain models) (4)

# Rod and Reel Ready

## STURDY DOWNRIGGER MOUNTS

Our downrigger mounts feature an innovative, boat-specific design and robust aluminum construction for easy installation in the location of your choice, without interfering with canvas installation.

What's more, our fastenings can be used with most existing downrigger brands, making it easier than ever to get your boat ready for a day on the water!

## HIGH-PERFORMANCE SONARS

Most Princecraft boats are equipped with Lowrance®-brand sonars.

These durable, top-of-the-line sonars are carefully selected to meet the specific requirements of each type of boat and user in terms of resolution, display format, strength, depth, etc.

Because using the right equipment makes your fishing experience so much more enjoyable!

## PROTECTING YOUR EQUIPMENT

Customized storage options optimized for each boat model help keep your equipment safe and dry—and always at hand.

For example, models measuring 17 feet and more have built-in floor cabinets large enough to hold up to 12 fishing rods.

Some storage compartments can also be locked so you can protect your investment.




# Ingenious Livewells!

A must-have for fishing, good livewells help keep your catch healthy and fresh. Princecraft offers you three top-quality options to help you get the most out of each and every day of fishing!

## SPORTFLO™

This system includes:

- A pump for filling the tank and aerating the water
- A removable separator<sup>1</sup>
- A tube overflow system that empties to the outside
- Recessed drains with debris screens to keep the pump clear<sup>2</sup>
- An anti-spill rim<sup>1</sup>



SportFlo™ livewell system


### Models which you will find SportFlo™ livewell system in:

- DLX Series
- Pro 165 SC
- Pro 179 SC
- Pro 179 WS
- Sport 164
- Sport 172
- Sport 174
- Sport 182
- Platinum SE 176 FnP

## PROFLO™

Includes all SportFlo™ features, plus:

- A dual pump system that keeps water recirculating on the water or dock.
- A timed aerator control<sup>1</sup>
- A removable minnow bucket<sup>1</sup>
- A light<sup>1</sup>



ProFlo™ livewell system


### Models which you will find ProFlo™ livewell system in:

- Super Pro 176
- Super Pro 185 GL
- Super Pro 186



## PROFLO™ PLUS *Exclusive*

The ProFlo™ Plus livewell is virtually maintenance free, and features automatic filling and recirculation that lets you focus on fishing. Its dual-pump system keeps your bait alive and your catch beautifully fresh, whether you're cruising open water or tied up at the dock.



### Models which you will find ProFlo™ Plus livewell system in:

- Pro 198 SC
- Platinum SE 176
- Platinum SE 186
- Platinum SE 206
- Platinum SE 207

<sup>1</sup> On most models  
<sup>2</sup> Except DLX Series

# Paradise on the Water

YOU'RE A HARD-BIT FISHING ENTHUSIAST ALWAYS ANGLING FOR THE BEST? WITH FIVE MODELS METICULOUSLY DESIGNED TO DELIVER MAXIMUM PERFORMANCE, COMFORT, AND AMENITIES, THE PLATINUM SE SERIES IS FOR YOU. IT BOASTS A FULL RANGE OF ACCESSORIES AND TOP-OF-THE-LINE COMPONENTS, DOWN TO CUSTOM-MADE TRAILERS AND EXCLUSIVE PAINT AND GRAPHICS. IF YOU WANT THE BEST, LOOK NO MORE—THERE'S A PLATINUM SE MODEL WITH YOUR NAME ON IT.

Platinum SE 186



1. Stern boarding ladder
2. Stainless steel recessed cleats\*
3. AM/FM/CD with iPod controls and SAT Radio Compatible, with easy-access driver's radio remote control
4. Mercury SmartCraft™ instrumentation (11 functions)\*
5. In-floor lockable rod organizer
6. Lowrance® X-52 fish/depth finder on swivelling bracket\*
7. Thermoformed side panels with integrated speakers and storage

# PLATINUM SE

## SERIES



### KEY FEATURES

#### PLATINUM SE SERIES

	207	206	186	176	176 FnP
For the boat's regular features, consult pages 68-69 and:	28-29	28-29	30-31	30-31	32-33
Packaged with Mercury® outboard engines <sup>1</sup>	•	•	•	•	•
Dark beige metallic hull with black accent color	•	•	•	•	•
Mercury SmartCraft™ System Tachometer (11 functions) <sup>2</sup>	•	•	•	•	-
Mercury SmartCraft™ System Speedometer (11 functions) <sup>3</sup>	•	•	•	•	-
Hydraulic steering system with tilt wheel	•	•	•	•	-
Sport steering wheel	•	•	•	•	•
12V or 24V deluxe bow trolling motor panel	•	•	•	•	-
AM/FM/CD Stereo with iPod controls and SAT Radio Compatible	•	•	•	•	•
Easy-access driver's radio remote control	•	•	•	•	•
ProFlo™ Plus livewell system	2	2	2	2	-
Deluxe folding fishing seats	3	3	3	3	2
Sliding rail for driver seat	•	•	•	•	•
Bow coaming pads	•	•	•	•	•
Lowrance® fish/depth finder	X-52	X-52	X-52	X-52	X-50 DS
Stainless steel recessed cleats	4	4	4	4	-
Stern boarding ladder	•	•	•	•	•
Thermoformed side panel with integrated speakers and storage	•	•	•	•	•
Custom-fit black trailer with swing tongue & drop axle (T = Tandem, DB = Disc brakes)	T, DB	T, DB	DB	DB	•
Checker polished aluminum covered step pads	•	•	•	•	•
OPTION ONLY AVAILABLE WITH PLATINUM SE SERIES BOATS	200-watt AM/FM/CD with USB port/ MP3/ iPod and SAT Radio Compatible... upgrade exchange	0	0	0	0

<sup>1</sup> All Verado™ L4 and L6 packages come standard with Digital Throttle and Shift System (DTS). Verado™ L6 packages (225 H.P.) come standard with power steering and tilt wheel.

<sup>2</sup> SmartCraft™ system tachometer includes light brightness, light control adjustment, engine alarm display, TrollControl™, battery voltage, digital tachometer, engine hour meter, engine temperature, fuel flow, power trim angle and water pressure.

<sup>3</sup> SmartCraft™ system speedometer includes light brightness, light contrast adjustment, TrollControl™, clock, digital speedometer, fuel economy, fuel range, fuel tank level, lake water temperature, air temperature and trip log.

• Standard ○ Option

# Tops in Performance



Platinum SE 207

## SPECIFICATIONS

	Center line	Beam	Chine width	Maximum depth	Approx. draft	Transom height	Approx. weight	NMMA (USA) / MANUFACTURER'S RECOMMENDATIONS				ALUMINUM THICKNESS		BUILT-IN GAS TANK
								Maximum HP capacity	Maximum weight capacity	Maximum weight person capacity	Maximum person capacity	Bottom	Side	
<b>Platinum SE 207</b>	6.1 m (20'-0")	2.5 m (100")	2.1 m (84")	1.3 m (50")	0.9 m (34")	0.6 m (25")	839 kg (1850 lb.)	168 kW (225 HP)	1002 kg (2209 lb.)	612 kg (1350 lb.)	10	2.8 mm (.110")	1.8 mm (.072")	227 L (60 U.S. gal.)
<b>Platinum SE 206</b>	6.1 m (20'-0")	2.5 m (99")	2.1 m (84")	1.2 m (48")	0.9 m (34")	0.6 m (25")	835 kg (1840 lb.)	168 kW (225 HP)	1002 kg (2209 lb.)	612 kg (1350 lb.)	10	2.8 mm (.110")	1.8 mm (.072")	227 L (60 U.S. gal.)

# PLATINUM SE 207 and 206

## KEY STANDARD FEATURES

- Deep V double reverse chine hull design
- 4 stainless steel recessed cleats
- Raised bow casting platform with storage
- 2 stern jump seats
- 3 deluxe pedestal folding fishing seats
- Bow & stern ProFlo™ Plus aerated livewell system
- Lowrance® X-52 fish/depth finder on swivelling bracket
- In-floor very large lockable rod organizer with tubes
- 12V or 24V bow trolling motor panel with voltmeter and tilt switch
- SeaStar® hydraulic steering system with tilt wheel
- AM/FM/CD Stereo with iPod controls and SAT radio compatible
- Mercury SmartCraft™ System
- Upholstered bow coaming pads with optional cushions
- Aft raised casting platform with privacy enclosure and optional toilet (Platinum SE 207)
- Stern livewell or insulated fish box with cutting board (Platinum SE 206)




Platinum SE 207



Platinum SE 206



Platinum SE 207



Platinum SE 206

Livewell
  Storage Compartment
  Open Space Storage Compartment
  Rod Storage Compartment
  Fuel Tank
  Ice box
  Privacy Enclosure



## DETAILS



1. Optional Lowrance® HDS-5 fish/depth finder with GPS 2. Optional snap-in carpet 3. Stern boarding ladder 4. Stainless steel recessed cleats 5. Pop-up privacy enclosure located under fold-down jump seats and optional toilet (Platinum SE 207 only) 6. Thermofomed side panels with integrated speakers and storage

# Fueling your Passion



Platinum SE 186

## SPECIFICATIONS

	Center line	Beam	Chine width	Maximum depth	Approx. draft	Transom height	Approx. weight	NMMA (USA) / TRANSPORT CANADA				ALUMINUM THICKNESS		BUILT-IN GAS TANK
								Maximum HP capacity	Maximum weight capacity	Maximum weight person capacity	Maximum person capacity	Bottom	Side	
<b>Platinum SE 186</b>	5.6 m (18'-6")	2.4 m (95")	2.0 m (80")	1.2 m (46")	0.8 m (33")	0.6 m (25")	701 kg (1545 lb.)	131 kW (175 HP)	863 kg (1902 lb.)	525 kg (1158 lb.)	** 8 [7]	2.8 mm (.110")	1.8 mm (.072")	151 L (40 U.S. gal.)
<b>Platinum SE 176</b>	5.3 m (17'-6")	2.3 m (92")	2.0 m (80")	1.0 m (41")	0.8 m (31")	0.6 m (25")	651 kg (1435 lb.)	112 kW (150 HP)	787 kg (1736 lb.)	450 kg (992 lb.)	** 7 [6]	2.5 mm (.100")	1.8 mm (.072")	151 L (40 U.S. gal.)

# PLATINUM SE 186 and 176

## KEY STANDARD FEATURES


- Deep V double reverse chine hull design
- Raised bow and aft casting platforms with storage
- 4 stainless steel recessed cleats
- 3 deluxe pedestal folding fishing seats
- 2 stern fold-down jump seats
- Bow and stern ProFlo™ Plus aerated livewell system
- 12V or 24V bow trolling motor panel with voltmeter and tilt switch
- Walk-thru tinted curved tempered glass windshield with door
- SeaStar® hydraulic steering system with tilt wheel
- Mercury SmartCraft™ System
- In-floor large lockable rod organizer with tubes
- Lowrance® X-52 fish/ depth finder on swivelling bracket
- Upholstered bow coaming pads with optional cushions
- AM/FM/CD Stereo with iPod controls and SAT Radio Compatible
- Automatic electric bilge pump




Platinum SE 186



Platinum SE 176




Platinum SE 186



Platinum SE 176

Livewell
  Storage Compartment
  Open Space Storage Compartment
  Rod Storage Compartment
  Fuel Tank
  Ice box



## DETAILS



1. In-floor lockable 6-rod organizer
2. Bow coaming pads with optional bow seat cushions
3. Optional Lowrance® HDS-5 fish/depth finder with GPS
4. Optional ski pylon
5. AM/FM/CD with iPod controls and SAT radio compatible, with easy-access driver's radio remote control
6. 12V or 24V deluxe bow trolling motor panel with voltmeter, tilt switch and Marincó™ plug
7. 2 fold-down stern jump seats that can be converted to a casting platform

# That Family Feeling



Platinum SE 176 FnP

## SPECIFICATIONS

	Center line	Beam	Chine width	Maximum depth	Approx. draft	Transom height	Approx. weight	NMMA (USA) / TRANSPORT CANADA				ALUMINUM THICKNESS		BUILT-IN GAS TANK
								Maximum HP capacity	Maximum weight capacity	Maximum weight person capacity	Maximum person capacity	Bottom	Side	
<b>Platinum SE 176 FnP</b>	5.3 m (17'-5")	2.3 m (92")	1.9 m (75")	1.0 m (40")	0.8 m (30")	0.6 m (25")	604 kg (1331 lb.)	93 kW (125 HP)	747 kg (1647 lb.)	411 kg (907 lb.)	** 7 [5]	2.5 mm (.100")	1.8 mm (.072")	98 L (26 U.S. gal.)

# PLATINUM SE 176 FnP

## KEY STANDARD FEATURES

- Deep V reverse chine hull design
- Dark beige metallic hull with black accent color
- 2 stern fold-down jump seats
- 2 deluxe pedestal folding fishing seats
- Sliding rail for driver's seat
- Port side sleeper seat
- Walk-thru tinted curved tempered glass windshield with door
- Bow SportFlo™ aerated livewell system
- Lowrance® X-50 DS fish/ depth finder on swivelling bracket
- In-floor large lockable rod organizer
- Upholstered bow coaming pads with bow cushions
- AM/FM/CD Stereo with iPod controls and SAT radio compatible
- Stern boarding ladder
- Automatic electric bilge pump




Platinum SE 176 FnP



Platinum SE 176 FnP

Livewell  
  Storage Compartment  
  Open Space Storage Compartment  
  Rod Storage Compartment  
  Fuel Tank  
  Ice box



## DETAILS



1. 2 fold-down stern jump seats that can be converted to a casting platform 2. Optional combo-poly swim platform with telescoping ladder 3. Port side sleeper seat  
 4. Thermoformed side panels with integrated speakers and storage 5. Optional vinyl floor covering and snap-in carpet 6. AM/FM/CD Stereo with iPod controls and SAT compatible with easy-access driver's remote control 7. SportFlo™ electric-fill aerated bow livewell 64 L (17 U.S. gal.) with post-overflow, thru-hull drain and anti-spill cover

# Behind Every Great Angler, a Good Boat

WITH MORE SPECIAL FEATURES THAN ANY OTHER BOAT IN THEIR CATEGORY, THE MODELS IN OUR SUPER PRO SERIES ARE THE FAVES OF PASSIONATE FISHING ENTHUSIASTS YEAR AFTER YEAR. THAT'S NO SURPRISE—WE'VE THOUGHT OF EVERYTHING AN ANGLER COULD WANT!



1. In-floor lockable 6-rod organizer\* 2. 2 fold-down stern jump seats that can be converted to a casting platform\* 3. Cargo net in stern area\* 4. Optional kicker engine  
5. AM/FM/CD Stereo with iPod controls and SAT radio compatible 6. ProFlo™ electric-fill aerated stern livewell 64 L (17 U.S. gal.) with timer, recirculation, post-overflow, thru-hull drain and anti-spill cover\*

# ***SUPER PRO***

**SERIES**



**Super Pro 176**

# Fantastic Fishing Starts Here



Super Pro 176

## SPECIFICATIONS

	Center line	Beam	Chine width	Maximum depth	Approx. draft	Transom height	Approx. weight	NMMA (USA) / TRANSPORT CANADA				ALUMINUM THICKNESS		BUILT-IN GAS TANK
								Maximum HP capacity	Maximum weight capacity	Maximum weight person capacity	Maximum person capacity	Bottom	Side	
<b>Super Pro 186</b>	5.6 m (18'-6")	2.4 m (95")	2.0 m (80")	1.2 m (46")	0.8 m (33")	0.6 m (25")	685 kg (1510 lb.)	131 kW (175 HP)	863 kg (1902 lb.)	525 kg (1158 lb.)	** 8 [7]	2.8 mm (.110")	1.8 mm (.072")	151 L (40 U.S. gal.)
<b>Super Pro 185 GL</b>	5.6 m (18'-6")	2.4 m (95")	2.0 m (80")	1.2 m (46")	0.8 m (33")	0.6 m (25")	667 kg (1470 lb.)	131 kW (175 HP)	863 kg (1902 lb.)	525 kg (1158 lb.)	6	2.8 mm (.110")	1.8 mm (.072")	151 L (40 U.S. gal.)
<b>Super Pro 176</b>	5.3 m (17'-6")	2.3 m (92")	2.0 m (80")	1.0 m (41")	0.8 m (31")	0.6 m (25")	635 kg (1400 lb.)	112 kW (150 HP)	787 kg (1736 lb.)	450 kg (992 lb.)	** 7 [6]	2.5 mm (.100")	1.8 mm (.072")	151 L (40 U.S. gal.)

# SUPER PRO 186, 185 GL and 176

## KEY STANDARD FEATURES

- Deep V double reverse chine hull design
- 4 stainless steel cleats
- 2 deluxe pedestal folding fishing seats
- Lowrance® X-52 fish/ depth finder on swivelling bracket
- Walk-thru tinted curved tempered glass windshield with door
- No-FeedBack™ steering system
- AM/FM/CD Stereo with iPod controls & SAT radio compatible

### Super Pro 186 and 176

- Raised bow and aft casting platforms with storage
- 2 stern fold-down jump seats
- Bow and aft ProFlo™ aerated livewell system
- In-floor large lockable 6-rod organizer with tubes

### Super Pro 185 GL

- Raised bow casting platform with storage
- Bow ProFlo™ aerated livewell system
- Insulated fish stern box with cutting board
- In-floor lockable storage compartment



Super Pro 186



Super Pro 185 GL



Super Pro 176



Super Pro 186



Super Pro 185 GL




Super Pro 176

Livewell
  Storage Compartment
  Open Space Storage Compartment
  Rod Storage Compartment
  Fuel Tank
  Ice box



## DETAILS



1. ProFlo™ electric-fill aerated stern livewell 64 L (17 U.S. gal.) with timer, recirculation, post-overflow, thru-hull drain and anti-spill cover (SP 186 and 176 only)
2. In-floor lockable 6-rod organizer (SP 186 and 176 only)
3. Optional wash down system (SP 185 GL only)
4. Stern area with easy access to livewell and downriggers (SP 185 GL only)
5. Lowrance® X-52 fish/depth finder on swivelling bracket
6. Optional vinyl floor covering and snap-in carpet (SP 186 and 176 only)
7. ProFlo™ electric-fill aerated bow livewell 77 L (20 U.S. gal.), with timer, recirculation, post-overflow, thru-hull drain, removable minnow bucket, light and anti-spill cover (SP 185 GL only)

# Let There Be Sport

CAN ONE BOAT SERVE BOTH YOUR PASSIONS? THE ANSWER IS YES! THAT'S WHAT WE HAD IN MIND WHEN DESIGNING OUR SPORT SERIES. THESE OUTSTANDING BOATS WILL FILL THE BILL, WHETHER YOU'RE REELING IN THE CATCH OF A LIFETIME OR WORKING ON YOUR WATERSKIING TECHNIQUE.



1. Helm console with fully-lit instrumentation\* 2. SportFlo™ electric-fill aerated stern livewell 64 L (17 U.S. gal.) with post-overflow, thru-hull drain, removable minnow bucket and anti-spill cover (Sport 174 and 172 only) 3. Optional bow seat cushions 4. Holding handles 5. Optional AM/FM/CD Stereo with iPod controls and SAT Radio Compatible 6. Pedestal folding fishing seats (2) 7. Optional ski pylon

# ***SPORT***

## **SERIES**



**Sport 182**

# The Password is Flexibility!



Sport 182

## SPECIFICATIONS

	Center line	Beam	Chine width	Maximum depth	Approx. draft	Transom height	Approx. weight	NMMA (USA) / TRANSPORT CANADA				ALUMINUM THICKNESS		BUILT-IN GAS TANK
								Maximum HP capacity	Maximum weight capacity	Maximum weight person capacity	Maximum person capacity	Bottom	Side	
<b>Sport 182</b>	5.6 m (18'-6")	2.4 m (95")	2.0 m (80")	1.2 m (46")	0.8 m (33")	0.6 m (25")	676 kg (1490 lb.)	131 kW (175 HP)	784 kg (1729 lb.)	492 kg (1085 lb.)	** 8 [7]	2.8 mm (.110")	1.8 mm (.072")	151 L (40 U.S. gal.)
<b>Sport 172</b>	5.3 m (17'-5")	2.3 m (91")	1.9 m (75")	1.0 m (39")	0.8 m (30")	0.6 m (25")	569 kg (1255 lb.)	93 kW (125 HP)	712 kg (1570 lb.)	376 kg (830 lb.)	** 6 [5]	2.5 mm (.100")	1.8 mm (.072")	98 L (26 U.S. gal.)

# SPORT 182 and 172

## KEY STANDARD FEATURES

- Raised bow and aft casting platforms with storage
- 2 pedestal folding fishing seats
- Rear flip deck convert bench
- Bow SportFlo™ aerated livewell system
- Storage compartments
- Ice chest
- 12V or 24V bow trolling motor attachment
- Walk-thru tinted curved tempered glass windshield with door
- No-FeedBack™ steering system
- Electric bilge pump

### Sport 182

- Deep V double reverse chine hull design
- In-floor large lockable rod organizer with tubes

### Sport 172

- Deep V reverse chine hull design
- Stern SportFlo™ aerated livewell system
- 7-foot rod storage




Sport 182



Sport 172




Sport 182



Sport 172

Livewell
  Storage Compartment
  Open Space Storage Compartment
  Rod Storage Compartment
  Fuel Tank
  Ice box


## DETAILS



1



2




3



4



5



6

1. Optional bow seat cushions 2. Flip-up bench seat on rear deck 3. SportFlo™ electric-fill aerated stern livewell 64 L (17 U.S. gal.) with post-overflow, thru-hull drain, removable minnow bucket and anti-spill cover (Sport 172 only) 4. Optional Lowrance® X-50 DS fish/depth finder on swivelling bracket 5. Optional ski pylon 6. In-floor lockable 6-rod organizer (Sport 182 only)

# What'll It Be Today, Fishing or Waterskiing?



Sport 164

## SPECIFICATIONS

	Center line	Beam	Chine width	Maximum depth	Approx. draft	Transom height	Approx. weight	NMMA (USA) / TRANSPORT CANADA				ALUMINUM THICKNESS		BUILT-IN GAS TANK
								Maximum HP capacity	Maximum weight capacity	Maximum weight person capacity	Maximum person capacity	Bottom	Side	
<b>Sport 174</b>	5.3 m (17'-5")	2.3 m (92")	1.9 m (75")	1.0 m (40")	0.8 m (30")	0.6 m (25")	598 kg (1319 lb.)	93 kW (125 HP)	747 kg (1647 lb.)	411 kg (907 lb.)	** 7 [5]	2.5 mm (.100")	1.8 mm (.072")	98 L (26 U.S. gal.)
<b>Sport 164</b>	5.0 m (16'-6")	2.1 m (84")	1.8 m (69")	0.9 m (35")	0.8 m (31")	0.5 m (20")	457 kg (1008 lb.)	67 kW (90 HP)	640 kg (1410 lb.)	367 kg (808 lb.)	** 6 [5]	2.3 mm (.090")	1.8 mm (.072")	77 L (20 U.S. gal.)

# SPORT 174 and 164

## KEY STANDARD FEATURES

- Deep V reverse chine hull design
- Deep self-draining splashwell
- Stainless steel bow and stern eyes
- 4 chromed cleats
- Raised bow and aft casting platforms with storage
- Complete fully-lit instrumentation
- 2 stern fold-down jump seats
- 2 pedestal folding fishing seats
- Walk-thru tinted curved tempered glass windshield with door
- Electric bilge pump

### Sport 174

- Stern SportFlo™ aerated livewell system
- No-FeedBack™ steering system
- 12V or 24V bow trolling motor attachment

### Sport 164


- Bow SportFlo™ aerated livewell system
- 12V bow trolling motor attachment




Sport 174



Sport 164



Sport 174



Sport 164

Livewell
  Storage Compartment
  Open Space Storage Compartment
  Rod Storage Compartment
  Fuel Tank
  Ice box



## DETAILS



1. Helm console with fully-lit instrumentation
2. SportFlo™ electric-fill aerated stern livewell 64 L (17 U.S. gal.) with post-overflow, thru-hull drain, removable minnow bucket and anti-spill cover (Sport 174 only)
3. 2 fold-down stern jump seats that can be converted to a casting platform
4. Holding handles
5. Pedestal folding fishing seats (2)
6. Optional AM/FM/CD Stereo with iPod controls and SAT Radio Compatible
7. Optional Lowrance® X-50 DS fish/depth finder on swivelling bracket

# Go Fishing with a Pro

WITH ITS ERGONOMIC DESIGN, PLENTIFUL AND PRACTICAL STORAGE, AND RAISED PLATFORMS FORE AND AFT, THERE'S NO QUESTION ABOUT IT: THE PRO SERIES OFFERS EXCELLENT VALUE FOR THE PRICE. YOU CAN HEAD OUT IN COMPLETE CONFIDENCE THAT YOU'RE EQUIPPED LIKE A PRO!



1. Helm console with fully-lit instrumentation 2. Lockable rod storage without supports\* 3. SportFlo™ electric-fill bow livewell with post-overflow, thru-hull drain and anti-spill cover\* 4. Open storage under the bow platform\* 5. Deluxe pedestal folding fishing seats (2) 6. Deep self-draining splashwell

**PRO**

**SERIES**



**PRO 179 SC**

**PRINCECRAFT 45**

# The Official Boat of Memorable Moments



Pro 165 SC

## SPECIFICATIONS

	Center line	Beam	Chine width	Maximum depth	Approx. draft	Transom height	Approx. weight	NMMA (USA) / TRANSPORT CANADA				ALUMINUM THICKNESS		BUILT-IN GAS TANK
								Maximum HP capacity	Maximum weight capacity	Maximum weight person capacity	Maximum person capacity	Bottom	Side	
Pro 198 SC	5.9 m (19'-5")	2.5 m (97")	2.1 m (84")	1.0 m (38")	0.8 m (31")	0.6 m (25")	710 kg (1566 lb.)	149 kW (200 HP)	748 kg (1650 lb.)	411 kg (906 lb.)	** 7 [5]	2.8 mm (.110")	1.8 mm (.072")	227 L (60 U.S. gal.)
Pro 179 WS	5.3 m (17'-4")	2.3 m (92")	2.0 m (80")	0.9 m (37")	0.8 m (31")	0.6 m (25")	589 kg (1299 lb.)	101 kW (135 HP)	640 kg (1410 lb.)	304 kg (670 lb.)	** 5 [4]	2.5 mm (.100")	1.8 mm (.072")	151 L (40 U.S. gal.)
Pro 179 SC	5.3 m (17'-4")	2.3 m (92")	2.0 m (80")	0.9 m (37")	0.8 m (31")	0.6 m (25")	557 kg (1229 lb.)	101 kW (135 HP)	640 kg (1410 lb.)	304 kg (670 lb.)	** 5 [4]	2.5 mm (.100")	1.8 mm (.072")	151 L (40 U.S. gal.)
Pro 165 SC	4.9 m (16'-2")	2.2 m (87")	1.8 m (71")	0.8 m (33")	0.7 m (29")	0.5 m (20")	406 kg (895 lb.)	56 kW (75 HP)	554 kg (1221 lb.)	300 kg (661 lb.)	** 5 [4]	2.3 mm (.090")	1.8 mm (.072")	106 L (28 U.S. gal.)

# PRO 198 SC, 179 WS, 179 SC and 165 SC

## KEY STANDARD FEATURES

- Raised bow and aft casting platforms with storage
- 2 deluxe pedestal folding fishing seats

### Pro 198 SC

- Very large lockable rod organizer with tubes for 12 rods
- Bow and stern ProFlo™ Plus aerated livewell system
- No-FeedBack™ steering system with dual cable
- 36V deluxe bow trolling motor panel
- Lowrance® X-52 fish/ depth finder on swivelling bracket

### Pro 179 SC and WS

- In-floor large lockable 6-rod organizer with tubes
- Bow and stern SportFlo™ aerated livewell system
- No-FeedBack™ steering system
- Lowrance® X-52 fish/ depth finder on swivelling bracket
- 12V or 24V bow trolling motor attachment

### Pro 165 SC

- Lockable 7-foot rod storage
- Bow SportFlo™ aerated livewell system
- 12V or 24V bow trolling motor attachment



Pro 198 SC



Pro 165 SC



Pro 179 WS



Pro 198 SC

Pro 179 WS

Pro 179 SC

Pro 165 SC

□ Livewell   ■ Storage Compartment   ■ Open Space Storage Compartment   □ Rod Storage Compartment   ■ Fuel Tank



## DETAILS



1. Deluxe pedestal folding fishing seats
2. Helm console with fully-lit instrumentation
3. SportFlo™ electric-fill aerated stern livewell 77 L (20 U.S. gal.) with post-overflow, thru-hull drain, removable minnow bucket and anti-spill cover (Pro 179 SC and 179 WS only)
4. Lowrance® X-52 fish/depth finder on swivelling bracket (Pro 198 SC, Pro 179 SC and Pro 179 WS only)
5. 12 or 24 volts bow trolling motor plug & receptacle (Pro 179 WS, 179 SC and 165 SC only)
6. Optional bicycle fishing seat with post
7. Very large lockable rod organizer with tubes for 12 rods (Pro 198 SC only)

# Ready for Adventure?



1. 7-foot lockable rod storage\* 2. Large bow casting platform\* 3. SportFlo™ electric-fill bow livewell with post-overflow, thru-hull drain and anti-spill cover\*\*  
4. Pressure-treated removable wood floor covered with marine grade vinyl\*\*\* 5. Helm console with fully-lit instrumentation\*

# ***DLX and DL*** **SERIES**

THE PRINCECRAFT DLX AND DL SERIES MAKE IT EASY TO GO WHEREVER THE ACTION IS. JUST COME ON BOARD, START THE ENGINE, AND YOU'RE GOOD TO GO—FREE AS A BIRD. WITH THEIR FLAWLESS FINISH AND ERGONOMIC DESIGN, THESE FULLY EQUIPPED BOATS ARE VERITABLE "FISHING MACHINES." TRY ONE AND YOU'LL SEE!



Hudson DLX SC and Springbok DL BT

# Say "So Long" to All Your Cares and "Hello, Good Life!"



Hudson DLX SC

## SPECIFICATIONS

	Center line	Beam	Chine width	Maximum depth	Approx. draft	Transom height	Approx. weight	NMMA (USA) / TRANSPORT CANADA				ALUMINUM THICKNESS		BUILT-IN GAS TANK
								Maximum HP capacity	Maximum weight capacity	Maximum weight person capacity	Maximum person capacity	Bottom	Side	
<b>Hudson DLX WS</b>	5.8 m (19'-0")	2.2 m (87")	1.8 m (71")	0.8 m (33")	0.8 m (33")	0.5 m (20")	514 kg (1133 lb.)	86 kW (115 HP)	711 kg (1567 lb.)	375 kg (827 lb.)	** 6 [5]	2.5 mm (.100")	1.8 mm (.072")	106 L (28 U.S. gal.)
<b>Hudson DLX SC</b>	5.8 m (19'-0")	2.2 m (87")	1.8 m (71")	0.8 m (33")	0.8 m (33")	0.5 m (20")	491 kg (1083 lb.)	86 kW (115 HP)	711 kg (1567 lb.)	375 kg (827 lb.)	** 6 [5]	2.5 mm (.100")	1.8 mm (.072")	106 L (28 U.S. gal.)
<b>Hudson DLX BT</b>	5.8 m (19'-0")	2.2 m (87")	1.8 m (71")	0.8 m (33")	0.8 m (33")	0.5 m (20")	463 kg (1021 lb.)	56 kW (75 HP)	584 kg (1287 lb.)	375 kg (827 lb.)	** 6 [5]	2.5 mm (.100")	1.8 mm (.072")	106 L (28 U.S. gal.)

# HUDSON DLX WS, SC and BT

## KEY STANDARD FEATURES

- Reverse chine hull design
- Deep self-draining splashwell
- 2 pedestal folding fishing seats
- Bow SportFlo™ aerated livewell system
- Lockable 9-foot rod storage
- 12V or 24V bow trolling motor attachment
- Electric bilge pump
- Complete fully-lit instrumentation
- Navigation lights

### Hudson DLX WS

- Rotomolded twin console with dash panel and switches
- Walk-thru tinted tempered glass windshield with door
- No-FeedBack™ steering system

### Hudson DLX SC

- Rotomolded side console with dash panel and switches
- Smoked windscreen with quick release
- No-FeedBack™ steering system




Hudson DLX WS




Hudson DLX SC




Hudson DLX BT



Hudson DLX WS



Hudson DLX SC



Hudson DLX BT

Livewell
  Storage Compartment
  Open Space Storage Compartment
  Rod Storage Compartment
  Fuel Tank



## DETAILS



1. Pedestal folding fishing seats (2)
2. Twin console with walk-thru tinted tempered glass windshield with door (Hudson DLX WS only)
3. Side storage compartment
4. Lockable 9-foot rod storage
5. Optional Lowrance® X-50 DS fish/depth finder on swivelling bracket
6. SportFlo™ electric-fill aerated bow livewell 77 L (20 U.S. gal.) with post-overflow, thru-hull drain and anti-spill cover
7. Helm console with fully-lit instrumentation

# Floating Your Boat – What an Excellent Investment!



Holiday DLX WS

## SPECIFICATIONS

	Center line	Beam	Chine width	Maximum depth	Approx. draft	Transom height	Approx. weight	NMMA (USA) / TRANSPORT CANADA				ALUMINUM THICKNESS		BUILT-IN GAS TANK
								Maximum HP capacity	Maximum weight capacity	Maximum weight person capacity	Maximum person capacity	Bottom	Side	
<b>Holiday DLX WS</b>	4.9 m (16'-2")	2.2 m (84")	1.8 m (69")	0.8 m (30")	0.7 m (26")	0.5 m (20")	378 kg (834 lb.)	45 kW (60 HP)	529 kg (1166 lb.)	302 kg (665 lb.)	** 5 [4]	2.3 mm (.090")	1.8 mm (.072")	77 L (20 U.S. gal.)
<b>Holiday DLX SC</b>	4.9 m (16'-2")	2.2 m (84")	1.8 m (69")	0.8 m (30")	0.7 m (26")	0.5 m (20")	359 kg (792 lb.)	45 kW (60 HP)	529 kg (1166 lb.)	302 kg (665 lb.)	** 5 [4]	2.3 mm (.090")	1.8 mm (.072")	77 L (20 U.S. gal.)
<b>Holiday DLX BT</b>	4.9 m (16'-2")	2.2 m (84")	1.8 m (69")	0.8 m (30")	0.7 m (26")	0.5 m (20")	342 kg (754 lb.)	37 kW (50 HP)	529 kg (1166 lb.)	302 kg (665 lb.)	** 5 [4]	2.3 mm (.090")	1.8 mm (.072")	77 L (20 U.S. gal.)

# HOLIDAY DLX WS, SC and BT

## KEY STANDARD FEATURES

- Deep self-draining splashwell
- Reverse chine hull design
- Stainless steel bow and stern eyes
- Raised bow casting platform with storage
- 2 pedestal folding fishing seats
- Bow SportFlo™ aerated livewell system
- Lockable 7-foot rod storage
- 12V bow trolling motor attachment
- Electric bilge pump
- Pressure treated wood floor covered with marine grade vinyl



Holiday DLX WS



Holiday DLX SC



Holiday DLX BT

### Holiday DLX WS

- Rotomolded twin consoles with dash panel and switches
- Walk-thru tinted tempered glass windshield with door

### Holiday DLX SC

- Rotomolded side console with dash panel and switches
- Smoked windscreen with quick release

### Holiday DLX BT


- Fuel gauge



Holiday DLX WS



Holiday DLX SC



Holiday DLX BT

Livewell
  Storage Compartment
  Open Space Storage Compartment
  Rod Storage Compartment
  Fuel Tank



## DETAILS



1. Helm console with fully-lit instrumentation (Holiday DLX WS and SC only) 2. SportFlo™ electric-fill bow livewell 61 L (16 U.S. gal.) with post-overflow, thru-hull drain and anti-spill cover 3. Pedestal folding fishing seats (2) 4. In-floor built-in gas tank 5. Side storage compartment 6. Optional Lowrance® X-50 DS fish/depth finder on swivelling bracket 7. Twin console with walk-thru tinted tempered glass windshield with door (Holiday DLX WS only)

# Dreams Are for Chasing



Starfish DLX BT

## SPECIFICATIONS

	Center line	Beam	Chine width	Maximum depth	Approx. draft	Transom height	Approx. weight	NMMA (USA) / TRANSPORT CANADA				ALUMINUM THICKNESS		GAS TANK
								Maximum HP capacity	Maximum weight capacity	Maximum weight person capacity	Maximum person capacity	Bottom	Side	
<b>Starfish DLX SC</b>	4.9 m (16'-0")	1.9 m (73")	1.6 m (63")	0.7 m (29")	0.4 m (17")	0.5 m (20")	231 kg (510 lb.)	30 kW (40 HP)	453 kg (998 lb.)	263 kg (580 lb.)	4	1.8 mm (.072")	1.6 mm (.064")	Portable
<b>Starfish DLX BT</b>	4.9 m (16'-0")	1.9 m (73")	1.6 m (63")	0.7 m (29")	0.4 m (17")	0.5 m (20")	213 kg (470 lb.)	30 kW (40 HP)	453 kg (998 lb.)	263 kg (580 lb.)	4	1.8 mm (.072")	1.6 mm (.064")	Portable

# STARFISH DLX SC and BT

## KEY STANDARD FEATURES

- Reverse chine hull design
- Full-width self-draining splashwell
- Stainless steel bow and stern eyes
- Raised bow casting platform with storage
- Bow SportFlo™ aerated livewell system
- 2 pedestal folding fishing seats
- Lockable 7-foot rod storage
- 12V bow trolling motor attachment
- Electric bilge pump
- Navigation lights
- Pressure treated wood floor covered with marine grade vinyl



Starfish DLX SC




Starfish DLX BT

### Starfish DLX SC


- Thermoformed side console with dash panel and switches
- Smoked windscreen with quick release

### Starfish DLX BT

- Center side storage compartment



Starfish DLX SC



Starfish DLX BT

□ Livewell    ■ Storage Compartment    □ Rod Storage Compartment

## DETAILS



1. 7-foot lockable rod storage 2. Pedestal folding fishing seats (2) 3. Carpeted trolling motor pad with plug and receptacle 4. SportFlo™ electric-fill bow livewell 61 L (16 U.S. gal.) with post-overflow, thru-hull drain and anti-spill cover 5. Battery holders

# Heading Toward Good Times



Yukon DLX BT

## SPECIFICATIONS

	Center line	Beam	Chine width	Maximum depth	Approx. draft	Transom height	Approx. weight	NMMA (USA) / TRANSPORT CANADA				ALUMINUM THICKNESS		GAS TANK
								Maximum HP capacity	Maximum weight capacity	Maximum weight person capacity	Maximum person capacity	Bottom	Side	
<b>Yukon DLX BT</b>	4.3 m (14'-3")	1.7 m (68")	1.4 m (57")	0.7 m (28")	0.4 m (17")	0.5 m (20")	166 kg (365 lb.)	19 kW (25 HP)	372 kg (821 lb.)	225 kg (496 lb.)	** 4 [3]	1.6 mm (.064")	1.6 mm (.064")	Portable

# YUKON DLX BT

## KEY STANDARD FEATURES

- Semi-V hull design with square chine
- Full-width self-draining splashwell
- Stainless steel bow and stern eyes
- 2 center side storage compartments
- Parallel seats at stern covered with marine grade carpet
- Bow bench seat covered with marine grade carpet
- Switch panel with Carling switches with indicator lights
- Twin plating at the chine from mid-ship to stern
- Heavy-duty tubular seat to gunnel braces
- Electric -fill aerated livewell with post-overflow and thru-hull drain
- Pressure-treated wood floor covered with marine grade vinyl
- Electric bilge pump
- Navigation lights
- Battery holder



Yukon DLX BT

Yukon DLX BT

■ Livewell ■ Storage Compartment

## FEATURES & OPTIONS

	HUDSON DLX WS	HUDSON DLX SC	HOLIDAY DLX WS	HOLIDAY DLX SC	STARFISH DLX SC	HUDSON DLX BT	HOLIDAY DLX BT	STARFISH DLX BT	YUKON DLX BT	
HULL AND DECK	5052-H36 marine-grade aluminum alloy	•	•	•	•	•	•	•	•	
	High-gloss oven-cured urethane paint	•	•	•	•	•	•	•	•	
	Semi-V hull (R = reverse chine, S = square chine)	R	R	R	R	R	R	R	S	
	Aluminum clad transom	•	•	•	•	•	•	•	•	
	Full-width self-draining splashwell	-	-	-	-	•	-	-	•	
	Deep self-draining splashwell	•	•	•	•	-	-	-	-	
	Twin plating from bow to mid-ship	•	•	•	•	-	•	•	-	
	Twin plating at the chine	•	•	•	•	•	•	•	•	
	Heavy-duty tubular seat to gunnel braces	-	-	-	-	-	-	-	-	
	Stainless steel bow and stern eyes	•	•	•	•	•	•	•	•	
STANDARD FEATURES	4 chromed cleats	•	•	•	•	-	-	-	-	
	Bow raised casting platform	•	•	•	•	-	-	-	-	
	Aft raised casting platform	•	•	-	-	-	-	-	-	
	Storage & deep cycle battery compartments	•	•	•	•	•	•	•	•	
	Center side storage compartment	-	-	-	-	-	-	-	1 2	
	Bow SportFlo™ electric-filled aerated livewell (44", 77 L/20 U.S. gal.)	•	•	•	•	•	•	•	•	
	(34", 61 L/16 U.S. gal.)	-	-	•	•	-	-	-	-	
	(26", 39 L/10 U.S. gal.)	-	-	-	-	-	-	-	•	
	Dual livewell	•	•	-	-	-	-	-	-	
	Post-overflow with thru-hull drain (+ = anti-spill cover)	•+	•+	•+	•+	•+	•+	•+	•+	
FISHING	Lockable rod storage compartment without supports (feet)	9'	9'	7'	7'	7'	9'	7'	7'	
	12V bow trolling motor plug & receptacle (+ = 12 or 24V)	•+	•+	•	•	•	•+	•	-	
	Carpeted bow mounting trolling motor pad	•	•	•	•	•	•	•	-	
	Floor seat bases	6	6	5	5	4	4	4	3	
	Folding fishing seats with no-pinch hinges	2	2	2	2	2	2	2	-	
	Parallel seats at stern covered with marine grade carpet	-	-	-	-	-	-	-	•	
	Bow bench seat covered with marine grade carpet	-	-	-	-	-	-	-	•	
	Side console with quick-release smoked windscreen	-	•	-	•	-	-	-	-	
	Twin consoles with walk-thru tinted tempered glass windshield	•	-	•	-	-	-	-	-	
	Carling switch panel with indicator lights (+ = deluxe dash panel)	•+	•+	•+	•+	•+	•	•	•	
CONSOLE	No-FeedBack™ steering system	•	•	-	-	-	-	-	-	
	Instrumentation (gauges)	5	5	3	3	-	1	1	-	
	Tach., volt., speed., trim & fuel gauges	•	•	•	•	-	-	-	-	
	Tach., speed. & fuel gauges	-	-	-	-	-	-	-	-	
	Fuel gauge	-	-	-	-	-	•	•	-	
	Electric bilge pump	•	•	•	•	•	•	•	•	
	Navigation lights	•	•	•	•	•	•	•	•	
	Interior light	1	1	1	1	-	-	-	-	
	Holding handle(s)	-	-	-	-	1	1	1	1	
	Cup holder(s)	2	1	2	1	-	-	-	-	
OTHERS	Battery holder(s)	3	3	2	2	2	3	2	2	
	Pressure-treated wood floor covered with marine grade vinyl	•	•	•	•	•	•	•	•	
	Complete beige stand-up high top (+ = curtains connected to windshield)	0+	0	0+	0	0	-	-	-	
	Sun top	0	0	0	0	0	0	0	0	
	Mooring or trailer cover	0	0	0	0	0	0	0	0	
	Folding fishing seat with spider and post	0	0	0	0	0	0	0	-	
	Bicycle seat with 27" post	0	0	0	0	0	0	0	-	
	Lowrance® X-50 DS fish/depth finder	0	0	0	0	0	0	0	0	
	COLORS	Red or Black	•	•	•	•	•	•	•	•
		Black	-	-	-	-	•	-	-	•

Boat packages available with Mercury® outboard power.

• Standard o Option

## DETAILS



1. Switch panel with Carling switches and indicator lights
2. Bow livewell with post-overflow and thru-hull drain
3. Center side storage (2)
4. Optional Lowrance® X-50 DS fish/depth finder on swivelling bracket
5. Battery holder

# A Guaranteed Stress-Buster



Springbok DL BT

## SPECIFICATIONS

	Center line	Beam	Chine width	Maximum depth	Approx. draft	Transom height	Approx. weight	NMMA (USA) / TRANSPORT CANADA				ALUMINUM THICKNESS		GAS TANK
								Maximum HP capacity	Maximum weight capacity	Maximum weight person capacity	Maximum person capacity	Bottom	Side	
<b>Springbok DL BT</b>	4.9 m (16'-0")	1.7 m (68")	1.4 m (57")	0.7 m (28")	0.4 m (17")	0.5 m (20")	170 kg (375 lb.)	24 kW (30 HP)	522 kg (1150 lb.)	332 kg (732 lb.)	** 5 [4]	1.6 mm (.064")	1.6 mm (.064")	Portable
<b>Yukon DL BT</b>	4.3 m (14'-3")	1.7 m (68")	1.4 m (57")	0.7 m (28")	0.4 m (17")	0.5 m (20")	168 kg (370 lb.)	19 kW (25 HP)	411 kg (905 lb.)	263 kg (580 lb.)	4	1.6 mm (.064")	1.6 mm (.064")	Portable

# SPRINGBOK DL BT and YUKON DL BT

## KEY STANDARD FEATURES

- Semi-V hull design with square chine
- Full-width self-draining splashwell
- Bow eye and stern handles
- Split center seat covered with marine grade carpet
- Stern storage compartment
- Battery holder
- Removable pressure-treated wood floor covered with marine grade vinyl
- High-gloss oven-cured High Solids urethane paint
- Twin plating at the chine from mid-ship to stern
- Non-skid anti-glare interior paint finish
- Heavy-duty tubular seat to gunnel braces
- Aluminum clad transom

## FEATURES AND OPTIONS


		SPRINGBOK DL BT	YUKON "E" DL BT	YUKON DL BT	
STANDARD FEATURES	HULL & DECK	5052-H36 marine grade aluminum alloy	•	•	•
		High-gloss oven-cured urethane paint	•	•	•
		Semi-V hull with square chine	•	•	•
		Aluminum clad transom	•	•	•
		Full-width self-draining splashwell	•	•	•
		Twin plating at the chine	•	•	•
		Heavy-duty tubular seat to gunnel braces	•	•	•
		Bow eye and stern handles	•	•	•
	Stern storage compartment	•	•	•	
	SEATS	Split center seat covered with marine grade carpet	•	•	•
Parallel seats at stern covered with marine grade carpet		•	•	•	
Bow bench seat covered with marine grade carpet		•	•	•	
OTHERS	Battery holder	1	2	1	
	Onboard battery charger for 2 – 12V batteries	-	•	-	
	Removable pressure-treated wood floor covered with marine grade vinyl	•	•	•	
OPTIONS	Station for additional battery bank	-	0	-	
	Sun top	0	0	0	
	Mooring or trailer cover	0	0	0	
COLOR <input type="checkbox"/> Black		•	•	•	

• Standard o Option




Yukon DL BT

Springbok DL BT



Springbok DL BT



Yukon DL BT

Storage Compartment  Removable floor

## DETAILS



1



2a



2b



3



4

1. Split center seat covered with marine grade carpet 2a-2b. Removable pressure-treated wood floor covered with marine grade vinyl (front and back floor pieces)  
3. Stern storage compartment 4. Battery holder

# An Electric Motor that Keeps a Low Profile



Yukon<sup>®</sup> DL BT

## SPECIFICATIONS

	Center line	Beam	Chine width	Maximum depth	Approx. draft	Transom height	Approx. weight	NMMA (USA) / TRANSPORT CANADA				ALUMINUM THICKNESS	
								Maximum propulsive power	Maximum weight capacity	Maximum weight person capacity	Maximum person capacity	Bottom	Side
<b>Yukon<sup>®</sup> DL BT</b>	4.3 m (14'-3")	1.7 m (68")	1.4 m (57")	0.7 m (28")	0.4 m (17")	0.5 m (20")	168 kg (370 lb.)	24 V / Cruise 2.0 (equivalent 6 HP)	347 kg (766 lb.)	263 kg (580 lb.)	4	1.6 mm (.064")	1.6 mm (.064")


# YUKON<sup>®</sup> DL BT

## KEY STANDARD FEATURES

- Semi-V hull design with square chine
- Full-width self-draining splashwell
- Bow eye and stern handles
- Split center seat covered with marine grade carpet
- Stern storage compartment
- Battery charger for 2- 12 volts batteries and supports
- Battery holders
- Removable pressure-treated wood floor covered with marine grade vinyl
- High gloss exterior paint finish with decal package
- Non-skid anti-glare interior paint finish
- Aluminum clad transom



Yukon<sup>®</sup> DL BT



Yukon<sup>®</sup> DL BT

■ Storage Compartment ■ Removable floor

## DETAILS



1. Split center seat covered with marine grade carpet 2a-2b. Removable pressure-treated wood floor covered with marine grade vinyl (front and back floor pieces)  
3. Stern storage compartment 4. Battery compartment

# Yes, It's Small – but It Packs a Punch!


YOU DON'T HAVE TO SACRIFICE QUALITY IF A SMALL BOAT BEST MEETS YOUR NEEDS. AT PRINCECRAFT, WE PUT THE SAME CARE INTO EVERY BOAT WE BUILD, WITH NO EXCEPTIONS. SO WHEN YOU CHOOSE ONE OF OUR LIGHTWEIGHT, COMPACT MODELS, YOU CAN REST ASSURED YOU'RE MAKING AN EXCELLENT INVESTMENT. YOU'RE GETTING A DURABLE, PRACTICAL, AND EASY-HANDLING BOAT THAT WILL LET YOU ENJOY EVERY MINUTE ON THE WATER FOR MANY YEARS TO COME.



1. Full-width splashwell to keep you dry\* 2. High-gloss paint\* 3. The stern parallel seats make moving around much easier\*

# **UTILITIES & CARTOPS**

**SERIES**



**Yukon 20 and Seasprite**

## KEY STANDARD FEATURES

# Utilities and cartops

- Wide and stable hull design
- Twin plating at the chine from mid-ship to stern\*
- Full-width self-draining splashwell\*\*
- High-gloss exterior paint finish with decal package\*
- Non-skid anti-glare interior paint finish
- Aluminum clad transom
- Parallel seats at stern (some models with battery storage)\*
- Bulkhead center seat
- Bow bench seat\*\*
- Durable ribbed polyethylene seat covering\*

\* Except on Scamper and Seasprite

\*\* On most models



Starfish 20



Holiday



Starfish 15



Yukon 20



Springbok 20



Yukon 15

## SPECIFICATIONS

	Center line	Beam	Chine width	Maximum depth	Approx. draft	Transom height	Approx. weight	NMMA (USA) / TRANSPORT CANADA				ALUMINUM THICKNESS		GAS TANK
								Maximum HP capacity	Maximum weight capacity	Maximum weight person capacity	Maximum person capacity	Bottom	Side	
<b>Holiday</b>	5.0 m (16'-4")	2.1 m (83")	1.8 m (69")	0.8 m (30")	0.6 m (22")	0.5 m (20")	181 kg (400 lb.)	37 kW (50 HP)	621 kg (1370 lb.)	394 kg (869 lb.)	** 6 [5]	2.3 mm (.090")	1.8 mm (.072")	Portable
<b>Starfish 20</b>	4.9 m (16'-0")	1.9 m (73")	1.6 m (63")	0.7 m (29")	0.4 m (16")	0.5 m (20")	145 kg (320 lb.)	30 kW (40 HP)	591 kg (1303 lb.)	401 kg (885 lb.)	** 7 [5]	1.8 mm (.072")	1.6 mm (.064")	Portable
<b>Starfish 15</b>	4.9 m (16'-0")	1.9 m (73")	1.6 m (63")	0.7 m (29")	0.4 m (17")	0.4 m (15")	138 kg (304 lb.)	30 kW (40 HP)	499 kg (1100 lb.)	309 kg (682 lb.)	** 5 [4]	1.8 mm (.072")	1.6 mm (.064")	Portable
<b>Springbok 20</b>	4.9 m (16'-0")	1.7 m (68")	1.4 m (57")	0.7 m (28")	0.4 m (17")	0.5 m (20")	133 kg (293 lb.)	24 kW (30 HP)	522 kg (1150 lb.)	332 kg (732 lb.)	** 5 [4]	1.6 mm (.064")	1.6 mm (.064")	Portable
<b>Yukon 20</b>	4.3 m (14'-3")	1.7 m (68")	1.4 m (57")	0.7 m (28")	0.4 m (17")	0.5 m (20")	120 kg (265 lb.)	19 kW (25 HP)	411 kg (905 lb.)	263 kg (580 lb.)	4	1.6 mm (.064")	1.6 mm (.064")	Portable
<b>Yukon 15</b>	4.3 m (14'-3")	1.7 m (68")	1.4 m (57")	0.7 m (28")	0.4 m (17")	0.4 m (15")	109 kg (240 lb.)	19 kW (25 HP)	372 kg (821 lb.)	225 kg (496 lb.)	** 4 [3]	1.6 mm (.064")	1.6 mm (.064")	Portable
<b>Fisherman</b>	4.3 m (14'-0")	1.5 m (60")	1.3 m (51")	0.7 m (26")	0.4 m (13")	0.4 m (15")	91 kg (201 lb.)	15 kW (20 HP)	372 kg (820 lb.)	225 kg (495 lb.)	** 4 [3]	1.4 mm (.057")	1.3 mm (.051")	Portable
<b>Ungava</b>	3.7 m (12'-0")	1.5 m (60")	1.3 m (51")	0.6 m (25")	0.4 m (13")	0.4 m (15")	78 kg (171 lb.)	12 kW (15 HP)	318 kg (700 lb.)	226 kg (498 lb.)	** 4 [3]	1.4 mm (.057")	1.3 mm (.051")	Portable
<b>Scamper</b>	4.3 m (14'-4")	1.5 m (58")	1.1 m (45")	0.5 m (21")	0.4 m (13")	0.4 m (15")	68 kg (150 lb.)	12 kW (15 HP)	340 kg (750 lb.)	249 kg (548 lb.)	** 4 [3]	1.3 mm (.051")	1.3 mm (.051")	Portable
<b>Seasprite</b>	3.7 m (12'-4")	1.5 m (58")	1.1 m (45")	0.5 m (21")	0.4 m (13")	0.4 m (15")	59 kg (130 lb.)	8 kW (10 HP)	281 kg (620 lb.)	190 kg (418 lb.)	** 3 [2]	1.3 mm (.051")	1.3 mm (.051")	Portable



Ungava

Fisherman



Scamper




Seasprite



Holiday

Starfish


Springbok



Yukon

Fisherman

Ungava



Scamper

Seasprite


Storage Compartment

## FEATURES AND OPTIONS

		UTILITIES							CARTOPS		
		HOLIDAY	STARFISH 20	STARFISH 15	SPRINGBOK 20	YUKON 20	YUKON 15	FISHERMAN	UNGAVA	SCAMPER	SEASPRITE
STANDARD FEATURES	HULL & DECK										
	5052-H36 marine-grade aluminum alloy	•	•	•	•	•	•	•	•	•	•
	High-gloss exterior paint with decal package	•	•	•	•	•	•	•	•	-	-
	Decal package	-	-	-	-	-	-	-	-	•	•
	Non-skid anti-glare interior paint finish	•	•	•	•	•	•	•	•	•	•
	Semi-V hull (R = reverse chine, S = square chine, RC = round chine)	R	R	R	S	S	S	S	S	RC	RC
	Aluminum clad transom	•	•	•	•	•	•	•	•	•	•
	Full-width self-draining splashwell	•	•	•	•	•	•	•	-	-	-
	Twin plating at the chine	•	•	•	•	•	•	•	•	-	-
	Heavy-duty tubular seat to gunnel braces	•	•	•	•	•	•	•	•	•	•
Bow and stern eyes (E) or bow eye and stern handles (H)	E	H	H	H	H	H	H	H	H	H	
Oar lock sockets	-	-	-	-	-	-	-	•	•	•	
SEATS	Parallel seats at stern	•	•	•	•	•	•	•	•	-	-
	Bulkhead center seat	•	•	•	•	•	•	•	•	-	-
	Bow bench seat	•	•	•	•	•	•	•	-	•	•
	Durable ribbed polyethylene seat covering	•	•	•	•	•	•	•	•	-	-
OPTIONS	Sun top	o	o	o	o	o	o	o	o	-	-
	Complete dark blue side console	o	o	o	o	o	o	-	-	-	-
	Console only...dark blue	o	o	o	o	o	o	-	-	-	-
	Smoked windscreen	o	o	o	o	o	o	-	-	-	-
	Folding fishing seat with no-pinch hinges	o	o	o	o	o	o	o	o	-	-
COLORS	<input type="checkbox"/> Blue or <input type="checkbox"/> Natural aluminum with graphics										

• Standard o Option

## DETAILS




1. Our exclusive polyethylene seats come standard and stay dryer than wood seats\* 2. The stern parallel seats make moving around much easier\* 3. Aluminum-clad, hassle-free transom 4. Optional sun top\* 5. Optional complete side console\*

\* On most models

# CANVAS & COVERS: A PERFECT FIT!

Princecraft canvas and covers are specially designed to fit your boat.

What's more, all our boats come with snap buttons installed in our factory using extremely precise templates for a perfect, effortless fit. At Princecraft we provide quality products from bow to stern!



1. Mooring cover
2. Trailer cover
3. Complete stand-up high top with tonneau cover and curtains connected to windshield\*
4. Sun top for utilities

- Made of 100% sturdy marine-grade canvas
- Exceptional wear and tear resistance
- Maximal water resistance thanks to a transparent acrylic coating
- Top-quality, carefully installed windows, zippers, and snap buttons
- Snap buttons mounted on 45° moldings for enhanced stability and ease of installation
- Superior dimensional stability
- Easy storage
- Color matched to your boat



# OPTIONS



1. Stern boarding ladder
2. Combo swim platform and telescoping ladder
3. Pedestal folding fishing seat
4. Deluxe pedestal folding fishing seat
5. Reclining captain's chair with adjustable armrests
6. Lowrance® HDS-5 fish/depth finder with GPS
7. Lowrance® X-50 DS fish/depth finder on swivelling bracket
8. Lowrance® X-52 DS fish/depth finder on swivelling bracket
9. Vinyl floor covering
10. Snap-in carpet
11. Control for optional kicker engine
12. Windshield wiper
13. Bicycle fishing seat with post
14. Mercury SmartCraft™ gauges
15. AM/FM/CD Stereo with iPod controls and SAT Radio Compatible
16. 200-watt Clarion® AM/FM/CD with USB port/ MP3/ iPod and SAT Radio Compatible
17. Underwater lighting (2 lights)
18. Ski pylon
19. Downrigger supports (2)
20. Port-side sleeper seat
21. Battery charger
22. Wash down system
23. Chemical toilet
24. Kicker engine
25. Bow cushion set

## OPTIONAL EQUIPEMENT

	PLATINUM SE SERIES				SUPER PRO SERIES		SPORT SERIES				PRO SERIES			
	Platinum SE 207	Platinum SE 206	Platinum SE 186, 176	Platinum SE 176 FnP	Super Pro 186, 176	Super Pro 185 GL	Sport 182	Sport 174	Sport 172	Sport 164	Pro 198 SC	Pro 179 WS	Pro 179 SC	Pro 165 SC
<b>FACTORY INSTALLED OPTIONS</b>														
Port console with quick-release smoked windscreen	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pro Staff graphic package	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Port-side sleeper seat	E	E	E	-	0	-	-	0	-	-	-	-	-	-
Reclining captain's chair with adjustable armrests (driver or companion seat)	E	E	E	-	-	-	-	-	-	-	E <sup>1</sup>	-	-	-
AM/FM/CD Stereo with iPod controls and SAT Radio Compatible (+ = 200-watt AM/FM/CD with USB port/ MP3/ iPod and SAT Radio Compatible)	E+	E+	E+	E+	-	-	0	0	0	0	-	0	0	0
Vinyl floor covering	E	E	E	E	E	-	E	E	E	E	-	E	E	E
Lowrance® HDS-5 High Resolution 5" Fishfinder/ GPS Chartplotter	E	E	E	-	E	E	-	-	-	-	E	-	-	-
24V battery charger and alternator module system	0	0	0	0	0	0	0	0	0	-	0	0	0	-
Combo-poly swim platform with telescoping ladder	E	E	E	E	-	-	-	-	-	-	-	-	-	-
Underwater lighting (2 lights)	0	0	0	0	0	0	-	-	-	-	0	-	-	-
SmartCraft™ gauges (tach., speed, and trim) for Optimax and Verado engines	-	-	-	-	E	E	-	-	-	-	0	-	-	-
Hydraulic steering system with tilt wheel	-	-	-	E	E	E	E	E	E	-	0	-	-	-
Tilt steering mechanism	-	-	-	-	E	E	-	-	-	-	-	-	-	-
Wash down system	0	0	-	-	-	0	-	-	-	-	-	-	-	-
Chemical toilet with holding tank & pump out	0	-	-	-	-	-	-	-	-	-	-	-	-	-
Mercury 9.9 BF 4 stroke kicker engine	0	0	0	0	0	0	0	0	0	-	0	-	-	-
<b>CANVAS</b>														
Complete stand-up high top with aluminum frame (+ = stainless steel frame)	0+	0+	0	0	0	0	0	0	0	0	-	0	0	0
Mooring cover	0	0	0	0	0	0	0	0	0	0	-	0	0	0
Trailer cover	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Sun top	-	-	-	-	-	-	-	-	-	-	0	0	0	0
<b>DEALER INSTALLED OPTIONS</b>														
Bow rider seat cushions	0	0	0	-	-	-	-	-	0	-	-	-	-	-
Coaming pads & bow rider seat cushions	-	-	-	-	0	-	0	0	-	0	-	-	-	-
Folding fishing seat with spider and post (D = deluxe)	D	D	D	D	D	D	0	0	0	0	D	D	D	D
Bicycle seat with 27" post	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Downrigger supports	0	0	0	0	0	0	0	0	-	0	0	0	0	-
Lowrance® X-50 DS fish/depth finder	-	-	-	-	-	0	0	0	0	-	-	-	0	-
Pantographic parallel arm starboard side wiper	0	0	0	0	0	0	0	0	0	0	-	-	-	-
Onboard battery charger	0	0	0	0	0	0	0	0	0	0	0	0	0	-
Stern boarding ladder	-	-	-	-	0	0	0	0	0	0	0	-	-	-
Combo-poly swim platform with telescoping ladder	-	-	-	-	0	0	-	-	-	-	-	-	-	-
Ski pylon	0	0	0	0	0	-	0	0	0	0	-	-	-	-
Snap-in carpet (available with vinyl flooring)	0	0	0	0	0	-	-	-	-	-	-	-	-	-
<b>COLORS</b>														
■ Platinum SE : Black & Metallic Beige	■	■	■	■	■	■	■	■	■	■	■	■	■	■
■ Black, ■ Red, ■ Blue	■	■	■	■	■	■	■	■	■	■	■	■	■	■

0 Option E Upgrade Exchange 1 Not available with optional dual control installation

# STANDARD FEATURES

	PLATINUM SE SERIES					SUPER PRO SERIES			
	207	206	186	176	176 FnP	186	185 GL	176	
<b>HULL &amp; DECK</b>	5052-H36 marine-grade aluminum alloy	•	•	•	•	•	•	•	
	Reverse chine hull design (+ = Double)	•+	•+	•+	•+	•	•+	•+	
	High-gloss oven-cured urethane paint	• Metallic	•	•					
	Stainless steel bow and stern eyes	•	•	•	•	•	•	•	
	Raised casting platform	Fore & Aft	Fore	Fore & Aft	Fore & Aft	Fore & Aft	Fore & Aft	Fore	
	Storage compartment(s) (A = Anchor, B = Battery, S = Storage, I = Ice chest, IF = Insulated fish box)	A, 2B, S, I	A, 2B, S, IF	A, 2B, S, I	A, 2B, S, I	A, 2B, S, I	A, 2B, S, I	A, 2B, S, IF	A, 2B, S, I
	Twin plating from bow to mid-ship	•	•	•	•	•	•	•	
	Twin plating at the chine	•	•	•	•	•	•	•	
	Rigging tube under flooring (bow to stern)	•	•	•	•	•	•	•	
	Cleats (SSR = Stainless steel recessed, SS = Stainless steel, C = Chromed)	4 SSR	4 SSR	4 SSR	4 SSR	4 SS	4 SS	4 SS	4 SS
<b>LIVEWELLS</b>	Livewell system	ProFlo Plus	ProFlo Plus	ProFlo Plus	ProFlo Plus	SportFlo	ProFlo	ProFlo	ProFlo
	(A) Bow livewell - Length (inches) - Capacity (litres) - (Capacity [U.S. gal.]) <sup>1</sup>	44-77 (20)	44-77 (20)	30-64 (17)	30-64 (17)	30-64 (17)	30-64 (17)	44-77 (20)	30-64 (17)
	(B) Stern livewell - Length (inches) - Capacity (litres) - (Capacity [U.S. gal.]) <sup>1</sup>	34-64 (17)	40-129 (34)	34-64 (17)	34-64 (17)	-	34-64 (17)	-	34-64 (17)
	Dual livewell	A, B	A	A, B	A, B	A	A, B	A	A, B
	Aeration (+ = with timer)	A+, B+	A+, B+	A+, B+	A, B+	A	A+, B+	A+	A, B+
	Recirculation	A, B	A, B	A, B	A, B	-	A, B	A	A, B
	Overflow	A, B	A, B	A, B	A, B	A	A, B	A	A, B
	Thru-hull drain (+ = with remote)	A+, B+	A+, B+	A+, B+	A+, B+	A	A, B	A	A, B
	Removable minnow bucket	A, B	A	B	B	-	B	A	B
	Light	B	B	B	B	-	B	A	B
	Anti-spill cover	A, B	A, B	A, B	A, B	A	A, B	A	A, B
Insulated lid	A, B	A	A, B	A, B	A	A, B	A	A, B	
<b>FISHING</b>	Rod storage compartment (+ = lockable, S = with supports, C = with tubes for rods, R = rod straps)	•+, 12 C	•+, 12 C	•+, 6 C	•+, 6 C	•+, 4C	•+, 6 C	• S	•+, 6 C
	Side panel storage compartment(s) (+ = lockable door)	• (2)	• (2)	• (2)	• (2)	• (2)	•+ (2)	-	•+ (2)
	Lowrance® fish/depth finder	X-52	X-52	X-52	X-52	X-50 DS	X-52	X-52	X-52
	Removable bow casting deck insert with floor base	•	•	•	•	-	•	-	•
	Bow trolling motor plug & receptacle (D = Deluxe panel)	12 or 24V - D	12 or 24V	12 or 24V	12 or 24V	12 or 24V			
Carpeted bow mount trolling motor pad	•	•	•	•	•	•	•	•	
<b>SEATS</b>	Floor seat bases	6	5	6	6	4	6	5	6
	DS = Deluxe pedestal seat PS = Pedestal seat SS = Sleeper seat JS = Jump seat RB = Rear flip deck convert bench SR = Sliding rail for driver seat	3 DS, 2 JS, SR	2 DS, 1 SS, 2 JS, SR	2 DS, 2 JS	2 DS	2 DS, 2 JS			
<b>CONSOLE</b>	Console with dash panel & switches	twin	twin	twin	twin	twin	twin	twin	twin
	Steering system (NFB = No-FeedBack™, H = Hydraulic, + = with dual cables)	H	H	H	H	NFB	NFB+	NFB+	NFB+
	Tilt steering mechanism	•	•	•	•	•	-	-	-
	Walk-thru tinted curved tempered glass windshield with door	•	•	•	•	•	•	•	•
	Smoked windscreen with quick release	-	-	-	-	-	-	-	-
	Instrumentation (gauges)	3	3	3	3	5	5	5	5
	Speedometer	SmartCraft	SmartCraft	SmartCraft	SmartCraft	•	•	•	•
	Tachometer	SmartCraft	SmartCraft	SmartCraft	SmartCraft	•	•	•	•
	Voltmeter	SmartCraft	SmartCraft	SmartCraft	SmartCraft	•	•	•	•
	Trim gauge	SmartCraft	SmartCraft	SmartCraft	SmartCraft	•	•	•	•
	Fuel gauge	SmartCraft	SmartCraft	SmartCraft	SmartCraft	•	•	•	•
	AM/FM/CD Stereo with iPod controls and SAT Radio Compatible	•	•	•	•	•	•	•	•
Easy-access driver's radio remote control	•	•	•	•	•	-	-	-	
Waterproof speakers	4	4	4	4	4	2	2	2	
Electric horn	•	•	•	•	•	•	•	•	
12V outlet	•	•	•	•	•	•	•	•	
<b>OTHERS</b>	Pop-up privacy enclosure in stern casting platform	•	-	-	-	-	-	-	-
	Electric bilge pump(s) (Auto = Automatic)	Auto	Auto	Auto	Auto	Auto	Auto	Auto	Auto
	2 stainless steel bow rails	•	•	•	•	•	•	-	•
	Holding handle(s)	5	5	5	5	5	5	5	5
	Navigation lights	•	•	•	•	•	•	•	•
	Canvas top snap fasteners	•	•	•	•	•	•	•	•
	CP = Coaming pads, BC = Bow cushions	CP	CP	CP	CP	CP, BC	-	-	-
	Interior light(s)	3	3	3	1	2	1	1	1
	Cup holder(s)	6	4	4	4	6	2	2	2
	Battery holder(s)	3	3	3	3	3	3	3	3
	Pressure treated wood floor covered with (C = 20-oz carpet, V = Vinyl)	C	C	C	C	C	C	V	C
Fire extinguisher support (fire extinguisher not included)	•	•	•	•	•	•	•	•	
<b>VERADO PACKAGE</b>	Digital Throttle and Shift System (DTS)	•	•	•	•	-	•	•	
	Power steering with tilt wheel (with 225 H.P. Verado-L6 engine)	•	•	-	-	-	-	-	

• Standard 1 All our livewells are electric-filled and aerated.

SPORT SERIES				PRO SERIES			
182	174	172	164	198 SC	179 WS	179 SC	165 SC
•	•	•	•	•	•	•	•
••	•	•	•	••	•	•	•
•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•
Fore & Aft A, 2B, S, I	Fore & Aft A, 2B, S, I	Fore & Aft 2B, S, I	Fore & Aft 2B, S	Fore & Aft A, 2B, S	Fore & Aft A, 2B, S	Fore & Aft A, 2B, S	Fore & Aft 2B, S
•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•
4C	4C	4C	4C	4 SSR	4C	4C	4C
SportFlo 30-64 (17)	SportFlo -	SportFlo 30-64 (17)	SportFlo 26-39 (10)	ProFlo Plus 44-77 (20)	SportFlo 44-77 (20)	SportFlo 44-77 (20)	SportFlo 34-86 (23)
-	34-64 (17)	34-64 (17)	-	47-114 (30)	44-77 (20)	44-77 (20)	-
A	B	A, B	-	A	A, B	A, B	-
A	B	A, B	A	A+, B+	A, B	A, B	A
-	-	-	-	A, B	-	-	-
A	B	A, B	A	A, B	A, B	A, B	A
A	B	A, B	A	A+, B+	A, B	A, B	A
-	-	-	-	A, B	B	B	-
-	-	-	-	A, B	-	-	-
A	B	A, B	A	A, B	A, B	A, B	A
A	B	A, B	A	A, B	A, B	A, B	A
•+, 6 C, R • (2)	•+, 4C, R • (2)	• • (2)	• • (2)	•+, 12 C •+ (2)	•+, 6 C, R -	•+, 6 C, R -	•+, R -
-	-	-	-	X-52	X-52	X-52	-
-	-	-	-	-	-	-	-
12 or 24V	12 or 24V	12 or 24V	12V	36V - D	12 or 24V	12 or 24V	12 or 24V
•	•	•	•	•	•	•	•
6	6	6	4	6	6	6	6
2 PS, 1 RB	2 PS, 2 JS	2 PS, 1 RB	2 PS, 2 JS	2 DS	2 DS	2 DS	2 DS
twin NFB+	twin NFB	twin NFB	twin •	side NFB+	twin NFB	side NFB	side •
-	-	-	-	-	-	-	-
•	•	•	•	•	•	•	•
-	-	-	-	•	-	•	•
3	5	3	5	5	5	5	5
•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•
-	•	-	•	•	•	•	•
-	•	-	•	•	•	•	•
-	•	-	•	•	•	•	•
-	•	-	•	•	•	•	•
-	-	-	-	•	-	-	-
-	-	-	-	•	-	-	-
-	-	-	-	•	-	-	-
-	-	-	-	•	-	-	-
-	-	-	-	•	-	-	-
•	•	•	•	Auto (2)	•	•	•
-	-	-	-	-	-	-	-
7	7	7	5	3	3	3	3
•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•
-	-	-	-	-	-	-	-
-	-	-	-	1	1	1	1
2	2	2	2	1	2	1	1
3	3	3	2	4	3	3	3
C	C	C	C	C	C	C	C
-	-	-	-	•	-	-	-
-	-	-	-	•	-	-	-
-	-	-	-	-	-	-	-

Boat packages available with Mercury® outboard engines.

## JUST WHAT YOU'D EXPECT FROM PRINCECRAFT: **ONE OF THE BEST WARRANTIES YOU' LL EVER FIND.**

### All Princecraft boats offer:

#### Limited Lifetime Structural Warranty

- Transferable limited lifetime coverage against any structural defect in material or workmanship in the main riveted hull seams.

#### Limited 5-Year Carpet and Vinyl Upholstery Warranty

- Carpet and vinyl upholstery warranted against defects in material or workmanship, or excessive fading.

#### Limited Lifetime Wood Floor Warranty

- Transferable limited lifetime coverage on any Princecraft Boat floor panels, which has been damaged by fungal decay to the extent that the panel is structurally unfit.

#### Limited 5-Year Canvas Warranty

- Limited 5-year coverage on canvas which has excessive fading or that has been rendered unserviceable from normal exposure conditions (including sunlight, rot, or normal atmospheric chemicals).

#### 10-Year Structural Limited Warranty

- Limited 10-year coverage on any defect in material or workmanship for all interior structural supports, beams, ribs (stiffeners), keels, and braces.

#### Limited 1-Year Parts and Components Warranty

- Limited 1-year coverage on any part or component manufactured by Princecraft which is found to be defective in factory materials or workmanship.

For more details on one of the best warranty around, see your nearest dealer.

## WHY BUY PRINCECRAFT?

- State-of-the-art engineering
- Better aluminum
- Superior craftsmanship
- Unmatched performance
- Unparalleled durability
- Excellent fit and finish
- More fishing extras
- Hassle-free boating
- The best overall experience
- Lasting value
- One of the best warranty around

In the world of fishing we focus a lot on structure and patterns to become more effective. But at Princecraft we want to expand on those definitions. To us, structure includes how your boat is built. Because on the water it can be the difference between success and failure. And while you're always looking for ways to pattern fish, here's a pattern worthy of your attention. For 56 years now, Princecraft has been pioneering innovations in boat design and performance. And year after year, we've set the standard for fit and finish in the industry. So we enthusiastically invite you to compare Princecraft boats to every other brand. Because the more you know, the better we look.



## 10 GOOD REASONS TO CHOOSE PRINCECRAFT

1. Superior quality construction
2. Exceptional performance
3. Unparalleled durability
4. Topnotch finishings and fittings
5. Total comfort
6. Smooth handling
7. Cutting-edge engineering
8. Top-of-the-line aluminum alloy (5052-H36)
9. Excellent resale value
10. One of the best warranty in the industry!

**For more information** on our boats, to check out our videos, or to find your nearest dealer, visit our Website at

***princecraft.com or call us at 1 800 395-8858***

In Canada: Princercraft Boats Inc., A Brunswick Company, 725 Saint-Henri Street, Princerville (Quebec) G6L 5C2

In the United States: Princercraft U.S., A Brunswick Company, 1st Tennessee Plaza Bldg., Suite 1700, 800 S. Gay Street, Knoxville, TN 37929

Princercraft factory-packaged boats are available with various horsepower Mercury® outboards. [www.mercurymarine.com](http://www.mercurymarine.com)

Special thanks to: Berkley®, Blue Fox®, Brecks®, Columbia Sportswear Company®, Flambeau Outdoors®, Future Beach®, Helly-Hansen®, Mercury Marine®, Mustang Survival®, Orizon Inc., Rapala®, Shimano®, Storm™, Walker Downriggers, Coleman®.

PLEASE READ CAREFULLY: Dimensions, capacities, ratings, and additional specifications, plus complete warranty and service information, are available from your Princercraft dealer. Product illustrations and data within this catalog are based upon information available at the time of publication. Not all accessories shown in pictures or described herein are standard equipment or even available as options. Specification measurements are approximations and subject to variance. Because Princercraft is dedicated to constant product improvements, Princercraft reserves the right to make changes without prior notice or obligation. Not all model year boats may contain all of the features or meet the specifications described herein. Ask your Princercraft dealer for the most current product specifications prior to purchase. Some of the equipment shown separately or on products illustrated in this catalog may be optional at extra cost. Options and features are subject to change without notice. Princercraft is a member in good standing of the National Marine Manufacturers Association (NMMA) USA and Canada. All boats comply with Canadian Coast Guard and U.S. Coast Guard regulations. All Princercraft® boats are in compliance with NMMA's Boat Certification Program. Attwood™ is a registered trademark of Attwood Corporation. Clarion™ is a registered trademark of Clarion Sales Corporation. Faria™ is a registered trademark of TG Faria, Inc. Pilot™ is a registered trademark of TG Faria, Inc. Flow-Rite™ is a registered trademark of Flow-Rite Controls. Lowrance® is a registered trademark of Lowrance Electronics, Inc. Marincó™ is a registered trademark of Marincó-AFI. McGill™ is a registered trademark of Emerson Electronics. Mercury®, MerCruiser®, Verado™, OptiMax® and SmartCraft™ are registered trademarks of Mercury Marine.

**MERCURY**  
Outboards

**NMMA**  
CERTIFIED  
using ABYC standards