

2012 ALUMINUM FISHING BOATS



PRINCECRAFT

SE

PRINCECRAFT

A Princecraft Boat Is a Product of Teamwork

More than 200 people had a direct hand in bringing your Princecraft into being – and another 300 workers contribute indirectly to Princecraft’s activities. And your boat was entirely designed and manufactured in the region. From the initial design to the final finishing touches, these dedicated professionals were driven by a never-ending search for performance, precision, and quality. It’s not surprising that Princecraft owners have a special attachment to their boats – the pride they feel every time they climb aboard is the same pride hundreds of us feel each time a pontoon or deck boat leaves our workshops.

Hulls	22
Trailers	24
Livewells	25

PLATINUM SE SERIES

Platinum SE 207 and 206	28
Platinum SE 186 and 176	30
Platinum SE 176 FnP	32

SUPER PRO SERIES

Super Pro 185 GL and 176	36
--------------------------------	----

SPORT SERIES

Sport 182 WS, 172 WS, and 172 SC	40
Sport 174 WS and 164 WS	42

PRO AND XPEDITION SERIES

Pro 198 SC and 165 SC	46
Xpedition 170 WS, SC, and BT	48

DLX AND DL SERIES

Hudson DLX WS, SC, and BT	52
Holiday DLX WS and SC	54
Starfish DLX SC and BT	56
Yukon DLX BT	56
Springbok and Yukon DL BT	58
Yukon ^e DL BT	60

UTILITIES AND CARTOPS

Holiday, Starfish, Springbok, and Yukon	64
Fisherman, Ungava, Scamper, and SeaSprite	65
Canvas and covers	66
Optional equipment	67
Standard features	68

PRINCECRAFT

VISIT US AT PRINCECRAFT.COM

OR CALL US 1 800 395-8858



Our secret: H36 Aluminum

Princecraft hulls are the strongest and most durable on the market because they are made with the best marine-grade aluminum in the business, 5052-H36.



- 25% stronger than the aluminum used by most of our competitors
- More resistant to shock and warping
- Maintains peak performance
- Helps boost boat resale value


3 double-plated hull thicknesses used by Princecraft



If your hull catches on the bottom of the lake, it had better be made of H36!

This graph from a 2011 study by Alcoa Innovation clearly shows H36's superior impact strength.



IMPACT TEST



Why don't all manufacturers use H36?

H36's rigidity makes it more difficult to work with. It requires extremely accurate, state-of-the-art equipment, and above all, exceptional expertise.

Only Princecraft has both!



.....

H36 also has a higher breaking load and elastic limit than other alloys, which boosts your confidence on the water and the value of your investment!



Two is better than one



Invented by Princecraft, the double reverse chine:

- Improves performance at all speeds and in all boating conditions
- Makes it easier to steer the boat and control its speed
- Increases the boat's carrying capacity while reducing friction so the boat planes easily even when heavily loaded
- Prevents rolling at high speeds
- Keeps occupants dry



.....

Most of our boats have two thicknesses of H36 aluminum from the middle of the hull to the stern.

This construction diffuses the stress on the bottom of the boat toward the side panels for better performance at high speeds.

Custom Multifunction Trailers

To ensure that your pleasure craft lives up to its name, it should be a pleasure to handle all down the line — even when you're towing and launching it.



1. Heavy-duty winch* 2. Carpeted load guides* 3. Swing tongue*
4. Optional mag wheels* 5. Waterproof recessed lights* 6. Fenders with step pads*

That's why each of our trailers is custom-made according to the highest standards of quality to offer topnotch stability and maneuverability on the road, in addition to easy loading and unloading.



Painted trailer



Galvanized steel trailer

AN EXTRA DURABLE FRAME

- Extra sturdy tubular structure
- Brake cables and circuits are inserted in a steel tube to protect them from the elements
- Guaranteed long term reliability

OPTIMAL SAFETY

- Superior on-road stability and handling
- Watertight light system (5)
- Factory-balanced wheels
- Double safety chain
- Ball bearing protectors
- Complies with NMMA and Transport Canada standards

STRATEGICALLY PLACED BUNKS AND LOAD GUIDES

- Custom design
- Marine carpet-covered load guides protect your boat's hull (certain models only) (2)
- Bunks remain in constant contact with the hull for optimally distributed support
- Easier loading and unloading

SPECIAL FEATURES

- Sturdy winch (1)
- Standard parking jack
- Soldered attachment for optional motor stand installation
- Galvanized steel wheelbase for rust protection
- Practical swing tongue: saves space, stores easily (standard on certain models; optional on other models) (3)
- Composite fenders with built-in running boards (6)
- Radial tires (standard on most models)
- Aluminum alloy STAR rims (optional on certain models) (4)

New

PRINCETRAK SYSTEM

Extrusion allowing onboard tool attachment



- 1. Quick storage for three fishing rods
- 2. Fishing rod support
- 3. Cup holder
- 4. Multipurpose plate
 - Slide your PrinceTrak into position and attach whatever you want to it: sonar, tools, and lots more.


Ingenious Livewells!

A must-have for fishing, good livewells help keep your catch healthy and fresh. Princecraft offers you three top-quality options to help you get the most out of each and every day of fishing!

SPORTFLO™

This system includes:

- A pump for filling the tank and aerating the water
- A removable separator¹
- A tube overflow system that empties to the outside
- Recessed drains with debris screens to keep the pump clear²
- An anti-spill rim¹




Models featuring SportFlo™ livewell system:

- DLX Series
- Xpedition Series
- Pro 165 SC
- Sport 164 WS
- Sport 172 SC
- Sport 172 WS
- Sport 174 WS
- Sport 182 WS
- Platinum SE 176 FnP

PROFLO™

Includes all SportFlo™ features, plus:

- A dual pump system that keeps water recirculating on the water or dock
- A timed aerator control¹
- A removable minnow bucket¹
- A light¹




Models featuring ProFlo™ livewell system:

- Super Pro 176
- Super Pro 185 GL



PROFLO™ PLUS *Exclusive*

The ProFlo™ Plus livewell is virtually maintenance free, and features automatic filling and recirculation that lets you focus on fishing. Its dual-pump system keeps your bait alive and your catch beautifully fresh, whether you're cruising the open water or tied up at the dock.



Models featuring ProFlo™ Plus livewell system:

- Pro 198 SC
- Platinum SE 176
- Platinum SE 186
- Platinum SE 206
- Platinum SE 207

¹ On most models
² Except DLX Series

Moving up to first class

Platinum SE 186



1. Stern boarding ladder 2. Stainless steel recessed cleats* 3. Easy-access driver's radio remote control 4. Driver's console with black inserts and SmartCraft™ gauges (11 functions)* 5. In-floor lockable rod organizer 6. Lowrance® X-52 fish/depth finder on swivelling bracket* 7. Driver's heated seat plug 8. 2-position deluxe passenger's folding seat with no-pinch hinges

PLATINUM SE SERIES

DESIGNED FOR FISHING ENTHUSIASTS WHO DEMAND THE BEST, THE PLATINUM SE SERIES INCLUDES FIVE OUTSTANDING MODELS WHOSE PREMIUM QUALITY COMPONENTS PROVIDE MAXIMUM PERFORMANCE, COMFORT, AND CONVENIENCE. PLATINUM SE MODELS ALSO HAVE A FULL RANGE OF ACCESSORIES, INCLUDING A CUSTOMIZED TRAILER WITH EXCLUSIVE PAINT AND GRAPHIC ELEMENTS. PERFECT FOR MAKING YOUR EXPEDITIONS EVEN MORE MEMORABLE!

KEY FEATURES

	PLATINUM SE SERIES					
	207	206	186	176	176 FnP	
For the boat's regular features, consult pages 68-69 and:	28-29	28-29	30-31	30-31	32-33	
Packaged with Mercury® outboard engines ¹	•	•	•	•	•	
Dark beige metallic hull with black accent color	•	•	•	•	•	
Mercury SmartCraft System tachometer, speedometer, and trim gauges ^{2,3}	•	•	•	•	-	
Hydraulic steering system with tilt wheel	•	•	•	•	-	
Sport steering wheel	•	•	•	•	•	
12V or 24V deluxe bow trolling motor panel	•	•	•	•	-	
AM/FM/CD Stereo with iPod controls and SAT Radio Compatible	•	•	•	•	•	
Easy-access driver's radio remote control	•	•	•	•	•	
ProFlo™ Plus livewell system	2	2	2	2	-	
2-position deluxe driver's heated folding seat	1	1	1	1	1	
2-position deluxe passenger's folding seat	2	2	2	2	1	
Sliding rail for driver seat	•	•	•	•	•	
Bow coaming pads	•	•	•	•	•	
Lowrance® fish/depth finder	X-52	X-52	X-52	X-52	X-4 Pro	
Stainless steel recessed cleats	4	4	4	4	-	
Stern boarding ladder	•	•	•	•	•	
Custom-fit black trailer with swing tongue & drop axle (T = Tandem, DB = Disc brakes)	T, DB	T, DB	DB	DB	•	
Checker polished aluminum covered step pads	•	•	•	•	•	
OPTIONS ONLY AVAILABLE ON PLATINUM SE SERIES BOATS	200-watt AM/FM/CD w/ USB port/ MP3/ iPod and SAT Radio Compatible... upgrade exchange	0	0	0	0	0
	Heated reclining captain's chair with adjustable armrests... upgrade exchange	0	0	0	0	-
	2-position deluxe passenger's heated folding seat... upgrade exchange	0	0	0	0	-
	2-position deluxe passenger's folding seat	0	0	0	0	0

¹ All Verado™ L4 and L6 packages come standard with Digital Throttle and Shift System (DTS). Verado™ L6 packages (225 HP) come standard with power steering and tilt wheel.

² SmartCraft™ system tachometer includes light brightness, light control adjustment, engine alarm display, TrollControl™, battery voltage, digital tachometer, engine hour meter, engine temperature, fuel flow, power trim angle and water pressure.

³ SmartCraft™ system speedometer includes light brightness, light contrast adjustment, TrollControl™, clock, digital speedometer, fuel economy, fuel range, fuel tank level, lake water temperature, air temperature, and trip log.

• Standard ◦ Option



Platinum SE 207

SPECIFICATIONS

	Center line	Beam	Chine width	Maximum depth	Approx. draft	Transom height	Approx. weight	NMMA (USA) / MANUFACTURER'S RECOMMENDATIONS				ALUMINUM THICKNESS		BUILT-IN GAS TANK
								Maximum HP capacity	Maximum weight capacity	Maximum weight person capacity	Maximum person capacity	Bottom	Side	
Platinum SE 207	6.1 m (20'-0")	2.5 m (100")	2.1 m (84")	1.3 m (50")	0.9 m (34")	0.6 m (25")	839 kg (1850 lb.)	168 kW (225 HP)	1002 kg (2209 lb.)	612 kg (1350 lb.)	10	2.8 mm (.110")	1.8 mm (.072")	227 L (60 U.S. gal.)
Platinum SE 206	6.1 m (20'-0")	2.5 m (99")	2.1 m (84")	1.2 m (48")	0.9 m (34")	0.6 m (25")	835 kg (1840 lb.)	168 kW (225 HP)	1002 kg (2209 lb.)	612 kg (1350 lb.)	10	2.8 mm (.110")	1.8 mm (.072")	227 L (60 U.S. gal.)

PLATINUM SE 207 and 206

KEY STANDARD FEATURES

- Deep V double reverse chine hull design
- 4 stainless steel recessed cleats
- Raised bow casting platform with storage
- 2 stern jump seats
- 2-position deluxe driver's heated folding seat
- Two 2-position deluxe folding seats
- Bow & stern ProFlo™ Plus aerated livewell system
- Lowrance® X-52 fish/depth finder on swivelling bracket
- Very large, lockable, in-floor rod organizer with tubes
- 12V or 24V bow trolling motor panel with voltmeter and tilt switch
- Sea-Star® hydraulic steering system with tilt wheel
- AM/FM/CD Stereo with iPod controls and SAT Radio Compatible
- Mercury SmartCraft™ System
- 1 LED lighted cup holder
- Aft raised casting platform with privacy enclosure and optional toilet (Platinum SE 207)




Platinum SE 207



Platinum SE 206



Platinum SE 207



Platinum SE 206

Livewell
 Storage Compartment
 Open Space Storage Compartment
 Rod Storage Compartment
 Fuel Tank
 Ice box
 Privacy Enclosure



DETAILS



1. Optional electronic package: Smart Tow gauge, HDS-5 fish finder, Lowrance Sonic Hub marine audio server and GPS antenna.
2. Driver's heated seat plug
3. Stern boarding ladder
4. Stainless steel recessed cleats
5. Optional chemical toilet with holding tank and pump out system (207 only)
6. Easy-access driver's radio remote control



Platinum SE 186

SPECIFICATIONS

	Center line	Beam	Chine width	Maximum depth	Approx. draft	Transom height	Approx. weight	NMMA (USA) / TRANSPORT CANADA				ALUMINUM THICKNESS		BUILT-IN GAS TANK
								Maximum HP capacity	Maximum weight capacity	Maximum weight person capacity	Maximum person capacity	Bottom	Side	
Platinum SE 186	5.6 m (18'-6")	2.4 m (95")	2.0 m (80")	1.2 m (46")	0.8 m (33")	0.6 m (25")	701 kg (1545 lb.)	131 kW (175 HP)	863 kg (1902 lb.)	525 kg (1158 lb.)	** 8 [7]	2.8 mm (.110")	1.8 mm (.072")	151 L (40 U.S. gal.)
Platinum SE 176	5.3 m (17'-6")	2.3 m (92")	2.0 m (80")	1.0 m (41")	0.8 m (31")	0.6 m (25")	651 kg (1435 lb.)	112 kW (150 HP)	787 kg (1736 lb.)	450 kg (992 lb.)	** 7 [6]	2.5 mm (.100")	1.8 mm (.072")	151 L (40 U.S. gal.)

PLATINUM SE 186 and 176

KEY STANDARD FEATURES

- Deep V double reverse chine hull design
- Raised bow and aft casting platforms with storage
- 4 stainless steel recessed cleats
- 2-position deluxe driver's heated folding seat
- Two 2-position deluxe folding seats
- 2 stern fold-down jump seats
- Bow and stern ProFlo™ Plus aerated livewell system
- 12V or 24V bow trolling motor panel with voltmeter and tilt switch
- Sea-Star® hydraulic steering system with tilt wheel
- Mercury SmartCraft™ System
- Large, lockable, in-floor rod organizer with tubes
- Lowrance® X-52 fish/depth finder on swivelling bracket
- Upholstered bow coaming pads with optional cushions
- AM/FM/CD Stereo with iPod controls and SAT Radio Compatible
- 1 LED lighted cup holder



Platinum SE 186



Platinum SE 176



Platinum SE 186




Platinum SE 176

Livewell
 Storage Compartment
 Open Space Storage Compartment
 Rod Storage Compartment
 Fuel Tank
 Ice box



DETAILS



1. Large, lockable, in-floor rod organizer with tubes for 6 rods 2. Optional bow rider seat cushions 3. Optional Lowrance® HDS-5 high resolution 5" fish finder with GPS Chartplotter 4. 2 fold-down jump seats 5. Easy-access driver's radio remote control 6. Driver's heated seat plug 7. 12V or 24V deluxe bow trolling motor panel



Platinum SE 176 FnP

SPECIFICATIONS

	Center line	Beam	Chine width	Maximum depth	Approx. draft	Transom height	Approx. weight	NMMA (USA) / TRANSPORT CANADA				ALUMINUM THICKNESS		BUILT-IN GAS TANK
								Maximum HP capacity	Maximum weight capacity	Maximum weight person capacity	Maximum person capacity	Bottom	Side	
Platinum SE 176 FnP	5.3 m (17'-5")	2.3 m (92")	1.9 m (75")	1.0 m (40")	0.8 m (30")	0.6 m (25")	604 kg (1331 lb.)	93 kW (125 HP)	747 kg (1647 lb.)	411 kg (907 lb.)	** 7 [5]	2.5 mm (.100")	1.8 mm (.072")	98 L (26 U.S. gal.)

PLATINUM SE 176 FnP

KEY STANDARD FEATURES

- Deep V reverse chine hull design
- Dark beige metallic hull with black accent color
- 2 stern fold-down jump seats
- 2-position deluxe driver's heated folding seat
- 2-position deluxe folding seat
- Sliding rail for driver's seat
- Port side sleeper seat
- Bow SportFlo™ aerated livewell system
- Lowrance® X-4 Pro fish/depth finder on swivelling bracket
- Large, lockable, in-floor rod organizer
- Upholstered bow coaming pads with bow cushions
- AM/FM/CD Stereo with iPod controls and SAT Radio Compatible
- Stern boarding ladder
- 1 LED lighted cup holder
- Automatic electric bilge pump



Platinum SE 176 FnP



Platinum SE 176 FnP

Livewell
 Storage Compartment
 Open Space Storage Compartment
 Rod Storage Compartment
 Fuel Tank
 Ice box



DETAILS



1. Driver's heated seat plug
2. Optional combo poly swim platform with telescoping ladder
3. 1 LED lighted cup holder on passenger side
4. 2 thermoformed side panels with integrated speakers and storage
5. Standard coaming pads and bow rider seat cushions
6. Large, lockable, in-floor rod organizer with tubes for 4 rods
7. Storage under port side console with extensible cargo net

A sure favorite

OF ALL THE BOATS IN THIS CATEGORY ON THE MARKET, NONE OFFER AS MANY ADVANTAGES AS THE SUPER PRO SERIES. POWERFUL, COMFORTABLE, AND REALLY FUN TO DRIVE, THESE BOATS HAVE LOADS OF THE PRACTICAL, ERGONOMIC STORAGE COMPARTMENTS THAT ANGLERS LOVE. IT'S NOT SURPRISING THEY TOP FISHING ENTHUSIASTS' LIST OF FAVORITES, YEAR AFTER YEAR!



1. 2 deluxe folding seats with no-pinch hinges 2. Cargo net at the back 3. AM/FM/CD Stereo with iPod controls and SAT radio compatible 4. Holding handles for the safety of your passengers 5. Sonar Lowrance® X-52 fish/depth finder on swivelling bracket 6. 12V or 24V bow trolling motor plug and receptacle with wiring harness

SUPER PRO

SERIES



Super Pro 185 GL



Super Pro 185 GL

SPECIFICATIONS

	Center line	Beam	Chine width	Maximum depth	Approx. draft	Transom height	Approx. weight	NMMA (USA) / TRANSPORT CANADA				ALUMINUM THICKNESS		BUILT-IN GAS TANK
								Maximum HP capacity	Maximum weight capacity	Maximum weight person capacity	Maximum person capacity	Bottom	Side	
Super Pro 185 GL	5.6 m (18'-6")	2.4 m (95")	2.0 m (80")	1.2 m (46")	0.8 m (33")	0.6 m (25")	667 kg (1470 lb.)	131 kW (175 HP)	863 kg (1902 lb.)	525 kg (1158 lb.)	6	2.8 mm (.110")	1.8 mm (.072")	151 L (40 U.S. gal.)
Super Pro 176	5.3 m (17'-6")	2.3 m (92")	2.0 m (80")	1.0 m (41")	0.8 m (31")	0.6 m (25")	635 kg (1400 lb.)	112 kW (150 HP)	787 kg (1736 lb.)	450 kg (992 lb.)	** 7 [6]	2.5 mm (.100")	1.8 mm (.072")	151 L (40 U.S. gal.)

Super Pro 185 GL and 176

KEY STANDARD FEATURES

- Deep V double reverse chine hull design
- 4 stainless steel cleats
- 2 deluxe pedestal folding fishing seats
- Lowrance® X-52 fish/depth finder on swivelling bracket
- Walk-thru tinted curved tempered glass windshield with door
- No-FeedBack™ steering system with dual cables
- AM/FM/CD Stereo with iPod controls & SAT Radio Compatible

Super Pro 185 GL

- Raised bow casting platform with storage
- Bow ProFlo™ aerated livewell system
- Stern insulated fish box with cutting board
- Lockable, in-floor storage compartment

Super Pro 176


- Raised bow and aft casting platforms with storage
- 2 stern fold-down jump seats
- Bow and aft ProFlo™ aerated livewell system
- Large, lockable, in-floor rod organizer with tubes for 6 rods



Super Pro 185 GL



Super Pro 176



Super Pro 185 GL



Super Pro 176

Livewell
 Storage Compartment
 Open Space Storage Compartment
 Rod Storage Compartment
 Fuel Tank
 Ice box



DETAILS



1a. Optional Mercury 9.9 HP Pro Kicker **1b.** Control for auxiliary engine (kicker) **2.** Lockable, in-floor rod organizer with tubes for 6 rods (SP 176 only) **3.** Optional wash down system (SP 185 GL only) **4.** Stern area with easy access to livewell and downriggers (SP 185 GL only) **5.** Lowrance® X-52 fish/depth finder on swivelling bracket **6.** ProFlo™ 77 L (20 U.S. gal.) electric-fill aerated bow livewell, with intermittent recirculation, post-overflow, thru-hull drain, removable minnow bucket, light and anti-spill cover (SP 185 GL only)

In the heat of the action

CAN'T DECIDE WHAT YOU LOVE MORE, FISHING OR WATER SKIING? YOU NO LONGER HAVE TO CHOOSE BETWEEN THEM — WHATEVER YOUR FAVORITE ACTIVITY OF THE MOMENT, THE SPORT SERIES DELIVERS MAXIMUM SATISFACTION! THE ONLY THING LEFT TO WORRY ABOUT IS WHETHER YOUR WEEKENDS ARE LONG ENOUGH TO SATISFY YOUR THIRST FOR FUN IN ALL ITS FORMS...



1. Helm console with fully lit instrumentation 2. SportFlo™ 64 L (17 U.S. gal.) electric-fill aerated stern livewell with post-overflow, thru-hull drain, removable minnow bucket, and anti-spill cover (Sport 174 WS, Sport 172 WS, and 172 SC) 3. Open storage with cargo net under driver's console 4. Holding handles for the safety of your passengers 5. 2 pedestal folding fishing seats with finger protection with no-pinch hinges 6. Large, lockable, in-floor rod organizer with tubes for 4 rods and dry storage*

SPORT

SERIES



Sport 172 WS



Sport 172 SC

SPECIFICATIONS

	Center line	Beam	Chine width	Maximum depth	Approx. draft	Transom height	Approx. weight	NMMA (USA) / TRANSPORT CANADA				ALUMINUM THICKNESS		BUILT-IN GAS TANK
								Maximum HP capacity	Maximum weight capacity	Maximum weight person capacity	Maximum person capacity	Bottom	Side	
Sport 182 WS	5.6 m (18'-6")	2.4 m (95")	2.0 m (80")	1.2 m (46")	0.8 m (33")	0.6 m (25")	676 kg (1490 lb.)	131 kW (175 HP)	784 kg (1729 lb.)	492 kg (1085 lb.)	** 8 [7]	2.8 mm (.110")	1.8 mm (.072")	151 L (40 U.S. gal.)
Sport 172 WS	5.3 m (17'-5")	2.3 m (91")	1.9 m (75")	1.0 m (39")	0.8 m (30")	0.6 m (25")	569 kg (1255 lb.)	93 kW (125 HP)	712 kg (1570 lb.)	376 kg (830 lb.)	** 6 [5]	2.5 mm (.100")	1.8 mm (.072")	98 L (26 U.S. gal.)
Sport 172 SC	5.3 m (17'-5")	2.3 m (91")	1.9 m (75")	1.0 m (39")	0.8 m (30")	0.6 m (25")	533 kg (1174 lb.)	93 kW (125 HP)	712 kg (1570 lb.)	376 kg (830 lb.)	** 6 [5]	2.5 mm (.100")	1.8 mm (.072")	98 L (26 U.S. gal.)

SPORT 182 WS, 172 WS, and 172 SC

KEY STANDARD FEATURES

- Raised bow and aft casting platforms with storage
- 2 pedestal folding fishing seats
- Bow SportFlo™ aerated livewell system
- Storage compartments
- Ice chest
- 12V or 24V bow trolling motor attachment
- No-FeedBack™ steering system
- Electric bilge pump
- Storage under driver's console with extensible cargo net
- Large, lockable, in-floor rod organizer with tubes

Sport 182 WS and 172 WS

- Rear flip-up bench seat
- Walk-thru tinted curved tempered glass windshield with door

Sport 172 WS and 172 SC

- Stern SportFlo™ aerated livewell system



Sport 182 WS




Sport 172 WS




Sport 172 SC



Sport 182 WS



Sport 172 WS



Sport 172 SC


□ Livewell ■ Storage Compartment ■ Open Space Storage Compartment □ Rod Storage Compartment ■ Fuel Tank ■ Ice box

DETAILS



1. Optional bow seat cushions
- 2a-b. Flip-up bench seat changes into a large fishing casting platform (standard on Sport 182 WS and 172 WS, optional on 172 SC)
3. SportFlo™ 64 L (17 U.S. gal.) electric-fill aerated stern livewell with post-overflow, thru-hull drain, removable minnow bucket, and anti-spill cover (Sport 172 WS and SC only)
4. Optional complete stand-up high top with tonneau cover and curtains connected to windshield (Sport 172 WS shown)
5. Optional ski pylon
6. Lockable, in-floor rod organizer with tubes for 4 rods* (dry storage on Sport 172 WS and 172 SC only)

* Except the Sport 182 WS, which has a large, lockable, in-floor rod organizer with tubes for 6 rods



Sport 174 WS

SPECIFICATIONS

	Center line	Beam	Chine width	Maximum depth	Approx. draft	Transom height	Approx. weight	NMMA (USA) / TRANSPORT CANADA				ALUMINUM THICKNESS		BUILT-IN GAS TANK
								Maximum HP capacity	Maximum weight capacity	Maximum weight person capacity	Maximum person capacity	Bottom	Side	
Sport 174 WS	5.3 m (17'-5")	2.3 m (92")	1.9 m (75")	1.0 m (40")	0.8 m (30")	0.6 m (25")	598 kg (1319 lb.)	93 kW (125 HP)	747 kg (1647 lb.)	411 kg (907 lb.)	** 7 [5]	2.5 mm (.100")	1.8 mm (.072")	98 L (26 U.S. gal.)
Sport 164 WS	5.0 m (16'-6")	2.1 m (84")	1.8 m (69")	0.9 m (35")	0.8 m (31")	0.5 m (20")	457 kg (1008 lb.)	67 kW (90 HP)	640 kg (1410 lb.)	367 kg (808 lb.)	** 6 [5]	2.3 mm (.090")	1.8 mm (.072")	77 L (20 U.S. gal.)

SPORT 174 WS and 164 WS

KEY STANDARD FEATURES

- Deep V reverse chine hull design
- Deep self-draining splashwell
- Stainless steel bow and stern eyes
- 4 chromed cleats
- Raised bow and aft casting platforms with storage
- Complete fully-lit instrumentation
- 2 stern fold-down jump seats
- 2 pedestal folding fishing seats
- Walk-thru tinted curved tempered glass windshield with door
- Electric bilge pump
- No-FeedBack™ steering system

Sport 174 WS

- Stern SportFlo™ aerated livewell system
- 12V or 24V bow trolling motor attachment

Sport 164 WS

- Bow SportFlo™ aerated livewell system
- 12V bow trolling motor attachment




Sport 174 WS



Sport 164 WS



Sport 174 WS




Sport 164 WS

Livewell
 Storage Compartment
 Open Space Storage Compartment
 Rod Storage Compartment
 Fuel Tank
 Ice box



DETAILS



1. Helm console with fully-lit instrumentation
2. Lockable, in-floor rod organizer with tubes for 4 rods and dry storage (Sport 174 WS only)
3. Lockable storage on passenger side
4. 7 Holding handles for the safety of your passengers
5. 2 pedestal folding fishing seats
6. Optional AM/FM/CD Stereo with iPod controls and SAT Radio Compatible
7. Optional Lowrance® X-4 Pro fish/depth finder on swivelling bracket

You live to fish?

LOOKING FOR EXCELLENT VALUE? CHOOSE A PRO OR XPEDITION MODEL — POWER, ERGONOMIC DESIGN, TONS OF STORAGE SPACE, RAISED PLATFORMS FRONT AND BACK, AND MUCH MORE. CLIMB ABOARD AND HEAD OUT ON THE WATER WITH EVERYTHING YOU NEED TO PACK YOUR LIVEWELLS FULL OF FISH!

PRO and XPEDITION

SERIES

Pro 198 SC and Xpedition 170 WS

PRINCECRAFT 45



Pro 165 SC

S P E C I F I C A T I O N S

	Center line	Beam	Chine width	Maximum depth	Approx. draft	Transom height	Approx. weight	NMMA (USA) / TRANSPORT CANADA				ALUMINUM THICKNESS		BUILT-IN GAS TANK
								Maximum HP capacity	Maximum weight capacity	Maximum weight person capacity	Maximum person capacity	Bottom	Side	
Pro 198 SC	5.9 m (19'-5")	2.5 m (97")	2.1 m (84")	1.0 m (38")	0.8 m (31")	0.6 m (25")	710 kg (1566 lb.)	149 kW (200 HP)	748 kg (1650 lb.)	411 kg (906 lb.)	** 7 [5]	2.8 mm (.110")	1.8 mm (.072")	227 L (60 U.S. gal.)
Pro 165 SC	4.9 m (16'-2")	2.2 m (87")	1.8 m (71")	0.8 m (33")	0.7 m (29")	0.5 m (20")	406 kg (895 lb.)	56 kW (75 HP)	554 kg (1221 lb.)	300 kg (661 lb.)	** 5 [4]	2.3 mm (.090")	1.8 mm (.072")	106 L (28 U.S. gal.)

PRO 198 SC and 165 SC

KEY STANDARD FEATURES

- Raised bow and aft casting platforms with storage
- 2 deluxe pedestal folding fishing seats

Pro 198 SC

- Very large lockable rod organizer with tubes for 12 rods
- Bow and stern ProFlo™ Plus aerated livewell system
- No-FeedBack™ steering system with dual cables
- 36V deluxe bow trolling motor panel
- Lowrance® X-52 fish/depth finder on swivelling bracket

Pro 165 SC

- Lockable 7-foot rod storage
- Bow SportFlo™ aerated livewell system
- 12V or 24V bow trolling motor attachment



Pro 198 SC
Shown with Pro Staff graphic package



Pro 165 SC



Pro 198 SC




Pro 165 SC

□ Livewell ■ Storage Compartment ■ Open Space Storage Compartment □ Rod Storage Compartment ■ Fuel Tank



DETAILS



1. Rod strap on passenger side (Pro 165 SC only) 2. Pro 165 SC: SportFlo™ 86L (23 U.S. gal.) bow livewell / Pro 198 SC: ProFlo Plus 77L (20 U.S. gal.) bow livewell
3. 2 deluxe folding seats with no-pinch hinges 4. Optional bicycle fishing seat with post 5. Optional onboard battery charger for 3 - 12V batteries 6. Very large, lockable rod organizer with tubes for 12 rods (Pro 198 SC only)



Xpedition 170 SC

SPECIFICATIONS

	Center line	Beam	Chine width	Maximum depth	Approx. draft	Transom height	Approx. weight	NMMA (USA) / TRANSPORT CANADA				ALUMINUM THICKNESS		BUILT-IN GAS TANK
								Maximum HP capacity	Maximum weight capacity	Maximum weight person capacity	Maximum person capacity	Bottom	Side	
Xpedition 170 WS	5.2 m (16'-11")	2.3 m (91")	2.0 m (78")	0.9 m (35")	0.8 m (31")	0.5 m (20")	508 kg (1121 lb.)	86 kW (115 HP)	642 kg (1415 lb.)	306 kg (675 lb.)	** 5 [4]	2.5 mm (.100")	1.8 mm (.072")	77 L (20 U.S. gal.)
Xpedition 170 SC	5.2 m (16'-11")	2.3 m (91")	2.0 m (78")	0.9 m (35")	0.8 m (31")	0.5 m (20")	479 kg (1055 lb.)	86 kW (115 HP)	642 kg (1415 lb.)	306 kg (675 lb.)	** 5 [4]	2.5 mm (.100")	1.8 mm (.072")	77 L (20 U.S. gal.)
Xpedition 170 BT	5.2 m (16'-11")	2.3 m (91")	2.0 m (78")	0.9 m (35")	0.8 m (31")	0.5 m (20")	440 kg (970 lb.)	56 kW (75 HP)	560 kg (1235 lb.)	306 kg (675 lb.)	** 5 [4]	2.5 mm (.100")	1.8 mm (.072")	77 L (20 U.S. gal.)

XPEDITION 170 WS, SC, and BT

KEY STANDARD FEATURES

- Deep V reverse chine hull design
- Deep self-draining splashwell
- Twin plating from bow to mid-ship and at the chine
- Rigging tube under flooring (from bow to stern)
- 4 vinyl cleats
- Storage for 2 deep cycle batteries
- Rod strap on passenger side
- 2 lockable, 7-foot rod storage compartments with tubes for 7 rods in all
- Wide stern storage compartment
- 2 folding seats with no-pinch hinges
- PrinceTrak system: extrusion allowing onboard tool attachment
- 12V or 24V bow trolling motor plug and receptacle with wiring harness
- Carpeted bow mounting trolling motor pad



Xpedition 170 WS



Xpedition 170 SC




Xpedition 170 BT



Xpedition 170 WS



Xpedition 170 SC



Xpedition 170 BT

- Livewell
 Storage Compartment
 Open Space Storage Compartment
 Rod Storage Compartment
 Fuel Tank
 Ice Chest

DETAILS



1a. PrinceTrak system: extrusion allowing onboard tool attachment 1b. PrinceTrak : optional rod holder 1c. PrinceTrak: optional cup holder 1d. PrinceTrak: optional rod storage support for 3 rods 2. 2 jump seats in the stern casting platform* 3. Deep cycle battery storage compartment 4. 2 lockable, 7-foot rod storage compartments with tubes for 7 rods in all

* Except the Xpedition 170 BT

Gateway to freedom

CLIMB ABOARD, START THE MOTOR, AND EXPERIENCE THE JOY OF EXPLORING IN PERFECT SAFETY! DESIGNED SO YOU CAN ENJOY EACH MOMENT TO THE MAX, OUR DLX AND DL MODELS ARE TRUE FISHING MACHINES. THEY ARE FULLY EQUIPPED, IMPECCABLY FINISHED, AND ROOMY ENOUGH TO TRANSFORM YOUR FISHING TRIPS INTO MOMENTS OF UNADULTERATED FREEDOM.



Holiday DLX WS and Yukon DL BT



1. 7-foot lockable rod storage* 2. Large bow casting platform* 3. SportFlo™ electric-fill bow livewell with post-overflow, thru-hull drain, and anti-spill covers**
4. Pressure-treated removable wood floor covered with marine grade vinyl*** 5. Helm console with fully-lit instrumentation*

DLX and DL

SERIES

FEATURES AND OPTIONS

		HUDSON DLX WS	HUDSON DLX SC	HOLIDAY DLX WS	HOLIDAY DLX SC	STARFISH DLX SC	HUDSON DLX BT	STARFISH DLX BT	YUKON DLX BT		
STANDARD FEATURES	HULL & DECK	5052-H36 marine-grade aluminum alloy	•	•	•	•	•	•	•		
		High-gloss, high-solids urethane paint	•	•	•	•	•	•	•		
		Hull (R = reverse chine, S = square chine)	R	R	R	R	R	R	R	S	
		Aluminum clad transom	•	•	•	•	•	•	•	•	
		Full-width, self-draining splashwell	-	-	-	-	•	-	•	•	
		Deep self-draining splashwell	•	•	•	•	-	•	-	-	
		Twin plating from bow to mid-ship	•	•	•	•	-	•	-	-	
		Twin plating at the chine	•	•	•	•	•	•	•	•	
		Rigging tube under flooring (bow to stern)	•	•	•	•	•	•	•	•	
		Heavy-duty tubular seat to gunnel braces	-	-	-	-	•	-	•	•	
STANDARD FEATURES	FISHING	Stainless steel bow and stern eyes	•	•	•	•	•	•	•		
		4 vinyl cleats	•	•	•	•	-	•	-		
		Bow raised casting platform	•	•	•	•	•	•	-		
		Aft raised casting platform	•	•	-	-	-	-	-		
		Storage and deep cycle battery compartments	•	•	•	•	•	•	-		
		Center side storage compartment	-	-	-	-	-	1	2		
		Bow SportFlo™ electric-filled aerated livewell (44", 77 L/20 U.S. gal.)	•	•	•	•	•	•	•		
		(34", 61 L/16 U.S. gal.)	-	-	-	-	•	-	-		
		(26", 39 L/10 U.S. gal.)	-	-	-	-	-	-	•		
		Dual livewell	•	•	-	-	-	-	-		
STANDARD FEATURES	SEATS	Post-overflow with thru-hull drain (+ = anti-spill cover)	•+	•+	•+	•+	•+	•+	•		
		Lockable rod storage compartment without supports (feet)	9'	9'	7'	7'	7'	9'	7'	-	
		12V bow trolling motor plug & receptacle (+ = 12 or 24V)	•+	•+	•	•	•	•+	•	-	
		Carpeted bow mounting trolling motor pad	•	•	•	•	•	•	•	-	
		Floor seat bases	6	6	5	5	4	4	3	-	
		Folding fishing seats with no-pinch hinges	2	2	2	2	2	2	2	-	
		Parallel seats at stern covered with marine grade carpet	-	-	-	-	-	-	-	•	
		Bow bench seat covered with marine grade carpet	-	-	-	-	-	-	-	•	
		STANDARD FEATURES	CONSOLE	Side console with quick-release smoked windscreen	-	•	-	•	•	-	-
				Twin consoles with walk-thru tinted tempered glass windshield	•	-	•	-	-	-	-
Carling switch panel with indicator lights (+ = deluxe dash panel)	•+			•+	•+	•+	•+	•	•		
No-FeedBack™ steering system	•			•	-	-	-	-	-		
Instrumentation (gauges)	5			5	3	3	-	1	-		
Tachometer, voltmeter, speedometer, trim & fuel gauges	•			•	-	-	-	-	-		
Tachometer, speedometer & fuel gauges	-			-	•	•	-	-	-		
Fuel gauge	-			-	-	-	-	•	-		
Electric bilge pump	•			•	•	•	•	•	•		
Navigation lights	•			•	•	•	•	•	•		
STANDARD FEATURES	OTHERS	Interior light	1	1	1	1	-	-			
		Handle(s)	-	-	-	-	1	1	1		
		Cup holder(s)	2	1	2	1	-	-	-		
		Battery holder(s)	3	3	2	2	2	3	2		
		Pressure-treated wood floor covered with marine grade vinyl	•	•	•	•	•	•	•		
		Port console with quick release smoked windscreen	-	0	-	0	-	-	-		
		Complete taupe stand-up high top (+ = curtains connected to windshield)	0+	0	0+	0	0	-	-		
		Sun top	0	0	0	0	0	0	0		
		Mooring or trailer cover	0	0	0	0	0	0	0		
		Folding fishing seat with spider and post	0	0	0	0	0	0	0		
STANDARD FEATURES	OPTIONS	Bicycle seat with 27" post	0	0	0	0	0	0			
		2 downrigger supports	0	0	0	0	-	0	-		
		Lowrance® X-52 Pro fish/depth finder	0	0	0	0	0	0	0		
		Lowrance® X-4 Pro fish/depth finder	0	0	0	0	0	0	0		
		Colors	•	•	•	•	-	•	-		
		Red or Black	•	•	•	•	-	•	-		
		Black	-	-	-	-	•	-	•		

• Standard o Option Boat packages available with Mercury® outboard power.



Hudson DLX WS

SPECIFICATIONS

	Center line	Beam	Chine width	Maximum depth	Approx. draft	Transom height	Approx. weight	NMMA (USA) / TRANSPORT CANADA				ALUMINUM THICKNESS		BUILT-IN GAS TANK
								Maximum HP capacity	Maximum weight capacity	Maximum weight person capacity	Maximum person capacity	Bottom	Side	
Hudson DLX WS	5.8 m (19'-0")	2.2 m (87")	1.8 m (71")	0.8 m (33")	0.8 m (33")	0.5 m (20")	514 kg (1133 lb.)	86 kW (115 HP)	711 kg (1567 lb.)	375 kg (827 lb.)	** 6 [5]	2.5 mm (.100")	1.8 mm (.072")	106 L (28 U.S. gal.)
Hudson DLX SC	5.8 m (19'-0")	2.2 m (87")	1.8 m (71")	0.8 m (33")	0.8 m (33")	0.5 m (20")	485 kg (1070 lb.)	86 kW (115 HP)	711 kg (1567 lb.)	375 kg (827 lb.)	** 6 [5]	2.5 mm (.100")	1.8 mm (.072")	106 L (28 U.S. gal.)
Hudson DLX BT	5.8 m (19'-0")	2.2 m (87")	1.8 m (71")	0.8 m (33")	0.8 m (33")	0.5 m (20")	463 kg (1021 lb.)	56 kW (75 HP)	584 kg (1287 lb.)	375 kg (827 lb.)	** 6 [5]	2.5 mm (.100")	1.8 mm (.072")	106 L (28 U.S. gal.)

HUDSON DLX WS, SC, and BT

KEY STANDARD FEATURES

- Reverse chine hull design
- Deep self-draining splashwell
- 2 pedestal folding fishing seats
- Bow SportFlo™ aerated livewell system
- Lockable 9-foot rod storage
- 12V or 24V bow trolling motor attachment
- Electric bilge pump
- Complete fully-lit instrumentation*
- Navigation lights

Hudson DLX WS

- Rotomolded twin consoles with dash panel and switches
- Walk-thru curved tinted tempered glass windshield with door
- No-FeedBack™ steering system

Hudson DLX SC

- Rotomolded side console with dash panel and switches
- Smoked windscreen with quick release
- No-FeedBack™ steering system



Hudson DLX SC



Hudson DLX BT



Hudson DLX WS




Hudson DLX SC



Hudson DLX BT

□ Livewell □ Storage Compartment □ Open Space Storage Compartment □ Rod Storage Compartment □ Fuel Tank

DETAILS



1. 2 pedestal folding fishing seats 2. Twin consoles with walk-thru tinted curved tempered glass windshield with door (Hudson DLX WS) 3. Side storage compartment 4. Lockable 9-foot rod storage 5. SportFlo™ electric-fill aerated bow livewell 77 L (20 U.S. gal.) with post-overflow, thru-hull drain, and anti-spill cover 6. Helm console with fully-lit instrumentation* 7. Storage under the passenger's console (Hudson DLX WS only)

* Hudson DLX WS and Hudson DLX SC only



Holiday DLX WS

SPECIFICATIONS

	Center line	Beam	Chine width	Maximum depth	Approx. draft	Transom height	Approx. weight	NMMA (USA) / TRANSPORT CANADA				ALUMINUM THICKNESS		BUILT-IN GAS TANK
								Maximum HP capacity	Maximum weight capacity	Maximum weight person capacity	Maximum person capacity	Bottom	Side	
Holiday DLX WS	4.9 m (16'-2")	2.2 m (84")	1.8 m (69")	0.8 m (30")	0.7 m (26")	0.5 m (20")	378 kg (834 lb.)	45 kW (60 HP)	529 kg (1166 lb.)	302 kg (665 lb.)	** 5 [4]	2.3 mm (.090")	1.8 mm (.072")	77 L (20 U.S. gal.)
Holiday DLX SC	4.9 m (16'-2")	2.2 m (84")	1.8 m (69")	0.8 m (30")	0.7 m (26")	0.5 m (20")	359 kg (792 lb.)	45 kW (60 HP)	529 kg (1166 lb.)	302 kg (665 lb.)	** 5 [4]	2.3 mm (.090")	1.8 mm (.072")	77 L (20 U.S. gal.)

HOLIDAY DLX WS and SC

KEY STANDARD FEATURES

- Reverse chine hull design
- Deep self-draining splashwell
- Stainless steel bow and stern eyes
- Raised bow casting platform with storage
- 2 pedestal folding fishing seats
- Bow SportFlo™ aerated livewell system
- Lockable 7-foot rod storage
- 12V bow trolling motor attachment
- Electric bilge pump
- Pressure treated wood floor covered with marine grade vinyl

Holiday DLX WS

- Rotomolded twin consoles with dash panel and switches
- Walk-thru curved tinted tempered glass windshield with door

Holiday DLX SC


- Rotomolded side console with dash panel and switches
- Smoked windscreen with quick release



Holiday DLX WS



Holiday DLX SC




Holiday DLX WS



Holiday DLX SC

□ Livewell □ Storage Compartment □ Open Space Storage Compartment □ Rod Storage Compartment □ Fuel Tank



DETAILS



1



2



3



4



5



6

1. 2 pedestal folding fishing seats 2. Twin consoles with walk-thru tinted curved tempered glass windshield with door (Holiday DLX WS) 3. SportFlo™ electric-fill aerated bow livewell 61 L (16 U.S. gal.) with post-overflow, thru-hull drain, and anti-spill cover 4. Lockable 7-foot rod storage 5. Optional Lowrance® X-4 Pro fish/depth finder on swivelling bracket 6. Side storage compartment



Starfish DLX SC

SPECIFICATIONS

	Center line	Beam	Chine width	Maximum depth	Approx. draft	Transom height	Approx. weight	NMMA (USA) / TRANSPORT CANADA				ALUMINUM THICKNESS		GAS TANK
								Maximum HP capacity	Maximum weight capacity	Maximum weight person capacity	Maximum person capacity	Bottom	Side	
Starfish DLX SC	4.9 m (16'-0")	1.9 m (73")	1.6 m (63")	0.7 m (29")	0.4 m (17")	0.5 m (20")	231 kg (510 lb.)	30 kW (40 HP)	453 kg (998 lb.)	263 kg (580 lb.)	4	1.8 mm (.072")	1.6 mm (.064")	Portable
Starfish DLX BT	4.9 m (16'-0")	1.9 m (73")	1.6 m (63")	0.7 m (29")	0.4 m (17")	0.5 m (20")	213 kg (470 lb.)	30 kW (40 HP)	453 kg (998 lb.)	263 kg (580 lb.)	4	1.8 mm (.072")	1.6 mm (.064")	Portable
Yukon DLX BT	4.3 m (14'-3")	1.7 m (68")	1.4 m (57")	0.7 m (28")	0.4 m (17")	0.5 m (20")	166 kg (365 lb.)	19 kW (25 HP)	372 kg (821 lb.)	225 kg (496 lb.)	** 4 [3]	1.6 mm (.064")	1.6 mm (.064")	Portable

STARFISH DLX SC, BT, and YUKON DLX BT

KEY STANDARD FEATURES

- Full-width, self-draining splashwell
- Stainless steel bow and stern eyes
- Bow SportFlo™ aerated livewell system
- Electric bilge pump
- Navigation lights
- Pressure treated wood floor covered with marine grade vinyl

Starfish DLX SC

- Thermoformed side console with dash panel and switches
- Smoked windscreen with quick release
- Reverse chine hull design
- Raised bow casting platform with storage
- 2 pedestal folding fishing seats
- Lockable 7-foot rod storage
- 12V bow trolling motor attachment

Starfish DLX BT

- Center side storage compartment
- Reverse chine hull design
- Raised bow casting platform with storage
- 2 pedestal folding fishing seats
- Lockable 7-foot rod storage
- 12V bow trolling motor attachment




Starfish DLX SC




Starfish DLX BT




Yukon DLX BT



Starfish DLX SC



Starfish DLX BT



Yukon DLX BT

□ Livewell ■ Storage Compartment □ Rod Storage Compartment

DETAILS



1. 2 pedestal folding fishing seats 2. Lockable 7-foot rod storage 3. SportFlo™ electric-fill bow livewell 61 L (16 U.S. gal.) with post-overflow, thru-hull drain, and anti-spill cover (Starfish DLX SC and BT only) 4. Optional Lowrance® X-4 Pro fish/depth finder on swivelling bracket 5. Battery holder 6. Full-width, self-draining splashwell

XXXXXXXXXX

X



Yukon DL BT

SPECIFICATIONS

	Center line	Beam	Chine width	Maximum depth	Approx. draft	Transom height	Approx. weight	NMMA (USA) / TRANSPORT CANADA				ALUMINUM THICKNESS		GAS TANK
								Maximum HP capacity	Maximum weight capacity	Maximum weight person capacity	Maximum person capacity	Bottom	Side	
Springbok DL BT	4.9 m (16'-0")	1.7 m (68")	1.4 m (57")	0.7 m (28")	0.4 m (17")	0.5 m (20")	170 kg (375 lb.)	24 kW (30 HP)	522 kg (1150 lb.)	332 kg (732 lb.)	** 5 [4]	1.6 mm (.064")	1.6 mm (.064")	Portable
Yukon DL BT	4.3 m (14'-3")	1.7 m (68")	1.4 m (57")	0.7 m (28")	0.4 m (17")	0.5 m (20")	168 kg (370 lb.)	19 kW (25 HP)	411 kg (905 lb.)	263 kg (580 lb.)	4	1.6 mm (.064")	1.6 mm (.064")	Portable

SPRINGBOK DL BT and YUKON DL BT


KEY STANDARD FEATURES

- Semi-V hull design with square chine
- Full-width, self-draining splashwell
- Bow eye and stern handles
- Split center seat covered with marine grade carpet
- Stern storage compartment
- Battery holder
- Removable pressure-treated wood floor covered with marine grade vinyl
- High gloss exterior paint finish with decal package
- Twin plating at the chine
- Non-skid, anti-glare interior paint finish
- Heavy-duty tubular seat to gunnel braces
- Aluminum clad transom


FEATURES AND OPTIONS

	SPRINGBOK DL BT	YUKON "E" DL BT	YUKON DL BT	
STANDARD FEATURES	HULL & DECK			
	5052-H36 marine grade aluminum alloy	•	•	•
	High-gloss, high-solids urethane paint	•	•	•
	Semi-V hull with square chine	•	•	•
	Aluminum clad transom	•	•	•
	Full-width, self-draining splashwell	•	•	•
	Twin plating at the chine	•	•	•
	Heavy-duty tubular seat to gunnel braces	•	•	•
	Bow eye and stern handles	•	•	•
	Stern storage compartment	•	•	•
SEATS				
Split center seat covered with marine grade carpet	•	•	•	
Parallel seats at stern covered with marine grade carpet	•	•	•	
Bow bench seat covered with marine grade carpet	•	•	•	
OTHERS				
Battery holder	1	2	1	
Onboard battery charger for 2 – 12V batteries	-	•	-	
Removable pressure-treated wood floor covered with marine grade vinyl	•	•	•	
OPTIONS				
Station for additional battery bank	-	0	-	
24V solar panel	-	0	-	
Sun top	0	0	0	
Mooring or trailer cover	0	0	0	
COLOR <input type="checkbox"/> Black	•	•	•	

• Standard 0 Option



Springbok DL BT



Yukon DL BT

Storage Compartment Removable Floor

DETAILS



1



2a



2b



3



4

1. Split center seat covered with marine grade carpet 2a-2b. Removable pressure-treated wood floor covered with marine grade vinyl (front and back floor pieces)
3. Stern storage compartment 4. Battery holder

XXXXXXXXXX

XXXXXXXXXX



Yukon^e DL BT

SPECIFICATIONS

	Center line	Beam	Chine width	Maximum depth	Approx. draft	Transom height	Approx. weight	NMMA (USA) / TRANSPORT CANADA				ALUMINUM THICKNESS	
								Maximum propulsive power	Maximum weight capacity	Maximum weight person capacity	Maximum person capacity	Bottom	Side
Yukon ^e DL BT	4.3 m (14'-3")	1.7 m (68")	1.4 m (57")	0.7 m (28")	0.4 m (17")	0.5 m (20")	168 kg (370 lb.)	24 V / Cruise 2.0 (equivalent 6 HP)	347 kg (766 lb.)	263 kg (580 lb.)	4	1.6 mm (.064")	1.6 mm (.064")


YUKON[®] DL BT

KEY STANDARD FEATURES

- Semi-V hull design with square chine
- Full-width, self-draining splashwell
- Bow eye and stern handles
- Split center seat covered with marine grade carpet
- Stern storage compartment
- Charger for 2-12V batteries
- Battery holders
- Removable pressure-treated wood floor covered with marine grade vinyl
- High gloss exterior paint finish with decal package
- Non-skid, anti-glare interior paint finish
- Aluminum-clad transom



Yukon[®] DL BT



Yukon[®] DL BT

■ Storage Compartment ■ Removable Floor

DETAILS



1. Split center seat covered with marine grade carpet 2a-2b. Removable pressure-treated wood floor covered with marine grade vinyl (front and back floor pieces)
3. Stern storage compartment 4. Battery compartment

Built smaller, without compromise

THE ULTIMATE FISHING BOAT, LIGHT AND VERSATILE. IF YOU ARE LOOKING FOR A SMALLER BOAT THAT WILL PROVIDE GREAT FISHING FUN, THERE IS NO NEED TO COMPROMISE ON QUALITY. PRINCECRAFT UTILITY BOATS PROVIDE LIGHTWEIGHT AND COMPACT MODELS, BUILT TO GIVE YOU YEARS OF SATISFACTION. THEY COMBINE DURABILITY, DESIGN EXCELLENCE AND PRECISE ENGINEERING – ALL CRAFTED TO PRINCECRAFT'S HIGH STANDARD OF QUALITY. FOR MORE THAN 55 YEARS, PRINCECRAFT HAS BEEN GIVING YOU MORE BOAT FOR YOUR MONEY.



1. Full-width splashwell to keep you dry* 2. High-gloss paint* 3. The stern parallel seats make moving around much easier*

UTILITIES and CARTOPS SERIES



Yukon 20



Scamper

KEY STANDARD FEATURES

Utilities and Cartops

- Wide and stable hull design
- Twin plating at the chine from mid-ship to stern*
- Full-width, self-draining splashwell**
- High-gloss exterior paint finish with decal package*
- Non-skid, anti-glare interior paint finish
- Aluminum-clad transom
- Parallel seats at stern (some models with battery storage)*
- Bulkhead center seat
- Bow bench seat**
- Durable ribbed polyethylene seat covering*

* Except on Scamper and Seasprite

** On most models



Springbok 20



Holiday



Starfish 20



Yukon 20



Starfish 15



Yukon 15

SPECIFICATIONS

	Center line	Beam	Chine width	Maximum depth	Approx. draft	Transom height	Approx. weight	NMMA (USA) / TRANSPORT CANADA				ALUMINUM THICKNESS		GAS TANK
								Maximum HP capacity	Maximum weight capacity	Maximum weight person capacity	Maximum person capacity	Bottom	Side	
Holiday	5.0 m (16'-4")	2.1 m (83")	1.8 m (69")	0.8 m (30")	0.6 m (22")	0.5 m (20")	181 kg (400 lb.)	37 kW (50 HP)	621 kg (1370 lb.)	394 kg (869 lb.)	** 6 [5]	2.3 mm (.090")	1.8 mm (.072")	Portable
Starfish 20	4.9 m (16'-0")	1.9 m (73")	1.6 m (63")	0.7 m (29")	0.4 m (16")	0.5 m (20")	145 kg (320 lb.)	30 kW (40 HP)	591 kg (1303 lb.)	401 kg (885 lb.)	** 7 [5]	1.8 mm (.072")	1.6 mm (.064")	Portable
Starfish 15	4.9 m (16'-0")	1.9 m (73")	1.6 m (63")	0.7 m (29")	0.4 m (17")	0.4 m (15")	138 kg (304 lb.)	30 kW (40 HP)	499 kg (1100 lb.)	309 kg (682 lb.)	** 5 [4]	1.8 mm (.072")	1.6 mm (.064")	Portable
Springbok 20	4.9 m (16'-0")	1.7 m (68")	1.4 m (57")	0.7 m (28")	0.4 m (17")	0.5 m (20")	133 kg (293 lb.)	24 kW (30 HP)	522 kg (1150 lb.)	332 kg (732 lb.)	** 5 [4]	1.6 mm (.064")	1.6 mm (.064")	Portable
Yukon 20	4.3 m (14'-3")	1.7 m (68")	1.4 m (57")	0.7 m (28")	0.4 m (17")	0.5 m (20")	120 kg (265 lb.)	19 kW (25 HP)	411 kg (905 lb.)	263 kg (580 lb.)	4	1.6 mm (.064")	1.6 mm (.064")	Portable
Yukon 15	4.3 m (14'-3")	1.7 m (68")	1.4 m (57")	0.7 m (28")	0.4 m (17")	0.4 m (15")	109 kg (240 lb.)	19 kW (25 HP)	372 kg (821 lb.)	225 kg (496 lb.)	** 4 [3]	1.6 mm (.064")	1.6 mm (.064")	Portable
Fisherman	4.3 m (14'-0")	1.5 m (60")	1.3 m (51")	0.7 m (26")	0.4 m (13")	0.4 m (15")	91 kg (201 lb.)	15 kW (20 HP)	372 kg (820 lb.)	225 kg (495 lb.)	** 4 [3]	1.4 mm (.057")	1.3 mm (.051")	Portable
Ungava	3.7 m (12'-0")	1.5 m (60")	1.3 m (51")	0.6 m (25")	0.4 m (13")	0.4 m (15")	78 kg (171 lb.)	12 kW (15 HP)	318 kg (700 lb.)	226 kg (498 lb.)	** 4 [3]	1.4 mm (.057")	1.3 mm (.051")	Portable
Scamper	4.3 m (14'-4")	1.5 m (58")	1.1 m (45")	0.5 m (21")	0.4 m (13")	0.4 m (15")	68 kg (150 lb.)	12 kW (15 HP)	340 kg (750 lb.)	249 kg (548 lb.)	** 4 [3]	1.3 mm (.051")	1.3 mm (.051")	Portable
Seasprite	3.7 m (12'-4")	1.5 m (58")	1.1 m (45")	0.5 m (21")	0.4 m (13")	0.4 m (15")	59 kg (130 lb.)	8 kW (10 HP)	281 kg (620 lb.)	190 kg (418 lb.)	** 3 [2]	1.3 mm (.051")	1.3 mm (.051")	Portable



Fisherman




Scamper




Seasprite




Ungava



Holiday



Starfish




Springbok




Yukon




Fisherman



Ungava



Scamper



Seasprite

Storage Compartment

FEATURES AND OPTIONS

	STANDARD FEATURES	UTILITIES							CARTOPS		
		HOLIDAY	STARFISH 20	STARFISH 15	SPRINGBOK 20	YUKON 20	YUKON 15	FISHERMAN	UNGAVA	SCAMPER	SEASPRITE
HULL & DECK	5052-H36 marine-grade aluminum alloy	•	•	•	•	•	•	•	•	•	•
	High-gloss exterior paint with decal package	•	•	•	•	•	•	•	•	-	-
	Decal package	-	-	-	-	-	-	-	-	•	•
	Non-skid, anti-glare interior paint finish	•	•	•	•	•	•	•	•	•	•
	Hull (R = reverse chine, S = square chine, RC = round chine)	R	R	R	S	S	S	S	S	RC	RC
	Aluminum-clad transom	•	•	•	•	•	•	•	•	•	•
	Full-width, self-draining splashwell	•	•	•	•	•	•	-	-	-	-
	Twin plating at the chine	•	•	•	•	•	•	•	•	-	-
	Heavy-duty tubular seat to gunnel braces	•	•	•	•	•	•	•	•	•	•
	Bow and stern eyes (E) or bow eye and stern handles (H)	E	H	H	H	H	H	H	H	H	H
SEATS	Oar lock sockets	-	-	-	-	-	-	•	•	•	•
	Parallel seats at stern	•	•	•	•	•	•	•	•	-	-
	Bulkhead center seat	•	•	•	•	•	•	•	•	•	•
	Bow bench seat	•	•	•	•	•	•	-	-	•	•
OPTIONS	Durable ribbed polyethylene seat covering	•	•	•	•	•	•	•	•	-	-
	Sun top	0	0	0	0	0	0	0	0	-	-
	Complete dark blue side console	0	0	0	0	0	0	-	-	-	-
	Console only...dark blue	0	0	0	0	0	0	-	-	-	-
	Smoked windscreen	0	0	0	0	0	0	-	-	-	-
Folding fishing seat with no-pinch hinges	0	0	0	0	0	0	0	0	-	-	
COLORS	<input type="checkbox"/> Blue or <input type="checkbox"/> Natural aluminum with graphics	<input type="checkbox"/>									

• Standard 0 Option

DETAILS



1. Our exclusive polyethylene seats come standard and stay dryer than wood seats*
2. The stern parallel seats make moving around much easier*
3. Aluminum-clad, hassle-free transom
4. Optional sun top*
5. Optional complete side console*

* On most models

CANVAS & COVERS: A PERFECT FIT!



Princecraft canvas and covers are specially designed to fit your boat.

What's more, all our boats come with snap buttons installed in our factory using extremely precise templates for a perfect, effortless fit. At Princecraft we provide quality products from bow to stern!



1. Mooring cover
2. Trailer cover
3. Complete stand-up high top with tonneau cover and curtains connected to windshield*
4. Sun top for utilities

- Made of 100% sturdy marine-grade canvas
- Exceptional wear and tear resistance
- Maximal water resistance thanks to a transparent acrylic coating
- Top-quality, carefully installed windows, zippers, and snap buttons
- Snap buttons mounted on 45° moldings for enhanced stability and ease of installation
- Superior dimensional stability
- Easy storage
- Color matched to your boat

* Should not be used if the engine or generator is running

OPTIONS

1. Stern boarding ladder
2. Combo swim platform and telescoping ladder
3. Pedestal folding fishing seat
4. Deluxe pedestal folding fishing seat
5. Reclining captain's chair with adjustable armrests
6. Bicycle fishing seat with post
7. Lowrance® HDS-5 fish/depth finder with GPS
8. Lowrance® X-52 DS fish/depth finder on swivelling bracket
9. Lowrance® X-4 Pro fish/depth finder on swivelling bracket
10. Control for optional kicker engine
11. Kicker engine
12. Snap-in carpet
13. Windshield wiper
14. Mercury SmartCraft™ gauges
15. AM/FM/CD Stereo with iPod controls and SAT Radio Compatible
16. 200-watt Clarion® AM/FM/CD with USB port/ MP3/ iPod and SAT Radio Compatible
17. Underwater lighting (2 lights)
18. Ski pylon
19. Downrigger supports (2)
20. Port-side sleeper seat
21. Battery charger
22. Wash down system
23. Chemical toilet
24. Vinyl floor covering
25. Bow cushion set



17



18



19



20



21



22



23



24



25

OPTIONAL EQUIPEMENT

	PLATINUM SE SERIES				SUPER PRO SERIES		SPORT SERIES				PRO SERIES		XPEDITION SERIES			
	Platinum SE 207	Platinum SE 206	Platinum SE 186, 176	Platinum SE 176 FnP	Super Pro 185 GL	Super Pro 176	Sport 182 WS	Sport 174 WS	Sport 172 WS	Sport 172 SC	Sport 164 WS	Pro 198 SC	Pro 165 SC	Xpedition 170 WS	Xpedition 170 SC	Xpedition 170 BT
FACTORY INSTALLED OPTIONS	Port console with quick-release smoked windscreen	-	-	-	-	-	-	-	-	-	0	-	-	-	-	-
	Pro Staff graphic package	-	-	-	-	-	-	-	-	-	E	-	-	-	-	-
	Port-side sleeper seat	E	E	E	-	0	-	0	-	-	-	-	-	-	-	-
	Rear bench seat	-	-	-	-	-	-	-	-	0	-	-	-	-	-	-
	Reclining captain's chair with adjustable armrests, driver or passenger (+ = heated)	E+	E+	E+	-	-	-	-	-	-	-	E+	-	-	-	-
	2 heated reclining captain's chairs with adjustable armrests (driver or passenger seat)	E	E	E	-	-	-	-	-	-	-	-	-	-	-	-
	2-position deluxe heated folding passenger seat	E	E	E	-	-	-	-	-	-	-	-	-	-	-	-
	AM/FM/CD Stereo with iPod controls and SAT Radio Compatible (+ = 200-watt AM/FM/CD with USB port/ MP3/ iPod and SAT Radio Compatible)	E+	E+	E+	E+	-	-	0	0	0	0	-	0	0	0	-
	Anti-skid vinyl floor covering	E	E	E	E	-	E	E	E	E	E	-	E	E	E	E
	Electronic package: Smart Tow gauge, HDS-5 fish finder, Lowrance Sonic Hub marine audio server, and GPS antenna	E	E	E	-	-	-	-	-	-	-	-	-	-	-	-
	Lowrance HDS-5 high resolution 5" fish finder/GPS Chartplotter	E	E	E	-	E	E	-	-	-	-	E	-	-	-	-
	24V battery charger and alternator module system	0	0	0	0	0	0	0	0	0	0	-	0	-	-	-
	Combo-poly swim platform with telescoping ladder	E	E	E	E	-	-	-	-	-	-	-	-	-	-	-
	Underwater lighting (2 lights)	0	0	0	0	0	0	-	-	-	-	0	-	-	-	-
	SmartCraft™ gauges (tach., speed, and trim) for Optimax and Verado engines	-	-	-	-	E	E	-	-	-	-	0	-	-	-	-
Hydraulic steering system with tilt wheel	-	-	-	E	E	E	E	E	E	E	-	E	-	-	-	
Tilt steering mechanism	-	-	-	-	E	E	-	-	-	-	-	-	-	-	-	
Wash down system	0	0	-	-	0	-	-	-	-	-	-	-	-	-	-	
Chemical toilet with holding tank and pump out	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Mercury 9.9 BF 4 stroke kicker engine	0	0	0	0	0	0	0	0	0	0	-	0	-	-	-	
CANVAS	Complete stand-up high top with aluminum frame (+ = stainless steel frame)	0+	0+	0	0	0	0	0	0	0	-	0	0	0	0	-
	Mooring cover	0	0	0	0	0	0	0	0	0	0	-	0	0	0	0
	Trailer cover	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Sun top	-	-	-	-	-	-	-	-	-	-	0	0	0	0	0
	Port console with quick-release smoked windscreen	-	-	-	-	-	-	-	-	-	0	-	0	-	0	-
DEALER INSTALLED OPTIONS	Bow rider seat cushions	0	0	0	-	-	-	-	0	0	-	-	-	-	-	-
	Coaming pads & bow rider seat cushions	-	-	-	-	0	0	0	-	-	0	-	-	-	-	-
	2-position deluxe folding seat with spider and post	0	0	0	0	-	-	-	-	-	-	-	-	-	-	-
	Folding seat with spider and post (D = deluxe)	-	-	-	-	D	D	0	0	0	0	D	D	0	0	0
	Bicycle seat with 27" post	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Downrigger supports	0	0	0	0	0	0	0	0	-	0	-	0	-	0	0
	Lowrance® X-52 fish/depth finder	-	-	-	-	-	-	0	0	0	0	-	0	0	0	0
	Lowrance® X-4 Pro fish/depth finder	-	-	-	-	-	-	0	0	0	0	-	0	0	0	0
	Pantographic parallel arm starboard side wiper	0	0	0	0	0	0	0	0	0	-	0	-	-	-	-
	Onboard battery charger	0	0	0	0	0	0	0	0	0	0	0	-	-	-	-
	Stern boarding ladder	-	-	-	-	0	0	0	0	0	0	0	-	-	-	-
	Combo-poly swim platform with telescoping ladder	-	-	-	-	0	0	-	-	-	-	-	-	-	-	-
	Ski pylon	0	0	0	0	-	0	0	0	0	0	-	-	-	-	-
	Snap-in carpet (available with vinyl flooring)	0	0	0	0	-	0	-	-	-	-	-	-	-	-	-
	"PrinceTrak" sliding installation plate	-	-	-	-	-	-	-	-	-	-	-	-	-	0	0
"PrinceTrak" rod storage support for 3 rods	-	-	-	-	-	-	-	-	-	-	-	-	-	0	0	0
"PrinceTrak" cup holder	-	-	-	-	-	-	-	-	-	-	-	-	-	0	0	0
"PrinceTrak" rod holder	-	-	-	-	-	-	-	-	-	-	-	-	-	0	0	0
"PrinceTrak" cockpit caddy	-	-	-	-	-	-	-	-	-	-	-	-	-	0	0	0
COLORS	■ Platinum SE : Black & Metallic Beige ■ Black, ■ Red, ■ Blue															

0 Option E Upgrade Exchange 1 Not available with optional dual control installation

STANDARD FEATURES

		PLATINUM SE SERIES					SUPER PRO SERIES			
		207	206	186	176	176 FnP	185 GL	176	182 WS	174 WS
HULL AND DECK	5052-H36 marine-grade aluminum alloy	•	•	•	•	•	•	•	•	•
	Reverse chine hull design (+ = Double)	••	••	••	••	•	••	••	••	•
	High-gloss, high-solids urethane paint	• Metallic	•	•	•	•				
	Stainless steel bow and stern eyes	•	•	•	•	•	•	•	•	•
	Raised casting platform	Fore & Aft	Fore	Fore & Aft	Fore & Aft	Fore & Aft	Fore	Fore & Aft	Fore & Aft	Fore & Aft
	Storage compartment(s) (A = Anchor, B = Battery, S = Storage, I = Ice chest, IF = Insulated fish box)	A, 2B, S, I	A, 2B, S, IF	A, 2B, S, I	A, 2B, S, I	A, 2B, S, I	A, 2B, S, IF	A, 2B, S, I	A, 2B, S, I	A, 2B, S, I
	Twin plating from bow to mid-ship	•	•	•	•	•	•	•	•	•
	Twin plating at the chine	•	•	•	•	•	•	•	•	•
	Rigging tube under flooring (bow to stern)	•	•	•	•	•	•	•	•	•
	Cleats (SSR = Stainless steel recessed, SS = Stainless steel, C = Chromed, V = Vinyl)	4 SSR	4 SSR	4 SSR	4 SSR	4 SS	4 SS	4 SS	4C	4C
LIVEWELLS	Electric-fill aerated livewell system	ProFlo Plus	ProFlo Plus	ProFlo Plus	ProFlo Plus	SportFlo	ProFlo	ProFlo	SportFlo	SportFlo
	(A) Bow livewell - Length (inches) - Capacity (litres) - (Capacity [U.S. gal.])	44-77 (20)	44-77 (20)	30-64 (17)	30-64 (17)	30-64 (17)	44-77 (20)	30-64 (17)	30-64 (17)	-
	(B) Stern livewell - Length (inches) - Capacity (litres) - (Capacity [U.S. gal.])	34-64 (17)	40-129 (34)	34-64 (17)	34-64 (17)	-	-	34-64 (17)	-	34-64 (17)
	Dual livewell	A, B	A	A, B	A, B	A	A	A, B	A	B
	Recirculation (+ = intermittent)	A+, B+	A+, B+	A+, B+	A, B+	-	A+	A, B+	-	-
	Overflow	A, B	A, B	A, B	A, B	A	A	A, B	A	B
	Thru-hull drain (+ = with remote)	A+, B+	A+, B+	A+, B+	A+, B+	A	A	A, B	A	B
	Removable minnow bucket	A, B	A	B	B	-	A	B	-	-
	Light	B	B	B	B	-	A	B	-	-
	Anti-spill cover	A, B	A, B	A, B	A, B	A	A	A, B	A	B
Insulated lid	A, B	A	A, B	A, B	A	A	A, B	A	B	
FISHING	Rod storage compartment (+ = lockable, S = with supports, C = with tubes for rods, R = rod straps)	• +, 12 C	• +, 12 C	• +, 6 C	• +, 6 C	• +, 4C	• S	• +, 6 C	• +, 6 C, R	• +, 4C, R
	Side panel storage compartment(s) (+ = lockable door)	• (2)	• (2)	• (2)	• (2)	• (2)	-	• + (2)	-	• (1)
	Lowrance® fish/depth finder	X-52	X-52	X-52	X-52	X-4 Pro	X-52	X-52	-	-
	Removable bow casting deck insert with floor base	•	•	•	•	-	-	•	-	-
	Bow trolling motor plug & receptacle (D = Deluxe panel)	12 or 24V - D	12 or 24V	12 or 24V	12 or 24V	12 or 24V	12 or 24V			
	Carpeted bow mount trolling motor pad	•	•	•	•	•	•	•	•	•
SEATS	Floor seat bases	6	5	6	6	4	5	6	6	6
	HS = 2-position deluxe heated folding seat, DS = Deluxe pedestal seat PS = Pedestal seat SS = Sleeper seat JS = Jump seat RB = Rear flip deck convert bench SR = Sliding rail for driver seat	1 HS, 2 DS, 2 JS, SR	1 HS, 1 DS, 1 SS, 2 JS, SR	2 DS	2 DS, 2 JS	2 PS, 1 RB	2 PS, 2 JS			
CONSOLE	Console with dash panel & switches	Twin	Twin	Twin	Twin	Twin	Twin	Twin	Twin	Twin
	Steering system (NFB = No-FeedBack™, H = Hydraulic, + = with dual cables)	H	H	H	H	NFB	NFB+	NFB+	NFB+	NFB
	Digital Throttle and Shift System - DTS (with Verado engine only)	•	•	•	•	-	•	•	-	-
	Tilt steering mechanism	•	•	•	•	•	-	-	-	-
	Walk-thru tinted curved tempered glass windshield with door	•	•	•	•	•	•	•	•	•
	Smoked windscreen with quick release	-	-	-	-	-	-	-	-	-
	Instrumentation (gauges)	3	3	3	3	5	5	5	3	5
	Speedometer	SmartCraft	SmartCraft	SmartCraft	SmartCraft	•	•	•	•	•
	Tachometer	SmartCraft	SmartCraft	SmartCraft	SmartCraft	•	•	•	•	•
	Voltmeter	SmartCraft	SmartCraft	SmartCraft	SmartCraft	•	•	•	-	•
	Trim gauge	SmartCraft	SmartCraft	SmartCraft	SmartCraft	•	•	•	-	•
	Fuel gauge	SmartCraft	SmartCraft	SmartCraft	SmartCraft	•	•	•	•	•
	AM/FM/CD Stereo with iPod controls and SAT Radio Compatible	•	•	•	•	•	•	•	-	-
Easy-access driver's radio remote control	•	•	•	•	•	-	-	-	-	
Waterproof speakers	4	4	4	4	4	2	2	-	-	
Electric horn	•	•	•	•	•	•	•	-	-	
12V outlet	•	•	•	•	•	•	•	-	-	
OTHERS	PrinceTrak System: extrusion allowing onboard tool attachment	-	-	-	-	-	-	-	-	-
	Pop-up privacy enclosure in stern casting platform	•	-	-	-	-	-	-	-	-
	Electric bilge pump(s) (Auto = Automatic)	Auto	Auto	Auto	Auto	Auto	Auto	Auto	•	•
	2 stainless steel bow rails	•	•	•	•	•	-	•	-	-
	Handle(s)	5	5	5	5	5	5	5	7	7
	Navigation lights	•	•	•	•	•	•	•	•	•
	Canvas top snap fasteners	•	•	•	•	•	•	•	•	•
	CP = Coaming pads, BC = Bow cushions	CP	CP	CP	CP	CP, BC	-	-	-	-
	Interior light(s)	•	•	•	•	•	•	•	-	-
	Cup holder(s) (+ = including 1 LED lighted)	6+	4+	4+	4+	6+	2	2	2	2
	Battery holder(s)	3	3	3	3	3	3	3	3	3
Pressure treated wood floor covered with (C = 20-oz carpet, V = Vinyl)	C	C	C	C	C	V	C	C	C	
Fire extinguisher support (fire extinguisher not included)	•	•	•	•	•	•	•	-	-	

SPORT SERIES			PRO SERIES		XPEDITION SERIES		
172 WS	172 SC	164 WS	198	165 SC	170 WS	170 SC	170 BT
•	•	•	•	•	•	•	•
•	•	•	•+	•	•	•	•
•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•
Fore & Aft	Fore & Aft	Fore & Aft	Fore & Aft	Fore & Aft	Fore & Aft	Fore & Aft	Fore & Aft
2B, S, I	2B, S, I	2B, S	A, 2B, S	2B, S	2B, S	2B, S	2B, S, I
•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•
4C	4C	4C	4 SSR	4 C	4 V	4 V	4 V
SportFlo	SportFlo	SportFlo	ProFlo Plus	SportFlo	SportFlo	SportFlo	SportFlo
30-64 (17)	30-64 (17)	26-39 (10)	44-77 (20)	34-86 (23)	34-61 (16)	34-61 (16)	-
34-64 (17)	34-64 (17)	-	47-114 (30)	-	44-77 (20)	44-77 (20)	44-77 (20)
A, B	A, B	-	A	-	A	A	-
-	-	-	A+, B+	-	-	-	-
A, B	A, B	A	A, B	A	A, B	A, B	B
A, B	A, B	A	A+, B+	A	A	A	-
-	-	-	A, B	-	-	-	-
-	-	-	A, B	-	B	B	B
A, B	A, B	A	A, B	A	A	A	-
A, B	A, B	A	A, B	A	-	-	-
•+, 4C	•+, 4C	•	•+, 12 C	•+, R	•+, 7 C	•+, 7 C	•+, 7 C
-	-	-	•+ (2)	-	-	-	-
-	-	-	X-52	-	-	-	-
-	-	•	-	-	-	-	-
12 or 24V	12 or 24V	12V	36V - D	12 or 24V	12 or 24V	12 or 24V	12 or 24V
•	•	•	•	•	•	•	•
6	6	4	6	6	3	3	5
2 PS, 1 RB	2 PS	2 PS, 2 JS	2 DS	2 DS	2 PS, 2 JS	2 PS, 2 JS	2 PS
Twin	Twin	Twin	Side	Side	Twin	Side	-
NFB	NFB	NFB	NFB+	•	NFB	NFB	-
-	-	-	•	-	-	-	-
-	-	-	-	-	-	-	-
•	•	•	-	-	•	-	-
-	-	-	•	•	-	•	-
3	3	5	5	5	3	3	-
•	•	•	•	•	•	•	-
•	•	•	•	•	•	•	-
-	-	•	•	•	-	-	-
-	-	•	•	•	-	-	-
•	•	•	•	•	•	•	-
-	-	-	•	-	-	-	-
-	-	-	•	-	-	-	-
-	-	-	2	-	-	-	-
-	-	-	•	-	-	-	-
-	-	-	•	-	-	-	-
-	-	-	-	-	•	•	•
-	-	-	-	-	-	-	-
•	•	•	Auto (2)	•	•	•	•
-	-	-	-	-	-	-	-
7	7	5	3	3	3	3	3
•	•	•	•	•	•	•	•
•	•	•	-	-	•	•	•
-	-	-	-	-	-	-	-
-	-	-	•	•	•	•	•
2	2	2	1	1	2	1	-
3	3	2	4	3	3	3	3
C	C	C	C	C	V	V	V
-	-	-	•	-	-	-	-

• Standard

Boat packages available with Mercury® outboard engines.

JUST WHAT YOU'D EXPECT FROM PRINCECRAFT: **ONE OF THE BEST WARRANTIES YOU'LL EVER FIND.**

All Princecraft boats offer:

Limited Lifetime Structural

Warranty - Transferable limited lifetime coverage against any structural defect in material or workmanship in the main riveted hull seams.

Limited 5-Year Carpet and Vinyl Upholstery

Warranty - Carpet and vinyl upholstery warranted against defects in material or workmanship, or excessive fading.

Limited Lifetime Wood Floor

Warranty - Transferable limited lifetime coverage on any Princecraft Boat floor panels that have been damaged by fungal decay to the extent that the panel is structurally unfit.

Limited 5-Year Canvas

Warranty - Limited 5-year coverage on canvas that has excessive fading or that has been rendered unserviceable from normal exposure conditions (including sunlight, rot, or normal atmospheric chemicals).

10-Year Structural Limited

Warranty - Limited 10-year coverage on any defect in material or workmanship for all interior structural supports, beams, ribs (stiffeners), keels, and braces.

Limited 1-Year Parts and

Components Warranty - Limited 1-year coverage on any part or component manufactured by Princecraft that is found to be defective in factory materials or workmanship.

For more details on one of the best warranties around, see your nearest dealer.

WHY BUY PRINCECRAFT?

- State-of-the-art engineering
- Better aluminum
- Superior craftsmanship
- Unmatched performance
- Unparalleled durability
- Excellent fit and finish
- More fishing extras
- Hassle-free boating
- The best overall experience
- Lasting value
- One of the best warranties around

In the world of fishing we focus a lot on structure and patterns to become more effective. But at Princecraft we want to expand on those definitions. To us, structure includes how your boat is built. Because on the water it can be the difference between success and failure. And while you're always looking for ways to pattern fish, here's a pattern worthy of your attention. For 57 years now, Princecraft has been pioneering innovations in boat design and performance. And year after year, we've set the standard for fit and finish in the industry. So we enthusiastically invite you to compare Princecraft boats to every other brand. Because the more you know, the better we look.