



2013

ALUMINUM FISHING BOATS

PRINCECRAFT

A Princecraft Boat Is a Product of Teamwork

More than 225 people had a direct hand in bringing your Princecraft into being — and another 500 workers contribute indirectly to Princecraft's activities. And your boat was entirely designed and manufactured in the region. From the initial design to the final finishing touches, these dedicated professionals were driven by a never-ending search for performance, precision, and quality. It's not surprising that Princecraft owners have a special attachment to their boats — the pride they feel every time they climb aboard is the same pride hundreds of us feel each time a boat leaves our workshops.

Hulls	22
Trailers	24
Livewells	25

PLATINUM SE SERIES

Platinum SE 207 and 206	28
Platinum SE 186, 176, and 176 FnP	30

SUPER PRO SERIES

Super Pro 185 GL and 176	34
--------------------------------	----

SPORT SERIES

Sport 182 WS, 172 WS, and 172 SC	38
Sport 174 WS and 164 WS	40

XPEDITION SERIES

Xpedition 200 WS and SC	44
Xpedition 170 WS, SC, and BT	46

DLX AND DL SERIES

Hudson DLX WS, SC, and BT	50
Holiday DLX WS and SC	52
Resorter DLX SC and BT	54
Yukon DLX BT	56
Springbok DL BT and Yukon DL BT	58
Yukon ^e DL BT	60

UTILITIES AND CARTOPS

Holiday, Starfish, Springbok, Yukon, Fisherman, Unghava, Scamper, and Seasprite	64
Canvas and covers	66
Optional equipment	67
Standard features	68

PRINCECRAFT

VISIT US AT PRINCECRAFT.COM

OR CALL US 1 800 395-8858




Our secret: H36 Aluminum

Princecraft hulls are the strongest and most durable on the market because they are made with the best marine-grade aluminum in the business, 5052-H36.



- 25 % stronger than the aluminum used by most of our competitors
- More resistant to shock and warping
- Maintains peak performance
- Helps boost boat resale value


3 double-plated hull thicknesses used by Princecraft



If your hull catches on the bottom of the lake, it had better be made of H36!

This graph from a 2011 study by Alcoa Innovation clearly shows H36's superior impact strength.



IMPACT TEST



Why don't all manufacturers use H36?

H36's rigidity makes it more difficult to work with. It requires extremely accurate, state-of-the-art equipment, and above all, exceptional expertise.

Only Princecraft has both!



H36 also has a higher breaking load and elastic limit than other alloys, which boosts your confidence on the water and the value of your investment!

Two is better than one



Invented by Princecraft, the double reverse chine:

- Improves performance at all speeds and in all boating conditions
- Makes it easier to steer the boat and control its speed
- Increases the boat's carrying capacity while reducing friction so the boat planes easily even when heavily loaded
- Prevents rolling at high speeds
- Keeps occupants dry



Most of our boats have two thicknesses of H36 aluminum from the middle of the hull to the stern.

This construction diffuses the stress on the bottom of the boat toward the side panels for better performance at high speeds.

Custom Multifunction Trailers

To ensure that your pleasure craft lives up to its name, it should be a pleasure to handle all down the line — even when you're towing and launching it.



1. Heavy-duty winch* 2. Carpeted load guides* 3. Swing tongue*
4. Optional mag wheels* 5. Waterproof recessed lights* 6. Fenders with step pads*

That's why each of our trailers is custom-made according to the highest standards of quality to offer topnotch stability and maneuverability on the road, in addition to easy loading and unloading.



Painted trailer



Galvanized steel trailer

AN EXTRA DURABLE FRAME

- Extra sturdy tubular structure
- Brake cables and circuits are inserted in a steel tube to protect them from the elements
- Guaranteed long term reliability

OPTIMAL SAFETY

- Superior on-road stability and handling
- Watertight light system (5)
- Factory-balanced wheels
- Double safety chain
- Sealed hubs
- Complies with NMMA and Transport Canada standards

STRATEGICALLY PLACED BUNKS AND LOAD GUIDES

- Custom design
- Marine carpet-covered load guides protect your boat's hull (certain models only) (2)
- Bunks remain in constant contact with the hull for optimally distributed support
- Easier loading and unloading

SPECIAL FEATURES

- Sturdy winch (1)
- Standard parking jack
- Soldered attachment for optional motor stand installation
- Galvanized steel wheelbase for rust protection
- Practical swing tongue: saves space, stores easily (standard on certain models; optional on other models) (3)
- Composite fenders with built-in running boards (6)
- Radial tires (standard on most models)
- Aluminum alloy STAR rims (optional on certain models) (4)

New

PRINCETRAK SYSTEM

Extrusion allowing onboard tool attachment



- 1. Quick storage for three fishing rods
- 2. Fishing rod support
- 3. Cup holder
- 4. Multipurpose plate
Slide your PrinceTrak into position and attach whatever you want to it: sonar, tools, and lot more.


Ingenious Livewells!

A must-have for fishing, good livewells help keep your catch healthy and fresh. Princecraft offers you three top-quality options to help you get the most out of each and every day of fishing!

SPORTFLO™

This system includes:

- A pump for filling the tank and aerating the water
- A removable divider¹
- A tube overflow system that empties to the outside
- Recessed drains with debris screens to keep the pump clear
- An anti-spill rim¹



SportFlo™ livewell system


Models featuring SportFlo™ livewell system

- DLX Series
- Xpedition Series
- Sport Series
- Platinum SE 176 FnP

PROFLO™

Includes all SportFlo™ features, plus:

- A dual pump system that keeps water recirculating on the water or dock
- A timed aerator control¹
- A removable minnow bucket¹
- A light¹



ProFlo™ livewell system

Models featuring ProFlo™ livewell system

- Super Pro Series



PROFLO™ PLUS *Exclusive*

The ProFlo™ Plus livewell is virtually maintenance free, and features automatic filling and recirculation that lets you focus on fishing. Its dual-pump system keeps your bait alive and your catch beautifully fresh, whether you're cruising the open water or tied up at the dock.

The second pump provides continuous recirculation from the bottom and timed aeration whether running or docked.

Many models offer a removable divider and minnow bucket, which integrates the baitwell into the livewell.

Waterproof light in select models.

Recessed drain with debris screen.


ProFlo™ Plus livewell system

Through freeboard overflow.

Rounded corners help fish stay healthy and a special anti-spill cover keeps the water in the livewell.

Aeration is from the bottom to provide even oxygenation throughout the livewell, keeping fish passive and avoiding injury.

Electric-fill controlled by one pump that directs the flow of fresh water.



Flow-Rite™ valve.

Drainage controlled from the helm.

Debris screen protects pumps and valves from clogs.

Models featuring ProFlo™ Plus livewell system

- Platinum SE 176
- Platinum SE 186
- Platinum SE 206
- Platinum SE 207

¹ On most models

Fishing machines



Platinum SE 207



1. Lowrance® Elite-4x fish/depth finder on swivelling bracket* 2. Stern boarding ladder 3. Courtesy interior light(s) 4. In-floor lockable rod organizer 5. Driver's heated seat plug and control plus easy-access driver's radio remote control 6. Stainless steel recessed cleats* 7. Driver's console with black inserts and SmartCraft™ gauges (11 functions)*

PLATINUM SE SERIES

THE HARDEST-TO-PLEASE ANGLERS HAVE BEEN SPREADING THE WORD FOR A LONG TIME—THE PLATINUM SE SERIES IS THE CREAM OF THE CROP. EVERY YEAR, THESE OUTSTANDING BOATS ARE FURTHER REFINED BY OUR R&D TEAM TO PROVIDE YOU WITH MAXIMUM PERFORMANCE, COMFORT, AND CONVENIENCE. AND TO ENSURE YOU SAVOR EVERY MOMENT, THEY ALSO COME WITH A FULL RANGE OF STATE-OF-THE-ART ACCESSORIES AND AN EXCLUSIVELY DESIGNED CUSTOM TRAILER. TREAT YOURSELF TO THE BEST—A PLATINUM SE.

KEY FEATURES

	PLATINUM SE SERIES				
	207	206	186	176	176 FnP
For the standard features, consult pages 68-69 and:	28-29	28-29	30-31	30-31	30-31
Packaged with Mercury® outboard engines ¹	•	•	•	•	•
Metallic grey hull with black accent color	•	•	•	•	•
Mercury SmartCraft™ System tachometer, speedometer and trim gauges ^{2,3}	•	•	•	•	-
Hydraulic steering system with tilt wheel	•	•	•	•	-
Sport steering wheel	•	•	•	•	•
12V or 24V deluxe bow trolling motor panel	•	•	•	•	-
AM/FM/Bluetooth Stereo	•	•	•	•	•
Easy-access driver's radio remote control	•	•	•	•	•
ProFlo™ Plus livewell system	2	2	2	2	-
Deluxe driver's heated convertible seat	1	1	1	1	1
Deluxe passenger's convertible seat	2	2	2	2	1
Sliding rail for driver's seat	•	•	•	•	•
Bow coaming pads	•	•	•	•	•
Lowrance® fish/depth finder	Elite-4x	Elite-4x	Elite-4x	Elite-4x	X-4 Pro
Stainless steel recessed cleats	4	4	4	4	-
Stern boarding ladder	•	•	•	•	•
Custom-fit black trailer with swing tongue & drop axle (T = Tandem, DB = Disc brakes)	T, DB	T, DB	DB	DB	•
Checker polished aluminum covered step pads	•	•	•	•	•
OPTIONS ONLY AVAILABLE ON PLATINUM SE SERIES BOATS	200-watt AM/FM/CD w/ USB port/ MP3/ iPod and SAT Radio Compatible... upgrade exchange	0	0	0	0
	Heated reclining captain's chair with adjustable armrests... upgrade exchange	0	0	0	-
	Deluxe passenger's heated convertible seat... upgrade exchange	0	0	0	-
	Deluxe passenger's convertible seat	0	0	0	0

¹ All Verado™ L4 and L6 packages come standard with Digital Throttle and Shift System (DTS). Verado™ L6 packages (225 HP) come standard with power steering and tilt wheel.

² SmartCraft™ system tachometer includes light brightness, light control adjustment, engine alarm display, TrollControl™, battery voltage, digital tachometer, engine hour meter, engine temperature, fuel flow, power trim angle and water pressure.

³ SmartCraft™ system speedometer includes light brightness, light contrast adjustment, TrollControl™, clock, digital speedometer, fuel economy, fuel range, fuel tank level, lake water temperature, air temperature and trip log.

• Standard o Option



Platinum SE 207

SPECIFICATIONS

	Center line	Beam	Chine width	Maximum depth	Approx. draft	Transom height	Approx. weight	NMMA (USA) / MANUFACTURER'S RECOMMENDATIONS				ALUMINUM THICKNESS		BUILT-IN GAS TANK
								Maximum HP capacity	Maximum weight capacity	Maximum weight person capacity	Maximum person capacity	Bottom	Side	
Platinum SE 207	6.1 m (20'-0")	2.5 m (100")	2.1 m (84")	1.3 m (50")	0.9 m (34")	0.6 m (25")	839 kg (1850 lb.)	186 kW (250 HP)	1002 kg (2209 lb.)	612 kg (1350 lb.)	10	2.8 mm (.110")	1.8 mm (.072")	227 L (59 U.S. gal.)
Platinum SE 206	6.1 m (20'-0")	2.5 m (99")	2.1 m (84")	1.2 m (48")	0.9 m (34")	0.6 m (25")	835 kg (1840 lb.)	186 kW (250 HP)	1002 kg (2209 lb.)	612 kg (1350 lb.)	10	2.8 mm (.110")	1.8 mm (.072")	227 L (59 U.S. gal.)

PLATINUM SE 207 and 206

KEY STANDARD FEATURES

- Deep V double reverse chine hull design
- 4 stainless steel recessed cleats
- Raised bow casting platform with storage
- Deluxe driver's heated convertible seat
- 2 deluxe convertible seats
- 2 stern jump seats
- Bow and stern ProFlo™ Plus aerated livewell system
- Lowrance® Elite-4x fish/depth finder on swivelling bracket
- In-floor very large lockable 12 rod organizer with tubes
- 12V or 24V bow trolling motor panel with voltmeter and tilt switch
- Sea-Star® hydraulic steering system with tilt wheel
- AM/FM/Bluetooth Stereo
- Mercury SmartCraft™ System
- 2 LED lighted cup holders
- Aft raised casting platform with privacy enclosure and optional toilet (Platinum SE 207)



Platinum SE 207



Platinum SE 206



Platinum SE 207



Platinum SE 206

Livewell
 Storage Compartment
 Open Space Storage Compartment
 Rod Storage Compartment
 Fuel Tank
 Ice box



DETAILS



1. Large in-floor lockable rod organizer for 12 rods 2. Optional downrigger supports (2 supports) 3. Optional electronic package: SmartTow gauge, HDS-5 fish finder, Lowrance® Sonic Hub marine audio server and GPS antenna 4. Optional chemical toilet with holding tank and pump out system (Platinum SE 207 only) 5. Driver's console with black inserts and SmartCraft™ gauges (11 functions) 6. Courtesy interior lights



Platinum SE 186

SPECIFICATIONS

	Center line	Beam	Chine width	Maximum depth	Approx. draft	Transom height	Approx. weight	NMMA (USA) / TRANSPORT CANADA				ALUMINUM THICKNESS		BUILT-IN GAS TANK
								Maximum HP capacity	Maximum weight capacity	Maximum weight person capacity	Maximum person capacity	Bottom	Side	
Platinum SE 186	5.6 m (18'-6")	2.4 m (95")	2.0 m (80")	1.2 m (46")	0.8 m (33")	0.6 m (25")	701 kg (1545 lb.)	131 kW (175 HP)	863 kg (1902 lb.)	525 kg (1158 lb.)	** 8 [7]	2.8 mm (.110")	1.8 mm (.072")	151 L (40 U.S. gal.)
Platinum SE 176	5.3 m (17'-6")	2.3 m (92")	2.0 m (80")	1.0 m (41")	0.8 m (31")	0.6 m (25")	651 kg (1435 lb.)	112 kW (150 HP)	787 kg (1736 lb.)	450 kg (992 lb.)	** 7 [6]	2.5 mm (.100")	1.8 mm (.072")	151 L (40 U.S. gal.)
Platinum SE 176 FnP	5.3 m (17'-5")	2.3 m (92")	1.9 m (75")	1.0 m (40")	0.8 m (30")	0.6 m (25")	604 kg (1331 lb.)	93 kW (125 HP)	747 kg (1647 lb.)	411 kg (907 lb.)	** 7 [5]	2.5 mm (.100")	1.8 mm (.072")	98 L (26 U.S. gal.)

PLATINUM SE 186, 176, and 176 FnP

KEY STANDARD FEATURES

- Deluxe driver's heated convertible seat
- 2 stern fold-down jump seats
- In-floor large lockable rod organizer with tubes
- AM/FM/Bluetooth Stereo

Platinum SE 186 and 176

- Deep V double reverse chine hull design
- 4 stainless steel recessed cleats
- 2 deluxe convertible seats
- Bow and stern ProFlo™ Plus aerated livewell system
- 12V or 24V bow trolling motor panel with voltmeter and tilt switch
- Sea-Star® hydraulic steering system with tilt wheel
- Mercury SmartCraft™ System
- Lowrance® Elite-4x fish/ depth finder on swivelling bracket

Platinum SE 176 FnP

- Deep V reverse chine hull design
- 1 deluxe convertible seat
- Bow SportFlo™ aerated livewell system
- Lowrance® X-4 Pro fish/ depth finder on swivelling bracket



Platinum SE 186



Platinum SE 176



Platinum SE 176 FnP



Platinum SE 186



Platinum SE 176



Platinum SE 176 FnP

Livewell
 Storage Compartment
 Open Space Storage Compartment
 Rod Storage Compartment
 Fuel Tank
 Ice box

DETAILS



1. Optional heated reclining captain's chair with adjustable armrests 2. In-floor lockable rod organizer with tubes for 6 rods (excluding Platinum SE 176 FnP) 3. Deluxe convertible seats with no-pinch hinges 4. Driver's heated seat plug and control plus easy-access driver's radio remote control 5. 2 fold-down jump seats integrated in the stern casting platform 6. 12V or 24V deluxe bow trolling motor panel with Marincos plug, receptacle, voltmeter, tilt switch, light and wiring harness (12V or 24V plug and receptacle on Platinum SE 176 FnP)

The choice of the pros

THE QUALITY OF AN OUTSTANDING BOAT IS IN THE DETAILS. FROM THIS PERSPECTIVE, THE SUPER PRO SERIES OUTCLASSES EVERY OTHER BOAT IN ITS CATEGORY. EVERYTHING ABOUT THESE BOATS HAS BEEN CONCEIVED WITH FISHING IN MIND: PRACTICAL STORAGE COMPARTMENTS EVERYWHERE, A FISHING-FRIENDLY ERGONOMIC DESIGN, STATE-OF-THE-ART EQUIPMENT, AND MUCH MORE. OH, AND DID WE MENTION THAT THEY'RE REALLY FUN TO DRIVE? SO GO WHEREVER THE SPIRIT TAKES YOU, IN COMPLETE SAFETY!



1. 2 deluxe folding seats with no-pinch hinges 2. Cargo net at the back 3. AM/FM/Bluetooth Stereo with zero current memory draw and USB interface for MP3 devices and remote control 4. Holding handles for the safety of your passengers 5. Sonar Lowrance® Elite-4x fish/depth finder on swivelling bracket 6. 12V or 24V bow trolling motor plug and receptacle with wiring harness

SUPER PRO

SERIES



Super Pro 185 GL



Super Pro 185 GL

SPECIFICATIONS

	Center line	Beam	Chine width	Maximum depth	Approx. draft	Transom height	Approx. weight	NMMA (USA) / TRANSPORT CANADA				ALUMINUM THICKNESS		BUILT-IN GAS TANK
								Maximum HP capacity	Maximum weight capacity	Maximum weight person capacity	Maximum person capacity	Bottom	Side	
Super Pro 185 GL	5.6 m (18'-6")	2.4 m (95")	2.0 m (80")	1.2 m (46")	0.8 m (33")	0.6 m (25")	667 kg (1470 lb.)	131 kW (175 HP)	863 kg (1902 lb.)	525 kg (1158 lb.)	6	2.8 mm (.110")	1.8 mm (.072")	151 L (40 U.S. gal.)
Super Pro 176	5.3 m (17'-6")	2.3 m (92")	2.0 m (80")	1.0 m (41")	0.8 m (31")	0.6 m (25")	635 kg (1400 lb.)	112 kW (150 HP)	787 kg (1736 lb.)	450 kg (992 lb.)	** 7 [6]	2.5 mm (.100")	1.8 mm (.072")	151 L (40 U.S. gal.)

SUPER PRO 185 GL and 176

KEY STANDARD FEATURES

- Deep V double reverse chine hull design
- 4 stainless steel cleats
- 2 deluxe pedestal folding fishing seats
- Lowrance® Elite-4x fish/ depth finder on swivelling bracket
- Walk-thru tinted curved tempered glass windshield with door
- No-FeedBack™ steering system with dual cable
- AM/FM/Bluetooth Stereo

Super Pro 185 GL

- Raised bow casting platform with storage
- Bow ProFlo™ aerated livewell system
- Stern insulated fish box with cutting board
- In-floor lockable storage compartment

Super Pro 176


- Raised bow and stern casting platforms with storage
- 2 stern fold-down jump seats
- Bow and stern ProFlo™ aerated livewell system
- In-floor large lockable 6-rod organizer with tubes



Super Pro 185 GL



Super Pro 176



Super Pro 185 GL



Super Pro 176

Livewell
 Storage Compartment
 Open Space Storage Compartment
 Rod Storage Compartment
 Fuel Tank
 Ice box



DETAILS



1a



1b



2



3



4



5



6

1a. Optional Mercury 9.9 HP Pro Kicker **1b.** Control for auxiliary engine (kicker) **2.** In-floor lockable rod organizer with tubes for 6 rods (SP 176 only) **3.** Optional wash down system (SP 185 GL only) **4.** Stern area with easy access to livewell and downriggers (SP 185 GL only) **5.** Lowrance® Elite-4x fish/depth finder on swivelling bracket **6.** Bow ProFlo™ 77 L (20 U.S. gal.) electric-filled aerated livewell, with removable divider, intermittent recirculation, post-overflow, thru-hull drain, removable minnow bucket, light, anti-spill cover, insulated lid and protection filter on the filling pump (SP 185 GL only)

Versatile performance

IT'S SATURDAY MORNING AND THE SUN IS SHINING. IT'S A PERFECT DAY FOR FISHING—OR WATER SKIING. WITH THE SPORT SERIES, YOU CAN DO EITHER! THESE VERSATILE BOATS DELIVER MAXIMUM SATISFACTION, WHATEVER ACTIVITY YOU CHOOSE. DESIGNED AND BUILT FOR PEACE OF MIND, THEY'RE SAFE, TOUGH, GREAT TO DRIVE—AND ALWAYS READY FOR NEW HORIZONS!



1. Helm console with fully-lit instrumentation 2. Stern SportFlo™ 64 L (17 U.S. gal.) electric-filled aerated livewell, with removable divider, post-overflow, thru-hull drain, removable minnow bucket, anti-spill cover, insulated lid and protection filter on the filling pump (Sport 174 WS, 172 WS and 172 SC only) 3. Open storage with cargo net under driver's console 4. Holding handles for the safety of your passengers 5. 2 pedestal folding fishing seats with no-pinch hinges 6. In-floor lockable rod organizer with tubes for 4 rods and storage*

SPORT

SERIES



Sport 172 WS



Sport 182 WS

SPECIFICATIONS

	Center line	Beam	Chine width	Maximum depth	Approx. draft	Transom height	Approx. weight	NMMA (USA) / TRANSPORT CANADA				ALUMINUM THICKNESS		BUILT-IN GAS TANK
								Maximum HP capacity	Maximum weight capacity	Maximum weight person capacity	Maximum person capacity	Bottom	Side	
Sport 182 WS	5.6 m (18'-6")	2.4 m (95")	2.0 m (80")	1.2 m (46")	0.8 m (33")	0.6 m (25")	676 kg (1490 lb.)	131 kW (175 HP)	784 kg (1729 lb.)	492 kg (1085 lb.)	** 8 [6]	2.8 mm (.110")	1.8 mm (.072")	151 L (40 U.S. gal.)
Sport 172 WS	5.3 m (17'-5")	2.3 m (91")	1.9 m (75")	1.0 m (39")	0.8 m (30")	0.6 m (25")	569 kg (1255 lb.)	93 kW (125 HP)	712 kg (1570 lb.)	376 kg (830 lb.)	** 6 [5]	2.5 mm (.100")	1.8 mm (.072")	98 L (26 U.S. gal.)
Sport 172 SC	5.3 m (17'-5")	2.3 m (91")	1.9 m (75")	1.0 m (39")	0.8 m (30")	0.6 m (25")	533 kg (1174 lb.)	93 kW (125 HP)	712 kg (1570 lb.)	376 kg (830 lb.)	** 6 [5]	2.5 mm (.100")	1.8 mm (.072")	98 L (26 U.S. gal.)

SPORT 182 WS, 172 WS, and 172 SC

KEY STANDARD FEATURES

- Raised bow and aft casting platforms with storage
- 2 pedestal folding fishing seats
- Bow SportFlo™ aerated livewell system
- Storage compartments
- Ice chest
- 12V or 24V bow trolling motor attachment
- No-FeedBack™ steering system
- Rigging tube under flooring (bow to stern)
- Electric bilge pump
- Storage under driver's console with extensible cargo net
- Large lockable in-floor rod organizer with tubes

Sport 182 WS and 172 WS

- Rear flip-up deck convert bench
- Walk-thru tinted curved tempered glass windshield with door

Sport 172 WS and 172 SC

- Stern SportFlo™ aerated livewell system



Sport 182 WS




Sport 172 WS



Sport 172 SC



Sport 182 WS



Sport 172 WS



Sport 172 SC

Livewell
 Storage Compartment
 Open Space Storage Compartment
 Rod Storage Compartment
 Fuel Tank
 Ice box

DETAILS



1. Optional bow seat cushions (except the Sport 172 SC)
- 2a-b. Flip-up rear bench seat changes into a large casting platform (standard on Sport 182 WS and 172 WS, optional on 172 SC)
3. Stern SportFlo™ 64 L (17 U.S. gal.) electric-filled aerated livewell, with removable divider, post-overflow, thru-hull drain, removable minnow bucket, anti-spill cover, insulated lid and protection filter on the filling pump (Sport 172 WS and 172 SC only)
4. Optional complete stand-up high top with tonneau cover and curtains connected to windshield (Sport 172 WS shown)
5. Optional ski pylon
6. Lockable in-floor rod organizer with tubes for 4 rods* (Sport 172 WS and 172 SC only)

* With tubes for 6 rods on the Sport 182 WS



Sport 174 WS

SPECIFICATIONS

	Center line	Beam	Chine width	Maximum depth	Approx. draft	Transom height	Approx. weight	NMMA (USA) / TRANSPORT CANADA				ALUMINUM THICKNESS		BUILT-IN GAS TANK
								Maximum HP capacity	Maximum weight capacity	Maximum weight person capacity	Maximum person capacity	Bottom	Side	
Sport 174 WS	5.3 m (17'-5")	2.3 m (92")	1.9 m (75")	1.0 m (40")	0.8 m (30")	0.6 m (25")	598 kg (1319 lb.)	93 kW (125 HP)	747 kg (1647 lb.)	411 kg (907 lb.)	** 7 [5]	2.5 mm (.100")	1.8 mm (.072")	98 L (26 U.S. gal.)
Sport 164 WS	5.0 m (16'-6")	2.1 m (84")	1.8 m (69")	0.9 m (35")	0.8 m (31")	0.5 m (20")	457 kg (1008 lb.)	67 kW (90 HP)	640 kg (1410 lb.)	367 kg (808 lb.)	** 6 [5]	2.3 mm (.090")	1.8 mm (.072")	77 L (20 U.S. gal.)

SPORT 174 WS and 164 WS

KEY STANDARD FEATURES

- Deep V reverse chine hull design
- Deep self-draining splashwell
- Stainless steel bow and stern eyes
- 4 chromed cleats
- Raised bow and aft casting platforms with storage
- Complete fully-lit instrumentation
- 2 stern fold-down jump seats
- 2 pedestal folding fishing seats
- Walk-thru tinted curved tempered glass windshield with door
- Electric bilge pump
- No-FeedBack™ steering system

Sport 174 WS

- Stern SportFlo™ aerated livewell system
- 12V or 24V bow trolling motor attachment

Sport 164 WS

- Bow SportFlo™ aerated livewell system
- 12V bow trolling motor attachment




Sport 174 WS



Sport 164 WS



Sport 174 WS




Sport 164 WS

Livewell
 Storage Compartment
 Open Space Storage Compartment
 Rod Storage Compartment
 Fuel Tank
 Ice box



DETAILS



1. Helm console with fully-lit instrumentation 2. In-floor lockable rod organizer with tubes for 4 rods (Sport 174 WS only) 3. Lockable storage on passenger side
 4. Handles for the safety of your passengers 5. 2 pedestal folding fishing seats 6. Optional AM/FM/Bluetooth Stereo with zero current memory draw and USB interface for MP3 devices 7. Optional Lowrance® X-4 Pro fish/depth finder on swivelling bracket

***Just like a pro, at
an affordable price***



Xpedition 170 WS

XPEDITION

S E R I E S

TO FILL YOUR LIVEWELLS, YOU HAVE TO BE WELL EQUIPPED. YOU NEED SPACE, STABILITY, AND STORAGE SPACE. RAISED PLATFORMS, FORE AND AFT POWER AND MANEUVERABILITY, AS WELL, SO YOU CAN FOLLOW YOUR PREY INTO THE REMOTEST SPOTS. ALL THAT AT AN AFFORDABLE PRICE, WITHOUT COMPROMISING ON RELIABILITY AND DURABILITY. CONCLUSION: YOU NEED AN XPEDITION, A RELIABLE FISHING PARTNER YOU CAN TRULY COUNT ON.



1a. PrinceTrak System: extrusion allowing onboard tool fixing 1b. PrinceTrak: optional rod holder 1c. PrinceTrak: optional cup holder 2. Helm console with fully-lit instrumentation* 3. Large lockable rod organizer with tubes for 8 rods (10 rods in Xpedition 200 SC and WS) 4. 2 fold-down jump seats in the stern fishing platform with storage under, and storage compartment* 5. Lockable dry storage 6. Stern SportFlo™ 77 L (20 U.S. gal.) electric-filled aerated livewell, with post-overflow, thru-hull drain, anti-spill cover, insulated lid and protection filter on the filling pump

* Except the Xpedition 170 BT



Xpedition 200 WS

SPECIFICATIONS

	Center line	Beam	Chine width	Maximum depth	Approx. draft	Transom height	Approx. weight	NMMA (USA) / MANUFACTURER'S RECOMMENDATIONS				ALUMINUM THICKNESS		BUILT-IN GAS TANK
								Maximum HP capacity	Maximum weight capacity	Maximum weight person capacity	Maximum person capacity	Bottom	Side	
Xpedition 200 WS	6.1 m (20'-0")	2.3 m (92")	2.0 m (78")	0.9 m (37")	0.8 m (32")	0.6 m (25")	703 kg (1549 lb.)	186 kW (250 HP)	861 kg (1899 lb.)	472 kg (1040 lb.)	8	2.5 mm (.100")	1.8 mm (.072")	102 L (27 U.S. gal.)
Xpedition 200 SC	6.1 m (20'-0")	2.3 m (92")	2.0 m (78")	0.9 m (37")	0.8 m (33")	0.6 m (25")	664 kg (1463 lb.)	186 kW (250 HP)	861 kg (1899 lb.)	472 kg (1040 lb.)	8	2.5 mm (.100")	1.8 mm (.072")	102 L (27 U.S. gal.)

XPEDITION 200 WS and SC

KEY STANDARD FEATURES


- Twin plating from bow to mid-ship
- Rigging tube under flooring (bow to stern)
- 4 chromed cleats
- Lockable dry storage or cooler
- 9-foot rod storage with tubes and support for 4 rods (left side)
- Large lockable rod organizer with tubes for 10 rods
- Carpeted bow mounting trolling motor pad
- 12V, 24V or 36V bow trolling motor plug and receptacle with wiring harness
- PrinceTrak System: extrusion allowing onboard tool fixing
- 6 floor seat bases
- No-FeedBack™ steering system with dual cable
- Bow and stern SportFlo™ aerated livewell system
- 2 folding seats with no-pinch hinges
- 2 stern fold-down jump seats
- Wide stern and bow storage compartment




Xpedition 200 WS



Xpedition 200 SC




Xpedition 200 WS



Xpedition 200 SC

Livewell
 Storage Compartment
 Open Space Storage Compartment
 Rod Storage Compartment
 Fuel Tank



DETAILS



1a. PrinceTrak System: extrusion allowing onboard tool fixing **1b.** PrinceTrak: optional rod holder **1c.** PrinceTrak: optional cup holder **2.** Helm console with fully-lit instrumentation **3.** Large lockable rod organizer with tubes for 10 rods **4.** 2 fold-down jump seats in the stern fishing platform with storage under, and storage compartment **5.** Lockable dry storage **6.** Storage under the bow fishing platform



Xpedition 170 WS

SPECIFICATIONS

	Center line	Beam	Chine width	Maximum depth	Approx. draft	Transom height	Approx. weight	NMMA (USA) / TRANSPORT CANADA				ALUMINUM THICKNESS		BUILT-IN GAS TANK
								Maximum HP capacity	Maximum weight capacity	Maximum weight person capacity	Maximum person capacity	Bottom	Side	
Xpedition 170 WS	5.2 m (16'-11")	2.3 m (91")	2.0 m (78")	0.9 m (35")	0.8 m (31")	0.5 m (20")	529 kg (1166 lb.)	86 kW (115 HP)	642 kg (1415 lb.)	306 kg (675 lb.)	** 5 [4]	2.5 mm (.100")	1.8 mm (.072")	77 L (20 U.S. gal.)
Xpedition 170 SC	5.2 m (16'-11")	2.3 m (91")	2.0 m (78")	0.9 m (35")	0.8 m (31")	0.5 m (20")	499 kg (1100 lb.)	86 kW (115 HP)	642 kg (1415 lb.)	306 kg (675 lb.)	** 5 [4]	2.5 mm (.100")	1.8 mm (.072")	77 L (20 U.S. gal.)
Xpedition 170 BT	5.2 m (16'-11")	2.3 m (91")	2.0 m (78")	0.9 m (35")	0.8 m (31")	0.5 m (20")	460 kg (1015 lb.)	56 kW (75 HP)	560 kg (1235 lb.)	306 kg (675 lb.)	** 5 [4]	2.5 mm (.100")	1.8 mm (.072")	77 L (20 U.S. gal.)

XPEDITION 170 WS, SC, and BT

KEY STANDARD FEATURES

- Deep V reverse chine hull design
- Rigging tube under flooring (bow to stern)
- Twin plating from bow to mid-ship
- 4 chromed cleats
- Lockable dry storage or cooler
- Large lockable rod organizer with tubes for 8 rods
- 7-foot rod storage with tubes and support for 4 rods (left side)
- 2 stern fold-down jump seats with storage under (except Xpedition 170 BT)
- 12V or 24V bow trolling motor plug and receptacle with wiring harness
- Stern SportFlo™ aerated livewell system
- Bow SportFlo™ aerated livewell system (except Xpedition 170 BT)
- 2 folding seats with no-pinch hinges
- PrinceTrak System: extrusion allowing onboard tool fixing
- Electric bilge pump
- Carpeted bow mounting trolling motor pad




Xpedition 170 WS




Xpedition 170 SC



Xpedition 170 BT



Xpedition 170 WS



Xpedition 170 SC




Xpedition 170 BT

■ Livewell
 ■ Storage Compartment
 ■ Open Space Storage Compartment
 ■ Rod Storage Compartment
 ■ Fuel Tank

DETAILS



1a



1b



1c



1d



2



3



4

1a. PrinceTrak system: extrusion allowing onboard tool attachment **1b.** PrinceTrak: optional rod holder **1c.** PrinceTrak: optional cup holder **1d.** PrinceTrak: optional rod storage support for 3 rods **2.** 2 stern fold-down jump seats with storage under (except Xpedition 170 BT) **3.** 7-foot rod storage with tubes and support for 4 rods **4.** Lockable dry storage

Gateway to freedom

CLIMB ABOARD, START THE MOTOR, AND EXPERIENCE THE JOY OF EXPLORING IN PERFECT SAFETY! DESIGNED SO YOU CAN ENJOY EACH MOMENT TO THE MAX, OUR DLX AND DL MODELS ARE TRUE FISHING MACHINES. THEY ARE FULLY EQUIPPED, IMPECCABLY FINISHED, AND ROOMY ENOUGH TO TRANSFORM YOUR FISHING TRIPS INTO MOMENTS OF UNADULTERATED FREEDOM.

Holiday DLX WS and Yukon DL BT



1. Rod storage* 2. Large bow casting platform* 3. Bow SportFlo™ 61 L (16 U.S. gal.) electric-filled aerated livewell, with post-overflow, thru-hull drain, anti-spill cover and protection filter on the filling pump** 4. Pressure-treated removable wood floor covered with marine grade vinyl*** 5. Helm console with fully-lit instrumentation*

FEATURES AND OPTIONS

	HUDSON DLX WS	HUDSON DLX SC	HOLIDAY DLX WS	HOLIDAY DLX SC	RESORTER DLX SC	HUDSON DLX BT	RESORTER DLX BT	YUKON DLX BT
HULL & DECK								
5052-H36 marine-grade aluminum alloy	•	•	•	•	•	•	•	•
High gloss exterior High Solids urethane paint and decal package	•	•	•	•	•	•	•	•
Hull (R = reverse chine, S = square chine)	R	R	R	R	R	R	R	S
Aluminum clad transom	•	•	•	•	•	•	•	•
Full-width self-draining splashwell	-	-	-	-	-	-	-	•
Deep self-draining splashwell	•	•	•	•	-	•	-	-
Twin plating from bow to mid-ship	•	•	•	•	-	•	-	-
Twin plating at the chine	-	-	-	-	-	-	-	•
Rigging tube under flooring (bow to stern)	•	•	•	•	-	•	-	•
Heavy-duty tubular seat to gunnel braces	•	-	-	-	-	-	-	•
Stainless steel bow and stern eyes	•	•	•	•	•	•	•	•
Center side storage compartment	-	-	-	-	-	-	-	2
4 vinyl cleats	•	•	•	•	-	•	-	-
Bow raised casting platform	•	•	•	•	•	•	•	-
Aft raised casting platform	•	•	-	-	-	-	-	-
Storage and deep cycle battery compartments	•	•	•	•	•	•	•	-
Large lockable rod organizer with tubes for 10 rods	•	•	-	-	-	•	-	-
FISHING								
Bow SportFlo™ electric-filled aerated livewell	-	-	•	•	-	•	•	•
Stern SportFlo™ electric-filled aerated livewell (44", 77 L/20 U.S. gal.)	•	•	-	-	-	•	-	-
(34", 61 L/16 U.S. gal.)	-	-	-	-	-	-	-	-
(26", 39 L/10 U.S. gal.)	-	-	-	-	-	-	-	•
Removable divider	•	•	-	-	-	•	-	-
Post-overflow with thru-hull drain (+ = anti-spill cover)	•+	•+	•+	•+	•+	•+	•+	•
Protection filter on the filling pump	•	•	•	•	•	•	•	•
Rod storage compartment without supports (feet)	9'	9'	7'	7'	7(2)	9'	7(2)	-
12V bow trolling motor plug & receptacle (+ = 12 or 24V)	•+	•+	•	•	-	•+	-	-
Carpeted bow mounting trolling motor pad	•	•	•	•	•	•	•	-
SEATS								
Floor seat bases	6	6	5	5	4	5	3	-
Folding fishing seats with no-pinch hinges	2	2	2	2	2	2	2	-
Parallel seats at stern covered with marine grade carpet	-	-	-	-	-	-	-	•
Bow bench seat covered with marine grade carpet	-	-	-	-	-	-	-	•
CONSOLE								
Side console with quick-release smoked windscreen	-	•	-	•	•	-	-	-
Twin consoles with walk-thru tinted tempered glass windshield	•	-	•	-	-	-	-	-
Switch panel with indicator lights (+ = deluxe dash panel)	•+	•+	•+	•+	•+	•	•	•
No-FeedBack™ steering system	•	•	-	-	-	-	-	-
Tachometer, voltmeter, speedometer, trim & fuel gauges	•	•	-	-	-	-	-	-
Tachometer, speedometer & fuel gauges	-	-	•	•	-	-	-	-
Fuel gauge	-	-	-	-	-	•	-	-
OTHERS								
PrinceTrak System: extrusion allowing onboard tool fixing	•	•	-	-	-	•	-	-
Electric bilge pump	•	•	•	•	•	•	•	•
Navigation lights	•	•	•	•	•	•	•	•
Interior light(s)	•	•	•	•	•	•	•	•
Handle(s)	-	-	-	-	1	1	-	-
Cup holder(s)	2	1	2	1	-	-	-	-
Battery holder(s)	3	3	2	2	1	3	1	1
Pressure-treated wood floor covered with marine grade vinyl	•	•	•	•	•	•	•	•

DLX and DL SERIES

	HUDSON DLX WS	HUDSON DLX SC	HOLIDAY DLX WS	HOLIDAY DLX SC	RESORTER DLX SC	HUDSON DLX BT	RESORTER DLX BT	YUKON DLX BT
OPTIONS								
MotorGuide W55 wireless trolling motor (12 volts, 54", 55 lb. peak thrust)	0	0	0	0	-	0	-	-
MotorGuide W75 wireless trolling motor (24 volts, 60", 75 lb. peak thrust)	0	0	-	-	-	0	-	-
Minn Kota 55 PD V2 trolling motor (12 volts, 54", 55 lb. peak thrust)	0	0	0	0	-	0	-	-
Minn Kota 70 PD V2 trolling motor (24 volts, 60", 70 lb. peak thrust)	0	0	-	-	-	0	-	-
Co-Pilot system for Minn Kota PD V2 trolling motor	0	0	0	0	-	0	-	-
i-Pilot system for Minn Kota PD V2 trolling motor	0	0	0	0	-	0	-	-
Mercury® 9.9 BF 4 stroke kicker engine	0	0	-	-	-	-	-	-
AM/FM/Bluetooth Stereo	0	0	0	0	-	-	-	-
Hydraulic steering system with tilt wheel	E	E	-	-	-	-	-	-
Tilt steering with slider for captain's chair	E	E	E	E	-	-	-	-
SmartCraft™ gauges (tach., speed, and trim)	E	E	-	-	-	-	-	-
Princecraft special decal package	E	E	-	-	-	E	-	-
Port console with quick release smoked windscreen	-	0	-	0	-	-	-	-
Complete taupe stand-up high top (+ = curtains connected to windshield)	0+	0	0+	0	0	-	-	-
Sun top	0	0	0	0	0	0	0	0
Mooring or trailer cover	0	0	0	0	0	0	0	0
Folding fishing seat with spider and post	0	0	0	0	0	0	0	-
Bicycle seat with 27" post	0	0	0	0	0	0	0	-
2 downrigger supports	0	0	0	0	-	0	-	-
Stern ladder	0	0	0	0	-	-	-	-
Charger for 1-12V battery (+ = 12V or 24V)	0+	0+	0	0	-	0+	-	-
PrinceTrak tools	0	0	-	-	-	0	-	-
Lowrance® Elite-4x fish/depth finder	0	0	0	0	0	0	0	-
Lowrance® X-4 Pro fish/depth finder	0	0	0	0	0	0	0	0
COLORS								
<input checked="" type="checkbox"/> Red or <input type="checkbox"/> Black	•	•	•	•	-	•	-	-
<input type="checkbox"/> Black	-	-	-	-	•	-	•	•

• Standard 0 Option E Upgrade exchange
Boat packages available with Mercury® outboard power.



Hudson DLX WS

SPECIFICATIONS

	Center line	Beam	Chine width	Maximum depth	Approx. draft	Transom height	Approx. weight	NMMA (USA) / TRANSPORT CANADA				ALUMINUM THICKNESS		BUILT-IN GAS TANK
								Maximum HP capacity	Maximum weight capacity	Maximum weight person capacity	Maximum person capacity	Bottom	Side	
Hudson DLX WS	5.8 m (19'-0")	2.3 m (91")	2.0 m (78")	0.9 m (35")	0.8 m (32")	0.6 m (25")	601 kg (1325 lb.)	112 kW (150 HP)	676 kg (1490 lb.)	338 kg (746 lb.)	** 6 [5]	2.5 mm (.100")	1.8 mm (.072")	102 L (27 U.S. gal.)
Hudson DLX SC	5.8 m (19'-0")	2.3 m (91")	2.0 m (78")	0.9 m (35")	0.8 m (33")	0.6 m (25")	562 kg (1239 lb.)	112 kW (150 HP)	676 kg (1490 lb.)	338 kg (746 lb.)	** 6 [5]	2.5 mm (.100")	1.8 mm (.072")	102 L (27 U.S. gal.)
Hudson DLX BT	5.8 m (19'-0")	2.3 m (91")	2.0 m (78")	0.9 m (35")	0.8 m (33")	0.6 m (25")	531 kg (1170 lb.)	67 kW (90 HP)	611 kg (1348 lb.)	338 kg (746 lb.)	** 6 [5]	2.5 mm (.100")	1.8 mm (.072")	102 L (27 U.S. gal.)

HUDSON DLX WS, SC, and BT

KEY STANDARD FEATURES

- Reverse chine hull design
- Deep self-draining splashwell
- 2 pedestal folding fishing seats with no-pinch hinges
- Stern SportFlo™ aerated livewell system
- Large lockable rod organizer with tubes for 10 rods
- 12V or 24V bow trolling motor plug and receptacle with wiring harness
- Electric bilge pump
- Battery storage located at the center of the boat
- Navigation lights
- Twin plating from bow to mid-ship

Hudson DLX WS and SC

- Complete fully-lit instrumentation
- No-FeedBack™ steering system with dual cable

Hudson DLX BT

- Switch panel with Carling switches with indicator lights and fuel gauge




Hudson DLX WS



Hudson DLX SC




Hudson DLX BT



Hudson DLX WS



Hudson DLX SC



Hudson DLX BT

Livewell
 Storage Compartment
 Open Space Storage Compartment
 Rod Storage Compartment
 Fuel Tank

DETAILS



1. Large lockable rod organizer with tubes for 10 rods 2. Large storage compartment under the bow fishing platform 3. Optional kicker engine control* 4. Helm console with fully-lit instrumentation* 5. Optional AM/FM/Bluetooth Stereo with zero current memory draw and USB interface for MP3 devices* 6. Optional downrigger supports (2 supports)

* Except the Hudson DLX BT



Holiday DLX WS

SPECIFICATIONS

	Center line	Beam	Chine width	Maximum depth	Approx. draft	Transom height	Approx. weight	NMMA (USA) / TRANSPORT CANADA				ALUMINUM THICKNESS		BUILT-IN GAS TANK
								Maximum HP capacity	Maximum weight capacity	Maximum weight person capacity	Maximum person capacity	Bottom	Side	
Holiday DLX WS	4.9 m (16'-2")	2.2 m (84")	1.8 m (69")	0.8 m (30")	0.7 m (26")	0.5 m (20")	378 kg (834 lb.)	56 kW (75 HP)	545 kg (1201 lb.)	291 kg (641 lb.)	** 5 [4]	2.3 mm (.090")	1.8 mm (.072")	77 L (20 U.S. gal.)
Holiday DLX SC	4.9 m (16'-2")	2.2 m (84")	1.8 m (69")	0.8 m (30")	0.7 m (26")	0.5 m (20")	359 kg (792 lb.)	56 kW (75 HP)	545 kg (1201 lb.)	291 kg (641 lb.)	** 5 [4]	2.3 mm (.090")	1.8 mm (.072")	77 L (20 U.S. gal.)

HOLIDAY DLX WS and SC

KEY STANDARD FEATURES

- Reverse chine hull design
- Deep self-draining splashwell
- Stainless steel bow and stern eyes
- Raised bow casting platform with storage
- 2 pedestal folding fishing seats
- Bow SportFlo™ aerated livewell system
- Lockable 7-foot rod storage
- 12V bow trolling motor attachment
- Electric bilge pump
- Pressure-treated wood floor covered with marine grade vinyl

Holiday DLX WS

- Rotomolded twin consoles with dash panel and switches
- Walk-thru curved tinted tempered glass windshield with door

Holiday DLX SC

- Rotomolded side console with dash panel and switches
- Smoked windscreen with quick release



Holiday DLX WS



Holiday DLX SC




Holiday DLX WS




Holiday DLX SC

Livewell
 Storage Compartment
 Open Space Storage Compartment
 Rod Storage Compartment
 Fuel Tank



DETAILS



1. 2 pedestal folding fishing seats 2. Twin consoles with walk-thru tinted curved tempered glass windshield with door (Holiday DLX WS only) 3. Bow SportFlo™ 61 L (16 U.S. gal.) electric-filled aerated livewell, with post-overflow, thru-hull drain, anti-spill cover and protection filter on the filling pump 4. Lockable 7-foot rod storage 5. Optional Lowrance® X-4 Pro fish/depth finder on swivelling bracket 6. Side storage compartment



Resorter DLX SC

SPECIFICATIONS

	Center line	Beam	Chine width	Maximum depth	Approx. draft	Transom height	Approx. weight	NMMA (USA) / TRANSPORT CANADA				ALUMINUM THICKNESS		GAS TANK
								Maximum HP capacity	Maximum weight capacity	Maximum weight person capacity	Maximum person capacity	Bottom	Side	
Resorter DLX SC	4.9 m (16'-0")	1.9 m (73")	1.6 m (63")	0.7 m (29")	0.4 m (17")	0.5 m (20")	278 kg (613 lb.)	30 kW (40 HP)	453 kg (998 lb.)	263 kg (580 lb.)	4	1.8 mm (.072")	1.6 mm (.064")	Portable
Resorter DLX BT	4.9 m (16'-0")	1.9 m (73")	1.6 m (63")	0.7 m (29")	0.4 m (17")	0.5 m (20")	267 kg (588 lb.)	30 kW (40 HP)	453 kg (998 lb.)	263 kg (580 lb.)	4	1.8 mm (.072")	1.6 mm (.064")	Portable

RESORTER DLX SC and BT

KEY STANDARD FEATURES

- Reverse chine hull design
- Aluminum clad transom
- Full-width self-draining splashwell
- Stainless steel bow and stern eyes
- Raised bow casting platform with wide storage
- Bow SportFlo™ aerated livewell system
- 2 folding seats with no-pinch hinges
- 2-7 foot rod storage without supports
- Carpeted front deck
- Electric bilge pump
- Navigation lights
- Pressure-treated wood floor covered with marine grade vinyl

Resorter DLX SC

- Side console with steering system
- Smoked windscreen with quick release

Resorter DLX BT


- Switch panel with Carling switches with indicator lights



Resorter DLX SC



Resorter DLX BT



Resorter DLX SC



Resorter DLX BT

■ Livewell ■ Storage Compartment ■ Rod Storage Compartment

DETAILS



1. Storage 2. Bow SportFlo™ 61 L (16 U.S. gal.) electric-filled aerated livewell, with post-overflow, thru-hull drain, anti-spill cover and protection filter on the filling pump 3. Side console with steering system (except the Resorter DLX BT) 4. Large storage compartment under the bow raised casting platform 5. 2-7 foot rod storage without supports 6. Full-width self draining splashwell



Yukon DLX BT

SPECIFICATIONS

	Center line	Beam	Chine width	Maximum depth	Approx. draft	Transom height	Approx. weight	NMMA (USA) / TRANSPORT CANADA				ALUMINUM THICKNESS		GAS TANK
								Maximum HP capacity	Maximum weight capacity	Maximum weight person capacity	Maximum person capacity	Bottom	Side	
Yukon DLX BT	4.3 m (14'-3")	1.7 m (68")	1.4 m (57")	0.7 m (28")	0.4 m (17")	0.5 m (20")	177 kg (390 lb.)	19 kW (25 HP)	372 kg (821 lb.)	225 kg (496 lb.)	** 4 [3]	1.6 mm (.064")	1.6 mm (.064")	Portable


Yukon DLX BT

KEY STANDARD FEATURES

- Semi-V hull design with square chine
- Aluminum clad transom
- 2 center side storage compartments
- Full-width self-draining splashwell
- Parallel seats at stern covered with marine grade carpet
- Bow SportFlo™ aerated livewell system
- Switch panel with Carling switches with indicator lights
- Pressure-treated wood floor covered with marine grade vinyl
- Rigging tube under flooring (bow to stern)
- Stainless steel bow and stern eyes
- Bow bench seat covered with marine grade carpet
- Electric bilge pump
- Navigation lights
- Battery holder



Yukon DLX BT



Yukon DLX BT

□ Livewell ■ Storage Compartment

DETAILS



1. Storage under seat 2. Switch panel with Carling switches with indicator lights 3. Fishing rod storage 4. Engine battery storage 5. Bow SportFlo™ 39 L (10 U.S. gal.) electric-filled aerated livewell, with post-overflow, thru-hull drain and protection filter on the filling pump



Yukon DL BT

SPECIFICATIONS

	Center line	Beam	Chine width	Maximum depth	Approx. draft	Transom height	Approx. weight	NMMA (USA) / TRANSPORT CANADA				ALUMINUM THICKNESS		GAS TANK
								Maximum HP capacity	Maximum weight capacity	Maximum weight person capacity	Maximum person capacity	Bottom	Side	
Springbok DL BT	4.9 m (16'-0")	1.7 m (68")	1.4 m (57")	0.7 m (28")	0.4 m (17")	0.5 m (20")	170 kg (375 lb.)	24 kW (30 HP)	522 kg (1150 lb.)	332 kg (732 lb.)	** 5 [4]	1.6 mm (.064")	1.6 mm (.064")	Portable
Yukon DL BT	4.3 m (14'-3")	1.7 m (68")	1.4 m (57")	0.7 m (28")	0.4 m (17")	0.5 m (20")	156 kg (344 lb.)	19 kW (25 HP)	411 kg (905 lb.)	263 kg (580 lb.)	4	1.6 mm (.064")	1.6 mm (.064")	Portable

SPRINGBOK DL BT and YUKON DL BT

KEY STANDARD FEATURES

- Semi-V hull design with square chine
- Full-width self-draining splashwell
- Bow eye and stern handles
- Center side storage compartments
- Parallel seats at stern covered with marine grade carpet
- Split center seat covered with marine grade carpet
- Bow bench seat covered with marine grade carpet
- Stern storage compartment
- Battery holder
- Removable pressure-treated wood floor covered with marine grade vinyl
- High gloss exterior paint finish with decal package
- Twin plating at the chine
- Non-skid anti-glare interior paint finish
- Heavy-duty tubular seat to gunnel braces
- Aluminum clad transom


FEATURES AND OPTIONS

	SPRINGBOK DL BT	YUKON DL BT	YUKON DL BT	
STANDARD FEATURES	HULL & DECK			
	5052-H36 marine grade aluminum alloy	•	•	•
	High gloss exterior High Solids urethane paint and decal package	•	•	•
	Semi-V hull with square chine	•	•	•
	Aluminum clad transom	•	•	•
	Full-width self-draining splashwell	•	•	•
	Twin plating at the chine	•	•	•
	Heavy-duty tubular seat to gunnel braces	•	•	•
	Bow eye and stern handles	•	•	•
	Stern storage compartment	•	•	•
SEATS				
Split center seat covered with marine grade carpet	•	•	•	
Parallel seats at stern covered with marine grade carpet	•	•	•	
Bow bench seat covered with marine grade carpet	•	•	•	
OTHERS				
Battery holder	1	2	1	
Onboard charger for 2 – 12V batteries	-	•	-	
Removable pressure-treated wood floor covered with marine grade vinyl	•	•	•	
OPTIONS				
Station for additional battery bank	-	0	-	
24V solar panel	-	0	-	
Sun top	0	0	0	
Mooring or trailer cover	0	0	0	
COLOR <input type="checkbox"/> Black	•	•	•	

• Standard 0 Option




Springbok DL BT



Springbok DL BT



Yukon DL BT



Yukon DL BT

Storage Compartment Removable Floor

DETAILS



1



2a



2b



3



4

1. Split center seat covered with marine grade carpet 2a-2b. Removable pressure-treated wood floor covered with marine grade vinyl (front and back floor pieces)
3. Stern storage compartment 4. Battery holder



Yukon^e DL BT

SPECIFICATIONS

	Center line	Beam	Chine width	Maximum depth	Approx. draft	Transom height	Approx. weight	NMMA (USA) / TRANSPORT CANADA				ALUMINUM THICKNESS	
								Maximum propulsive power	Maximum weight capacity	Maximum weight person capacity	Maximum person capacity	Bottom	Side
Yukon^e DL BT	4.3 m (14'-3")	1.7 m (68")	1.4 m (57")	0.7 m (28")	0.4 m (17")	0.5 m (20")	156 kg (344 lb.)	24 V/Cruise 2.0 (equivalent 6 HP)	347 kg (766 lb.)	263 kg (580 lb.)	4	1.6 mm (.064")	1.6 mm (.064")


YUKON[®] DL BT

KEY STANDARD FEATURES

- Semi-V hull design with square chine
- Twin plating at the chine
- Heavy-duty tubular seat to gunnel braces
- Full-width self-draining splashwell
- Bow eye and stern handles
- Split center seat covered with marine grade carpet
- Center side storage compartments
- Parallel seats at stern covered with marine grade carpet
- Stern storage compartment
- Charger for 2-12V batteries
- Removable pressure-treated wood floor covered with marine grade vinyl
- High gloss exterior paint finish with decal package
- Non-skid anti-glare interior paint finish
- Aluminum clad transom



Yukon[®] DL BT



Yukon[®] DL BT

■ Storage Compartment ■ Removable Floor

DETAILS



1. Split center seat covered with marine grade carpet 2a-2b. Removable pressure-treated wood floor covered with marine grade vinyl (front and back floor pieces)
3. Stern storage compartment 4. Storage compartment for 2 batteries

Built smaller, without compromise

THE ULTIMATE FISHING BOAT, LIGHT AND VERSATILE. IF YOU ARE LOOKING FOR A SMALLER BOAT THAT WILL PROVIDE GREAT FISHING FUN, THERE IS NO NEED TO COMPROMISE ON QUALITY. PRINCECRAFT UTILITY BOATS PROVIDE LIGHTWEIGHT AND COMPACT MODELS, BUILT TO GIVE YOU YEARS OF SATISFACTION. THEY COMBINE DURABILITY, DESIGN EXCELLENCE AND PRECISE ENGINEERING – ALL CRAFTED TO PRINCECRAFT'S HIGH STANDARD OF QUALITY. FOR ALMOST 60 YEARS, PRINCECRAFT HAS BEEN GIVING YOU MORE BOAT FOR YOUR MONEY.



1. Full-width splashwell to keep you dry* 2. High-gloss paint* 3. The stern parallel seats make moving around much easier*

UTILITIES and CARTOPS



Springbok 20

KEY STANDARD FEATURES

Utilities and Cartops

- Wide and stable hull design
- Twin plating at the chine*
- Full-width self draining splashwell**
- High-gloss exterior paint finish with decal package*
- Non-skid anti-glare interior paint finish
- Aluminum clad transom
- Parallel seats at stern (some models with battery storage)*
- Bulkhead center seat
- Bow bench seat**
- Durable ribbed polyethylene seat covering*

* Except on Scamper and Seasprite

** On most models



Starfish 20



Springbok 20



Starfish 15



Springbok 15



Holiday



Yukon 20




Yukon 15

SPECIFICATIONS

	Center line	Beam	Chine width	Maximum depth	Approx. draft	Transom height	Approx. weight	NMMA (USA) / TRANSPORT CANADA				ALUMINUM THICKNESS		GAS TANK
								Maximum HP capacity	Maximum weight capacity	Maximum weight person capacity	Maximum person capacity	Bottom	Side	
Holiday	5.0 m (16'-4")	2.1 m (83")	1.8 m (69")	0.8 m (30")	0.6 m (22")	0.5 m (20")	181 kg (400 lb.)	37 kW (50 HP)	621 kg (1370 lb.)	394 kg (869 lb.)	** 6 [5]	2.3 mm (.090")	1.8 mm (.072")	Portable
Starfish 20	4.9 m (16'-0")	1.9 m (73")	1.6 m (63")	0.7 m (29")	0.4 m (16")	0.5 m (20")	145 kg (320 lb.)	30 kW (40 HP)	591 kg (1303 lb.)	401 kg (885 lb.)	** 7 [5]	1.8 mm (.072")	1.6 mm (.064")	Portable
Starfish 15	4.9 m (16'-0")	1.9 m (73")	1.6 m (63")	0.7 m (29")	0.4 m (17")	0.4 m (15")	138 kg (304 lb.)	30 kW (40 HP)	499 kg (1100 lb.)	309 kg (682 lb.)	** 5 [4]	1.8 mm (.072")	1.6 mm (.064")	Portable
Springbok 20	4.9 m (16'-0")	1.7 m (68")	1.4 m (57")	0.7 m (28")	0.4 m (17")	0.5 m (20")	133 kg (293 lb.)	24 kW (30 HP)	522 kg (1150 lb.)	332 kg (732 lb.)	** 5 [4]	1.6 mm (.064")	1.6 mm (.064")	Portable
Springbok 15	4.9 m (16'-0")	1.7 m (68")	1.4 m (57")	0.7 m (28")	0.4 m (17")	0.4 m (15")	129 kg (285 lb.)	24 kW (30 HP)	444 kg (978 lb.)	254 kg (560 lb.)	** 4 [3]	1.6 mm (.064")	1.6 mm (.064")	Portable
Yukon 20	4.3 m (14'-3")	1.7 m (68")	1.4 m (57")	0.7 m (28")	0.4 m (17")	0.5 m (20")	120 kg (265 lb.)	19 kW (25 HP)	411 kg (905 lb.)	263 kg (580 lb.)	4	1.6 mm (.064")	1.6 mm (.064")	Portable
Yukon 15	4.3 m (14'-3")	1.7 m (68")	1.4 m (57")	0.7 m (28")	0.4 m (17")	0.4 m (15")	109 kg (240 lb.)	19 kW (25 HP)	372 kg (821 lb.)	225 kg (496 lb.)	** 4 [3]	1.6 mm (.064")	1.6 mm (.064")	Portable
Fisherman	4.3 m (14'-0")	1.5 m (60")	1.3 m (51")	0.7 m (26")	0.4 m (13")	0.4 m (15")	91 kg (201 lb.)	15 kW (20 HP)	372 kg (820 lb.)	225 kg (495 lb.)	** 4 [3]	1.4 mm (.057")	1.3 mm (.051")	Portable
Ungava	3.7 m (12'-0")	1.5 m (60")	1.3 m (51")	0.6 m (25")	0.4 m (13")	0.4 m (15")	78 kg (171 lb.)	12 kW (15 HP)	318 kg (700 lb.)	226 kg (498 lb.)	** 4 [3]	1.4 mm (.057")	1.3 mm (.051")	Portable
Scamper	4.3 m (14'-4")	1.5 m (58")	1.1 m (45")	0.5 m (21")	0.4 m (13")	0.4 m (15")	68 kg (150 lb.)	12 kW (15 HP)	340 kg (750 lb.)	249 kg (548 lb.)	** 4 [3]	1.3 mm (.051")	1.3 mm (.051")	Portable
Seasprite	3.7 m (12'-4")	1.5 m (58")	1.1 m (45")	0.5 m (21")	0.4 m (13")	0.4 m (15")	59 kg (130 lb.)	8 kW (10 HP)	281 kg (620 lb.)	190 kg (418 lb.)	** 3 [2]	1.3 mm (.051")	1.3 mm (.051")	Portable



Fisherman




Scamper



Seasprite




Ungava



Holiday

Starfish


Springbok




Yukon




Fisherman



Ungava



Scamper



Seasprite

■ Storage Compartment

FEATURES AND OPTIONS

		UTILITIES								CARTOPS		
		HOLIDAY	STARFISH 20	STARFISH 15	SPRINGBOK 20	SPRINGBOK 15	YUKON 20	YUKON 15	FISHERMAN	UNGAVA	SCAMPER	SEASPRITE
STANDARD FEATURES	HULL & DECK											
	5052-H36 marine-grade aluminum alloy	•	•	•	•	•	•	•	•	•	•	•
	High gloss exterior High Solids urethane paint and decal package	•	•	•	•	•	•	•	•	•	-	-
	Decal package	-	-	-	-	-	-	-	-	-	•	•
	Non-skid anti-glare interior paint finish	•	•	•	•	•	•	•	•	•	•	•
	Hull (R = reverse chine, S = square chine, RC = round chine)	R	R	R	S	S	S	S	S	S	RC	RC
	Aluminum clad transom	•	•	•	•	•	•	•	•	•	•	•
	Full-width self-draining splashwell	•	•	•	•	•	•	•	-	-	-	-
	Twin plating at the chine	•	•	•	•	•	•	•	•	•	-	-
	Heavy-duty tubular seat to gunnel braces	•	•	•	•	•	•	•	•	•	•	•
SEATS	Bow and stern eyes (E) or bow eye and stern handles (H)	E	H	H	H	H	H	H	H	H	H	H
	Oar lock sockets	-	-	-	-	-	-	-	-	•	•	•
	Parallel seats at stern	•	•	•	•	•	•	•	•	•	-	-
	Bulkhead center seat	•	•	•	•	•	•	•	•	•	•	•
OPTIONS	Bow bench seat	•	•	•	•	•	•	•	•	-	•	•
	Durable ribbed polyethylene seat covering	•	•	•	•	•	•	•	•	•	-	-
	Sun top	0	0	0	0	0	0	0	0	0	-	-
	Complete dark blue side console	0	0	0	0	0	0	0	-	-	-	-
	Console only (dark blue)	0	0	0	0	0	0	0	-	-	-	-
Removable smoked windscreen	0	0	0	0	0	0	0	-	-	-	-	
Monochrome folding seat with no-pinch hinges	0	0	0	0	0	0	0	0	0	-	-	
COLORS	■ Blue or ■ Natural aluminum	■	■	■	■	■	■	■	■	■	■	■

• Standard 0 Option

DETAILS



1




2



3



4



5

1. Our exclusive polyethylene seats come standard and stay dryer than wood seats* 2. The stern parallel seats make moving around much easier* 3. Aluminum-clad, hassle-free transom 4. Optional sun top* 5. Optional complete side console*

* On most models

CANVAS & COVERS: A PERFECT FIT!

New PRINCETRAK SYSTEM

Extrusion allowing onboard tool attachment



1



2



3



4

Princecraft canvas and covers are specially designed to fit your boat.

What's more, all our boats come with snap buttons installed in our factory using extremely precise templates for a perfect, effortless fit. At Princecraft we provide quality products from bow to stern!

1. Mooring cover
2. Trailer cover
3. Complete stand-up high top with tonneau cover and curtains (windshield model shown)
4. Sun top for utilities



5



6



7



8

5. Quick storage for three fishing rods 6. Fishing rod support 7. Cup holder 8. Multipurpose plate (Slide your PrinceTrak into position and attach whatever you want to it: sonar, tools, and lot more).




9a



9b



10



11



12



13



14



15



16



17



19a



19b



20a




20b



21



22



23



24



25



26



27

9a-9b. Stern boarding ladder 10. Combo swim platform and telescoping ladder 11. Pedestal folding fishing seat 12. Deluxe pedestal folding fishing seat 13. Deluxe convertible seat 14. Heated reclining captain's chair with adjustable armrests 15. Bicycle fishing seat with post 16. Lowrance® HDS-5 fish/depth finder with GPS 17. Lowrance® X-4 Pro fish/depth finder on swivelling bracket 18. Lowrance® Elite-4x fish/depth finder on swivelling bracket 19a-19b. Control for kicker engine 20a-20b. Kicker engine 21. Snap-in carpet 22. Windshield wiper 23. Mercury SmartCraft™ gauges 24. AM/FM/Bluetooth Stereo 25. 200-watt Clarion® AM/FM/CD with USB port/ MP3/ iPod and SAT Radio Compatible 26. Underwater lighting (2 lights) 27. Ski pylon 28. Downrigger supports (2) 29. Port-side sleeper seat 30. Battery charger (many models available) 31. Wash down system 32. Chemical toilet (available on Platinum SE 207 only) 33. Marine grade carpeted floor covering 34. Bow cushion set 35. Heated convertible passenger's seat

OPTIONS

OPTIONAL EQUIPMENT

	PLATINUM SE SERIES				SUPER PRO SERIES		SPORT SERIES				XPEDITION SERIES					
	Platinum SE 207	Platinum SE 206	Platinum SE 186, 176	Platinum SE 176 FnP	Super Pro 185 GL	Super Pro 176	Sport 182 WS	Sport 174 WS	Sport 172 WS	Sport 172 SC	Sport 164 WS	Xpedition 200 WS	Xpedition 200 SC	Xpedition 170 WS	Xpedition 170 SC	Xpedition 170 BT
FACTORY INSTALLED OPTIONS	Princecraft special decal package															
	Port-side sleeper seat															
	Rear bench seat															
	Heated reclining captain's chair with adjustable armrests															
	Heated convertible passenger's seat															
	AM/FM/Bluetooth Stereo (+ = 200-watt AM/FM/CD with USB port/ MP3/ iPod and SAT Radio Compatible)															
	Marine grade carpeted floor covering															
	Electronic package: Smart Tow gauge, HDS-5 fish finder, Lowrance Sonic Hub marine audio server and GPS antenna															
	Lowrance HDS-5 High Resolution 5" fish finder/ GPS Chartplotter															
	24V battery charger and alternator module system															
	Combo-poly swim platform with telescoping ladder															
	Underwater lighting (2 lights)															
	SmartCraft™ gauges (tachometer, speedometer and trim)															
	Hydraulic steering system with tilt wheel															
Tilt steering with slider for driver's seat																
Wash down system																
Chemical toilet with holding tank and pump out																
Mercury 9.9 BF 4 stroke kicker engine																
CANVAS	Complete stand-up high top with aluminum frame (+ = stainless steel frame)															
	Mooring or trailer cover															
	Sun top															
DEALER INSTALLED OPTIONS	MotorGuide W55 wireless trolling motor (12 volts, 54", 55 lb.)															
	MotorGuide W75 wireless trolling motor (24 volts, 60", 75 lb.)															
	MotorGuide TR109L FB Digital trolling motor (36 volts, 60", 109 lb.)															
	Minn Kota 55 PD V2 trolling motor (12 volts, 54", 55 lb.)															
	Minn Kota 70 PD V2 trolling motor (24 volts, 60", 70 lb.)															
	Minn Kota Terrova trolling motor (36 volts, 60", 101 lb.)															
	Co-Pilot system for Minn Kota PD V2 trolling motor															
	i-Pilot system for Minn Kota PD V2 trolling motor															
	Port console with quick-release smoked windscreen															
	Bow rider seat cushions															
	Coaming pads & bow rider seat cushions															
	Deluxe convertible seat with spider and post															
	Folding seat with spider and post (D = deluxe)															
	Bicycle seat with 27" post															
	Downrigger supports															
	Lowrance® Elite-4x fish/depth finder															
	Lowrance® X-4 Pro fish/depth finder															
	Parallel arm starboard side wiper															
	Onboard battery charger															
	Stern boarding ladder															
	Combo-poly swim platform with telescoping ladder															
	Ski pylon															
	Snap-in carpet															
PrinceTrak sliding installation plate																
PrinceTrak rod storage support for 3 rods																
PrinceTrak cup holder																
PrinceTrak rod holder																
PrinceTrak cockpit caddy																
COLORS	■ Platinum SE: Black & Metallic grey ■ Black, ■ Red, ■ Blue															

o Option E Upgrade exchange

STANDARD FEATURES

	PLATINUM SE SERIES					SUPER PRO SERIES		182 WS	174 WS	
	207	206	186	176	176 FnP	185 GL	176			
HULL AND DECK	5052-H36 marine-grade aluminum alloy	•	•	•	•	•	•	•	•	
	Reverse chine hull design (+ = Double)	••	••	••	••	•	••	••	•	
	High gloss exterior High Solids urethane paint and decal package	• Metallic	•	•	•					
	Stainless steel bow and stern eyes	•	•	•	•	•	•	•	•	
	Raised casting platform	Fore & Aft	Fore	Fore & Aft	Fore & Aft	Fore & Aft	Fore	Fore & Aft	Fore & Aft	
	Storage compartment(s) (A = Anchor, B = Battery, S = Storage, I = Ice chest, IF = Insulated fish box, DS = Lockable dry storage)	A, 2B, S, I	A, 2B, S, IF	A, 2B, S, I	A, 2B, S, I	A, 2B, S, I	A, 2B, S, IF	A, 2B, S, I	A, 2B, S, I	A, 2B, S, I
	Twin plating from bow to mid-ship	•	•	•	•	•	•	•	•	
	Twin plating at the chine	•	•	•	•	•	•	•	•	
	Rigging tube under flooring (bow to stern)	•	•	•	•	•	•	•	•	
	Cleats (SSR = Stainless steel recessed, SS = Stainless steel, C = Chromed, V = Vinyl)	4 SSR	4 SSR	4 SSR	4 SSR	4 SS	4 SS	4 SS	4C	4C
LIVEWELLS	Electric aerated livewell system	ProFlo Plus	ProFlo Plus	ProFlo Plus	ProFlo Plus	SportFlo	ProFlo	ProFlo	SportFlo	SportFlo
	(A) Bow livewell - Length inches - Capacity litres (U.S. gal.)	44-77 (20)	44-77 (20)	30-64 (17)	30-64 (17)	30-64 (17)	44-77 (20)	30-64 (17)	30-64 (17)	-
	(B) Stern livewell - Length (inches) - Capacity litres (U.S. gal.)	34-64 (17)	40-129 (34)	34-64 (17)	34-64 (17)	-	-	34-64 (17)	-	34-64 (17)
	Removable divider	A, B	A	A, B	A, B	A	A	A, B	A	B
	Recirculation (+ = intermittent)	A+, B+	A+, B+	A+, B+	A, B+	-	A+	A, B+	-	-
	Overflow with thru-hull drain (+ = with remote control)	A+, B+	A+, B+	A+, B+	A+, B+	A	A	A, B	A	B
	Removable minnow bucket	A, B	A	B	B	-	A	B	-	B
	Light	A, B	A, B	A, B	B	-	A	B	-	-
	Anti-spill cover	A, B	A, B	A, B	A, B	A	A	A, B	A	B
	Insulated lid	A, B	A	A, B	A, B	A	A	A, B	A	B
Protection filter on the filling pump	A, B	A, B	A, B	A, B	A	A	A, B	A	B	
FISHING	Lockable rod storage compartment (BP = bow platform, I = in-floor, C = with tubes for rods)	• P, 12 C	• P, 12 C	• P, 6 C	• P, 6 C	• P, 4 C	-	• P, 6 C	• P, 6 C	• P, 4 C
	Side storage (+ = lockable door, C = with tubes and supports for rods, S = with supports)	• + (2)	• + (2)	• + (2)	• + (2)	• (2)	• (2), S	• + (2)	• (2)	• +, S
	2 thermoformed side panels with integrated speakers and storage	-	-	-	-	•	-	-	-	-
	Lowrance® fish/depth finder	Elite-4x	Elite-4x	Elite-4x	Elite-4x	X-4 Pro	Elite-4x	Elite-4x	-	-
	Removable bow casting deck insert with floor base	•	•	•	•	-	-	-	-	-
	Bow trolling motor plug & receptacle (D = Deluxe panel)	12 or 24V - D	12 or 24V	12 or 24V	12 or 24V	12 or 24V	12 or 24V			
Carpeted bow mount trolling motor pad	•	•	•	•	•	•	•	•	•	
SEATS	B = Bases, HS = Heated convertible driver's seat, CS = Convertible seat, DS = Deluxe pedestal seat, PS = Pedestal seat, SS = Sleeper seat, JS = Jump seat, RB = Rear flip-up bench seat, SR = Sliding rail for driver's seat	6 B, 1 HS, 2 CS, 2 JS, SR	5 B, 1 HS, 2 CS, 2 JS, SR	6 B, 1 HS, 2 CS, 2 JS, SR	6 B, 1 HS, 2 CS, 2 JS, SR	4 B, 1 HS, 1 CS, 1 SS, 2 JS, SR	5 B, 2 DS	6 B, 2 DS, 2 JS	6 B, 2 PS, 1 RB	6 B, 2 PS, 2 JS
CONSOLE	Console with dash panel & switches	Twin	Twin	Twin	Twin	Twin	Twin	Twin	Twin	Twin
	Steering system (NFB = No-FeedBack™, H = Hydraulic, + = with dual cable)	H	H	H	H	NFB	NFB+	NFB+	NFB+	NFB
	Digital Throttle and Shift System - DTS (with Verado engine only)	•	•	•	•	-	•	•	•	-
	Tilt steering mechanism	•	•	•	•	•	-	-	-	-
	Walk-thru tinted curved tempered glass windshield with door	•	•	•	•	•	•	•	•	•
	Smoked windscreen with quick release	-	-	-	-	-	-	-	-	-
	Instrumentation (gauges)	3	3	3	3	5	5	5	3	5
	Speedometer	SmartCraft	SmartCraft	SmartCraft	SmartCraft	•	•	•	•	•
	Tachometer	SmartCraft	SmartCraft	SmartCraft	SmartCraft	•	•	•	•	•
	Voltmeter	SmartCraft	SmartCraft	SmartCraft	SmartCraft	•	•	•	-	•
	Trim gauge	SmartCraft	SmartCraft	SmartCraft	SmartCraft	•	•	•	-	•
	Fuel gauge	SmartCraft	SmartCraft	SmartCraft	SmartCraft	•	•	•	•	•
	AM/FM/Bluetooth Stereo	•	•	•	•	•	•	•	•	-
	Easy-access driver's radio remote control	•	•	•	•	•	-	-	-	-
Waterproof speakers	4	4	4	4	4	2	2	-	-	
Electric horn	•	•	•	•	•	•	•	-	-	
12V outlet	•	•	•	•	•	•	•	-	-	
OTHERS	PrinceTrak System: extrusion allowing onboard tool fixing	•	•	•	•	-	-	-	-	
	Pop-up privacy enclosure in stern casting platform	•	-	-	-	-	-	-	-	
	Electric bilge pump(s) (Auto = Automatic)	Auto	Auto	Auto	Auto	Auto	Auto	Auto	•	•
	2 stainless steel bow rails	•	•	•	•	•	-	•	-	-
	Handle(s)	5	5	5	5	5	3	5	7	7
	Navigation lights	•	•	•	•	•	•	•	•	•
	CP = Coaming pads, BC = Bow cushions	CP	CP	CP	CP	CP, BC	-	-	-	-
	Interior light(s)	•	•	•	•	•	•	•	•	•
	Cup holder(s) (+ = LED lighted)	4 (+2)	2 (+2)	2 (+2)	2 (+2)	5 (+1)	2	2	2	2
	Battery holder(s)	3	3	3	3	3	3	3	3	3
	Stern ladder	•	•	•	•	•	-	-	-	-
Pressure-treated wood floor covered with marine grade vinyl	•	•	•	•	•	•	•	•	•	
Fire extinguisher support (fire extinguisher not included)	•	•	•	•	•	•	•	-	-	



For more information on our boats, to check out our videos,
or to find your nearest dealer, visit our Website at

princecraft.com or call us at 1 800 395-8858

In Canada: Princecraft Boats Inc., A Brunswick Company, 725 Saint-Henri Street, Princeville (Quebec) G6L 5C2

In the United States: Princecraft U.S., A Brunswick Company, 1st Tennessee Plaza Bldg., Suite 1700, 800 S. Gay Street, Knoxville, TN 37929

Princecraft factory-packaged boats are available with various horsepower Mercury® outboards. www.mercurymarine.com

Special thanks to: Mercury Marine®, Mustang Survival®, Rapala®, Shimano®, Storm™, Walker Downriggers, Coleman®.

PLEASE READ CAREFULLY: Dimensions, capacities, ratings, and additional specifications, plus complete warranty and service information, are available from your Princecraft dealer. Product illustrations and data within this catalog are based upon information available at the time of publication. Not all accessories shown in pictures or described herein are standard equipment or even available as options. Specification measurements are approximations and subject to variance. Because Princecraft is dedicated to constant product improvements, Princecraft reserves the right to make changes without prior notice or obligation. Not all model year boats may contain all of the features or meet the specifications described herein. Ask your Princecraft dealer for the most current product specifications prior to purchase. Some of the equipment shown separately or on products illustrated in this catalog may be optional at extra cost. Options and features are subject to change without notice. Princecraft is a member in good standing of the National Marine Manufacturers Association (NMMA) USA and Canada. All boats comply with Canadian Coast Guard and U.S. Coast Guard regulations. All Princecraft® boats are in compliance with NMMA's Boat Certification Program. Attwood™ is a registered trademark of Attwood Corporation. Clarion™ is a registered trademark of Clarion Sales Corporation. Faria™ is a registered trademark of TG Faria, Inc. Pilot™ is a registered trademark of TG Faria, Inc. Flow-Rite™ is a registered trademark of Flow-Rite Controls. Lowrance® is a registered trademark of Lowrance Electronics, Inc. Marincó™ is a registered trademark of Marincó-AFL McGill™ is a registered trademark of Emerson Electronics. Mercury®, Verado™, OptiMax® and SmartCraft™ are registered trademarks of Mercury Marine.

MERCURY
Outboards

NMMA
CERTIFIED
using ABYC standards