

# 2015

## ALUMINUM FISHING BOATS



**PRINCECRAFT**

# BUILDING PRIDE

Princecraft is built on a tradition of teamwork between the people who research, design, assemble, and test our boats. At Princecraft, we're known for our meticulous dedication to quality. On each and every outing on the water, the quality of any Princecraft boat can be seen in its unique details, durability, and strength. Over 200 Princecraft employees work hard to make sure you have the best times on the water. That's why more and more consumers attest that Princecraft builds more than just quality boats, they also build pride in those who own them.

H36 Aluminum.....	22
Trailers .....	24
PrinceTrak and livewells.....	25

## **PLATINUM SE SERIES**

Platinum SE 207 and 206 .....	28
Platinum SE 186 and 176 .....	30

## **XPERIENCE AND SUPER PRO SERIES**

Xperience 188 .....	34
Super Pro 185 GL and 176 .....	36

## **SPORT SERIES**

Sport 187, 177, 172, and 167 .....	40
------------------------------------	----

## **XPEDITION SERIES**

Xpedition 200 WS and SC .....	44
Xpedition 170 WS and SC .....	46

# PRINCECRAFT

visit us at [princecraft.com](http://princecraft.com)  
or call us 1 800 395-8858



## **DLX AND DL SERIES**

Hudson DLX WS, SC, and BT	50
Nanook DLX WS	52
Amarok DLX WS	52
Holiday DLX WS	52
Nanook DLX SC	54
Amarok DLX SC	54
Holiday DLX SC	54
Resorter DLX SC and BT	56
Yukon DLX BT	56
Springbok DL BT	58
Yukon DL BT	58
Yukon <sup>e</sup> DL BT	58

## **UTILITIES AND CARTOPS**

Holiday, Starfish, Springbok, Yukon	60
Fisherman, Ungava, Scamper, and Seasprite	62
Technical drawings	64
Canvas and covers	66
Optional equipment	67
Standard features	68


# OUR SECRET: H36 ALUMINUM

Princecraft hulls are the strongest and most durable on the market because they are made with the best marine-grade aluminum in the business, 5052-H36.

- / 25% stronger than the aluminum used by most of our competitors
- / More resistant to shock and warping
- / Maintains peak performance
- / Helps boost boat resale value




## 3 double-plated hull thicknesses used by Princecraft



## If your hull catches on the bottom of the lake, it had better be made of H36!

This graph from a 2011 study by Alcoa Innovation clearly shows H36's superior impact strength.





## Why don't all manufacturers use H36?

H36's rigidity makes it more difficult to work with. It requires extremely accurate, state-of-the-art equipment, and above all, exceptional expertise.

**ONLY PRINCECRAFT HAS BOTH!**



# TWO IS BETTER THAN ONE



H36 also has a higher breaking load and elastic limit than other alloys, which boosts your confidence on the water and the value of your investment!



### Invented by Princecraft, the double reverse chine:

- / Improves performance at all speeds and in all boating conditions
- / Makes it easier to steer the boat and control its speed
- / Increases the boat's carrying capacity while reducing friction so the boat planes easily even when heavily loaded
- / Prevents chine walk at high speeds
- / Keeps occupants dry



### Most of our boats have two thicknesses of H36 aluminum from the middle of the hull to the stern.

This construction diffuses the stress on the bottom of the boat toward the side panels for better performance at high speeds.

# CUSTOM MULTIFUNCTION TRAILERS

To ensure that your pleasure craft lives up to its name, it should be a pleasure to handle all down the line—even when you're towing and launching it.



/1. Heavy-duty winch\* /2. Carpeted load guides\* /3. Swing tongue\*  
/4. Optional mag wheels\* /5. Waterproof recessed LED lights\*  
/6. Fenders with step pads\*

## ALL PRINCECRAFT TRAILERS ARE NOW EQUIPPED WITH THIS SYSTEM

This ingenious system combines the advantages of grease and oil to create an ultra high performance lubricant. At room temperature, its viscosity is similar to that of grease. But as the bearings heat up, the lubricant becomes more fluid coating the bearings better to more effectively reduce friction and dissipate the heat generated during towing.

Each bearing is encased in a completely sealed, airtight, leak-proof, pressurized chamber.



That's why each of our trailers is custom-made according to the highest standards of quality to offer topnotch stability and maneuverability on the road, in addition to easy loading and unloading.



Painted trailer



Galvanized steel trailer

### AN EXTRA DURABLE FRAME

- / Extra sturdy tubular structure
- / Brake cables and circuits are inserted in a steel tube to protect them from the elements
- / Guaranteed long term reliability

### STRATEGICALLY PLACED BUNKS AND LOAD GUIDES

- / Custom design
- / Marine carpet-covered load guides protect your boat's hull (certain models only)
- / Bunks remain in constant contact with the hull for optimally distributed support
- / Easier loading and unloading

### OPTIMAL SAFETY

- / Superior on-road stability and handling
- / Watertight LED light system
- / Factory-balanced wheels
- / Double safety chain
- / Sealed hubs
- / Complies with NMMA and Transport Canada standards

### SPECIAL FEATURES

- / Sturdy winch
- / Swivel tongue jack\*
- / Soldered attachment for optional transom saver motor support
- / Galvanized steel wheelbase for rust protection
- / Practical swing tongue: saves space, stores easily (standard on certain models; optional on other models)
- / Composite fenders with built-in step pads
- / Radial tires (standard on most models)
- / Aluminum alloy STAR mag wheels (optional on certain models)

# PRINCETRAK SYSTEM

Extrusion allowing onboard tool attachment



- /1. Quick storage for three fishing rods
- /2. Fishing rod support
- /3. Cup holder
- /4. Multipurpose plate. Slide your PrinceTrak into position and attach whatever you want to it: sonar, tools, and lot more.


## Ingenious Livewells!

A must-have for fishing, good livewells help keep your catch healthy and fresh. Princecraft offers you three top-quality options to help you get the most out of each and every day of fishing!

### SPORTFLO™

This system includes:

- / A pump for filling the tank and aerating the water
- / An overflow system that empties to the outside
- / Protection filter on the filling pump
- / An anti-spill cover<sup>1</sup>



**SportFlo™ livewell system**


#### Models featuring SportFlo™ livewell system

- / Sport 172
- / Xpedition 170 WS and SC
- / Sport 167
- / DLX Series

### PROFLO™

Includes all SportFlo™ features, plus:

- / A dual pump system that keeps water recirculating on the water or dock
- / Intermittent recirculation to control water aeration<sup>1</sup>
- / A removable minnow bucket (Super Pro 185 GL only)
- / A light<sup>1</sup>



**ProFlo™ livewell system**


#### Models featuring ProFlo™ livewell system

- / Xperience 188
- / Sport 187
- / Super Pro 185 GL
- / Sport 177
- / Super Pro 176
- / Xpedition 200 WS and SC



### PROFLO™ PLUS *Exclusive*

The ProFlo™ Plus livewell is virtually maintenance free, and features automatic filling and recirculation that lets you focus on fishing. Its dual-pump system keeps your bait alive and your catch beautifully fresh, whether you're cruising the open water or tied up at the dock.



#### Models featuring ProFlo™ Plus livewell system

- / Platinum SE 207
- / Platinum SE 186
- / Platinum SE 206
- / Platinum SE 176

<sup>1</sup> On most models

## KEY FEATURES

For the standard features, consult pages 68-69 and:

		207	206	186	176
		28-29	28-29	30-31	30-31
Packaged with Mercury® outboard engines <sup>1</sup>		•	•	•	•
Metallic grey hull with black accent color		•	•	•	•
Mercury SmartCraft™ System tachometer and speedometer gauges <sup>2,3</sup>		•	•	•	•
SeaStar® hydraulic steering system with sport tilt steering mechanism		•	•	•	•
12V or 24V deluxe bow trolling motor panel		•	•	•	•
160-watt AM/FM/Bluetooth Jensen® Stereo with integrated auxiliary input (1/8") in console		•	•	•	•
Easy-access driver's radio remote control		•	•	•	•
7" Raymarine® multifunction touch screen, including GPS functionalities, fish finder, and more		•	•	•	•
ProFlo™ Plus livewell system		2	2	2	2
Deluxe driver heated convertible seat		1	1	1	1
Deluxe passenger convertible seat		2	2	2	2
Sliding rail for driver seat		•	•	•	•
Bow coaming pads		•	•	•	•
Stainless steel recessed cleats		4	4	4	4
Stern boarding ladder with boarding platform		•	•	•	•
Custom-fit black trailer with swing tongue & drop axle ( <b>T</b> = Tandem, <b>DB</b> = Disc brakes)		T, DB	T, DB	DB	DB
Checker polished aluminum covered step pads		•	•	•	•
OPTIONS ONLY AVAILABLE ON PLATINUM SE SERIES BOATS	Heated reclining captain chair with adjustable armrests... upgrade exchange	o	o	o	o
	Deluxe passenger heated convertible seat... upgrade exchange	o	o	o	o
	Deluxe seat package: convertible seat, post and seat mount with auto-lock handle	o	o	o	o
	Harness allowing engine instrumentation display on 7" Raymarine® multifunction touch screen	o	o	o	o

<sup>1</sup> 1 All Verado™ L4 and L6 packages come standard with Digital Throttle and Shift System (DTS). Verado™ L6 packages come standard with power steering and tilt wheel.

<sup>2</sup> SmartCraft™ system tachometer includes light brightness, light control adjustment, engine alarm display, TrollControl™, battery voltage, digital tachometer, engine hour meter, engine temperature, fuel flow, power trim angle and water pressure.

<sup>3</sup> SmartCraft™ system speedometer includes light brightness, light contrast adjustment, TrollControl™, clock, digital speedometer, fuel economy, fuel range, fuel tank level, lake water temperature, air temperature and trip log.

• Standard o Option



1. Driver console with black inserts and SmartCraft™ gauges (11 functions)
2. 7" Raymarine® multifunction touch screen, including GPS functionalities, fish finder, and more
3. Blue LED floor lighting
4. LED docking lights
5. Deluxe convertible seat
6. Driver heated seat plug and control plus radio remote control

# PLATINUM SE

## SERIES



▶ PLATINUM SE 207

# AN ANGLER'S DREAM

The ultimate fishing boat now comes in four models. The Platinum SE Series is top of the line, and because the boats' components are regularly analyzed, revisited, and upgraded by our R&D teams, you'll be the best equipped angler on the water. The impressive double hull in H36 aluminum, a thing of grace and beauty both above and below the water, ensures an unbeatable fishing experience. Platinum SE models also come with touch screens displaying the geographical position of your boat and its surroundings as well as real-time data on the motor.

# PLATINUM SE

207 AND 206



PLATINUM SE 207 ▲

## KEY STANDARD FEATURES



- Deep V double reverse chine hull design
- 4 stainless steel recessed cleats
- Raised bow casting platform with storage
- Deluxe driver heated convertible seat
- 2 deluxe convertible seats
- 2 stern jump seats
- Bow and stern ProFlo™ Plus aerated livewell systems
- Coaming pads
- In-floor top storage (Platinum SE 207 only)
- 7" Raymarine® multifunction touch screen, including GPS functionalities, fish finder, and more
- Large in-floor lockable rod organizer with tubes for 12 rods
- 12V or 24V deluxe bow trolling motor panel with voltmeter and tilt switch
- SeaStar® hydraulic steering system with sport tilt wheel
- 160-watt AM/FM/Bluetooth Jensen® Stereo with integrated auxiliary input (1/8") in console and remote control
- Mercury SmartCraft™ gauges
- 2 LED lighted cup holders
- Aft raised casting platform with pop-up privacy enclosure and optional chemical toilet (Platinum SE 207 only)



PLATINUM SE 207 ▲



PLATINUM SE 206 ▲

1. Large in-floor lockable rod organizer for 12 rods
2. 2 optional downrigger supports
3. 7" Raymarine® multifunction touch screen, including GPS functionalities, fish finder, and more
4. Pop-up privacy enclosure accommodating an optional chemical toilet with holding tank and pump out (Platinum SE 207 only)
5. Driver console with black inserts and SmartCraft™ gauges (11 functions)
6. Driver heated seat plug and control plus radio remote control



## SPECIFICATIONS ▼

	Center line		Beam	Chine width	Maximum depth	Approximate draft	Transom height	Approximate weight	Aluminum thickness (Bottom)	Aluminum thickness (Side)	Built-in gas tank	Maximum HP capacity	Maximum weight capacity	Maximum weight person capacity	Maximum person capacity
<b>207</b>	6.1 m (20'-0")	2.5 m (100")	2.1 m (84")	1.3 m (50")	0.9 m (34")	0.6 m (25")	839 kg (1850 lb.)	2.8 mm (.110")	1.8 mm (.072")	≤ 227 L (59 U.S. gal.)	★ P 186 kW (250 HP)	★ P 1027 kg (2264 lb.)	★ P 612 kg (1350 lb.)	★ P 10	
<b>206</b>	6.1 m (20'-0")	2.5 m (99")	2.1 m (84")	1.2 m (48")	0.9 m (34")	0.6 m (25")	835 kg (1840 lb.)	2.8 mm (.110")	1.8 mm (.072")	≤ 227 L (59 U.S. gal.)	★ P 186 kW (250 HP)	★ P 1027 kg (2264 lb.)	★ P 612 kg (1350 lb.)	★ P 10	

# PLATINUM SE

186 AND 176



▲ PLATINUM SE 176

## KEY STANDARD FEATURES



- Deluxe driver heated convertible seat
- 2 stern fold-down jump seats
- In-floor lockable rod organizer for 6 rods
- 160-watt AM/FM/Bluetooth Jensen® Stereo with integrated auxiliary input (1/8") in console and remote control
- Deep V double reverse chine hull design
- 4 stainless steel recessed cleats
- 2 deluxe convertible seats
- 7" Raymarine® multifunction touch screen, including GPS functionalities, fish finder, and more
- Bow and stern ProFlo™ Plus aerated livewell systems
- 12V or 24V deluxe bow trolling motor panel with voltmeter and tilt switch
- SeaStar® hydraulic steering system with sport tilt wheel
- Mercury SmartCraft™ gauges
- Coaming pads




PLATINUM SE 186 ▲



PLATINUM SE 176 ▲

1. Optional heated reclining captain's chair with adjustable armrests
2. Optional 200-watt AM/FM/CD/Bluetooth Clarion® Stereo compatible SAT with integrated USB plug and auxiliary input (1/8") in console
3. Blue LED floor lighting
4. In-floor lockable rod organizer with tubes for 6 rods
5. Storage under driver console with extensible cargo net
6. 12V or 24V deluxe bow trolling motor panel with Marincor plug, receptacle, voltmeter, tilt switch, light, and wiring harness (up to 36V on Platinum SE 186)



## SPECIFICATIONS ▼

	Center line		Beam	Chine width	Maximum depth	Approximate draft	Transom height	Approximate weight	Aluminum thickness (Bottom)	Aluminum thickness (Side)	Built-in gas tank	Maximum HP capacity	Maximum weight capacity	Maximum weight person capacity	Maximum person capacity
186	5.6 m (18'-6")	2.4 m (95")	2.0 m (80")	1.2 m (46")	0.8 m (33")	0.6 m (25")	748 kg (1651 lb.)	2.8 mm (.110")	1.8 mm (.072")	≤ 151 L (40 U.S. gal.)	★ 131 kW (175 HP)	★ 863 kg (1902 lb.)	★ 517 kg (1140 lb.)	★ 8	
176	5.3 m (17'-6")	2.3 m (92")	2.0 m (80")	1.0 m (41")	0.8 m (31")	0.6 m (25")	651 kg (1435 lb.)	2.5 mm (.100")	1.8 mm (.072")	≤ 151 L (40 U.S. gal.)	★ 112 kW (150 HP)	★ 787 kg (1736 lb.)	★ 442 kg (974 lb.)	★ 7	

🇨🇦 Transport Canada ★ NMMA (USA)

# XPERIENCE AND SUPER PRO SERIES

## GREAT NEWS



1. 160-watt AM/FM/Bluetooth Jensen® Stereo with integrated auxiliary input (1/8") in console
2. Storage under driver console with extensible cargo net
3. Deluxe folding fishing seat
4. Storage compartment to accommodate fishing rods (without support)
5. 2 rear fold-down jump seats
6. Courtesy light near driver console



▲ XPERIENCE 188

Try out Princecraft's new 2015 Xperience Series—these models are going to be turning heads this summer. They've been completely revamped to provide some unique advantages. This Princecraft is a real chameleon on the water, enabling you to switch activities at the snap of a finger. Feel like fishing? You'll love the spacious fishing platform. How about a little pleasure boating? No problem, the platform quickly converts into a comfortable sitting area thanks to the seats stored in the deck. With your Xperience Series boat, you can adjust your space as fast and smoothly as the landscape gliding past.



▲ XPERIENCE 188

## KEY STANDARD FEATURES



- Deep V double reverse chine hull design
- Raised bow and aft casting platforms with storage
- Stern ProFlo™ aerated livewell system
- Large in-floor lockable rod organizer with tubes for 10 rods
- 2 deluxe folding fishing seats
- 2 fold-down seats in bow platform
- 2 fold-down jump seats in aft platform
- Twin consoles with No-FeedBack™ dual cable steering system
- Drawer in passenger console
- 160-watt AM/FM/Bluetooth Jensen® Stereo with integrated auxiliary input (1/8") in console
- Coaming pads
- In-floor top storage
- Automatic electric bilge pump



XPERIENCE 188 ▲

1. Large in-floor lockable rod organizer for 10 rods
2. Drawer in passenger console
3. 2 fold-down jump seats (1/3-2/3) integrated in the stern platform
4. Optional chemical toilet on slider with holding tank and pump out
5. 2 fold-down seats integrated in the bow platform
6. Driver console including gauges and steering system



## SPECIFICATIONS ▼

	Center line	Beam	Chine width	Maximum depth	Approximate draft	Transom height	Approximate weight	Aluminum thickness (Bottom)	Aluminum thickness (Side)	Built-in gas tank	Maximum HP capacity	Maximum weight capacity	Maximum weight person capacity	Maximum person capacity
<b>188</b>	5.8 m (19'-0")	2.5 m (98")	2.1 m (84")	1.2 m (49")	0.8 m (33")	0.6 m (25")	837 kg (1845 lb.)	2.8 mm (.110")	1.8 mm (.072")	≤ 151 L (40 U.S. gal.)	★ 149 kW (200 HP)	★ 922 kg (2032 lb.)	★ 585 kg (1290 lb.)	★ 9
										★	★	★ 600 kg (1323 lb.)	★ 8	

★ Transport Canada ★ NMMA (USA)

# SUPER PRO

185 GL AND 176



## KEY STANDARD FEATURES



- Deep V double reverse chine hull design
- 4 stainless steel cleats
- 2 deluxe folding seats
- Walk-thru tinted curved tempered glass windshield with door
- No-FeedBack™ dual cable steering system
- 160-watt AM/FM/Bluetooth Jensen® Stereo with integrated auxiliary input (1/8") in console
- 2 stern fold-down jump seats

▲ **SUPER PRO 185 GL**  
Shown in Black  
With optional Special  
decal package

### SUPER PRO 185 GL

- Raised bow casting platform with storage
- Bow ProFlo™ aerated livewell system
- Stern insulated fish box
- In-floor lockable storage compartment

### SUPER PRO 176


- Raised bow and aft casting platforms with storage
- Bow and stern ProFlo™ aerated livewell systems
- In-floor lockable rod organizer for 6 rods



**SUPER PRO 176 ▲**  
Shown in Black

**SUPER PRO 185 GL ▲**  
Shown in Black

1. Optional complete stand-up high top with tonneau cover and curtains connected to windshield
2. Storage compartment under passenger console for 2 batteries to run trolling motor
3. 160-watt AM/FM/Bluetooth Jensen® Stereo with integrated auxiliary input (1/8") in console
4. In-floor lockable rod organizer with tubes for 6 rods (Super Pro 176 only)
5. Driver console with black inserts and gauges
6. Storage under driver console with extensible cargo net



## SPECIFICATIONS ▼

	Center line	Beam	Chine width	Maximum depth	Approximate draft	Transom height	Approximate weight	Aluminum thickness (Bottom)	Aluminum thickness (Side)	Built-in gas tank	Maximum HP capacity	Maximum weight capacity	Maximum weight person capacity	Maximum person capacity
<b>185 GL</b>	5.6 m (18'-6")	2.4 m (95")	2.0 m (80")	1.2 m (46")	0.8 m (33")	0.6 m (25")	667 kg (1470 lb.)	2.8 mm (.110")	1.8 mm (.072")	≤ 151 L (40 U.S. gal.)	★ 131 kW (175 HP)	★ 863 kg (1902 lb.)	★ 517 kg (1140 lb.)	★ 6
<b>176</b>	5.3 m (17'-6")	2.3 m (92")	2.0 m (80")	1.0 m (41")	0.8 m (31")	0.6 m (25")	635 kg (1400 lb.)	2.5 mm (.100")	1.8 mm (.072")	≤ 151 L (40 U.S. gal.)	★ 112 kW (150 HP)	★ 787 kg (1736 lb.)	★ 442 kg (974 lb.)	★ 7

🇨🇦 Transport Canada ★ NMMA (USA)

# SPORT SERIES



SPORT 167  
Shown in Red

# THRILLS GUARANTEED

No matter what some people say, fishing is a true sport. But to satisfy those who like to spend time on other activities, this Princecraft Series offers the ultimate in versatility. Whether you like to water ski or to simply drop a line in the water, thanks to the Sport Series, you no longer have to choose. These boats go everywhere, and can do anything. Discover the thrill of driving a high performance, multipurpose watercraft.



1. Driver console with black inserts and gauges
2. Open side storage
3. Lockable in-floor rod organizer (except Sport 167)
4. Fold-down jump seats ( $\frac{1}{3}$ - $\frac{2}{3}$ ) that can convert into a vinyl covered casting platform (except Sport 172)
5. Lockable side storage
6. 77 L/20 U.S. gal. livewell under jump seat including anti-spill cover, overflow, insulated lid, and protection filter on the filling pump (except Sport 172)



# SPORT

187, 177, 172, AND 167



▲ **SPORT 187**  
Shown in Black

## KEY STANDARD FEATURES



- Raised bow and aft casting platforms with storage
- 2 fold-down jump seats (rear flip-up full-width bench seat in Sport 172)
- Deep self-draining splashwell
- Stainless steel bow and stern eyes
- 4 chromed cleats
- Complete fully-lit instrumentation
- Twin consoles with walk-thru tinted curved tempered glass windshield with door
- Rigging tubes under flooring (stern to console and console to stern)
- Electric bilge pump
- Storage under driver console with extensible cargo net

### SPORT 187 AND 177

- Bow and stern ProFlo™ aerated livewell systems
- No-FeedBack™ dual cable steering system

### SPORT 172 AND 167

- Bow and stern SportFlo™ aerated livewell systems (stern only on Sport 167)
- No-FeedBack™ steering system



**SPORT 187** ▲  
Shown in Black

**SPORT 177** ▲  
Shown in Black

**SPORT 172** ▲  
Shown in Black

**SPORT 167** ▲  
Shown in Red

- Optional 160-watt AM/FM/Bluetooth Jensen® Stereo with integrated auxiliary input (1/8") in console
- Optional bow cushions
- Glove box in passenger console
- Driver console with lighted gauges and black inserts
- Optional battery switch: allowing the onboard power shut down
- Optional black trailer cover



## SPECIFICATIONS ▼

	Center line		Beam	Chine width	Maximum depth	Approximate draft	Transom height	Approximate weight	Aluminum thickness (Bottom)	Aluminum thickness (Side)	Built-in gas tank	Maximum HP capacity	Maximum weight capacity	Maximum weight person capacity	Maximum person capacity
<b>187</b>	5.6 m (18'-6")	2.4 m (95")	2.0 m (80")	1.2 m (46")	0.8 m (33")	0.6 m (25")	680 kg (1500 lb.)	2.8 mm (.110")	1.8 mm (.072")	≤ 151 L (40 U.S. gal.)	★ 131 kW (175 HP)	★ 816 kg (1800 lb.)	★ 525 kg (1157 lb.)	★ 521 kg (1148 lb.)	★ 7
<b>177</b>	5.3 m (17'-5")	2.3 m (92")	1.9 m (75")	1.0 m (40")	0.8 m (30")	0.6 m (25")	603 kg (1330 lb.)	2.5 mm (.100")	1.8 mm (.072")	≤ 98 L (26 U.S. gal.)	★ 112 kW (150 HP)	★ 713 kg (1572 lb.)	★ 450 kg (992 lb.)	★ 413 kg (910 lb.)	★ 6
<b>172</b>	5.3 m (17'-5")	2.3 m (91")	1.9 m (75")	1.0 m (39")	0.8 m (30")	0.6 m (25")	569 kg (1255 lb.)	2.5 mm (.100")	1.8 mm (.072")	≤ 98 L (26 U.S. gal.)	★ 93 kW (125 HP)	★ 712 kg (1570 lb.)	★ 375 kg (827 lb.)	★ 376 kg (830 lb.)	★ 5
<b>167</b>	5.0 m (16'-6")	2.3 m (90")	1.8 m (71")	0.9 m (34")	0.7 m (29")	0.5 m (20")	494 kg (1090 lb.)	2.3 mm (.090")	1.8 mm (.072")	≤ 76 L (20 U.S. gal.)	★ 86 kW (115 HP)	★ 630 kg (1389 lb.)	★ 375 kg (827 lb.)	★ 347 kg (766 lb.)	★ 5

# XPEDITION

## SERIES

# AFFORDABLE PERFORMANCE



1. Lockable tight storage
2. Fold-down jump seats and storage space under fishing platform
3. Large lockable storage compartment with tubes for rods
4. 77 L/20 U.S. gal. stern livewell integrated to fishing platform including anti-spill cover, overflow, insulated lid, and protection filter on the filling pump
5. 64 L/17 U.S. gal. bow livewell integrated to fishing platform including anti-spill cover, overflow, insulated lid, and protection filter on the filling pump
6. Driver console with gauges



**XPEDITION 200 SC** ▲

*Shown in Black  
With optional Port console*

POWERED BY  
**MERCURY**  
PRO ENGINE

Are you the type who leaves at dawn, travels the most beautiful waterways in search of the “best” fishing spot, and only returns at dusk? Then you definitely need a boat that can keep up the pace. The Xpedition Series offers the stamina you need without compromising on stability, ease of handling, power, and storage space. Princecraft will quickly become your best ally.

# XPEDITION

## 200 WS AND 200 SC



▲ XPEDITION 200 SC  
Shown in Black

## KEY STANDARD FEATURES



- Twin plating from bow to mid-ship
- Rigging tubes under flooring (stern to console and console to stern)
- 4 chromed cleats
- Lockable tight storage
- 9-foot rod storage with tubes and support for 4 rods (left side)
- Large lockable rod organizer with tubes for 10 rods
- Carpeted bow mounting trolling motor pad
- 12V, 24V or 36V bow trolling motor plug and receptacle with wiring harness
- PrinceTrak System: extrusion allowing onboard tool fixing
- 6 floor seat bases
- No-FeedBack™ dual cable steering system
- Bow and stern ProFlo™ aerated livewell systems
- 2 folding seats
- 2 stern fold-down jump seats
- Wide stern and bow storage compartments



**XPEDITION 200 WS ▲**  
Shown in Red

**XPEDITION 200 SC ▲**  
Shown in Black

1. Optional removable privacy enclosure
2. Optional bicycle seat package including bicycle seat, post, and seat mount with auto-lock handle
3. Fold-down jump seats and storage space under fishing platform
4. Large lockable rod organizer with tubes for 10 rods accommodating up to 3 batteries and trolling motor charger
5. Lockable tight storage
6. 77 L/20 U.S. gal. stern ProFlo™ livewell including light, intermittent recirculation, anti-spill cover, overflow, insulated lid, and protection filter on the filling pump



## SPECIFICATIONS ▼

	Center line		Beam	Chine width	Maximum depth	Approximate draft	Transom height	Approximate weight	Aluminum thickness (Bottom)	Aluminum thickness (Side)	Built-in gas tank	Maximum HP capacity	Maximum weight capacity	Maximum weight person capacity	Maximum person capacity
<b>200 WS</b>	6.1 m (20'-0")	2.3 m (92")	2.0 m (78")	0.9 m (37")	0.8 m (32")	0.6 m (25")	703 kg (1549 lb.)	2.5 mm (.100")	1.8 mm (.072")	≤ 155 L (41 U.S. gal.)	★ P 186 kW (250 HP)	★ P 841 kg (1854 lb.)	★ P 472 kg (1040 lb.)	★ P 8	
<b>200 SC</b>	6.1 m (20'-0")	2.3 m (92")	2.0 m (78")	0.9 m (37")	0.8 m (33")	0.6 m (25")	664 kg (1463 lb.)	2.5 mm (.100")	1.8 mm (.072")	≤ 155 L (41 U.S. gal.)	★ P 186 kW (250 HP)	★ P 841 kg (1854 lb.)	★ P 472 kg (1040 lb.)	★ P 8	


# XPEDITION

170 WS AND 170 SC



XPEDITION 170 WS  
Shown in Red

## KEY STANDARD FEATURES



- Deep V reverse chine hull design
- Deep self-draining splashwell
- Twin plating from bow to mid-ship
- 4 chromed cleats
- Lockable tight storage
- Large lockable rod organizer with tubes for 8 rods
- 7-foot rod storage with tubes and support for 4 rods (left side)
- 2 stern fold-down jump seats with storage under
- 12V or 24V bow trolling motor plug and receptacle with wiring harness
- Bow and stern SportFlo™ aerated livewell systems
- 2 folding seats
- PrinceTrak System: extrusion allowing onboard tool fixing
- Electric bilge pump
- Carpeted bow mounting trolling motor pad



**XPEDITION 170 WS** ▲  
Shown in Red

**XPEDITION 170 SC** ▲  
Shown in Black

1. PrinceTrak System: extrusion allowing onboard tool fixing
2. PrinceTrak: optional rod holder
3. PrinceTrak: optional cup holder
4. Lockable tight storage
5. Fold-down jump seats and storage space under fishing platform
6. Large lockable rod organizer with tubes for 8 rods accommodating up to 2 batteries and trolling motor charger



## SPECIFICATIONS ▼

	Center line	Beam	Chine width	Maximum depth	Approximate draft	Transom height	Approximate weight	Aluminum thickness (Bottom)	Aluminum thickness (Side)	Built-in gas tank	Maximum HP capacity	Maximum weight capacity	Maximum weight person capacity	Maximum person capacity
<b>170 WS</b>	5.2 m (16'-11")	2.3 m (91")	2.0 m (78")	0.9 m (35")	0.8 m (31")	0.5 m (20")	538 kg (1185 lb.)	2.5 mm (.100")	1.8 mm (.072")	≤ 76 L (20 U.S. gal.)	★ 86 kW (115 HP)	★ 642 kg (1415 lb.)	★ 306 kg (675 lb.)	★ 4
<b>170 SC</b>	5.2 m (16'-11")	2.3 m (91")	2.0 m (78")	0.9 m (35")	0.8 m (31")	0.5 m (20")	511 kg (1127 lb.)	2.5 mm (.100")	1.8 mm (.072")	≤ 76 L (20 U.S. gal.)	★ 86 kW (115 HP)	★ 634 kg (1398 lb.)	★ 306 kg (675 lb.)	★ 5

🇨🇦 Transport Canada ★ NMMA (USA)

# DLX

## SERIES

### FEATURES AND OPTIONS

		Hudson DLX WS	Hudson DLX SC	Hudson DLX BT	Nanook DLX WS	Nanook DLX SC	Amarok DLX WS	Amarok DLX SC	Holiday DLX WS	Holiday DLX SC	Resorter DLX SC	Resorter DLX SC	Yukon DLX BT
STANDARD FEATURES	HULL & DECK												
	5052-H36 marine-grade aluminum alloy	*	*	*	*	*	*	*	*	*	*	*	*
	High gloss exterior High Solids urethane paint and decal package	*	*	*	*	*	*	*	*	*	*	*	*
	Hull (R = reverse chine, S = square chine)	R	R	R	R	R	R	R	R	R	R	R	S
	Aluminum clad transom	*	*	*	*	*	*	*	*	*	*	*	*
	Full-width self-draining splashwell	-	-	-	-	-	-	-	-	-	*	*	*
	Deep self-draining splashwell	*	*	*	*	*	*	*	*	*	-	-	-
	Twin plating from bow to mid-ship	*	*	*	*	*	*	*	*	*	-	-	-
	Twin plating at the chine	*	*	*	-	-	-	-	-	-	-	-	*
	Rigging tube under flooring (console to bow)	*	*	*	*	*	*	*	*	*	-	-	-
	Rigging tube under flooring (stern to console)	*	*	*	*	*	-	-	*	*	-	-	-
	Heavy-duty tubular seat to gunnel braces	-	-	-	-	-	-	-	-	-	-	-	*
	Stainless steel bow and stern eyes	*	*	*	*	*	*	*	*	*	*	*	*
	Center side storage compartment	-	-	-	-	-	-	-	-	-	-	-	2
	4 vinyl cleats	*	*	*	*	*	*	*	*	*	-	-	-
	Raised casting platform (B = bow, A = aft)	B & A	B & A	B & A	B & A	B & A	B & A	B & A	B	B	B	B	-
	Large storage compartments	*	*	*	*	*	*	*	*	*	*	*	*
	Deep cycle battery storage compartment	*	*	*	*	*	*	*	*	*	-	-	-
	Lockable rod organizer (R = with tubes for rods)	10 R	10 R	10 R	6 R	6 R	5 R	5 R	-	-	-	-	-
	FISHING												
Bow SportFlo™ electric-filled aerated livewell	-	-	-	-	-	*	*	*	*	*	*	*	
Stern SportFlo™ electric-filled aerated livewell	*	*	*	*	*	-	-	-	-	-	-	-	
(44", 77 L/20 U.S. gal.)	*	*	*	-	-	-	-	-	-	-	-	-	
(34", 61 L/16 U.S. gal.)	-	-	-	*	*	*	*	*	*	*	*	-	
(26", 39 L/10 U.S. gal.)	-	-	-	-	-	-	-	-	-	-	-	*	
Overflow (+ = anti-spill cover)	**	**	**	**	**	**	**	**	**	**	**	*	
Protection filter on the filling pump	*	*	*	*	*	*	*	*	*	*	*	*	
Rod storage compartment without support (feet)	9'	9'	9'	7'	7'	-	-	7'	7'	7' (2)	7' (2)	-	
Rod holders on passenger side	-	-	-	-	-	*	*	-	-	-	-	-	
12V bow trolling motor plug & receptacle (+ = 12V or 24V)	**	**	**	**	**	**	**	*	*	-	-	-	
Carpeted bow mounting trolling motor pad	*	*	*	*	*	*	*	*	*	-	-	-	
SEATS													
Floor seat bases	6	6	5	6	6	6	6	5	5	4	3	-	
Folding fishing seats with no-pinch hinges	2	2	2	2	2	2	2	2	2	2	2	-	
Parallel seats at stern covered with marine grade carpet	-	-	-	-	-	-	-	-	-	-	-	*	
Bow bench seat covered with marine grade carpet	-	-	-	-	-	-	-	-	-	-	-	*	

# FEATURES AND OPTIONS

		Hudson DLX WS	Hudson DLX SC	Hudson DLX BT	Nanoook DLX WS	Nanoook DLX SC	Amarok DLX WS	Amarok DLX SC	Holiday DLX WS	Holiday DLX SC	Resortor DLX WS	Resortor DLX SC	Yukon DLX BT	
STANDARD FEATURES	CONSOLE													
	Side console with quick release smoked windscreen	-	*	-	-	*	-	*	-	*	-	-	-	
	Twin consoles with walk-thru tinted tempered glass windshield	*	-	-	*	-	*	-	*	-	-	-	-	
	Switch panel with indicator lights (+ = dash panel)	++	++	*	++	++	++	++	++	++	++	*	*	
	No-FeedBack™ steering system	*	*	-	*	*	-	-	-	-	-	-	-	
	Tachometer, voltmeter, speedometer, trim & fuel gauges	*	*	-	-	-	-	-	-	-	-	-	-	
	Tachometer, speedometer & fuel gauges	-	-	-	*	*	-	-	*	*	-	-	-	
	Tachometer and speedometer	-	-	-	-	-	*	*	-	-	-	-	-	
	Fuel gauge	-	-	*	-	-	-	-	-	-	-	-	-	
	OTHERS													
PrinceTrak System: extrusion allowing onboard tool fixing	*	*	*	*	*	*	*	-	-	-	-	-		
Electric bilge pump	*	*	*	*	*	*	*	*	*	*	*	*		
Navigation lights	*	*	*	*	*	*	*	*	*	*	*	*		
Interior light(s)	*	*	-	*	*	*	*	*	*	-	-	-		
Handle(s)	2	-	-	-	-	-	-	-	-	1	1	-		
Cup holder(s)	3	2	-	2	1	5	4	2	1	-	-	-		
Battery holder(s)	3	3	3	3	3	3	3	2	2	1	1	1		
Transducer mounting plate(s)	*	*	*	*	*	*	*	*	*	*	*	*		
Pressure-treated wood floor covered with marine grade vinyl	*	*	*	*	*	*	*	*	*	*	*	*		
OPTIONS	Princecraft special decal package	E	E	E	-	-	-	-	-	-	-	-	-	
	Tilt steering with slider for captain's chair	E	E	-	E	E	E	E	E	E	-	-	-	
	SeaStar® hydraulic steering system with tilt wheel and slider for captain's chair	E	E	-	E	E	E	E	E	E	-	-	-	
	MotorGuide® wireless trolling motor (1 = W55, 2 = W75, 3 = Xi5)	1-2-3	1-2-3	1-2-3	1-2-3	1-2-3	1-2-3	1-2-3	1	1	-	-	-	
	Co-Pilot system for Minn Kota® PD V2 trolling motor	0	0	0	0	0	0	0	0	0	-	-	-	
	Minn Kota® wireless trolling motor (1 = 55 PD V2, 2 = 70 PD V2)	1-2	1-2	1-2	1-2	1-2	1-2	1-2	1	1	-	-	-	
	Charger for 12V or 24V batteries	0	0	0	0	0	0	0	0	0	-	-	-	
	Mercury® 9.9 ELPT Pro-Kicker 45	0	0	-	-	-	-	-	-	-	-	-	-	
	Bow rider seat cushions	0	-	-	-	-	-	-	-	-	-	-	-	
	Stern boarding ladder	0	0	-	0	0	0	0	0	0	-	-	-	
	Seat Package: folding seat, post and seat mount with auto-lock handle	0	0	0	0	0	0	0	0	0	0	0	-	
	Bicycle Seat Package: bicycle seat, post (27") and seat mount with auto-lock handle	0	0	0	0	0	0	0	0	0	0	0	-	
	Aft flip seats and 2 cup holders	0	0	-	0	0	0	0	-	-	-	-	-	
	2 downrigger supports	0	0	0	0	0	0	0	0	0	-	-	-	
	PrinceTrak tools	0	0	0	0	0	0	0	-	-	-	-	-	
	Port console with quick release smoked windscreen	-	0	-	-	0	-	0	-	0	-	-	-	
	160-watt AM/FM/Bluetooth Stereo with integrated auxiliary input (1/8") in console	0	0	-	0	0	0	0	0	0	-	-	-	
	200-watt AM/FM/CD/Bluetooth Stereo with integrated auxiliary input (1/8") in console	0	0	-	0	0	0	0	0	0	-	-	-	
	Lowrance® fish/depth finder (1 = Elite-3x, 2 = Elite-4 HDI, 3 = HDS-5)	1-2-3	1-2-3	1-2-3	1-2-3	1-2-3	1-2-3	1-2-3	1-2-3	1-2-3	1-2	1-2	1-2	
	Humminbird® fish/depth finder (1 = PiranhaMAX 175, 2 = 386ci Combo, 3 = 788ci HD Combo)	1-2-3	1-2-3	1-2-3	1-2-3	1-2-3	1-2-3	1-2-3	1-2-3	1-2-3	1-2	1-2	1-2	
	Analog gauges (tachometer and speedometer)	-	-	-	-	-	-	-	-	-	0	-	-	
	SmartCraft™ gauges (tachometer, speedometer and trim)	E	E	-	-	-	-	-	-	-	-	-	-	
	Mooring or trailer cover	0	0	0	0	0	0	0	0	0	0	0	0	
	Sun top	0	0	0	0	0	0	0	0	0	0	0	0	
	Complete taupe stand-up high top with tonneau cover and curtains	0	0	-	0	0	0	0	0	0	0	-	-	
	Battery switch: allowing the onboard power shut down	0	0	0	0	0	0	0	0	0	0	-	-	
	Livewell minnow bucket	0	0	0	0	0	0	0	0	0	0	0	-	
	COLORS	Red	*	*	*	*	*	*	*	*	*	*	*	-
		Black	*	*	*	*	*	*	*	*	*	*	*	*

\* Standard 0 Option E Upgrade exchange  
 Boat packages available with Mercury® outboard power.

# HUDSON DLX

WS, SC, AND BT



## KEY STANDARD FEATURES



- Reverse chine hull design
- Deep self-draining splashwell
- 2 folding seats
- Stern SportFlo™ aerated livewell system
- Large lockable rod organizer with tubes for 10 rods
- 12V or 24V bow trolling motor plug and receptacle with wiring harness
- Electric bilge pump
- Battery storage compartment
- Navigation lights
- Twin plating from bow to mid-ship
- Raised bow and aft casting platforms with storage

▲ **HUDSON DLX WS**  
Shown in Red

### HUDSON DLX WS AND SC

- Complete fully-lit instrumentation
- No-FeedBack™ dual cable steering system

### HUDSON DLX BT

- Carling switch panel with indicator lights and fuel gauge



**HUDSON DLX WS ▲**  
Shown in Red

**HUDSON DLX SC ▲**  
Shown in Black

**HUDSON DLX BT ▲**  
Shown in Black

1. Large lockable rod organizer with tubes for 10 rods accommodating 2 batteries and trolling motor charger
2. Large storage compartments under the bow casting platform
3. Driver console with gauges (except Hudson DLX BT)
4. Optional Seat Package including post and seat mount with auto-lock handle
5. 77 L/20 U.S. gal. stern SportFlo™ livewell including anti-spill cover, overflow, and protection filter on the filling pump
6. Optional bow cushions (Hudson DLX WS only)



## SPECIFICATIONS ▼

	Center line	Beam	Chine width	Maximum depth	Approximate draft	Transom height	Approximate weight	Aluminum thickness (Bottom)	Aluminum thickness (Side)	Built-in gas tank	Maximum Hp capacity	Maximum weight capacity	Maximum weight person capacity	Maximum person capacity
<b>HUDSON DLX WS</b>	5.8 m (19'-0")	2.3 m (91")	2.0 m (78")	0.9 m (35")	0.8 m (32")	0.6 m (25")	601 kg (1325 lb.)	2.5 mm (.100")	1.8 mm (.072")	≤ 102 L (27 U.S. gal.)	★ 112 kW (150 HP)	★ 676 kg (1490 lb.)	★ 375 kg (827 lb.)	★ 5
											★ 639 kg (1408 lb.)	★ 338 kg (746 lb.)	★ 6	
<b>HUDSON DLX SC</b>	5.8 m (19'-0")	2.3 m (91")	2.0 m (78")	0.9 m (35")	0.8 m (33")	0.6 m (25")	562 kg (1239 lb.)	2.5 mm (.100")	1.8 mm (.072")	≤ 102 L (27 U.S. gal.)	★ 112 kW (150 HP)	★ 676 kg (1490 lb.)	★ 375 kg (827 lb.)	★ 5
											★ 639 kg (1408 lb.)	★ 338 kg (746 lb.)	★ 6	
<b>HUDSON DLX BT</b>	5.8 m (19'-0")	2.3 m (91")	2.0 m (78")	0.9 m (35")	0.8 m (33")	0.6 m (25")	531 kg (1170 lb.)	2.5 mm (.100")	1.8 mm (.072")	≤ 102 L (27 U.S. gal.)	★ 67 kW (90 HP)	★ 611 kg (1348 lb.)	★ 375 kg (827 lb.)	★ 5
											★ 623 kg (1374 lb.)	★ 338 kg (746 lb.)	★ 6	

# DLX WS

## NANOOK, AMAROK, AND HOLIDAY



AMAROK DLX WS ▲  
Shown in Black

### KEY STANDARD FEATURES



- Reverse chine hull design
- Deep self-draining splashwell
- 2 folding fishing seats
- Bow SportFlo™ aerated livewell system (stern livewell on Nanook DLX WS)
- Electric bilge pump
- Twin plating from bow to mid-ship
- Complete fully-lit instrumentation
- Twin consoles with walk-thru tinted curved tempered glass windshield with door

#### NANOOK DLX WS

- Large lockable rod organizer with tubes for 6 rods in bow platform
- No-FeedBack™ steering system

#### AMAROK DLX WS

- In-floor lockable rod organizer for 5 rods

#### HOLIDAY DLX WS

- Lockable 7-foot rod storage



**NANOOK DLX WS ▲**  
Shown in Black

**AMAROK DLX WS ▲**  
Shown in Black

**HOLIDAY DLX WS ▲**  
Shown in Black

1. Optional 200-watt AM/FM/CD/Bluetooth Clarion® Stereo compatible SAT with integrated USB plug and auxiliary input (1/8") in console
2. Storage under driver and passenger consoles
3. Driver console with lighted gauges and black inserts
4. Folding fishing seat
5. Glove box in passenger console
6. Optional aft flip seats that can convert into a large casting platform including 2 cup holders (except Holiday DLX WS)



## SPECIFICATIONS ▼

	Center line		Beam		Chine width		Maximum depth		Approximate draft		Transom height		Approximate weight		Aluminum thickness (Bottom)		Aluminum thickness (Side)		Built-in gas tank		Maximum Hp capacity		Maximum weight capacity		Maximum weight person capacity		Maximum person capacity	
<b>NANOOK DLX WS</b>	5.0 m (16'-6")	2.2 m (88")	1.8 m (71")	0.8 m (33")	0.7 m (28")	0.5 m (20")	474 kg (1044 lb.)	2.3 mm (.090")	1.8 mm (.072")	≤ 76 L (20 U.S. gal.)	★ 86 kW (115 HP)	★ 600 kg (1323 lb.)	★ 318 kg (700 lb.)	★ 4	★ 5													
<b>AMAROK DLX WS</b>	5.0 m (16'-6")	2.2 m (88")	1.8 m (71")	0.8 m (33")	0.7 m (28")	0.5 m (20")	472 kg (1040 lb.)	2.3 mm (.090")	1.8 mm (.072")	Portable	★ 56 kW (75 HP)	★ 623 kg (1373 lb.)	★ 375 kg (827 lb.)	★ 5	★ 6													
<b>HOLIDAY DLX WS</b>	4.9 m (16'-2")	2.2 m (84")	1.8 m (69")	0.8 m (30")	0.7 m (26")	0.5 m (20")	378 kg (834 lb.)	2.3 mm (.090")	1.8 mm (.072")	≤ 76 L (20 U.S. gal.)	★ 56 kW (75 HP)	★ 545 kg (1201 lb.)	★ 300 kg (661 lb.)	★ 4	★ 5													
											★ 530 kg (1169 lb.)	★ 291 kg (641 lb.)	★ 5															

★ Transport Canada ★ NMMA (USA)

# DLX SC

## NANOOK, AMAROK, AND HOLIDAY



NANOOK DLX SC  
Shown in Black

### KEY STANDARD FEATURES



- Reverse chine hull design
- Deep self-draining splashwell
- Bow SportFlo™ aerated livewell system (stern livewell on Nanook DLX SC)
- 12V or 24V bow trolling motor plug and receptacle with wiring harness (12V on Holiday DLX SC)
- Electric bilge pump
- Twin plating from bow to mid-ship
- Complete fully-lit instrumentation
- Side console with quick release smoked windscreen

#### NANOOK DLX SC

- Large lockable rod organizer with tubes for 6 rods
- No-FeedBack™ steering system

#### AMAROK DLX SC

- In-floor lockable rod organizer for 5 rods

#### HOLIDAY DLX SC

- Lockable 7-foot rod storage



**NANOOK DLX SC ▲**  
Shown in Black

**AMAROK DLX SC ▲**  
Shown in Black

**HOLIDAY DLX SC ▲**  
Shown in Black

1. Driver console with lighted gauges and black inserts
2. SportFlo™ aerated livewell system
3. Optional complete stand-up high top with tonneau cover and curtains connected to console (taupe)
4. Folding fishing seat
5. Bow accommodating trolling motor and storage for navigation lights
6. Storage in passenger side (except Amarak DLX SC)



## SPECIFICATIONS ▼

	Center line	Beam	Chine width	Maximum depth	Approximate draft	Transom height	Approximate weight	Aluminum thickness (Bottom)	Aluminum thickness (Side)	Built-in gas tank	Maximum Hp capacity	Maximum weight capacity	Maximum weight person capacity	Maximum person capacity
<b>NANOOK DLX SC</b>	5.0 m (16'-6")	2.2 m (88")	1.8 m (71")	0.8 m (33")	0.7 m (28")	0.5 m (20")	435 kg (958 lb.)	2.3 mm (.090")	1.8 mm (.072")	≤ 76 L (20 U.S. gal.)	★ 86 kW (115 HP)	★ 600 kg (1323 lb.)	★ 318 kg (700 lb.)	★ 4
<b>AMAROK DLX SC</b>	5.0 m (16'-6")	2.2 m (88")	1.8 m (71")	0.8 m (33")	0.7 m (28")	0.5 m (20")	433 kg (954 lb.)	2.3 mm (.090")	1.8 mm (.072")	Portable	★ 56 kW (75 HP)	★ 623 kg (1373 lb.)	★ 338 kg (745 lb.)	★ 6
<b>HOLIDAY DLX SC</b>	4.9 m (16'-2")	2.2 m (84")	1.8 m (69")	0.8 m (30")	0.7 m (26")	0.5 m (20")	359 kg (792 lb.)	2.3 mm (.090")	1.8 mm (.072")	≤ 76 L (20 U.S. gal.)	★ 56 kW (75 HP)	★ 545 kg (1201 lb.)	★ 300 kg (661 lb.)	★ 4
											★ 530 kg (1169 lb.)	★ 291 kg (641 lb.)	★ 5	

# RESORTER DLX

SC AND BT

YUKON DLX

BT



RESORTER DLX BT  
Shown in Black

## KEY STANDARD FEATURES



- Aluminum clad transom
- Full-width self-draining splashwell
- Stainless steel bow and stern eyes
- Electric bilge pump
- Bow SportFlo™ aerated livewell system
- Navigation lights
- Pressure-treated wood floor covered with marine grade vinyl

### RESORTER DLX SC AND BT

- Reverse chine hull design
- Raised bow casting platform with large storage compartment
- 2 folding seats
- 2-7 foot rod storage
- Carpeted front deck

### YUKON DLX BT

- Semi-V hull with square chine
- Parallel seats at stern and bow bench seat covered with marine grade carpet



**RESORTER DLX SC ▲**  
Shown in Black

**RESORTER DLX BT ▲**  
Shown in Black

**YUKON DLX BT ▲**

1. Storage
2. 61 L/16 U.S. gal. bow SportFlo™ livewell including overflow and protection filter on the filling pump (39 L/10 U.S. gal. on Yukon DLX BT)
3. Side console with steering system (Resorter DLX SC only)
4. Large storage compartment under the bow fishing platform (except Yukon DLX BT)
5. Under seat storage (Yukon DLX BT only)
6. Carling switch panel with indicator lights (Yukon DLX BT only)



## SPECIFICATIONS ▼

	Center line	Beam	Chine width	Maximum depth	Approximate draft	Transom height	Approximate weight	Aluminum thickness (Bottom)	Aluminum thickness (Side)	Built-in gas tank	Maximum Hp capacity	Maximum weight capacity	Maximum weight person capacity	Maximum person capacity
<b>RESORTER DLX SC</b>	4.9 m (16'-0")	1.9 m (73")	1.6 m (63")	0.7 m (29")	0.4 m (17")	0.5 m (20")	278 kg (613 lb.)	1.8 mm (.072")	1.6 mm (.064")	Portable	★ 30 kW (40 HP) ★ 453 kg (998 lb.)	★ 244 kg (539 lb.) ★ 300 kg (661 lb.)	★ 4 ★ 4	
<b>RESORTER DLX BT</b>	4.9 m (16'-0")	1.9 m (73")	1.6 m (63")	0.7 m (29")	0.4 m (17")	0.5 m (20")	267 kg (588 lb.)	1.8 mm (.072")	1.6 mm (.064")	Portable	★ 30 kW (40 HP) ★ 453 kg (998 lb.)	★ 244 kg (539 lb.) ★ 300 kg (661 lb.)	★ 4 ★ 4	
<b>YUKON DLX BT</b>	4.3 m (14'-3")	1.7 m (68")	1.4 m (57")	0.7 m (28")	0.4 m (17")	0.5 m (20")	177 kg (390 lb.)	1.6 mm (.064")	1.6 mm (.064")	Portable	★ 19 kW (25 HP) ★ 372 kg (821 lb.)	★ 214 kg (471 lb.) ★ 225 kg (496 lb.)	★ 4 ★ 3	

# SPRINGBOK DL BT

## YUKON DL BT AND YUKON<sup>e</sup> DL BT



▶ SPRINGBOK DL BT

### KEY STANDARD FEATURES

- Semi-V hull with square chine
- Full-width self-draining splashwell
- Bow eye and stern handles
- Center side storage compartments
- Parallel seats at stern covered with marine grade carpet
- Split center seat covered with marine grade carpet
- Bow bench seat covered with marine grade carpet
- Stern storage compartment
- Removable pressure-treated wood floor covered with marine grade vinyl
- High gloss exterior paint finish with decal package
- Twin plating at the chine
- Non-skid anti-glare interior paint finish
- Heavy-duty tubular seat to gunnel braces
- Aluminum clad transom

### YUKON<sup>e</sup> DL BT

- Onboard charger for 2-12V batteries and 2 battery holders

### FEATURES AND OPTIONS

		Springbok DL BT	Yukon DL BT	Yukon <sup>e</sup> DL BT		
STANDARD FEATURES	HULL & DECK	5052-H36 marine grade aluminum alloy	•	•	•	
		High gloss exterior High Solids urethane paint and decal package	•	•	•	
		Non-skid anti-glare interior paint finish	•	•	•	
		Semi-V hull with square chine	•	•	•	
		Aluminum clad transom	•	•	•	
		Full-width self-draining splashwell	•	•	•	
		Twin plating at the chine	•	•	•	
		Heavy-duty tubular seat to gunnel braces	•	•	•	
		Bow eye and stern handles	•	•	•	
		Center side storage compartments	•	•	•	
		Stern storage compartment	•	•	•	
		SEATS	Split center seat covered with marine grade carpet	•	•	•
			Parallel seats at stern covered with marine grade carpet	•	•	•
			Bow bench seat covered with marine grade carpet	•	•	•
OTHERS	Battery holder(s)	1	1	2		
	Onboard charger for 2-12V batteries	-	-	•		
	Removable pressure-treated wood floor covered with marine grade vinyl	•	•	•		
OPTIONS	Station for additional battery bank	-	-	0		
	24V solar panel	-	-	0		
	Sun top	0	0	0		
	Mooring or trailer cover	0	0	0		
COLOR	Black	•	•	•		



SPRINGBOK DL BT ▲

YUKON DL BT ▲

YUKON<sup>®</sup> DL BT ▲

- 1. Split center seat covered with marine grade carpet
- 2-3. Removable pressure-treated wood floor covered with marine grade vinyl (front and back floor pieces)
- 4. Stern storage compartment
- 5. Battery(ies) storage compartment



## SPECIFICATIONS ▼

	Center line	Beam	Chine width	Maximum depth	Approximate draft	Transom height	Approximate weight	Aluminum thickness (Bottom)	Aluminum thickness (Side)	Built-in gas tank	Maximum Hp capacity	Maximum weight capacity	Maximum weight person capacity	Maximum person capacity
<b>SPRINGBOK DL BT</b>	4.9 m (16'-0")	1.7 m (68")	1.4 m (57")	0.7 m (28")	0.4 m (17")	0.5 m (20")	170 kg (375 lb.)	1.6 mm (.064")	1.6 mm (.064")	Portable	★ 24 kW (30 HP)	★ 522 kg (1150 lb.)	★ 300 kg (661 lb.)	★ 4
												★ 491 kg (1082 lb.)	★ 332 kg (732 lb.)	★ 5
<b>YUKON DL BT</b>	4.3 m (14'-3")	1.7 m (68")	1.4 m (57")	0.7 m (28")	0.4 m (17")	0.5 m (20")	156 kg (344 lb.)	1.6 mm (.064")	1.6 mm (.064")	Portable	★ 19 kW (25 HP)	★ 411 kg (905 lb.)	★ 300 kg (661 lb.)	★ 4
												★ 252 kg (555 lb.)		★ 4
<b>YUKON<sup>®</sup> DL BT</b>	4.3 m (14'-3")	1.7 m (68")	1.4 m (57")	0.7 m (28")	0.4 m (17")	0.5 m (20")	156 kg (344 lb.)	1.6 mm (.064")	1.6 mm (.064")	Battery	★ 24V / Cruise 2.0 (equivalent 6 HP)	★ 348 kg (767 lb.)	★ 300 kg (661 lb.)	★ 4
												★ 347 kg (766 lb.)	★ 263 kg (580 lb.)	★ 4

# UTILITIES AND CARTOPS



HOLIDAY ▲



STARFISH 15 ▲



STARFISH 20 ▲

1. Optional sun top
2. Our exclusive polyethylene seats come standard and stay dryer than wood seats
3. The stern parallel seats make moving around much easier
4. Aluminum-clad, hassle-free transom
5. Optional complete side console



## KEY STANDARD FEATURES



- Wide and stable hull design
- Twin plating at the chine
- Full-width self draining splashwell
- High-gloss exterior paint finish and decal package
- Non-skid anti-glare interior paint finish
- Aluminum clad transom
- Parallel seats at stern
- Bulkhead center seat
- Bow bench seat
- Durable ribbed polyethylene seat covering



SPRINGBOK 15 ▲



YUKON 15 ▲



SPRINGBOK 20 ▲



YUKON 20 ▲

## SPECIFICATIONS ▼

	Center line	Beam	Chine width	Maximum depth	Approximate draft	Transom height	Approximate weight	Aluminum thickness (Bottom)	Aluminum thickness (Side)	Built-in gas tank	Maximum HP capacity	Maximum weight capacity	Maximum weight person capacity	Maximum person capacity
<b>HOLIDAY</b>	5.0 m (16'-4")	2.1 m (83")	1.8 m (69")	0.8 m (30")	0.6 m (22")	0.5 m (20")	181 kg (400 lb.)	2.3 mm (.090")	1.8 mm (.072")	Portable	★ 37 kW (50 HP)	🇨🇦 623 kg (1373 lb.)	🇨🇦 375 kg (827 lb.)	🇨🇦 5
											★ 602 kg (1328 lb.)	★ 394 kg (869 lb.)	★ 6	
<b>STARFISH 20</b>	4.9 m (16'-0")	1.9 m (73")	1.6 m (63")	0.7 m (29")	0.4 m (16")	0.5 m (20")	145 kg (320 lb.)	1.8 mm (.072")	1.6 mm (.064")	Portable	★ 30 kW (40 HP)	🇨🇦 591 kg (1302 lb.)	🇨🇦 375 kg (826 lb.)	🇨🇦 5
											★ 591 kg (1303 lb.)	★ 383 kg (844 lb.)	★ 6	
<b>STARFISH 15</b>	4.9 m (16'-0")	1.9 m (73")	1.6 m (63")	0.7 m (29")	0.4 m (17")	0.4 m (15")	138 kg (304 lb.)	1.8 mm (.072")	1.6 mm (.064")	Portable	★ 30 kW (40 HP)	🇨🇦 498 kg (1097 lb.)	🇨🇦 300 kg (661 lb.)	🇨🇦 4
											★ 499 kg (1100 lb.)	★ 291 kg (641 lb.)	★ 5	
<b>SPRINGBOK 20</b>	4.9 m (16'-0")	1.7 m (68")	1.4 m (57")	0.7 m (28")	0.4 m (17")	0.5 m (20")	133 kg (293 lb.)	1.6 mm (.064")	1.6 mm (.064")	Portable	★ 24 kW (30 HP)	🇨🇦 522 kg (1150 lb.)	🇨🇦 300 kg (661 lb.)	🇨🇦 4
											★ 491 kg (1082 lb.)	★ 332 kg (732 lb.)	★ 5	
<b>SPRINGBOK 15</b>	4.9 m (16'-0")	1.7 m (68")	1.4 m (57")	0.7 m (28")	0.4 m (17")	0.4 m (15")	129 kg (285 lb.)	1.6 mm (.064")	1.6 mm (.064")	Portable	★ 24 kW (30 HP)	🇨🇦 444 kg (978 lb.)	🇨🇦 225 kg (496 lb.)	🇨🇦 3
											★ 413 kg (910 lb.)	★ 254 kg (560 lb.)	★ 4	
<b>YUKON 20</b>	4.3 m (14'-3")	1.7 m (68")	1.4 m (57")	0.7 m (28")	0.4 m (17")	0.5 m (20")	120 kg (265 lb.)	1.6 mm (.064")	1.6 mm (.064")	Portable	★ 19 kW (25 HP)	🇨🇦 411 kg (906 lb.)	🇨🇦 300 kg (661 lb.)	★ 4
											★ 411 kg (905 lb.)	★ 252 kg (555 lb.)		
<b>YUKON 15</b>	4.3 m (14'-3")	1.7 m (68")	1.4 m (57")	0.7 m (28")	0.4 m (17")	0.4 m (15")	109 kg (240 lb.)	1.6 mm (.064")	1.6 mm (.064")	Portable	★ 19 kW (25 HP)	🇨🇦 372 kg (821 lb.)	🇨🇦 225 kg (496 lb.)	🇨🇦 3
											★ 214 kg (471 lb.)	★ 4		

# UTILITIES AND CARTOPS



FISHERMAN ▲



UNGAVA ▲

## SPECIFICATIONS ▼

	Center line		Beam	Chine width	Maximum depth	Approximate draft	Transom height	Approximate weight	Aluminum thickness (Bottom)	Aluminum thickness (Side)	Built-in gas tank	Maximum HP capacity	Maximum weight capacity	Maximum weight person capacity	Maximum person capacity
<b>FISHERMAN</b>	4.3 m (14'-0")	1.5 m (60")	1.3 m (51")	0.7 m (26")	0.4 m (13")	0.4 m (15")	91 kg (201 lb.)	1.4 mm (.057")	1.3 mm (.051")	Portable	🇨🇦 15 kW (20 HP) ★ 15 kW (20 HP)	🇨🇦 373 kg (821 lb.) ★ 331 kg (729 lb.)	🇨🇦 225 kg (496 lb.) ★ 225 kg (495 lb.)	🇨🇦 3 ★ 4	
<b>UNGAVA</b>	3.7 m (12'-0")	1.5 m (60")	1.3 m (51")	0.6 m (25")	0.4 m (13")	0.4 m (15")	78 kg (171 lb.)	1.4 mm (.057")	1.3 mm (.051")	Portable	🇨🇦 12 kW (15 HP) ★ 12 kW (15 HP)	🇨🇦 317 kg (699 lb.) ★ 318 kg (700 lb.)	🇨🇦 225 kg (496 lb.) ★ 211 kg (466 lb.)	🇨🇦 3 ★ 4	
<b>SCAMPER</b>	4.3 m (14'-4")	1.5 m (58")	1.1 m (45")	0.5 m (21")	0.4 m (13")	0.4 m (15")	68 kg (150 lb.)	1.3 mm (.051")	1.3 mm (.051")	Portable	🇨🇦 12 kW (15 HP) ★ 12 kW (15 HP)	🇨🇦 341 kg (753 lb.) ★ 340 kg (750 lb.)	🇨🇦 225 kg (496 lb.) ★ 234 kg (516 lb.)	🇨🇦 3 ★ 4	
<b>SEASPRITE</b>	3.7 m (12'-4")	1.5 m (58")	1.1 m (45")	0.5 m (21")	0.4 m (13")	0.4 m (15")	59 kg (130 lb.)	1.3 mm (.051")	1.3 mm (.051")	Portable	🇨🇦 8 kW (10 HP) ★ 8 kW (10 HP)	🇨🇦 280 kg (617 lb.) ★ 274 kg (603 lb.)	🇨🇦 150 kg (330 lb.) ★ 190 kg (418 lb.)	🇨🇦 2 ★ 3	

🇨🇦 Transport Canada ★ NMMA (USA)

## KEY STANDARD FEATURES



- Wide and stable hull design
- Twin plating at the chine\*
- High-gloss exterior paint finish and decal package\*
- Non-skid anti-glare interior paint finish
- Aluminum clad transom
- Parallel seats at stern\*
- Bulkhead center seat
- Bow bench seat\*\*
- Durable ribbed polyethylene seat covering\*

\* Except on Scamper and Seasprite

\*\* Except on Ungava



SCAMPER ▲

SEASPRITE ▲

## FEATURES AND OPTIONS

		Holiday	Starfish 20	Starfish 15	Springbok 20	Springbok 15	Yukon 20	Yukon 15	Fisherman	Ungava	Scamper	Seasprite	CARTOPS	
STANDARD FEATURES	HULL & DECK	5052-H36 marine-grade aluminum alloy	•	•	•	•	•	•	•	•	•	•	•	
		High gloss exterior High Solids urethane paint and decal package	•	•	•	•	•	•	•	•	•	-	-	
		Decal package	-	-	-	-	-	-	-	-	-	•	•	
		Non-skid anti-glare interior paint finish	•	•	•	•	•	•	•	•	•	•	•	
		Hull (R = reverse chine, S = square chine, RC = round chine)	R	R	R	S	S	S	S	S	S	RC	RC	
		Aluminum clad transom	•	•	•	•	•	•	•	•	•	•	•	
		Full-width self-draining splashwell	•	•	•	•	•	•	•	•	-	-	-	-
		Twin plating at the chine	•	•	•	•	•	•	•	•	•	-	-	
		Heavy-duty tubular seat to gunnel braces	•	•	•	•	•	•	•	•	•	•	•	
		Stainless steel bow and stern eyes (E) or bow eye and stern handles (H)	E	H	H	H	H	H	H	H	H	H	H	
SEATS	Parallel seats at stern	•	•	•	•	•	•	•	•	•	-	-		
	Bulkhead center seat	•	•	•	•	•	•	•	•	•	•	•		
	Bow bench seat	•	•	•	•	•	•	•	•	-	•	•		
	Durable ribbed polyethylene seat covering	•	•	•	•	•	•	•	•	•	-	-		
OPTIONS	Sun top	0	0	0	0	0	0	0	0	0	-	-		
	Complete side console: bezel, hub, steering wheel, cable and detachable smoked windscreen	0	0	0	0	0	0	0	-	-	-	-		
	Seat Package: folding seat, detachable swivel plate with auto-lock handle and extrusion	0	0	0	0	0	0	0	0	0	-	-		
COLORS	Black	•	•	•	•	•	•	•	•	•	-	-		
	Aluminum	-	-	-	-	-	-	-	-	-	•	•		

# TECHNICAL DRAWINGS

## 2015 MODELS

### PLATINUM SE




**207**  
p. 28



**206**  
p. 28



**186**  
p. 30




**176**  
p. 30

### XPERIENCE




**188**  
p. 34

### SUPER PRO



**185 GL**  
p. 36




**176**  
p. 36


### SPORT



**187**  
p. 40



**177**  
p. 40




**172**  
p. 40




**167**  
p. 40


### XPEDITION



**200 WS**  
p. 44



**200 SC**  
p. 44



**170 WS**  
p. 46



**170 SC**  
p. 46


#### Legend

- Livewell ■
- Storage compartment ■
- Open space storage compartment ■
- Rod storage compartment ■
- Fuel tank ■
- Ice box ■


# DLX AND DL



**Hudson DLX WS**  
p. 50



**Hudson DLX SC**  
p. 50



**Hudson DLX BT**  
p. 50



**Holiday DLX WS**  
p. 52




**Nanook DLX SC**  
p. 54




**Amarok DLX SC**  
p. 54



**Resorter DLX BT**  
p. 56




**Yukon DLX BT**  
p. 56



**Springbok DL BT**  
p. 58



**Nanook DLX WS**  
p. 52




**Holiday DLX SC**  
p. 54



**Yukon DL BT**  
p. 58



**Amarok DLX WS**  
p. 52




**Resorter DLX SC**  
p. 56




**Yukon<sup>e</sup> DL BT**  
p. 58


# UTILITIES AND CARTOPS




**Holiday**  
p. 60




**Starfish**  
p. 60




**Springbok**  
p. 60




**Yukon**  
p. 60




**Fisherman**  
p. 62



**Ungava**  
p. 62



**Scamper**  
p. 62



**Seasprite**  
p. 62

# CANVAS AND COVERS: A PERFECT FIT

# PRINCETRAK SYSTEM

Extrusion allowing onboard tool attachment



1



2



3



4

Princecraft canvas and covers are specially designed to fit your boat.

What's more, all our boats come with snap buttons installed in our factory using extremely precise templates for a perfect, effortless fit. At Princecraft we provide quality products from bow to stern!

- /1. Mooring cover
- /2. Trailer cover
- /3. Complete stand-up high top with tonneau cover and curtains (windshield model shown)
- /4. Sun top for utilities



/15. Quick storage for three fishing rods /16. Fishing rod support /17. Cup holder /18. Multipurpose plate (Slide your Princetrak into position and attach whatever you want to it: sonar, tools, and lot more).



/9. Stern boarding ladder /10. Combo swim platform and telescoping ladder /11. Folding seat /12. Deluxe folding seat /13. Deluxe convertible seat /14. Heated reclining captain's chair with adjustable armrests /15. Bicycle seat with post /16. Humminbird® 788ci HD Combo sonar/GPS /17. Humminbird® 386ci Combo sonar/GPS /18. Humminbird® PiranhaMAX 175 sonar /19. Lowrance® HDS-5 sonar/GPS /20. Lowrance® Elite-3x sonar /21. Lowrance® Elite-4 HDI sonar /22. Control for kicker engine /23. Kicker engine /24. Snap-in carpet /25. Windshield wiper /26. Mercury SmartCraft™ gauges /27. 160-watt AM/FM/Bluetooth Jensen® Stereo with integrated auxiliary input (1/8") in console /28. 200-watt AM/FM/CD/Bluetooth Clarion® Stereo compatible SAT with integrated USB plug and auxiliary input (1/8") in console /29. Underwater lighting (2 lights) /30-31. Ski pylon /32. Downrigger supports (2) /33. Sleeper seat /34. Battery charger (many models available) /35-36. Wash down system /37. Chemical toilet with holding tank and pump out /38. Marine grade carpeted floor covering /39. Bow cushion set /40. Heated convertible passenger seat /41. Privacy enclosure (for Platinum SE, Xperience, and Xpedition Series only) /42-43. Tilt steering with slider for captain's chair /44. Port console



37



38



39



40



41



42



43



44

## OPTIONAL EQUIPMENT

	Platinum SE 207	Platinum SE 206	Platinum SE 186	Platinum SE 176	Xpedition 188	Super Pro 185 GL	Super Pro 176	Sport 187	Sport 177	Sport 172	Sport 167	Xpedition 200 WS	Xpedition 200 SC	Xpedition 170 WS	Xpedition 170 SC
Princecraft special decal package	E	E	E	E	-	E	E	E	E	E	E	E	E	E	E
Marine grade carpeted floor covering	o	o	o	o	o	-	o	o	o	o	o	-	-	-	-
Snap-in carpet	o	o	o	o	o	-	o	-	-	-	-	-	-	-	-
Tilt steering with slider for driver seat	-	-	-	-	E	E	E	E	E	E	E	E	E	E	E
Sea Star® hydraulic steering system with tilt wheel and slider for captain's chair... upgrade exchange	-	-	-	-	E	E	E	E	E	E	-	E	E	E	E
MotorGuide® W55 wireless trolling motor	-	-	-	-	-	-	o	o	o	o	-	-	o	o	-
MotorGuide® W75 wireless trolling motor	o	o	o	o	o	o	o	o	o	-	o	o	o	o	o
MotorGuide® Xi5 wireless trolling motor	o	o	o	o	o	o	o	o	o	-	o	o	o	o	o
MotorGuide® TR109L FB Digital trolling motor	-	-	o	-	o	-	-	-	-	-	o	o	-	-	-
Co-Pilot system for Minn Kota® PD V2 trolling motor	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o
Minn Kota® 55 PD V2 trolling motor	-	-	-	-	o	-	o	o	o	o	-	-	o	o	o
Minn Kota® 70 PD V2 trolling motor	o	o	o	o	o	o	o	o	o	-	o	o	o	o	o
Minn Kota® Terrova trolling motor	-	-	o	-	o	-	-	-	-	-	o	o	-	-	-
Onboard battery charger	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o
Mercury 9.9 ELPT Pro-Kicker 45	o	o	o	o	o	o	o	o	o	-	o	o	-	-	-
Bow rider seat cushions	o	o	o	o	-	-	o	o	o	o	o	-	o	-	-
Stern boarding ladder	-	-	-	-	o	o	o	o	o	o	o	o	o	o	o
Combo-poly swim platform with telescoping ladder	E	E	E	E	o	o	o	-	-	-	-	-	-	-	-
Ski pylon	o	o	o	o	o	-	o	o	o	o	o	o	-	-	-
Privacy enclosure	-	-	-	-	o	-	-	-	-	-	o	o	o	o	o
Chemical toilet with holding tank and pump out	o	-	o	-	o	-	-	-	-	-	-	-	-	-	-
Port-side sleeper seat	E	E	E	E	-	-	o	o	-	-	-	-	-	-	-
Deluxe folding seats (replacing standard seats)	-	-	-	-	-	-	-	-	-	-	E	E	E	E	E
Seat Package: folding seat, post and seat mount with auto-lock handle	-	-	-	-	-	-	o	o	o	o	o	o	o	o	o
Seat Package (Deluxe): folding seat, post and seat mount with auto-lock handle	-	-	-	-	o	o	o	-	-	-	o	o	o	o	o
Seat Package (Deluxe SE): convertible seat, post and seat mount with auto-lock handle	o	o	o	o	-	-	-	-	-	-	-	-	-	-	-
Bicycle Seat Package: bicycle seat, post (27") and seat mount with auto-lock handle	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o
Heated reclining captain's chair with adjustable armrests... <b>UE</b> for driver seat	E	E	E	E	-	-	-	-	-	-	-	-	-	-	-
Heated passenger convertible seat	E	E	E	E	-	-	-	-	-	-	-	-	-	-	-
Bow beige oval pedestal mount table with cup holders	-	-	-	-	o	-	-	-	-	-	-	-	-	-	-
Downrigger supports	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o
PrinceTrak tools	o	o	o	o	-	-	-	-	-	-	o	o	o	o	o
Port console with quick release smoked windscreen	-	-	-	-	-	-	-	-	-	-	-	o	-	o	-
Parallel arm starboard side wiper	o	o	o	o	o	o	o	o	o	o	-	-	-	-	-
160-watt AM/FM/Bluetooth Jensen® Stereo with integrated auxiliary input (1/8") in console	-	-	-	-	-	-	o	o	o	o	o	o	o	o	o
200-watt AM/FM/CD/Bluetooth Clarion® Stereo compatible SAT with integrated USB plug and auxiliary input (1/8") in console... <b>UE</b>	E	E	E	E	E	E	o	o	o	o	o	o	o	o	o
Lowrance® Elite-3x sonar	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o
Lowrance® Elite-4 HDI sonar	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o
Lowrance® HDS-5 sonar/GPS	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o
Humminbird® PiranhaMAX 175 sonar	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o
Humminbird® 386ci sonar/GPS Combo	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o
Humminbird® 788ci HD sonar/GPS Combo	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o
SmartCraft™ gauges (tachometer, speedometer and trim)	-	-	-	-	E	E	E	E	E	E	-	E	E	E	E
Harness allowing engine instrumentation display on 7" Raymarine® multifunction touch screen	o	o	o	o	-	-	-	-	-	-	-	-	-	-	-
Underwater lighting (2 lights)	o	o	o	o	o	o	o	o	o	o	-	-	-	-	-
Mooring or trailer cover	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o
Sun top	-	-	-	-	-	-	-	-	-	-	-	-	-	o	o
Complete stand-up high top with aluminum frame (+ = stainless steel frame)	o+	o+	o	o	o	o	o	o	o	o	o	o	o	o	o
Wash down system	o	o	o	-	-	o	-	-	-	-	o	o	-	-	-
Battery switch: allowing the onboard power shut down (with power distribution bar)	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o
Engine pod platform	-	-	-	-	-	-	-	-	-	o	-	-	-	-	-
Engine pod platform with stern boarding ladder	-	-	-	-	-	-	o	o	-	-	-	-	-	-	-
Livewell minnow bucket	-	-	-	-	o	-	o	o	o	o	o	o	o	o	o
Anchor roller	-	-	-	-	o	-	-	-	-	-	-	-	-	-	-
<b>COLORS</b>	Platinum black & Metallic Grey	*	*	*	*	-	-	-	-	-	-	-	-	-	-
	Black	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	Red	-	-	-	-	*	*	*	*	*	*	*	*	*	*

o Option E Upgrade exchange

# STANDARD FEATURES

	Platinum SE 207	Platinum SE 206	Platinum SE 186	Platinum SE 176	Xperience 188	Super Pro 185 GL	Super Pro 176	Sport 187	
<b>HULL AND DECK</b>	5052-H36 marine-grade aluminum alloy	•	•	•	•	•	•	•	
	High gloss exterior High Solids urethane paint and decal package (+ = with dome Princecraft logo)	++	++	++	++	•	•	•	
	Reverse chine hull design (+ = Double)	++	++	++	++	++	++	++	
	Twin plating from bow to mid-ship	•	•	•	•	•	•	•	
	Twin plating at the chine	•	•	•	•	•	•	•	
	Rigging tubes under flooring	•	•	•	•	•	•	•	
	Stainless steel bow and stern eyes	•	•	•	•	•	•	•	
	Cleats ( <b>SSR</b> = Stainless steel recessed, <b>SS</b> = Stainless steel, <b>C</b> = Chromed, <b>V</b> = Vinyl)	4 SSR	4 SSR	4 SSR	4 SSR	4 SS	4 SS	4 SS	4 C
	Raised casting platform	Fore & Aft	Fore	Fore & Aft	Fore & Aft	Fore & Aft	Fore	Fore & Aft	Fore & Aft
	Storage compartment(s) ( <b>A</b> = Anchor, <b>B</b> = Battery, <b>S</b> = Storage, <b>I</b> = Ice chest, <b>IF</b> = Insulated fish box, <b>TS</b> = Lockable tight storage)	A, 2B, S, I	A, 2B, S, I, IF	A, 2B, S, I	A, 2B, S, I	A, 2B, S	A, 2B, S, IF	A, 2B, S, I	A, 2B, S, I
<b>LIVEWELLS</b>	Electric aerated livewell system	ProFlo™ Plus	ProFlo™ Plus	ProFlo™ Plus	ProFlo™ Plus	ProFlo™	ProFlo™	ProFlo™	
	(A) Bow livewell - Length inches - Capacity litres (U.S. gal.)	44-77 (20)	44-77 (20)	30-64 (17)	30-64 (17)	-	44-77 (20)	30-64 (17)	30-64 (17)
	(B) Stern livewell - Length (inches) - Capacity litres (U.S. gal.)	34-64 (17)	40-129 (34)	34-64 (17)	34-64 (17)	34-61 (16)	-	34-64 (17)	44-77 (20)
	Recirculation (+ = intermittent)	A+, B+	A+, B+	A+, B+	A+, B+	B+	A+	A, B+	A+, B+
	Overflow (+ = with remote control thru-hull drain)	A+, B+	A+, B+	A+, B+	A+, B+	B	A	A, B	A, B
	Removable minnow bucket	A	A	-	-	-	A	-	-
	Light	A, B	A, B	A, B	B	-	A	B	B
	Anti-spill cover	A, B	A, B	A, B	A, B	B	A	A, B	A, B
	Insulated lid	A, B	A	A, B	A, B	B	A	A, B	A, B
	Protection filter on the filling pump	A, B	A, B	A, B	A, B	B	A	A, B	A, B
<b>FISHING</b>	Removable bow casting deck insert with floor base	•	•	-	•	-	•	-	
	Lockable rod storage compartment ( <b>BP</b> = bow platform, <b>I</b> = in-floor, <b>R</b> = with tubes for rods)	• I, 12 R	• I, 12 R	• I, 6 R	• I, 6 R	• I, 10 R	• I	• I, 6 R	• I, 4 R
	Side storage (+ = lockable door, <b>R</b> = with tubes and supports for rods, <b>S</b> = with supports)	++ (2)	++ (2)	++ (2)	++ (2)	++ (2)	• (2), S	++ (2)	•
	Bow trolling motor plug & receptacle (+ = Deluxe panel)	12 or 24V+	12 or 24V+	12, 24 or 36V+	12 or 24V+	12, 24 or 36V+	12 or 24V	12 or 24V	12 or 24V
Carpeted bow mount trolling motor pad	•	•	•	•	•	•	•	•	
<b>SEATS</b>	<b>B</b> = Bases, <b>HS</b> = Driver heated convertible seat, <b>CS</b> = Convertible seat, <b>DS</b> = Deluxe folding seat, <b>FS</b> = Folding seat, <b>SS</b> = Sleeper seat, <b>JS</b> = Jump seats, <b>RB</b> = Rear flip-up bench seat, <b>SR</b> = Sliding rail for driver seat	6 B, 1 HS, 2 CS, 2 JS, SR	5 B, 1 HS, 2 CS, 2 JS, SR	6 B, 1 HS, 2 CS, 2 JS, SR	6 B, 1 HS, 2 CS, 2 JS, SR	6 B, 2 DS, 2 JS	5 B, 2 DS, 2 JS	6 B, 2 DS, 2 JS	6 B, 2 FS, 2 JS
	Console with dash panel & switches	double	double	double	double	double	double	double	double
<b>CONSOLE</b>	Walk-thru tinted curved tempered glass windshield with door	•	•	•	•	•	•	•	
	Quick release smoked windscreen	-	-	-	-	-	-	-	
	Steering system ( <b>NFB</b> = No-FeedBack™, <b>H</b> = Hydraulic with sport steering wheel, + = with dual cables)	H	H	H	H	NFB+	NFB+	NFB+	NFB+
	7" Raymarine® multifunction touch screen, including GPS functionalities, fish finder, and more	•	•	•	•	-	-	-	-
	AM/FM/Bluetooth Stereo with integrated auxiliary input (1/8") in console	•	•	•	•	•	•	•	-
	Easy-access driver's radio remote control	•	•	•	•	-	-	-	-
	Waterproof speakers	4	4	4	4	2	2	2	-
	Electric horn	•	•	•	•	•	•	•	-
	12V outlet	•	•	•	•	•	•	•	-
	Digital Throttle and Shift System - DTS (with Verado engine only)	•	•	•	•	•	•	•	•
	Instrumentation (gauges)	2	2	2	2	5	5	5	3
	Tachometer	SmartCraft™	SmartCraft™	SmartCraft™	SmartCraft™	•	•	•	•
	Voltmeter	-	-	-	-	•	•	•	-
	Speedometer	SmartCraft™	SmartCraft™	SmartCraft™	SmartCraft™	•	•	•	•
Trim gauge	-	-	-	-	•	•	•	-	
Fuel gauge	-	-	-	-	•	•	•	•	
<b>OTHERS</b>	Pop-up privacy enclosure in stern casting platform	•	-	•	-	-	-	-	
	PrinceTrak System: extrusion allowing onboard tool fixing	•	•	•	•	-	-	-	
	Coaming pads	•	•	•	•	•	-	-	
	Fire extinguisher support (fire extinguisher not included)	•	•	•	•	-	•	•	
	Electric bilge pump(s) ( <b>Auto</b> = Automatic)	Auto	Auto	Auto	Auto	Auto	Auto	Auto	
	2 stainless steel bow rails	•	•	•	•	•	-	•	
	Navigation lights	•	•	•	•	•	•	•	
	In-floor top storage	•	-	•	-	•	-	-	
	Interior light(s)	•	•	•	•	•	•	•	
	Handle(s)	5	5	5	5	6	3	5	7
	Cup holder(s) (+ = LED lighted)	4 (2+)	2 (2+)	7 (2+)	4 (2+)	7	2	2	4
	Battery holder(s)	3	3	4	3	4	3	3	3
Stern boarding ladder with boarding platform	•	•	•	•	-	-	-	-	
Transducer mounting plate(s)	•	•	•	•	•	•	•	•	
Pressure-treated wood floor covered with marine grade vinyl	•	•	•	•	•	•	•	•	





# PRINCECRAFT



For more information on our boats, to check out our videos,  
or to find your nearest dealer, visit our Website at

**[princecraft.com](http://princecraft.com) or call us at 1 800 395-8858**

In Canada: Princecraft Boats Inc., A Brunswick Company, 725 Saint-Henri Street, Princeville (Quebec) G6L 5C2

In the United States: Princecraft U.S., A Brunswick Company, 1st Tennessee Plaza Bldg., Suite 1700, 800 S. Gay Street, Knoxville, TN 37929

Princecraft factory-packaged boats are available with various horsepower Mercury® outboards. [www.mercurymarine.com](http://www.mercurymarine.com)

Special thanks to: Mercury Marine®, Rapala®, Coleman®, Cannon Downriggers.

PLEASE READ CAREFULLY: Dimensions, capacities, ratings, and additional specifications, plus complete warranty and service information, are available from your Princecraft dealer. Product illustrations and data within this catalog are based upon information available at the time of publication. Not all accessories shown in pictures or described herein are standard equipment or even available as options. Specification measurements are approximations and subject to variance. Because Princecraft is dedicated to constant product improvements, Princecraft reserves the right to make changes without prior notice or obligation. Not all model year boats may contain all of the features or meet the specifications described herein. Ask your Princecraft dealer for the most current product specifications prior to purchase. Some of the equipment shown separately or on products illustrated in this catalog may be optional at extra cost. Options and features are subject to change without notice. Princecraft is a member in good standing of the National Marine Manufacturers Association (NMMA) USA and Canada. All boats comply with Canadian Coast Guard and U.S. Coast Guard regulations. All Princecraft® boats are in compliance with NMMA's Boat Certification Program. Attwood™ is a registered trademark of Attwood Corporation. Clarion™ is a registered trademark of Clarion Sales Corporation. Faria™ is a registered trademark of TG Faria, Inc. Pilot™ is a registered trademark of TG Faria, Inc. Flow-Rite™ is a registered trademark of Flow-Rite Controls. Lowrance® is a registered trademark of Lowrance Electronics, Inc. Marincó™ is a registered trademark of Marincó-AFI. McGill™ is a registered trademark of Emerson Electronics. Mercury®, Verado™, OptiMax® and SmartCraft™ are registered trademarks of Mercury Marine.

**MERCURY**  
Outboards



**NMMA**  
CERTIFIED  
using ABYC standards