



PRINCECRAFT®



Aluminum
FISHING BOATS

2017

WE'RE ANGLERS JUST LIKE YOU.

Just like you, we like to be able to put our trust in a product. That's why there's more than 200 of us working to ensure your comfort and safety. And just like you, we like to get the best value for our money. That's why we design the strongest, most durable boats in the industry.

Just like you, we're passionate about fishing. That's why we make boats that are well thought out down to the smallest detail. We know that experience is the key to all the challenges we face. Fortunately, we've been around for over 60 years. Follow our lead, adopt the Princecraft lifestyle.



PRINCECRAFT®

VISIT US AT PRINCECRAFT.COM
or call us 1 800 395-8858



H36 Aluminum	16
Trailers	18
PrinceTrak and livewells	19

PLATINUM SE SERIES

Platinum SE 227, and 207	22
Platinum SE 186, and 176	24

XPERIENCE SERIES

Xperience 195, and 188	28
------------------------------	----

SPORT SERIES

Sport 187, and 164	32
Sport 177, and 172	34

XPEdition SERIES

Xpedition 200, and 170	38
------------------------------	----

DLX AND DL SERIES

Hudson DLX WS, SC, and BT	42
Maska DLX WS, and BT	44
Nanook DLX WS, and SC	46
Amarok DLX WS, SC, and BT	48
Holiday DLX WS, and SC	50
Resorter DLX SC, and BT	52
Yukon DLX BT	52
Springbok DL BT	54
Yukon DL BT	54

UTILITIES AND CARTOPS

Holiday, Starfish, Springbok, Yukon, Fisherman, and Ungava	56
Lynx, Scamper, and Seasprite	58

Technical drawings	60
Canvas and covers	62
Optional equipment	63
Standard features	66

H36

MARINE GRADE ALUMINUM


OUR SECRET: H36 ALUMINUM

Princecraft hulls are the strongest and most durable on the market because they are made with the best marine-grade aluminum in the business, 5052-H36.

- ▶ 25% stronger than the aluminum used by most of our competitors
- ▶ More resistant to shock and warping
- ▶ Maintains peak performance
- ▶ Helps boost boat resale value

3 double-plated hull thicknesses used by Princecraft


4 millimeters
0.170 inches



5 millimeters
0.190 inches




8 millimeters
0.220 inches



If your hull catches on the bottom of the lake, it had better be made of H36!


This graph from a 2011 study by Alcoa Innovation clearly shows H36's superior impact strength.




WHY DON'T ALL MANUFACTURERS USE H36?

H36's rigidity makes it more difficult to work with. It requires extremely accurate, state-of-the-art equipment, and above all, exceptional expertise.

ONLY PRINCECRAFT HAS BOTH!



ULTIMATE STRENGTH




YIELD STRENGTH

H36 also has a higher breaking load and elastic limit than other alloys, which boosts your confidence on the water and the value of your investment!



Invented by Princecraft, the double reverse chine:

- ▶ Improves performance at all speeds and in all boating conditions
- ▶ Makes it easier to steer the boat and control its speed
- ▶ Increases the boat's carrying capacity while reducing friction so the boat planes easily even when heavily loaded
- ▶ Prevents chine walk at high speeds
- ▶ Keeps occupants dry




MOST OF OUR BOATS HAVE TWO THICKNESSES OF H36 ALUMINUM FROM THE MIDDLE OF THE HULL TO THE STERN.

This construction diffuses the stress on the bottom of the boat toward the side panels for better performance at high speeds.

CUSTOM MULTIFUNCTION TRAILERS

To ensure that your pleasure craft lives up to its name, it should be a pleasure to handle all down the line—even when you're towing and launching it.



- 1 Heavy-duty winch*
- 2 Carpeted load guides*
- 3 Swing tongue*
- 4 Fenders with step pads*
- 5 Optional mag wheels*
- 6 Waterproof recessed LED lights*

* On most models or optional



ALL PRINCECRAFT TRAILERS ARE NOW EQUIPPED WITH THIS SYSTEM

This ingenious system combines the advantages of grease and oil to create an ultra high performance lubricant. At room temperature, its viscosity is similar to that of grease. But as the bearings heat up, the lubricant becomes more fluid coating the bearings better to more effectively reduce friction and dissipate the heat generated during towing.

Each bearing is encased in a completely sealed, airtight, leak-proof, pressurized chamber.

That's why each of our trailers is custom-made according to the highest standards of quality to offer topnotch stability and maneuverability on the road, in addition to easy loading and unloading.



SE PAINTED TRAILER
(Platinum SE Series only)



GALVANIZED STEEL TRAILER WITH SWING TONGUE

AN EXTRA DURABLE FRAME

- ▶ Extra sturdy tubular structure
- ▶ Brake cables and circuits are inserted in a steel tube to protect them from the elements
- ▶ Guaranteed long term reliability

OPTIMAL SAFETY

- ▶ Superior on-road stability and handling
- ▶ Watertight LED light system
- ▶ Factory-balanced wheels
- ▶ Double safety chain
- ▶ Sealed hubs
- ▶ Complies with NMMA and Transport Canada standards

SPECIAL FEATURES

- ▶ Sturdy winch
- ▶ Swivel tongue jack*
- ▶ Soldered attachment for optional transom saver motor support
- ▶ Galvanized steel wheelbase for rust protection
- ▶ Practical swing tongue: saves space, stores easily
- ▶ Composite fenders with built-in step pads
- ▶ Radial tires (standard on most models)
- ▶ Aluminum alloy STAR mag wheels (optional on certain models)

STRATEGICALLY PLACED BUNKS AND LOAD GUIDES

- ▶ Custom design
- ▶ Marine carpet-covered load guides protect your boat's hull (certain models only)
- ▶ Bunks remain in constant contact with the hull for optimally distributed support
- ▶ Easier loading and unloading

PRINCETRAK SYSTEM

Extrusion allowing onboard tool attachment



QUICK STORAGE FOR THREE FISHING RODS



FISHING ROD SUPPORT



CUP HOLDER



MULTIPURPOSE PLATE

Slide your PrinceTrak into position and attach whatever you want to it: sonar, tools, and lot more.


Ingenious livewells!

A must-have for fishing, good livewells help keep your catch healthy and fresh. Princecraft offers you three top-quality options to help you get the most out of each and every day of fishing!

SPORTFLO™

This system includes:

- ▶ A pump for filling the tank and aerating the water
- ▶ An overflow system that empties to the outside
- ▶ Protection filter on the filling pump
- ▶ An anti-spill cover¹




Models featuring SportFlo™ livewell system

- ▶ Sport 172 ▶ DLX Series
- ▶ Sport 164

PROFLO™

Includes all SportFlo™ features, plus:

- ▶ A dual pump system that keeps water recirculating on the water or dock
- ▶ Intermittent recirculation to control water aeration¹
- ▶ A light¹




Models featuring ProFlo™ livewell system

- ▶ Xperience Series ▶ Sport 187
- ▶ Sport 177

PROFLO™ PLUS *Exclusive*

The ProFlo™ Plus livewell is virtually maintenance free, and features automatic filling and recirculation that lets you focus on fishing. Its dual-pump system keeps your bait alive and your catch beautifully fresh, whether you're cruising the open water or tied up at the dock.



Models featuring ProFlo™ Plus livewell system

- ▶ Platinum SE Series
- ▶ Xpedition Series

¹ On most models



PLATINUM SE SERIES

YOU'RE IN CONTROL ON THE WATER at the helm of one of four of the highest end fishing boats Princecraft has to offer. Because you are at the top of your game, we are too. Princecraft's Platinum SE Series offers exclusive standard equipment like a heated captain's chair and a Raymarine® touch screen that can display your motor's performance, along with a number of other impressive options such as a heated chair for your co-pilot. You deserve it!



PLATINUM SE 186



7" Raymarine®
**MULTIFUNCTION
TOUCH SCREEN**,
including GPS functionalities,
fish finder, and down scan
imaging



**POP-UP PRIVACY
ENCLOSURE**
accommodating an optional
head with holding tank
and pump out (except
Platinum SE 176)



DRIVER CONSOLE
with black inserts and
SmartCraft™ gauges
(11 functions)



**DRIVER HEATED
SEAT PLUG**
and control plus radio
remote control



LED docking
LIGHTS



Horn and
12V OUTLET



PLATINUM SE 227

PLATINUM SE



	Center line	Beam	Chine width	Maximum depth	Approximate draft	Transom height	Approximate weight	Aluminum thickness (Bottom)	Aluminum thickness (Side)	Built-in gas tank	Maximum HP capacity	Maximum weight capacity	Maximum weight person capacity	Maximum person capacity
227	6.7 m (22'-0")	2.5 m (100")	2.1 m (84")	1.3 m (50")	0.9 m (34")	0.6 m (25")	915 kg (2017 lb.)	2.8 mm (.110")	1.8 mm (.072")	≤ 208 L (55 U.S. gal.)	★ 261 kW (350 HP)	★ 1141 kg (2517 lb.)	★ 680 kg (1500 lb.)	★ 11
207	6.1 m (20'-0")	2.5 m (100")	2.1 m (84")	0.9 m (34")	0.6 m (25")	0.6 m (25")	847 kg (1868 lb.)	2.8 mm (.110")	1.8 mm (.072")	≤ 208 L (55 U.S. gal.)	★ 224 kW (300 HP)	★ 959 kg (2114 lb.)	★ 590 kg (1300 lb.)	★ 9

PLATINUM SE **227**



PLATINUM SE **207**



KEY STANDARD FEATURES


- ▶ Deep V double reverse chine hull design
- ▶ 4 stainless steel recessed cleats
- ▶ Raised bow casting platform with storage
- ▶ Deluxe driver's heated convertible seat
- ▶ 2 deluxe convertible seats
- ▶ 2 stern fold-down jump seats
- ▶ Bow and stern ProFlo™ Plus aerated livewell systems (see page 19 for all the details)
- ▶ Coaming pads
- ▶ In-floor top storage
- ▶ 7" Raymarine® multifunction touch screen, including GPS functionalities, fish finder, and down scan imaging
- ▶ Large in-floor lockable rod organizer for 12 rods
- ▶ 12V, 24V or 36V deluxe bow trolling motor panel with voltmeter and tilt switch
- ▶ SeaStar® hydraulic steering system with tilt wheel
- ▶ 200-watt AM/FM/CD/Bluetooth Clarion® Stereo compatible SAT with integrated USB plug and auxiliary input (1/8") in console, and remote control
- ▶ Mercury® SmartCraft™ gauges
- ▶ Aft raised casting platform with pop-up privacy enclosure and optional head



Large in-floor
LOCKABLE ROD ORGANIZER
for 12 rods



2 optional
DOWNRIGGER SUPPORTS



LED interior
LIGHTING



TOP STORAGE
under the rear
casting platform



Optional
ANCHOR ROLLER



Optional bow rider
SEAT CUSHIONS



PLATINUM SE 186

PLATINUM SE



	Center line	Beam	Chine width	Maximum depth	Approximate draft	Transom height	Approximate weight	Aluminum thickness (Bottom)	Aluminum thickness (Side)	Built-in gas tank	Maximum HP capacity	Maximum weight capacity	Maximum weight person capacity	Maximum person capacity
186	5.6 m (18'-6")	2.4 m (95")	2.0 m (80")	1.2 m (46")	0.8 m (33")	0.6 m (25")	748 kg (1651 lb.)	2.8 mm (.110")	1.8 mm (.072")	≤ 140 L (37 U.S. gal.)	★ ★ 130 kW (175 HP)	★ ★ 863 kg (1902 lb.)	★ 525 kg (1156 lb.)	★ 7
176	5.3 m (17'-6")	2.3 m (92")	2.0 m (80")	1.0 m (41")	0.8 m (31")	0.6 m (25")	651 kg (1435 lb.)	2.5 mm (.100")	1.8 mm (.072")	≤ 140 L (37 U.S. gal.)	★ ★ 112 kW (150 HP)	★ ★ 787 kg (1736 lb.)	★ 450 kg (991 lb.)	★ 6
												★ 442 kg (974 lb.)	★ 7	

PLATINUM SE **186**



PLATINUM SE **176**



KEY STANDARD FEATURES

- ▶ Deluxe driver's heated convertible seat
- ▶ 2 stern fold-down jump seats
- ▶ In-floor lockable rod organizer for 6 rods
- ▶ 200-watt AM/FM/CD/Bluetooth Clarion® Stereo compatible SAT with integrated USB plug and auxiliary input (1/8") in console, and remote control
- ▶ Deep V double reverse chine hull design
- ▶ 4 stainless steel recessed cleats
- ▶ 2 deluxe convertible seats
- ▶ 7" Raymarine® multifunction touch screen, including GPS functionalities, fish finder, and down scan imaging
- ▶ Bow and stern ProFlo™ Plus aerated livewell systems (see page 19 for all the details)
- ▶ 12V or 24V deluxe bow trolling motor panel with voltmeter and tilt switch (up to 36V on Platinum SE 186)
- ▶ SeaStar® hydraulic steering system with tilt wheel
- ▶ Mercury® SmartCraft™ gauges
- ▶ Coaming pads



2 optional **DOWNRIGGER SUPPORTS**



Optional 200-watt AM/FM/CD/Bluetooth **CLARION® STEREO** compatible SAT with integrated USB plug and auxiliary input (1/8") in console



In-floor lockable **ROD ORGANIZER** with tubes for 6 rods



STORAGE under driver console with extensible cargo net



LOCKABLE STORAGE compartments in side panels (passenger and driver sides)



Optional removable **SKI PYLON** (Platinum SE 186 ski pylon shown)



XPERIENCE SERIES

**AN XTRAORDINARY SERIES THAT GIVES YOU EVERYTHING
YOU COULD WISH FOR!**

No matter what type of experience you're looking for, this series is made to deliver a range of emotions, from total Zen to ultra intense. Try out the "fish and cruise" lifestyle with the 188 model or extreme fishing with a 195. Attack the waves thanks to a super-strong hull able to withstand all conditions!



XPERIENCE 195



Large in-floor lockable **ROD ORGANIZER** for 10 rods



DRAWER under passenger console



TOP STORAGE under the rear casting platform



IN-FLOOR STORAGE compartments (passenger and driver sides)



Stainless steel **GRAB RAILS** package (standard on Xperience 188 and optional on Xperience 195)



DRIVER CONSOLE including gauges and dual cable No-FeedBack™ steering system



XPERIENCE 195

XPERIENCE



	Center line	Beam	Chine width	Maximum depth	Approximate draft	Transom height	Approximate weight	Aluminum thickness (Bottom)	Aluminum thickness (Side)	Built-in gas tank	Maximum HP capacity	Maximum weight capacity	Maximum weight person capacity	Maximum person capacity
195	5.8 m (19'-0")	2.5 m (98")	2.1 m (84")	1.2 m (49")	0.8 m (33")	0.6 m (25")	837 kg (1845 lb.)	2.8 mm (.110")	1.8 mm (.072")	≤ 140 L (37 U.S. gal.)	★ ★ 130 kW (175 HP)	★ ★ 876 kg (1931 lb.)	★ 600 kg (1323 lb.) ★ 576 kg (1269 lb.)	★ 8 ★ 9
188	5.8 m (19'-0")	2.5 m (98")	2.1 m (84")	1.2 m (49")	0.8 m (33")	0.6 m (25")	837 kg (1845 lb.)	2.8 mm (.110")	1.8 mm (.072")	≤ 140 L (37 U.S. gal.)	★ ★ 130 kW (175 HP)	★ ★ 876 kg (1931 lb.)	★ 600 kg (1323 lb.) ★ 576 kg (1269 lb.)	★ 8 ★ 9

XPERIENCE 195



XPERIENCE 188



KEY STANDARD FEATURES

- ▶ Deep V double reverse chine hull design
- ▶ Bow raised casting platform
- ▶ Stern ProFlo™ aerated livewell system (bow ProFlo™ aerated livewell system also on Xperience 195)
- ▶ Large in-floor lockable rod organizer with tubes for 10 rods
- ▶ 2 deluxe folding fishing seats
- ▶ Rigging tubes under flooring (stern to console, and console to bow)
- ▶ 2 fold-down jump seats integrated in the stern platform
- ▶ Twin consoles with No-FeedBack™ dual cable steering system
- ▶ Drawer under passenger console
- ▶ 160-watt AM/FM/Bluetooth Jensen® Stereo with integrated auxiliary input (1/8") in console
- ▶ 4 stainless steel cleats (recessed on Xperience 195)
- ▶ In-floor top storage
- ▶ Automatic electric bilge pump



2 FOLD-DOWN JUMP SEATS integrated in the stern platform (Xperience 195 shown)



Optional **HEAD ON SLIDER** with holding tank and pump out (Xperience 188 only)



2 FOLD-DOWN SEATS integrated in the bow platform (Xperience 188 only)



Optional **ANCHOR ROLLER**



Optional bow oval pedestal mount **SNACK TABLE** with cup holders (Xperience 188 only)



SIDE PANEL STORAGE with 4 Plano cases (Xperience 195 only)



SPORT SERIES

MAKE SPEED AND PRECISION PART OF YOUR LIFE!

The next time you're trying to keep your balance at the end of a ski rope or during an exhilarating battle with a fish, you'll soon see that you'll never have time to get bored spending your summer on a Sport Series boat. Catch Sportmania today!



SPORT 172

Shown in Red



DRIVER CONSOLE
with lighted gauges
and black inserts



In-floor lockable
ROD ORGANIZER
with tubes for 4 rods
(except Sport 164)



GLOVE BOX
(passenger console)



STORAGE
under driver console with
extensible cargo net



Interior
COURTESY LIGHT



Deep-cycle
BATTERY STORAGE
under the port side console
(battery storage under the
bow platform on Sport 172)



SPORT 164

Shown in Black

SPORT



	Center line	Beam	Chine width	Maximum depth	Approximate draft	Transom height	Approximate weight	Aluminum thickness (Bottom)	Aluminum thickness (Side)	Built-in gas tank	Maximum HP capacity	Maximum weight capacity	Maximum weight person capacity	Maximum person capacity
187	5.6 m (18'-6")	2.4 m (95")	2.0 m (80")	1.2 m (46")	0.8 m (33")	0.6 m (25")	680 kg (1500 lb.)	2.8 mm (.110")	1.8 mm (.072")	≤ 140 L (37 U.S. gal.)	★ ★ 130 kW (175 HP)	★ ★ 816 kg (1800 lb.)	★ 525 kg (1157 lb.)	★ 7
164	5.0 m (16'-6")	2.3 m (90")	1.8 m (71")	0.9 m (34")	0.7 m (29")	0.5 m (20")	494 kg (1090 lb.)	2.2 mm (.087")	1.8 mm (.072")	≤ 72 L (19 U.S. gal.)	★ ★ 86 kW (115 HP)	★ ★ 630 kg (1389 lb.)	★ 375 kg (827 lb.)	★ 5
												★ 347 kg (766 lb.)	★ 6	

SPORT 187

Shown in Black

**KEY STANDARD FEATURES**

- ▶ Raised bow and aft casting platforms with storage
- ▶ 2 fold-down jump seats integrated in the stern platform
- ▶ Deep self-draining splashwell
- ▶ Stainless steel bow and stern eyes
- ▶ 4 chromed cleats
- ▶ Complete fully-lit instrumentation
- ▶ Twin consoles with walk-thru tinted curved tempered glass windshield with door
- ▶ Rigging tubes under flooring (stern to console, and console to bow)
- ▶ Electric bilge pump
- ▶ Storage under driver console with extensible cargo net

SPORT 164

Shown in Black

**SPORT 187**

- ▶ Bow and stern ProFlo™ aerated livewell systems
- ▶ No-FeedBack™ dual cable steering system

SPORT 164

- ▶ Bow SportFlo™ aerated livewell system
- ▶ No-FeedBack™ steering system



Optional **BATTERY SWITCH:** allowing the onboard power shut down



Optional removable **SKI PYLON**



Optional 160-watt **AM/FM/Bluetooth JENSEN® STEREO** with integrated auxiliary input (1/8") in console



Optional bow rider **SEAT CUSHIONS**



Interior **COURTESY LIGHT**



Telescopic **STERN LADDER**



SPORT 172

Shown in Red

SPORT



	Center line	Beam	Chine width	Maximum depth	Approximate draft	Transom height	Approximate weight	Aluminum thickness (Bottom)	Aluminum thickness (Side)	Built-in gas tank	Maximum HP capacity	Maximum weight capacity	Maximum weight person capacity	Maximum person capacity
177	5.3 m (17'-5")	2.3 m (92")	1.9 m (75")	1.0 m (40")	0.8 m (30")	0.6 m (25")	603 kg (1330 lb.)	2.5 mm (.100")	1.8 mm (.072")	≤ 91 L (24 U.S. gal.)	★ ★ 112 kW (150 HP)	★ ★ 713 kg (1572 lb.)	★ 450 kg (992 lb.) ★ 413 kg (910 lb.)	★ 6 ★ 7
172	5.3 m (17'-5")	2.3 m (91")	1.9 m (75")	1.0 m (39")	0.8 m (30")	0.6 m (25")	625 kg (1377 lb.)	2.5 mm (.100")	1.8 mm (.072")	≤ 91 L (24 U.S. gal.)	★ ★ 93 kW (125 HP)	★ ★ 703 kg (1549 lb.)	★ 450 kg (992 lb.) ★ 420 kg (926 lb.)	★ 6 ★ 7

SPORT 177

Shown in Black

**KEY STANDARD FEATURES**

- ▶ Raised bow and aft casting platforms with storage
- ▶ 2 fold-down jump seats (rear flip-up full-width bench seat in Sport 172)
- ▶ Deep self-draining splashwell
- ▶ Stainless steel bow and stern eyes
- ▶ 4 chromed cleats
- ▶ Complete fully-lit instrumentation
- ▶ Twin consoles with walk-thru tinted curved tempered glass windshield with door
- ▶ Rigging tubes under flooring (stern to console, and console to bow)
- ▶ Electric bilge pump
- ▶ Storage under driver console with extensible cargo net

SPORT 172

Shown in Red

**SPORT 177**

- ▶ Bow and stern ProFlo™ aerated livewell systems
- ▶ No-FeedBack™ dual cable steering system

SPORT 172

- ▶ Bow and stern SportFlo™ aerated livewell systems
- ▶ No-FeedBack™ steering system



Optional 160-watt AM/FM/Bluetooth **JENSEN® STEREO** with integrated auxiliary input (1/8") in console



Optional bow rider **SEAT CUSHIONS**



DRIVER CONSOLE with lighted gauges and black inserts



Rear flip-up **FULL-WIDTH BENCH SEAT** on Sport 172 only (fold-down jump seats (1/3-2/3) on Sport 177)



Optional **REMOVABLE SKI PYLON** on Sport 177 only (3-position ski pylon optional on Sport 172)



In-floor lockable **ROD ORGANIZER** with tubes for 4 rods



XPEDITION SERIES

XPEDITION 200

Shown in Black
WS Option shown

**ARE YOU THE TYPE OF PERSON WHO FOLLOWS THEIR INTUITION
AND NEVER GIVES UP?**

Itching to unleash your inner pro? This series has been completely revamped to bring out the pro in you. Intense is the word that best describes all your Xpedition's features, redesigned to make fishing both exciting and efficient. A machine made for fishing warriors like you!



DRAWERS
under driver and passenger
consoles (DC and WS
versions)



4 stainless steel
FOLDING CLEATS



2 fold-down
JUMP SEATS
integrated in the stern
platform and storage
compartment



ACS UNIQUE SYSTEM
(Advanced Circulation
System) allowing air
circulation in the bow storage
compartments while the boat
is trailered or underway



DRIVER CONSOLE
with No-FeedBack™ steering
system and lighted gauges



**LARGE LOCKABLE
ROD ORGANIZER**
with tubes for 10 rods
accommodating up to
3 batteries and trolling
motor charger (8 rods
and 2 batteries
on Xpedition 170)



XPEDITION 200

Shown in Black
WS Option shown


XPEDITION



	Center line	Beam	Chine width	Maximum depth	Approximate draft	Transom height	Approximate weight	Aluminum thickness (Bottom)	Aluminum thickness (Side)	Built-in gas tank	Maximum HP capacity	Maximum weight capacity	Maximum weight person capacity	Maximum person capacity
200 WS, DC, AND SC	6.1 m (20'-0")	2.3 m (92")	2.0 m (78")	0.9 m (37")	0.8 m (33")	0.6 m (25")	664 kg (1463 lb.)	2.5 mm (.100")	1.8 mm (.072")	≤ 144 L (38 U.S. gal.)	★ 186 kW (250 HP)	★ 841 kg (1854 lb.)	★ 472 kg (1040 lb.)	★ 8
170 WS, DC, AND SC	5.2 m (16'-11")	2.3 m (91")	2.0 m (78")	0.9 m (35")	0.8 m (31")	0.5 m (20")	538 kg (1185 lb.)	2.5 mm (.100")	1.8 mm (.072")	≤ 72 L (19 U.S. gal.)	★ 86 kW (115 HP)	★ 642 kg (1415 lb.)	★ 300 kg (661 lb.)	★ 4
											★ 634 kg (1398 lb.)	★ 306 kg (675 lb.)	★ 5	

XPEDITION 200

Shown in Black
WS Option shown



XPEDITION 170

Shown in Red
WS Option shown



KEY STANDARD FEATURES

- ▶ Twin plating from bow to mid-ship
- ▶ Rigging tubes under flooring (stern to console, and console to bow)
- ▶ 4 stainless steel folding cleats
- ▶ Lockable tight storage
- ▶ 9-foot rod storage with tubes and support for 4 rods (left side) (7-foot storage on Xpedition 170)
- ▶ Large lockable rod organizer with tubes for 10 rods (8 rods on Xpedition 170)
- ▶ Bow mounting trolling motor aluminum pad
- ▶ 12V or 24V bow trolling motor plug and receptacle with wiring harness (up to 36V on Xpedition 200)
- ▶ PrinceTrak System: extrusion allowing onboard tool fixing
- ▶ 4 floor seat bases
- ▶ No-FeedBack™ steering system
- ▶ Bow and stern ProFlo™ Plus aerated livewell systems
- ▶ 2 folding seats
- ▶ 2 stern fold-down jump seats
- ▶ Stern and bow storage compartments



STORAGE
for 3 batteries to run the electric motor (storage for 2 batteries on Xpedition 170)



COCKPIT QUICK DRAIN
to bilge



ACS UNIQUE SYSTEM
(Advanced Circulation System) allowing air circulation in the bow storage compartments while the boat is trailered or underway



LARGE LOCKABLE ROD ORGANIZER
with tubes for 10 rods accommodating up to 3 batteries and trolling motor charger (8 rods and 2 batteries on Xpedition 170)



BOW AND STERN
ProFlo™ Plus aerated livewell systems (see page 19 for all the details)



DRIVER CONSOLE
with No-FeedBack™ steering system and lighted gauges



DLX AND DL SERIES

EXPERIENCE YOUR GREATEST PASSION TO THE MAX.

Solidly built to handle any situation seasoned anglers like you could face, the models in the DL and DLX Series are intelligently designed with ergonomic storage compartments that make it easy to quickly find what you're looking for. It's your turn to enjoy the solid strength of a Princecraft DL or DLX.



MASKA DLX WS

Shown in Red



HUDSON DLX WS

Shown in Black
 Princecraft special decal package Option
 Telescopic ladder Option

HUDSON DLX

	Center line	Beam	Chine width	Maximum depth	Approximate draft	Transom height	Approximate weight	Aluminum thickness (Bottom)	Aluminum thickness (Side)	Built-in gas tank	Maximum HP capacity	Maximum weight capacity	Maximum weight person capacity	Maximum person capacity
WS	5.8 m (19'-0")	2.3 m (91")	2.0 m (78")	0.9 m (35")	0.8 m (32")	0.6 m (25")	601 kg (1325 lb.)	2.5 mm (.100")	1.8 mm (.072")	≤ 95 L (25 U.S. gal.)	★ ★ 112 kW (150 HP)	★ 676 kg (1490 lb.) ★ 639 kg (1408 lb.)	★ 375 kg (827 lb.) ★ 338 kg (746 lb.)	★ 5 ★ 6
SC	5.8 m (19'-0")	2.3 m (91")	2.0 m (78")	0.9 m (35")	0.8 m (33")	0.6 m (25")	562 kg (1239 lb.)	2.5 mm (.100")	1.8 mm (.072")	≤ 95 L (25 U.S. gal.)	★ ★ 112 kW (150 HP)	★ 676 kg (1490 lb.) ★ 639 kg (1408 lb.)	★ 375 kg (827 lb.) ★ 338 kg (746 lb.)	★ 5 ★ 6
BT	5.8 m (19'-0")	2.3 m (91")	2.0 m (78")	0.9 m (35")	0.8 m (33")	0.6 m (25")	531 kg (1170 lb.)	2.5 mm (.100")	1.8 mm (.072")	≤ 95 L (25 U.S. gal.)	★ ★ 67 kW (90 HP)	★ 611 kg (1348 lb.) ★ 623 kg (1374 lb.)	★ 375 kg (827 lb.) ★ 338 kg (746 lb.)	★ 5 ★ 6



HUDSON DLX WS

Shown in Black

**HUDSON DLX SC**

Shown in Black

**HUDSON DLX BT****KEY STANDARD FEATURES**

- ▶ Reverse chine hull design
- ▶ Deep self-draining splashwell
- ▶ 2 folding seats
- ▶ Stern SportFlo™ aerated livewell system
- ▶ Large lockable rod organizer with tubes for 10 rods with L-shape door
- ▶ 12V or 24V bow trolling motor plug and receptacle with wiring harness
- ▶ Electric bilge pump
- ▶ Battery storage compartment
- ▶ Navigation lights
- ▶ Twin plating from bow to mid-ship
- ▶ Raised bow and aft casting platforms with storage

HUDSON DLX WS AND SC

- ▶ Complete fully-lit instrumentation
- ▶ No-FeedBack™ dual cable steering system

HUDSON DLX BT

- ▶ Carling switch panel with indicator lights and fuel gauge



Large lockable **ROD ORGANIZER** with tubes for 10 rods accommodating 2 batteries and trolling motor charger



LARGE STORAGE compartments under the bow casting platform



DRIVER CONSOLE with gauges (except Hudson DLX BT)



Optional 160-watt AM/FM/Bluetooth **JENSEN® STEREO** with integrated auxiliary input (1/8") in console (except Hudson DLX BT)



77 L/20 U.S. gal. stern **SPORTFLO™ LIVEWELL** including anti-spill cover, overflow, and protection filter on the filling pump




Optional **BOW CUSHIONS** (Hudson DLX WS only)



MASKA DLX WS

Shown in Red
Telescopic ladder Option

MASKA DLX



	Center line	Beam	Chine width	Maximum depth	Approximate draft	Transom height	Approximate weight	Aluminum thickness (Bottom)	Aluminum thickness (Side)	Built-in gas tank	Maximum HP capacity	Maximum weight capacity	Maximum weight person capacity	Maximum person capacity
WS	5.5 m (18'-1")	2.3 m (91")	2.0 m (78")	0.9 m (35")	0.8 m (32")	0.6 m (25")	578 kg (1275 lb.)	2.5 mm (.100")	1.8 mm (.072")	≤ 95 L (25 U.S. gal.)	★★ 112 kW (150 HP) ★ 637 kg (1405 lb.)	★ 638 kg (1407 lb.) ★ 337 kg (744 lb.)	★ 375 kg (827 lb.) ★ 337 kg (744 lb.)	★ 5 ★ 6
BT	5.5 m (18'-1")	2.3 m (91")	2.0 m (78")	0.9 m (35")	0.5 m (20")	508 kg (1120 lb.)	508 kg (1120 lb.)	2.5 mm (.100")	1.8 mm (.072")	≤ 95 L (25 U.S. gal.)	★★ 56 kW (75 HP)	★ 577 kg (1272 lb.) ★ 337 kg (744 lb.)	★ 375 kg (827 lb.) ★ 337 kg (744 lb.)	★ 5 ★ 6

MASKA DLX WS

Shown in Red

**KEY STANDARD FEATURES**


- ▶ Reverse chine hull design
- ▶ Deep self-draining splashwell
- ▶ 2 folding seats
- ▶ Stern SportFlo™ aerated livewell system
- ▶ Large lockable rod organizer with tubes for 9 rods with L-shape door
- ▶ 12V or 24V bow trolling motor plug and receptacle with wiring harness
- ▶ Electric bilge pump
- ▶ Battery storage compartment
- ▶ Navigation lights
- ▶ Twin plating from bow to mid-ship
- ▶ Raised bow and aft casting platforms with storage

MASKA DLX BT**MASKA DLX WS**

- ▶ Complete fully-lit instrumentation
- ▶ No-FeedBack™ dual cable steering system

MASKA DLX BT

- ▶ Carling switch panel with indicator lights and fuel gauge



Large lockable
ROD ORGANIZER
with tubes for 9 rods



LARGE STORAGE
compartments under the
bow casting platform



DRIVER CONSOLE
with dual cable
No-FeedBack™ steering
system and lighted gauges
(Maska DLX WS only)



Optional 160-watt
AM/FM/Bluetooth
JENSEN® STEREO
with integrated auxiliary
input (1/8") in console
(Maska DLX WS only)



Optional
SPECIAL DECAL
package



Optional
AFT FLIP SEATS
that can convert into a large
casting platform including
2 cup holders
(Maska DLX WS only)



NANOOK DLX WS

Shown in Magnetic Gray

NANOOK DLX



	Center line	Beam	Chine width	Maximum depth	Approximate draft	Transom height	Approximate weight	Aluminum thickness (Bottom)	Aluminum thickness (Side)	Built-in gas tank	Maximum HP capacity	Maximum weight capacity	Maximum weight person capacity	Maximum person capacity
WS	5.0 m (16'-6")	2.2 m (88")	1.8 m (71")	0.8 m (33")	0.7 m (28")	0.5 m (20")	474 kg (1044 lb.)	2.2 mm (.087")	1.8 mm (.072")	≤ 72 L (19 U.S. gal.)	★ ★ 86 kW (115 HP)	★ 600 kg (1323 lb.)	★ 300 kg (661 lb.) ★ 318 kg (700 lb.)	★ 4 ★ 5
SC	5.0 m (16'-6")	2.2 m (88")	1.8 m (71")	0.8 m (33")	0.7 m (28")	0.5 m (20")	435 kg (958 lb.)	2.2 mm (.087")	1.8 mm (.072")	≤ 72 L (19 U.S. gal.)	★ ★ 86 kW (115 HP)	★ 600 kg (1323 lb.)	★ 300 kg (661 lb.) ★ 318 kg (700 lb.)	★ 4 ★ 5

NANOOK DLX WS

Shown in Magnetic Gray

**NANOOK DLX SC**

Shown in Black

**KEY STANDARD FEATURES**

- ▶ Reverse chine hull design
- ▶ Deep self-draining splashwell
- ▶ 2 folding seats
- ▶ Stern SportFlo™ aerated livewell system
- ▶ Electric bilge pump
- ▶ Twin plating from bow to mid-ship
- ▶ Complete fully-lit instrumentation
- ▶ Twin consoles with walk-thru tinted curved tempered glass windshield with door (Nanook DLX WS only)
- ▶ Side console with quick release smoked windscreen (Nanook DLX SC only)
- ▶ Large lockable rod organizer with tubes for 6 rods in bow platform
- ▶ 12V or 24V bow trolling motor plug and receptacle with wiring harness
- ▶ No-FeedBack™ steering system



STORAGE
compartment (driver side)



DRIVER CONSOLE
with No-FeedBack™ steering system, lighted gauges, and black inserts



STORAGE
under driver and passenger consoles (Nanook DLX WS only)



Optional **AFT FLIP SEATS** that can convert into a large casting platform including 2 cup holders



Folding **FISHING SEAT**



Optional **SPECIAL DECAL** package



AMAROK DLX WS

Shown in Black
Telescopic Ladder Option

AMAROK DLX



	Center line	Beam	Chine width	Maximum depth	Approximate draft	Transom height	Approximate weight	Aluminum thickness (Bottom)	Aluminum thickness (Side)	Built-in gas tank	Maximum HP capacity	Maximum weight capacity	Maximum weight person capacity	Maximum person capacity
WS	5.0 m (16'-6")	2.2 m (88")	1.8 m (71")	0.8 m (33")	0.7 m (28")	0.5 m (20")	472 kg (1040 lb.)	2.2 mm (.087")	1.8 mm (.072")	Portable	★ ★ 56 kW (75 HP)	★ ★ 623 kg (1373 lb.)	★ 375 kg (827 lb.) ★ 338 kg (745 lb.)	★ 5 ★ 6
SC	5.0 m (16'-6")	2.2 m (88")	1.8 m (71")	0.8 m (33")	0.7 m (28")	0.5 m (20")	433 kg (954 lb.)	2.2 mm (.087")	1.8 mm (.072")	Portable	★ ★ 56 kW (75 HP)	★ ★ 623 kg (1373 lb.)	★ 375 kg (827 lb.) ★ 338 kg (745 lb.)	★ 5 ★ 6
BT	5.0 m (16'-6")	2.2 m (88")	1.8 m (71")	0.8 m (33")	0.7 m (28")	0.5 m (20")	433 kg (954 lb.)	2.2 mm (.087")	1.8 mm (.072")	Portable	★ ★ 45 kW (60 HP)	★ ★ 503 kg (1109 lb.)	★ 300 kg (661 lb.) ★ 295 kg (650 lb.)	★ 4 ★ 5

AMAROK DLX WS

Shown in Black
Telescopic ladder Option

**AMAROK DLX SC**

Shown in Black

**AMAROK DLX BT****KEY STANDARD FEATURES**

- ▶ Reverse chine hull design
- ▶ Deep self-draining splashwell
- ▶ 2 folding seats
- ▶ Bow SportFlo™ aerated livewell system
- ▶ 12V or 24V bow trolling motor plug and receptacle with wiring harness
- ▶ Electric bilge pump
- ▶ Twin plating from bow to mid-ship
- ▶ Twin consoles with walk-thru tinted curved tempered glass windshield with door (Amarok DLX WS only)
- ▶ Side console with quick release smoked windscreen (Amarok DLX SC only)
- ▶ In-floor lockable rod organizer for 5 rods

AMAROK DLX WS AND SC

- ▶ Complete fully-lit instrumentation

AMAROK DLX BT

- ▶ Carling switch panel with indicator lights



Optional 200-watt AM/FM/CD/Bluetooth **CLARION® STEREO** compatible SAT with integrated USB plug and auxiliary input (1/8") in console (Amarok DLX WS and SC only)



STORAGE under driver and passenger consoles (Amarok DLX WS and SC only)



DRIVER CONSOLE with lighted gauges and black inserts (Amarok DLX WS and SC only)



61 L/16 U.S. gal. bow **SPORTFLO™ LIVEWELL** including anti-spill cover, overflow, and protection filter on the filling pump



Optional **AFT FLIP SEATS** that can convert into a large casting platform including 2 cup holders (Amarok DLX WS and SC only)



In-floor lockable **ROD ORGANIZER** for 5 rods



HOLIDAY DLX SC

Shown in Black
Port side console Option

HOLIDAY DLX



	Center line	Beam	Chine width	Maximum depth	Approximate draft	Transom height	Approximate weight	Aluminum thickness (Bottom)	Aluminum thickness (Side)	Built-in gas tank	Maximum HP capacity	Maximum weight capacity	Maximum weight person capacity	Maximum person capacity
WS	4.9 m (16'-2")	2.2 m (84")	1.8 m (69")	0.8 m (30")	0.7 m (26")	0.5 m (20")	378 kg (834 lb.)	2.2 mm (.087")	1.8 mm (.072")	≤ 72 L (19 U.S. gal.)	★ ★ 56 kW (75 HP)	★ 545 kg (1201 lb.) ★ 530 kg (1169 lb.)	★ 300 kg (661 lb.) ★ 291 kg (641 lb.)	★ 4 ★ 5
SC	4.9 m (16'-2")	2.2 m (84")	1.8 m (69")	0.8 m (30")	0.7 m (26")	0.5 m (20")	359 kg (792 lb.)	2.2 mm (.087")	1.8 mm (.072")	≤ 72 L (19 U.S. gal.)	★ ★ 56 kW (75 HP)	★ 545 kg (1201 lb.) ★ 530 kg (1169 lb.)	★ 300 kg (661 lb.) ★ 291 kg (641 lb.)	★ 4 ★ 5

HOLIDAY DLX WS

Shown in Magnetic Gray

**KEY STANDARD FEATURES**

- ▶ Reverse chine hull design
- ▶ Deep self-draining splashwell
- ▶ 2 folding seats
- ▶ Bow SportFlo™ aerated livewell system
- ▶ 12V bow trolling motor plug and receptacle with wiring harness
- ▶ Electric bilge pump
- ▶ Twin plating from bow to mid-ship
- ▶ Complete fully-lit instrumentation
- ▶ Twin consoles with walk-thru tinted curved tempered glass windshield with door (Holiday DLX WS only)
- ▶ Side console with quick release smoked windscreen (Holiday DLX SC only)
- ▶ Lockable 7-foot rod storage

HOLIDAY DLX SC

Shown in Black



DRIVER CONSOLE
with lighted gauges and black inserts (Holiday DLX SC shown)



61 L/16 U.S. gal. bow **SPORTFLO™ AERATED LIVEWELL** including overflow, anti-spill cover, and protection filter on the filling pump



Folding **FISHING SEAT**



Optional 160-watt AM/FM/Bluetooth **JENSEN® STEREO** with integrated auxiliary input (1/8") in console



BOW ACCOMMODATING TROLLING MOTOR and storage for navigation lights



STORAGE compartment (driver side)



RESORTER DLX BT

RESORTER DLX AND YUKON DLX

	Center line	Beam	Chine width	Maximum depth	Approximate draft	Transom height	Approximate weight	Aluminum thickness (Bottom)	Aluminum thickness (Side)	Built-in gas tank	Maximum HP capacity	Maximum weight capacity	Maximum weight person capacity	Maximum person capacity
RESORTER DLX SC	4.9 m (16'-0")	1.9 m (73")	1.6 m (63")	0.7 m (29")	0.4 m (17")	0.5 m (20")	278 kg (613 lb.)	1.8 mm (.072")	1.5 mm (.061")	Portable	★ ★ 30 kW (40 HP) ★ ★ 453 kg (998 lb.)	★ 300 kg (661 lb.) ★ 244 kg (539 lb.)	★ ★ 4	
RESORTER DLX BT	4.9 m (16'-0")	1.9 m (73")	1.6 m (63")	0.7 m (29")	0.4 m (17")	0.5 m (20")	267 kg (588 lb.)	1.8 mm (.072")	1.5 mm (.061")	Portable	★ ★ 30 kW (40 HP) ★ ★ 453 kg (998 lb.)	★ 300 kg (661 lb.) ★ 244 kg (539 lb.)	★ ★ 4	
YUKON DLX BT	4.3 m (14'-3")	1.7 m (68")	1.4 m (57")	0.7 m (28")	0.4 m (17")	0.5 m (20")	177 kg (390 lb.)	1.5 mm (.061")	1.5 mm (.061")	Portable	★ ★ 19 kW (25 HP) ★ 372 kg (821 lb.)	★ 225 kg (496 lb.) ★ 214 kg (471 lb.)	★ 3 ★ 4	

RESORTER DLX SC

Shown in Black

**RESORTER DLX BT****YUKON DLX BT****KEY STANDARD FEATURES**

- ▶ Aluminum clad transom
- ▶ Full-width self-draining splashwell
- ▶ Stainless steel bow and stern eyes
- ▶ Electric bilge pump
- ▶ Bow SportFlo™ aerated livewell system
- ▶ Navigation lights
- ▶ Pressure-treated wood floor covered with marine grade vinyl

RESORTER DLX SC AND BT

- ▶ Reverse chine hull design
- ▶ Raised bow casting platform with wide large storage compartment
- ▶ 2 folding seats
- ▶ 2-7 foot rod storages
- ▶ Vinyl front deck

YUKON DLX BT

- ▶ Semi-V hull with square chine
- ▶ Parallel seats at stern and bow bench seat covered with marine grade carpet



61 L/16 U.S. gal. bow **SPORTFLO™ LIVEWELL** including anti-spill cover, overflow, and protection filter on the filling pump (39 L/10 U.S. gal. on Yukon DLX BT)



SEAT BASE on bow fishing platform (except on Yukon DLX BT)



SIDE CONSOLE with steering system (Resorter DLX SC only)



LARGE STORAGE compartment under the bow fishing platform (except on Yukon DLX BT)



39 L/10 U.S. gal. bow **SPORTFLO™ LIVEWELL** including overflow and protection filter on the filling pump (Yukon DLX BT only)




Under seat **STORAGE** (Yukon DLX BT only)



SPRINGBOK DL BT

SPRINGBOK DL BT AND YUKON DL BT

	Center line	Beam	Chine width	Maximum depth	Approximate draft	Transom height	Approximate weight	Aluminum thickness (Bottom)	Aluminum thickness (Side)	Built-in gas tank	Maximum HP capacity	Maximum weight capacity	Maximum weight person capacity	Maximum person capacity
SPRINGBOK DL BT	4.9 m (16'-0")	1.7 m (68")	1.4 m (57")	0.7 m (28")	0.4 m (17")	0.5 m (20")	170 kg (375 lb.)	1.5 mm (.061")	1.5 mm (.061")	Portable	★★ 22 KW (30 HP) ★ 491 kg (1082 lb.)	★ 522 kg (1150 lb.) ★ 332 kg (732 lb.)	★ 300 kg (661 lb.) ★ 252 kg (555 lb.)	★ 4 ★ 5
YUKON DL BT	4.3 m (14'-3")	1.7 m (68")	1.4 m (57")	0.7 m (28")	0.4 m (17")	0.5 m (20")	156 kg (344 lb.)	1.5 mm (.061")	1.5 mm (.061")	Portable	★★ 19 kW (25 HP) ★ 411 kg (905 lb.)	★ 300 kg (661 lb.) ★ 252 kg (555 lb.)	★★ 4	

SPRINGBOK DL BT**YUKON DL BT****KEY STANDARD FEATURES**

- ▶ Semi-V hull with square chine
- ▶ Full-width self-draining splashwell
- ▶ Bow eye and stern handles
- ▶ Center side storage compartments
- ▶ Parallel seats at stern covered with marine grade carpet
- ▶ Split center seat covered with marine grade carpet
- ▶ Bow bench seat covered with marine grade carpet
- ▶ Stern storage compartment
- ▶ Removable pressure-treated wood floor covered with marine grade vinyl
- ▶ High gloss exterior paint finish with decal package
- ▶ Twin plating at the chine
- ▶ Non-skid anti-glare interior paint finish
- ▶ Heavy-duty tubular seat to gunnel braces
- ▶ Aluminum clad transom



SPLIT CENTER SEAT
covered with marine
grade carpet



Removable
**PRESSURE-TREATED
WOOD FLOOR**
covered with marine
grade vinyl (front and back
floor pieces)



STERN STORAGE
compartment



BATTERY(IES) STORAGE
compartment

UTILITIES AND CARTOPS

KEY STANDARD FEATURES

- ▶ Wide and stable hull design
- ▶ Twin plating at the chine
- ▶ Full-width self draining splashwell (except on Fisherman and Ungava)
- ▶ High-gloss exterior paint finish and decal package
- ▶ Non-skid anti-glare interior paint finish
- ▶ Aluminum clad transom
- ▶ Parallel seats at stern
- ▶ Bulkhead center seat
- ▶ Bow bench seat (except on Ungava)
- ▶ Durable ribbed polyethylene seat covering



HOLIDAY



STARFISH 20



STARFISH 15

	Center line	Beam	Chine width	Maximum depth	Approximate draft	Transom height	Approximate weight	Aluminum thickness (Bottom)	Aluminum thickness (Side)	Built-in gas tank	Maximum HP capacity	Maximum weight capacity	Maximum weight person capacity	Maximum person capacity
HOLIDAY	5.0 m (16'-4")	2.1 m (83")	1.8 m (69")	0.8 m (30")	0.6 m (22")	0.5 m (20")	181 kg (400 lb.)	2.2 mm (.087")	1.8 mm (.072")	Portable	★ ★ 37 kW (50 HP)	★ 623 kg (1373 lb.) ★ 602 kg (1328 lb.)	★ 375 kg (827 lb.) ★ 394 kg (869 lb.)	★ 5 ★ 6
STARFISH 15	4.9 m (16'-0")	1.9 m (73")	1.6 m (63")	0.7 m (29")	0.4 m (17")	0.4 m (15")	138 kg (304 lb.)	1.8 mm (.072")	1.5 mm (.061")	Portable	★ ★ 30 kW (40 HP)	★ 498 kg (1097 lb.) ★ 499 kg (1100 lb.)	★ 300 kg (661 lb.) ★ 291 kg (641 lb.)	★ 4 ★ 5
STARFISH 20	4.9 m (16'-0")	1.9 m (73")	1.6 m (63")	0.7 m (29")	0.4 m (16")	0.5 m (20")	145 kg (320 lb.)	1.8 mm (.072")	1.5 mm (.061")	Portable	★ ★ 30 kW (40 HP)	★ 591 kg (1302 lb.) ★ 591 kg (1303 lb.)	★ 375 kg (826 lb.) ★ 375 kg (844 lb.)	★ 5 ★ 6



	Center line	Beam	Chine width	Maximum depth	Approximate draft	Transom height	Approximate weight	Aluminum thickness (Bottom)	Aluminum thickness (Side)	Built-in gas tank	Maximum HP capacity	Maximum weight capacity	Maximum weight person capacity	Maximum person capacity
SPRINGBOK 15	4.9 m (16'-0")	1.7 m (68")	1.4 m (57")	0.7 m (28")	0.4 m (17")	0.4 m (15")	129 kg (285 lb.)	1.5 mm (.061")	1.5 mm (.061")	Portable	★ ★ 22 kW (30 HP)	★ 444 kg (978 lb.)	★ 225 kg (496 lb.)	★ 3
											★ 413 kg (910 lb.)	★ 254 kg (560 lb.)	★ 4	
SPRINGBOK 20	4.9 m (16'-0")	1.7 m (68")	1.4 m (57")	0.7 m (28")	0.4 m (17")	0.5 m (20")	133 kg (293 lb.)	1.5 mm (.061")	1.5 mm (.061")	Portable	★ ★ 22 kW (30 HP)	★ 522 kg (1150 lb.)	★ 300 kg (661 lb.)	★ 4
											★ 491 kg (1082 lb.)	★ 332 kg (732 lb.)	★ 5	
YUKON 15	4.3 m (14'-3")	1.7 m (68")	1.4 m (57")	0.7 m (28")	0.4 m (17")	0.4 m (15")	109 kg (240 lb.)	1.5 mm (.061")	1.5 mm (.061")	Portable	★ ★ 19 kW (25 HP)	★ 372 kg (821 lb.)	★ 225 kg (496 lb.)	★ 3
											★ 214 kg (471 lb.)	★ 214 kg (471 lb.)	★ 4	
YUKON 20	4.3 m (14'-3")	1.7 m (68")	1.4 m (57")	0.7 m (28")	0.4 m (17")	0.5 m (20")	120 kg (265 lb.)	1.5 mm (.061")	1.5 mm (.061")	Portable	★ ★ 19 kW (25 HP)	★ 411 kg (906 lb.)	★ 300 kg (661 lb.)	★ ★ 4
											★ 411 kg (905 lb.)	★ 252 kg (555 lb.)	★ 4	
FISHERMAN	4.3 m (14'-0")	1.5 m (60")	1.3 m (51")	0.7 m (26")	0.4 m (13")	0.4 m (15")	91 kg (201 lb.)	1.5 mm (.061")	1.3 mm (.051")	Portable	★ ★ 15 kW (20 HP)	★ 373 kg (821 lb.)	★ 225 kg (496 lb.)	★ 3
											★ 331 kg (729 lb.)	★ 225 kg (495 lb.)	★ 4	
UNGAVA	3.7 m (12'-0")	1.5 m (60")	1.3 m (51")	0.6 m (25")	0.4 m (13")	0.4 m (15")	78 kg (171 lb.)	1.5 mm (.061")	1.3 mm (.051")	Portable	★ ★ 12 kW (15 HP)	★ 317 kg (699 lb.)	★ 225 kg (496 lb.)	★ 3
											★ 318 kg (700 lb.)	★ 211 kg (466 lb.)	★ 4	

UTILITIES AND CARTOPS

KEY STANDARD FEATURES

- ▶ Wide and stable hull design
- ▶ Non-skid anti-glare interior paint finish
- ▶ Aluminum clad transom
- ▶ Bulkhead center seat
- ▶ Bow bench seat



LYNX



SCAMPER



SEASPRITE



	Center line	Beam	Chine width	Maximum depth	Approximate draft	Transom height	Approximate weight	Aluminum thickness (Bottom)	Aluminum thickness (Side)	Portable	Built-in gas tank	Maximum HP capacity	Maximum weight capacity	Maximum weight person capacity	Maximum person capacity
LYNX	4.9 m (16'-0")	1.7 m (68")	1.5 m (58")	0.7 m (27")	0.4 m (17")	0.4 m (15")	145 kg (320 lb.)	2.2 mm (.087")	1.5 mm (.061")	Portable	★ ★ 19 kW (25 HP)	★ ★ 454 kg (1000 lb.)	★ 300 kg (661 lb.) ★ 295 kg (650 lb.)	★ 4 ★ 5	
SCAMPER	4.3 m (14'-4")	1.5 m (58")	1.1 m (45")	0.5 m (21")	0.4 m (13")	0.4 m (15")	68 kg (150 lb.)	1.3 mm (.051")	1.3 mm (.051")	Portable	★ ★ 12 kW (15 HP)	★ 341 kg (753 lb.) ★ 340 kg (750 lb.)	★ 225 kg (496 lb.) ★ 234 kg (516 lb.)	★ 3 ★ 4	
SEASPRITE	3.7 m (12'-4")	1.5 m (58")	1.1 m (45")	0.5 m (21")	0.4 m (13")	0.4 m (15")	59 kg (130 lb.)	1.3 mm (.051")	1.3 mm (.051")	Portable	★ ★ 7.5 kW (10 HP)	★ 280 kg (617 lb.) ★ 274 kg (603 lb.)	★ 150 kg (330 lb.) ★ 190 kg (418 lb.)	★ 2 ★ 3	

FEATURES AND OPTIONS

		Holiday	Starfish 20	Starfish 15	Springbok 20	Springbok 15	Yukon 20	Yukon 15	Fisherman	Ungava	Lynx	Scamper	Seasprite
STANDARD FEATURES	HULL & DECK												
	5052-H36 marine-grade aluminum alloy	•	•	•	•	•	•	•	•	•	•	•	•
	High gloss exterior High Solids urethane paint and decal package	•	•	•	•	•	•	•	•	•			
	Decal package										•	•	•
	Non-skid anti-glare interior paint finish	•	•	•	•	•	•	•	•	•	•	•	•
	Hull (R = reverse chine, S = square chine, RC = round chine)	R	R	R	S	S	S	S	S	S	S	RC	RC
	Aluminum clad transom	•	•	•	•	•	•	•	•	•	•	•	•
	Full-width self-draining splashwell	•	•	•	•	•	•	•					
	Twin plating at the chine	•	•	•	•	•	•	•	•				
	Heavy-duty tubular seat to gunnel braces	•	•	•	•	•	•	•	•	•	•	•	•
Stainless steel bow and stern eyes (E) or bow eye and stern handles (H)	E	H	H	H	H	H	H	H	H	H	H	H	
SEATS	Parallel seats at stern	•	•	•	•	•	•	•	•				
	Bulkhead center seat	•	•	•	•	•	•	•	•	•	•	•	
	Bow bench seat	•	•	•	•	•	•	•	•	•	•	•	
	Durable ribbed polyethylene seat covering	•	•	•	•	•	•	•	•				
OPTIONS	Deployable ladder (in pouch)	0	0	0	0	0	0	0	0	0	0	0	
	Seat Package: folding seat, detachable swivel plate with auto-lock handle and extrusion	0	0	0	0	0	0	0	0				
	Complete side console: bezel, hub, steering wheel, cable and detachable smoked windscreen	0	0	0	0	0	0						
	Sun top	0	0	0	0	0	0	0	0				
	Galvanized utility trailer with 12" tires	0	0	0	0	0	0	0	0	0	0	0	
COLORS	Black	•	•	•	•	•	•	•	•				
	Aluminum									•	•	•	

* For complete standard features and options, visit our Website at princecraft.com



OPTIONAL SUN TOP
(except on Lynx, Scamper, and Seasprite)



Exclusive **POLYETHYLENE SEATS** come standard and stay dryer than wood seats (except on Lynx, Scamper, and Seasprite)



The stern **PARALLEL SEATS** make moving around much easier (except on Lynx, Scamper, and Seasprite)



ALUMINUM-CLAD, hassle-free transom



Optional complete **SIDE CONSOLE** (on most models)

TECHNICAL DRAWINGS 2017

PLATINUM SE

PLATINUM SE **227**

22



PLATINUM SE **207**

22



PLATINUM SE **186**

24



PLATINUM SE **176**

24



Legend

- Model page number
- Livewell
- Storage compartment
- Open space storage compartment
- Rod storage compartment
- Fuel tank
- Ice box

XPERIENCE

XPERIENCE **195**

28



XPERIENCE **188**

28



SPORT


SPORT **187**

32



SPORT **177**

34



SPORT **172**

34



SPORT **164**

32



XPEDITION

XPEDITION **200** WS OPTION

38



XPEDITION **200** DC OPTION

38



XPEDITION **200** SC OPTION

38



XPEDITION **170** WS OPTION

38




XPEDITION **170** DC OPTION

38




XPEDITION **170** SC OPTION


38




HUDSON DLX




AMAROK DLX




RESORTER DLX




YUKON DLX



MASKA DLX



HOLIDAY DLX



SPRINGBOK DL





YUKON DL



UTILITIES AND CARTOPS

NANOOK DLX



CANVAS AND COVERS: A PERFECT FIT



PRINCECRAFT CANVAS AND COVERS ARE SPECIALLY DESIGNED TO FIT YOUR BOAT.

What's more, all our boats come with snap buttons installed in our factory using extremely precise templates for a perfect, effortless fit. At Princecraft we provide quality products from bow to stern!

- 1** Trailer cover
- 2** Complete stand-up high top with tonneau cover and curtains (windshield model shown)
- 3** Sun top for utilities


PRINCETRAK SYSTEM

Extrusion allowing onboard tool attachment



1 Quick storage for three fishing rods **2** Fishing rod support **3** Cup holder **4** Multipurpose plate (Slide your PrinceTrak into position and attach whatever you want to it: sonar, tools, and lot more).

Fishing package



Fishing package including addition of Tournament Fishing Team (TFT) graphics, flat seat bases on fishing platforms, seat exchange, fish ruler, quick rod storage, and net(s) addition under console(s) and on bow platform (optional on most models in the DLX Series)



1 Stern boarding ladder 2 Engine pod platform 3 Folding seat 4 Deluxe folding seat 5 Deluxe convertible seat 6 Heated reclining captain's chair with adjustable armrests 7 Bicycle seat with post 8 Sonar Lowrance® Hook-3x 9 Sonar/GPS Lowrance® Hook-7 10 Sonar/GPS Lowrance® Elite-7 11 Sonar/GPS Lowrance® HDS-7 12 Sonar Humminbird® Piranha MAX 197c 13 Sonar/GPS Humminbird® Helix 5 14 Sonar/GPS Humminbird® Helix 7 15 Raymarine® A78 multifunctions touchscreen with DownVision/GPS 16 Raymarine® A98 multifunctions touchscreen with DownVision/GPS 17 Control for kicker engine 18 Kicker® engine 19 Windshield wiper 20 Mercury® SmartCraft™ gauges 21 160-watt AM/FM/Bluetooth Jensen® Stereo with integrated auxiliary input (1/8") in console 22 200-watt AM/FM/CD/Bluetooth Clarion® Stereo compatible SAT with integrated USB plug and auxiliary input (1/8") in console 23-24 Ski pylon 25 Downrigger supports (2) 26 Sleeper seat 27 Battery charger (many models available) 28-29 Wash down system 30 Head with holding tank and pump out 31 Marine grade carpeted floor covering 32 Bow rider seat cushions 33 Stainless steel telescopic ladder 34 SeaStar® hydraulic steering system with tilt wheel and slider for driver seat 35 ACS (Advanced Circulation System) is a ventilation system in storage compartments (bow platform) (Xpedition Series only) 36 Aft flip seats and 2 cup holders 37 Port console

* For complete standard features and options, visit our Website at princecraft.com

o Option
 UE Upgrade exchange

* For complete standard features and options, visit our Website at princecraft.com

	Platinum SE 227	Platinum SE 207	Platinum SE 186	Platinum SE 176	Xperience 195	Xperience 188	Sport 187	Sport 177	Sport 172	Sport 164	Xpedition 200	Xpedition 170
SC Configuration: Side console with quick release smoked windscreen											o	o
DC Configuration: Twin console with quick release smoked windscreen											o	o
WS Configuration: Twin console with walk-thru tinted curved tempered glass windshield with door											o	o
Princecraft special decal package	UE	UE	UE	UE	UE	UE	UE	UE	UE	UE	UE	UE
Marine grade carpeted floor covering	o	o	o	o	o	o	o	o	o	o	o	o
Tilt steering with slider for driver seat					UE	UE	UE	UE	UE	UE	UE	UE
Sea Star® hydraulic steering system with tilt wheel and slider for captain's chair					UE	UE	UE	UE	UE		UE	UE
MotorGuide® W55 wireless trolling motor								o	o	o		o
MotorGuide® W75 wireless trolling motor	o	o	o	o	o	o	o	o	o		o	o
MotorGuide® Xi5 wireless trolling motor	o	o	o	o	o	o	o	o	o		o	o
Co-Pilot system for Minn Kota® PD V2 trolling motor	o	o	o	o	o	o	o	o	o	o	o	o
Minn Kota® 55 PD V2 trolling motor								o	o	o		o
Minn Kota® 70 PD V2 trolling motor	o	o	o	o	o	o	o	o	o		o	o
Minn Kota® Terrova trolling motor	o	o	o		o	o					o	
Minn Kota® Ulterra 80 trolling motor	o	o	o		o	o	o				o	
Minn Kota® Ulterra 112 trolling motor	o	o	o		o	o					o	
Onboard battery charger	o	o	o	o	o	o	o	o	o	o	o	o
Mercury® 9.9 ELPT Pro-Kicker® 4S	o	o	o	o	o	o	o	o	o		o	
Bow rider seat cushions	o	o	o	o			o	o	o	o		
Ski pylon	o	o	o	o		o	o	o	o	o	o	o
Privacy enclosure						o						
Head with holding tank and pump out	o	o	o			o						
Port side sleeper seat	UE	UE	UE	UE			o					
Deluxe folding seats (replacing standard seats)							UE	UE	UE	UE	UE	UE
Seat Package: folding seat, post and seat mount with auto-lock handle							o	o	o	o	o	o
Seat Package (Deluxe): folding seat, post and seat mount with auto-lock handle					o	o	o	o	o	o	o	o
Seat Package (Deluxe SE): convertible seat, post and seat mount with auto-lock handle	o	o	o	o								
Bicycle Seat Package: bicycle seat, post (27") and seat mount with auto-lock handle	o	o	o	o	o	o	o	o	o	o	o	o
Heated reclining captain's chair with adjustable armrests...UE for driver seat	UE	UE	UE	UE								
Heated passenger convertible seat	UE	UE	UE	UE								
Bow beige oval pedestal mount table with cup holders						o						
Ventilation system in storage compartments (bow platform)											o	o
Downrigger supports	o	o	o	o	o	o	o	o	o	o	o	o
PrinceTrak tools	o	o	o	o	o						o	o
Parallel arm starboard side wiper	o	o	o	o	o	o	o	o	o	o		
160-watt AM/FM/Bluetooth Jensen® Stereo with integrated auxiliary input (1/8") in console							o	o	o	o	o	o
200-watt AM/FM/CD/Bluetooth Clarion® Stereo compatible SAT with integrated USB plug and auxiliary input (1/8") in console					UE	UE	o	o	o	o	o	o
Sonar Lowrance® Hook-3x	o	o	o	o	o	o	o	o	o	o	o	o
Sonar/ GPS Lowrance® Hook-7 (the bathymetric depth maps are not included)	o	o	o	o	o	o	o	o	o	o	o	o
Sonar Lowrance® Elite 7 (the bathymetric depth maps are not included)	o	o	o	o	o	o	o	o	o	o	o	o
Sonar/ GPS Lowrance® HDS-7 (the bathymetric depth maps are not included)	o	o	o	o	o	o	o	o	o	o	o	o
Sonar Humminbird® PiranhaMAX 197c	o	o	o	o	o	o	o	o	o	o	o	o
Sonar/ GPS Humminbird® Helix 5 (the bathymetric depth maps are not included)	o	o	o	o	o	o	o	o	o	o	o	o
Sonar/ GPS Humminbird® Helix 7 (the bathymetric depth maps are not included)	o	o	o	o	o	o	o	o	o	o	o	o
Raymarine® multifunction touchscreen A78 DownVision/ GPS					o	o	o	o	o	o	o	o
Raymarine® multifunction touchscreen A98 DownVision/ GPS					o	o	o	o	o	o	o	o
SmartCraft™ gauges (tachometer, speedometer and trim)					UE	UE	UE	UE	UE		UE	UE
Active trim: automatic trim system	o	o	o	o	o	o	o	o	o	o	o	o
Harness allowing engine instrumentation display on integrated multifunction Raymarine® touchscreen	o	o	o	o								
Mooring or trailer cover	o	o	o	o	o	o	o	o	o	o	o	o
Complete stand-up high top with aluminum frame	o	o	o	o	o	o	o	o	o	o	o	o
Wash down system	o	o	o	o	o	o					o	
Engine pod platform							o	o	o			
Stainless steel grab rails package, at the console					o							
Livewell minnow bucket						o	o	o	o	o	o	o
Anchor roller	o	o			o	o						
Battery switch: allowing the onboard power shut down					o	o	o	o	o	o	o	o
COLORS	Platinum Black and Metallic Gray	•	•	•	•							
	Black					•	•	•	•	•	•	•
	Red						•	•	•	•	•	•
	Magnetic Gray										•	•

o Option
 UE Upgrade exchange
 * For complete standard features and options, visit our Website at princecraft.com

	Hudson DLX WS	Hudson DLX SC	Hudson DLX BT	Maska DLX WS	Maska DLX BT	Nanook DLX WS	Nanook DLX SC	Amarok DLX WS	Amarok DLX SC	Amarok DLX BT	Holiday DLX WS	Holiday DLX SC	Resortier DLX SC	Resortier DLX BT	Yukon DLX BT	Springhook DL BT	Yukon DL BT
Princecraft special decal package	E	F	F	E	E	F	F	F	E	F							
Camouflage decal package			E		E					E							
Fishing package: Tournament Fishing Team graphics, fish ruler, deluxe seat exchange, flat seat base(s) on fishing platform(s), quick rod storage, net(s) addition under console(s) and on bow platform	o	o	o	o	o	o	o	o	o	o	o	o					
Tilt steering with slider for driver seat	E	E		E		E	E	E	E		E	E					
Sea Star® hydraulic steering system with tilt wheel and slider for captain's chair	E	E		E		E	E	E	E		E	E					
MotorGuide® W55 wireless trolling motor						o	o	o	o	o	o	o					
MotorGuide® W75 wireless trolling motor	o	o	o	o	o	o	o	o	o	o							
MotorGuide® Xi5 wireless trolling motor	o	o	o	o	o	o	o	o	o	o							
Co-Pilot system for Minn Kota® PD V2 trolling motor	o	o	o	o	o	o	o	o	o	o	o	o					
Minn Kota® 55 PD V2 trolling motor						o	o	o	o	o	o	o					
Minn Kota® 70 PD V2 trolling motor	o	o	o	o	o	o	o	o	o	o							
Minn Kota® Ulterra 80 trolling motor	o	o	o	o	o												
Onboard battery charger	o	o	o	o	o	o	o	o	o	o	o	o					
Mercury® 9.9 ELPT Pro-Kicker® 4S	o	o		o													
Bow rider seat cushions	o			o													
Deployable ladder (in pouch)																o	o
Telescoping stern boarding ladder	o	o	o	o	o	o	o	o	o	o	o	o	o	o			
Removable ski pylon				o													
Deluxe folding seats (replacing standard seats)	UE	UE	UE	UE	UE	UE	UE	UE	UE	UE	UE	UE					
Seat Package: folding seat, post and seat mount with auto-lock handle	o	o	o	o	o	o	o	o	o	o	o	o	o	o			
Seat Package (Deluxe): folding seat, post and seat mount with auto-lock handle	o	o	o	o	o	o	o	o	o	o	o	o					
Bicycle Seat Package: bicycle seat, post (27") and seat mount with auto-lock handle	o	o	o	o	o	o	o	o	o	o	o	o	o	o			
Aft flip seats and 2 cup holders	o	o		o		o	o	o	o								
Adjustable downrigger supports	o	o	o	o	o	o	o	o	o	o	o	o					
PrinceTrak tools	o	o	o	o	o	o	o	o	o	o							
Port console with quick release smoked windscreen		o						o	o			o					
160-watt AM/FM/Bluetooth Jensen® Stereo with integrated auxiliary input (1/8") in console	o	o		o		o	o	o	o		o	o					
200-watt AM/FM/CD/Bluetooth Clarion® Stereo compatible SAT with integrated USB plug and auxiliary input (1/8") in console	o	o		o		o	o	o	o		o	o					
Sonar Lowrance® Hook-3x	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o
Sonar/ GPS Lowrance® Hook-7 (the bathymetric depth maps are not included)	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o
Sonar Lowrance® Elite 7 (the bathymetric depth maps are not included)	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o
Sonar/ GPS Lowrance® HDS-7 (the bathymetric depth maps are not included)	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o
Sonar Humminbird® PiranhaMAX 197c	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o
Sonar/ GPS Humminbird® Helix 5 (the bathymetric depth maps are not included)	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o
Sonar/ GPS Humminbird® Helix 7 (the bathymetric depth maps are not included)	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o
Raymarine® multifunction touchscreen A78 DownVision/ GPS	o	o		o		o	o	o	o		o	o					
Raymarine® multifunction touchscreen A98 DownVision/ GPS	o	o		o		o	o	o	o		o	o					
SmartCraft™ gauges (tachometer, speedometer and trim)	E	E		E													
Analog gauges (tachometer and speedometer)													o				
Active trim: automatic trim system	o	o		o		o	o	o	o								
RPM control			o		o					o							
LED courtesy lighting under the steering arm			o		o					o							
Trailer cover	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o
Bimini top	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o	o
Complete stand-up high top with tonneau cover and curtains connected to windshield (taupe)	o	o		o		o	o	o	o		o	o	o				
Complete stand-up high top with tonneau cover, curtains connected to windshield and back extension (taupe)	o	o		o		o	o	o	o								
Livewell minnow bucket	o	o	o	o	o	o	o	o	o	o	o	o	o	o			
Battery switch: allowing the onboard power shut down	o	o	o	o	o	o	o	o	o	o	o	o	o	o			
COLORS	Black	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
	Red	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
	Magnetic Gray	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•



PRINCECRAFT®



For more information on our boats, to check out our videos,
or to find your nearest dealer, visit our Website at

princecraft.com or call us at 1 800 395-8858

In Canada: Princecraft Boats Inc., A Brunswick Company, 725 Saint-Henri Street, Princeville (Quebec) G6L 5C2

In the United States: Princecraft U.S., A Brunswick Company, 1st Tennessee Plaza Bldg., Suite 1700, 800 S. Gay Street, Knoxville, TN 37929

Princecraft factory-packaged boats are available with various horsepower Mercury® outboards. www.mercurymarine.com

PLEASE READ CAREFULLY: Dimensions, capacities, ratings, and additional specifications, plus complete warranty and service information, are available from your Princecraft dealer. Product illustrations and data within this catalog are based upon information available at the time of publication. Not all accessories shown in pictures or described herein are standard equipment or even available as options. Specification measurements are approximations and subject to variance. Because Princecraft is dedicated to constant product improvements, Princecraft reserves the right to make changes without prior notice or obligation. Not all model year boats may contain all of the features or meet the specifications described herein. Ask your Princecraft dealer for the most current product specifications prior to purchase. Some of the equipment shown separately or on products illustrated in this catalog may be optional at extra cost. Options and features are subject to change without notice. Princecraft is a member in good standing of the National Marine Manufacturers Association (NMMA) USA and Canada. All boats comply with Canadian Coast Guard and U.S. Coast Guard regulations. All Princecraft® boats are in compliance with NMMA's Boat Certification Program. Attwood™ is a registered trademark of Attwood Corporation. Clarion® is a registered trademark of Clarion Sales Corporation. Faria™ is a registered trademark of TG Faria, Inc. Pilot™ is a registered trademark of TG Faria, Inc. Flow-Rite™ is a registered trademark of Flow-Rite Controls. Lowrance® is a registered trademark of Lowrance Electronics, Inc. Marinco™ is a registered trademark of Marinco-AFI. McGill™ is a registered trademark of Emerson Electronics. Mercury®, Verado™, OptiMax® and SmartCraft™ are registered trademarks of Mercury Marine®.

Special thanks to: Mercury Marine®, Rapala®, Coleman®, Cannon Downriggers, Stearns.

