



PRINCECRAFT



Aluminum
FISHING BOATS

2018

PRINCECRAFT®

VISIT US AT PRINCECRAFT.COM
or call us 1 800 395-8858



YOUR FISHING STORY STARTS HERE

From boat R&D through to design and testing, there is one thing we always keep in mind as Canadian boat builders: the importance of giving you unforgettable memories. For close to 65 years, we've been pushing harder every day to build boats so tough and so solid, it's almost unbelievable—just like your fishing stories.

With our innovative ideas, attention to detail, and dedication to your needs, you'll enjoy boating in total peace of mind. All you have to do is take a seat and reel in a really great catch and a whole lot of good times.

H36 Aluminum	16
Trailers	18
PrinceTrak and livewells	19

PLATINUM SE SERIES

Platinum SE 227 and 207	22
Platinum SE 186 and 176	24

XPERIENCE SERIES

Xperience 195	28
---------------------	----

SPORT SERIES

Sport 187 and 177	32
Sport 172 and 164	34

XPEDITION SERIES

Xpedition 200, 180 and 170	38
----------------------------------	----

DLX AND DL SERIES

Hudson 190 DLX WS, SC and BT	42
Maska 180 DLX WS and BT	44
Nanook 168 DLX WS and SC	46
Holiday 162 DLX WS and SC	48
Yukon 140 DLX BT	48
Hudson DL WS and SC	50
Amarok DL WS, SC and BT	52
Resorter DL SC and BT	54
Springbok DL BT	56
Yukon DL BT	56

UTILITIES AND CARTOPS

Holiday, Starfish, Springbok, Yukon, Fisherman and Ungava	58
Lynx, Scamper and Seasprite	60

Technical drawings	62
Optional canvas and covers	64
Optional equipment	65
Standard features	66

H36

MARINE GRADE
ALUMINUM

OUR SECRET: H36 ALUMINUM

Princecraft® hulls are the strongest and most durable on the market because they are made with the best marine-grade aluminum in the business, 5052-H36.

- ▶ 25% stronger than the aluminum used by most of our competitors
- ▶ More resistant to shock and warping
- ▶ Maintains peak performance
- ▶ Helps boost boat resale value

H36 FROM OUR FACTORY TO YOU

What sets Princecraft® apart is that our hulls are made of a single piece of H36, unlike the hulls on some of our competitors' boats, which are made of two pieces of welded aluminum. This technique makes our boats that much more durable.

Once the H36 is delivered to the Princeville factory, we unroll it, straighten it, and then cut it to the boat's specific dimensions using a digital router. Then it is melted and shaped into a boat you can enjoy in total safety.

THE BEST HULLS ON THE MARKET

Every stage in the production of our boats is carefully designed to preserve the mechanical properties of the aluminum. That's what makes Princecraft® boats so solid!




WHY DON'T ALL MANUFACTURERS USE H36?

H36's rigidity makes it more difficult to work with. It requires extremely accurate, state-of-the-art equipment, and above all, exceptional expertise.

ONLY PRINCECRAFT® HAS BOTH!

H36 also has a higher ultimate strength and yield strength than other alloys, which boosts your confidence on the water and the value of your investment!



3 double-plated hull thicknesses used by Princecraft®



MOST OF OUR BOATS HAVE TWO THICKNESSES OF H36 ALUMINUM FROM THE MIDDLE OF THE HULL TO THE STERN.

This construction diffuses the stress on the bottom of the boat toward the side panels for better performance at high speeds.



INVENTED BY PRINCECRAFT®, THE DOUBLE REVERSE CHINE:

- ▶ Improves performance at all speeds and in all boating conditions
- ▶ Makes it easier to steer the boat and control its speed
- ▶ Increases the boat's carrying capacity while reducing friction so the boat planes easily even when heavily loaded
- ▶ Prevents chine walk at high speeds
- ▶ Keeps occupants dry

DOMINATE THE WATERS™

SAFE WATERCRAFTS

CUSTOM MULTIFUNCTION TRAILERS

To ensure that your pleasure craft lives up to its name, it should be a pleasure to handle all down the line—even when you're towing and launching it.



- 1 Heavy-duty winch*
- 2 Carpeted load guides*
- 3 Swing tongue*
- 4 Fenders with step pads*
- 5 Optional mag wheels*
- 6 Waterproof recessed LED lights*

* On most models or optional

ALL PRINCECRAFT® TRAILERS ARE NOW EQUIPPED WITH THIS SYSTEM

This ingenious system combines the advantages of grease and oil to create an ultra high performance lubricant. At room temperature, its viscosity is similar to that of grease. But as the bearings heat up, the lubricant becomes more fluid coating the bearings better to more effectively reduce friction and dissipate the heat generated during towing.

Each bearing is encased in a completely sealed, airtight, leak-proof, pressurized chamber.



EACH OF OUR TRAILERS IS CUSTOM-MADE ACCORDING TO THE HIGHEST STANDARDS OF QUALITY.

The objective is to offer topnotch stability and maneuverability on the road, in addition to easy loading and unloading.



SE PAINTED TRAILER
(Platinum SE Series only)



**GALVANIZED STEEL TRAILER
WITH SWING TONGUE**

AN EXTRA DURABLE FRAME

- ▶ Extra sturdy tubular structure
- ▶ Brake cables and circuits are inserted in a steel tube to protect them from the elements
- ▶ Guaranteed long term reliability

OPTIMAL SAFETY

- ▶ Superior on-road stability and handling
- ▶ Watertight LED light system
- ▶ Factory-balanced wheels
- ▶ Double safety chain
- ▶ Sealed hubs
- ▶ Complies with NMMA and Transport Canada standards

SPECIAL FEATURES

- ▶ Sturdy winch
- ▶ Swivel tongue jack*
- ▶ Soldered attachment for optional transom saver motor support
- ▶ Galvanized steel wheelbase for rust protection
- ▶ Practical swing tongue: saves space, stores easily
- ▶ Composite fenders with built-in step pads
- ▶ Radial tires (standard on most models)
- ▶ Aluminum alloy STAR mag wheels (optional on certain models)

STRATEGICALLY PLACED BUNKS AND LOAD GUIDES

- ▶ Custom design
- ▶ Marine carpet-covered load guides protect your boat's hull (certain models only)
- ▶ Bunks remain in constant contact with the hull for optimally distributed support
- ▶ Easier loading and unloading

* On most models or optional

Ingenious livewells!

PRINCETRAK SYSTEM

Extrusion allowing onboard tool attachment

QUICK STORAGE FOR THREE FISHING RODS



FISHING ROD SUPPORT



CUP HOLDER



MULTIPURPOSE PLATE


Slide your PrinceTrak into position and attach whatever you want to it: sonar, tools, and lot more.



SPORTFLO™

This system includes:

- ▶ A pump for filling the tank and aerating the water
- ▶ An overflow system that empties to the outside
- ▶ Protection filter on the filling pump
- ▶ An anti-spill cover¹




Models featuring SportFlo™ livewell system

- ▶ Sport 172
- ▶ DLX Series
- ▶ Sport 164
- ▶ DL Series (some models)

PROFLO™

Includes all SportFlo™ features, plus:

- ▶ A dual pump system that keeps water recirculating on the water or dock
- ▶ Intermittent recirculation to control water aeration¹
- ▶ A light¹



Models featuring ProFlo™ livewell system


- ▶ Xperience 195
- ▶ Sport 187
- ▶ Sport 177

¹ On most models

PROFLO™ PLUS

EXCLUSIVE

The ProFlo™ Plus livewell is virtually maintenance free, and features automatic filling and recirculation that lets you focus on fishing. Its dual-pump system keeps your bait alive and your catch beautifully fresh, whether you're cruising the open water or tied up at the dock.



Models featuring ProFlo™ Plus livewell system

- ▶ Platinum SE Series
- ▶ Xpedition Series

DOMINATE THE WATERS™



PLATINUM SE 186

Shown in Platinum White

PLATINUM SE SERIES

YOUR COMFORT IS GOLDEN!

That's why our four highest end boats are designed to deliver a flawless fishing experience. Platinum SE Series models come with a range of innovative, personalized equipment, such as a heated captain's chair and a multifunction sonar with touch screen. You'll be wishing your fishing expedition will never end!



7" SIMRAD® evo3 **MULTIFUNCTION TOUCH SCREEN**, including GPS functionalities, fish finder, and down scan imaging



POP-UP PRIVACY ENCLOSURE accommodating an optional chemical head with holding tank and pump out (except Platinum SE 176)



DRIVER CONSOLE with black inserts and SmartCraft™ gauges (11 functions)



LED docking LIGHTS



Horn and 12V OUTLET



LOCKABLE STORAGE compartments in side panels (passenger and driver sides)



PLATINUM SE 227

Shown in Platinum Black

PLATINUM SE



	Center line	Beam	Chine width	Maximum depth	Approximate draft	Transom height	Approximate weight	Aluminum thickness (Bottom)	Aluminum thickness (Side)	Built-in gas tank	Maximum HP capacity	Maximum weight capacity	Maximum weight person capacity	Maximum person capacity
227	6.7 m (22'-0")	2.5 m (100")	2.1 m (84")	1.3 m (50")	0.9 m (34")	0.6 m (25")	915 kg (2017 lb.)	2.8 mm (.110")	1.8 mm (.072")	≤ 208 L (55 U.S. gal.)	261 kW (350 HP)	★ 1141 kg (2517 lb.)	★ 680 kg (1500 lb.)	★ 11
207	6.1 m (20'-0")	2.5 m (100")	2.1 m (84")	1.3 m (50")	0.9 m (34")	0.6 m (25")	847 kg (1868 lb.)	2.8 mm (.110")	1.8 mm (.072")	≤ 208 L (55 U.S. gal.)	224 kW (300 HP)	★ 959 kg (2114 lb.)	★ 590 kg (1300 lb.)	★ 9

PLATINUM SE 227

Shown in Platinum Black



PLATINUM SE 207

Shown in Platinum Black
Heated reclining captain's chair with adjustable armrests Option



KEY STANDARD FEATURES

- ▶ Deep V double reverse chine hull design
- ▶ 4 stainless steel recessed cleats
- ▶ Raised bow casting platform with storage
- ▶ Deluxe driver's heated convertible seat
- ▶ 2 deluxe convertible seats
- ▶ 2 stern fold-down jump seats
- ▶ Bow and stern ProFlo™ Plus aerated livewell system
- ▶ Bow coaming pads with cargo net
- ▶ In-floor top storage
- ▶ 7" SIMRAD® evo3 multifunction touch screen, including GPS functionalities, fish finder, and down scan imaging
- ▶ Large in-floor lockable rod organizer for 12 rods
- ▶ 12V, 24V or 36V deluxe bow trolling motor panel with voltmeter and tilt switch
- ▶ SeaStar® hydraulic steering system with tilt wheel
- ▶ 200-watt AM/FM/Bluetooth SonicHub2 Radio, SiriusXM compatible with an optional module, and including an in-dash USB plug
- ▶ Mercury® SmartCraft™ gauges
- ▶ Aft raised casting platform with pop-up privacy enclosure and optional chemical head

AVAILABLE COLORS

PLATINUM SE 227




PLATINUM SE 207



LARGE IN-FLOOR LOCKABLE
rod organizer for 12 rods



2 optional
DOWNRIGGER SUPPORTS



LED interior
LIGHTING



TOP STORAGE
under the rear casting platform



7" SIMRAD® evo3
MULTIFUNCTION TOUCH SCREEN, including GPS functionalities, fish finder, and down scan imaging



Optional bow rider
SEAT CUSHIONS



PLATINUM SE 186

Shown in Platinum White

PLATINUM SE



	Center line	Beam	Chine width	Maximum depth	Approximate draft	Transom height	Approximate weight	Aluminum thickness (Bottom)	Aluminum thickness (Side)	Built-in gas tank	Maximum HP capacity	Maximum weight capacity	Maximum weight person capacity	Maximum person capacity
186	5.6 m (18'-6")	2.4 m (95")	2.0 m (80")	1.2 m (46")	0.8 m (33")	0.6 m (25")	748 kg (1651 lb.)	2.8 mm (.110")	1.8 mm (.072")	≤ 140 L (37 U.S. gal.)	130 kW (175 HP)	★ 863 kg (1902 lb.) ★ 517 kg (1140 lb.)	★ 525 kg (1156 lb.) ★ 8	★ 7 ★ 8
176	5.3 m (17'-6")	2.3 m (92")	2.0 m (80")	1.0 m (41")	0.8 m (31")	0.6 m (25")	651 kg (1435 lb.)	2.5 mm (.100")	1.8 mm (.072")	≤ 140 L (37 U.S. gal.)	112 kW (150 HP)	★ 787 kg (1736 lb.) ★ 442 kg (974 lb.)	★ 450 kg (991 lb.) ★ 7	★ 6 ★ 7

KEY STANDARD FEATURES

- ▶ Deep V double reverse chine hull design
- ▶ 4 stainless steel recessed cleats
- ▶ Raised bow casting platform with storage
- ▶ Deluxe driver's heated convertible seat
- ▶ 2 deluxe convertible seats
- ▶ 2 stern fold-down jump seats
- ▶ Bow and stern ProFlo™ Plus aerated livewell system
- ▶ Bow coaming pads with cargo net
- ▶ In-floor top storage (except Platinum SE 176)
- ▶ 7" SIMRAD® evo3 multifunction touch screen, including GPS functionalities, fish finder, and down scan imaging
- ▶ Large in-floor lockable rod organizer for rods
- ▶ 12V, 24V or 36V deluxe bow trolling motor panel with voltmeter and tilt switch (12V or 24V only on Platinum SE 176)
- ▶ SeaStar® hydraulic steering system with tilt wheel
- ▶ 200-watt AM/FM/Bluetooth SonicHub2 Radio, SiriusXM compatible with an optional module, and including an in-dash USB plug
- ▶ Mercury® SmartCraft™ gauges
- ▶ Aft raised casting platform with pop-up privacy enclosure and optional chemical head (except Platinum SE 176)

PLATINUM SE 186

Shown in Platinum White



PLATINUM SE 176

Shown in Platinum Black



AVAILABLE COLORS

PLATINUM SE 186



PLATINUM SE 176



2 optional
DOWNRIGGER SUPPORTS



7" SIMRAD® evo3
MULTIFUNCTION TOUCH SCREEN, including GPS functionalities, fish finder, and down scan imaging



IN-FLOOR LOCKABLE rod organizer with tubes for 6 rods



STORAGE UNDER DRIVER CONSOLE with extensible cargo net



LOCKABLE STORAGE compartments in side panels (passenger and driver sides)



Optional removable
SKI PYLON

XPERIENCE SERIES

WHY SETTLE FOR ONE TYPE OF EXPERIENCE WHEN YOU CAN HAVE THEM ALL ON A SINGLE OUTING?

Whether you're out to ride some major swells or enjoy a day of hardcore fishing, the versatile boats in this Series are designed to do it all!



LARGE IN-FLOOR LOCKABLE
rod organizer for 10 rods



DRAWER
under passenger console



TOP STORAGE
under the rear casting platform



IN-FLOOR STORAGE
compartment (driver and passenger sides)



Optional stainless steel
GRAB RAILS
package, at console



DRIVER CONSOLE
including gauges and dual cable No-Feedback™ steering system



XPERIENCE 195

- Downrigger supports Option
- Kicker engine Option
- Stainless steel grab rails Option



XPERIENCE 195

Downrigger supports Option
 Kicker engine Option
 Stainless steel grab rails Option

XPERIENCE



195

Center line	Beam	Chine width	Maximum depth	Approximate draft	Transom height	Approximate weight	Aluminum thickness (Bottom)	Aluminum thickness (Side)	Built-in gas tank	Maximum HP capacity	Maximum weight capacity	Maximum weight per person capacity	Maximum person capacity
5.8 m (19'-0")	2.5 m (98")	2.1 m (84")	1.2 m (49")	0.8 m (33")	0.6 m (25")	837 kg (1845 lb.)	2.8 mm (.110")	1.8 mm (.072")	≤ 140 L (37 U.S. gal.)	149 kW (200 HP)	★ 600 kg (1323 lb.) ★ 922 kg (2032 lb.)	★ 8 ★ 9	★ 8 ★ 9

KEY STANDARD FEATURES

- ▶ Deep V double reverse chine hull design
- ▶ Raised bow casting platform with storage
- ▶ Bow and stern ProFlo™ aerated livewell system
- ▶ Large in-floor lockable rod organizer with tubes for 10 rods
- ▶ 2 deluxe folding fishing seats
- ▶ Rigging tubes under flooring (stern to console and console to bow)
- ▶ 2 fold-down jump seats at the back
- ▶ Twin consoles with No-FeedBack™ dual cable steering system
- ▶ Drawer in passenger console
- ▶ 160-watt AM/FM/Bluetooth Jensen® Stereo with integrated auxiliary input (1/8") in console
- ▶ 4 stainless steel recessed cleats
- ▶ In-floor top storage
- ▶ High capacity automatic electric bilge pump



XPERIENCE 195

Downrigger supports Option
Kicker engine Option
Stainless steel grab rails Option

AVAILABLE COLOR

XPERIENCE 195



2 FOLD-DOWN JUMP SEATS
integrated in the stern platform




TOP STORAGE
under the platform



GLOVE BOX
(passenger console)



DRIVER CONSOLE
with black inserts and 5 gauges



STERN PROFLO™ ALUMINUM LIVEWELL including anti-spill cover, overflow, light, recirculation, and protection filter on the filling pump



SIDE PANEL
storage with 4 Plano cases



SPORT 172

Shown in Black

SPORT SERIES

ARE YOU AN ATHLETE AT HEART?

The four models in the Sport Series are just the ticket for an action-packed summer on the water—no matter what your favorite sport! The cockpits are carefully designed to keep your family safe for total peace of mind on every outing. Start the day with some water skiing and finish with a bit of fishing. The Sport Series takes you wherever you want, whenever!



DRIVER CONSOLE
with lighted gauges
and black inserts



In-floor lockable
ROD ORGANIZER
with tubes for 4 rods
(except Sport 164)



GLOVE BOX
(passenger console)



**STORAGE UNDER
DRIVER CONSOLE**
with extensible cargo net



INTERIOR LIGHTING



Deep-cycle
BATTERY STORAGE
under the port side console
(except Sport 172)



SPORT 187

Shown in White
Engine pod platform Option

SPORT



	Center line	Beam	Chine width	Maximum depth	Approximate draft	Transom height	Approximate weight	Aluminum thickness (Bottom)	Aluminum thickness (Side)	Built-in gas tank	Maximum HP capacity	Maximum weight capacity	Maximum weight person capacity	Maximum person capacity
187	5.6 m (18'-6")	2.4 m (95")	2.0 m (80")	1.2 m (46")	0.8 m (33")	0.6 m (25")	680 kg (1500 lb.)	2.8 mm (.110")	1.8 mm (.072")	≤ 140 L (37 U.S. gal.)	130 kW (175 HP)	★ 816 kg (1800 lb.)	★ 525 kg (1157 lb.) ★ 521 kg (1148 lb.)	★ 7 ★ 8
177	5.3 m (17'-5")	2.3 m (92")	1.9 m (75")	1.0 m (40")	0.8 m (30")	0.6 m (25")	603 kg (1330 lb.)	2.5 mm (.100")	1.8 mm (.072")	≤ 91 L (24 U.S. gal.)	112 kW (150 HP)	★ 713 kg (1572 lb.)	★ 450 kg (992 lb.) ★ 413 kg (910 lb.)	★ 6 ★ 7

**SPORT 187**

Shown in White

**SPORT 177**

Shown in Black

KEY STANDARD FEATURES

- ▶ Raised bow and aft casting platforms with storage
- ▶ 2 fold-down jump seats $\frac{1}{3}$ - $\frac{2}{3}$ in the stern casting platform
- ▶ Deep self-draining splashwell
- ▶ Stainless steel bow and stern eyes
- ▶ 4 chromed cleats
- ▶ Complete fully-lit instrumentation
- ▶ Twin consoles with walk-thru curved tempered glass windshield with door
- ▶ Rigging tubes under flooring (stern to console and console to bow)
- ▶ Electric bilge pump
- ▶ Storage under driver console with extensible cargo net
- ▶ Bow and stern ProFlo™ aerated livewell systems
- ▶ No-FeedBack™ dual cable steering system

AVAILABLE COLORS

SPORT 187



SPORT 177



Optional **BATTERY SWITCH** allowing the onboard power shut down



Optional removable **SKI PYLON**



Optional 160-watt AM/FM/Bluetooth **JENSEN® STEREO** with integrated auxiliary input ($\frac{1}{8}$ " in console



Optional bow rider **SEAT CUSHIONS**



FOLD-DOWN JUMP SEATS ($\frac{1}{3}$ - $\frac{2}{3}$) that can convert into a vinyl-covered casting platform



Stern stainless steel **TELESCOPIC BOARDING LADDER**



SPORT 172

Shown in Black
Ski pylon Option
Deluxe folding seats Option

SPORT



	Center line	Beam	Chine width	Maximum depth	Approximate draft	Transom height	Approximate weight	Aluminum thickness (Bottom)	Aluminum thickness (Side)	Built-in gas tank	Maximum HP capacity	Maximum weight capacity	Maximum weight person capacity	Maximum person capacity
172	5.3 m (17'-5")	2.3 m (91")	1.9 m (75")	1.0 m (39")	0.8 m (30")	0.6 m (25")	625 kg (1377 lb.)	2.5 mm (.100")	1.8 mm (.072")	≤ 91 L (24 U.S. gal.)	93 kW (125 HP)	★ 703 kg (1549 lb.)	★ 450 kg (992 lb.) ★ 420 kg (926 lb.)	★ 6 ★ 7
164	5.0 m (16'-6")	2.3 m (90")	1.8 m (71")	0.9 m (34")	0.7 m (29")	0.5 m (20")	494 kg (1090 lb.)	2.2 mm (.087")	1.8 mm (.072")	≤ 72 L (19 U.S. gal.)	86 Kw (115 HP)	★ 630 kg (1389 lb.)	★ 375 kg (827 lb.) ★ 347 kg (766 lb.)	★ 5 ★ 6

SPORT 172

Shown in Black

**SPORT 164**

Shown in Black

**KEY STANDARD FEATURES**

- ▶ Raised bow and aft casting platforms with storage
- ▶ Deep self-draining splashwell
- ▶ Stainless steel bow and stern eyes
- ▶ 4 chromed cleats
- ▶ Complete fully-lit instrumentation
- ▶ Twin consoles with walk-thru tinted curved tempered glass windshield with door
- ▶ Rigging tubes under flooring (stern to console and console to bow)
- ▶ Electric bilge pump
- ▶ Storage under driver console with extensible cargo net
- ▶ No-FeedBack™ steering system

SPORT 172

- ▶ Bow and stern SportFlo™ aerated livewell systems

SPORT 164

- ▶ Bow SportFlo™ aerated livewell system

AVAILABLE COLORS

SPORT 172



SPORT 164



Optional 160-watt AM/FM/Bluetooth **JENSEN® STEREO** with integrated auxiliary input (1/8") in console




Optional bow rider **SEAT CUSHIONS**



DRIVER CONSOLE with lighted gauges and black inserts



In-floor lockable **ROD ORGANIZER** with tubes for 4 rods (except Sport 164)



INTERIOR LIGHTING



Stern stainless steel **TELESCOPIC BOARDING LADDER**

XPEDITION SERIES

A DAY OF FISHING IS AN EXPEDITION IN AND OF ITSELF.

And for an unbeatable expedition, you need a powerful, stable boat that can hold all the gear of a seasoned angler like you. That's just what you'll get with the Xpedition Series. We've pored over every detail to deliver a truly optimal fishing experience. Perfection never felt so good—experience it for yourself!



DRAWER
under driver console
in SC versions and addition
of a second drawer under
passenger console in DC
and WS versions



4 stainless steel
FOLDING CLEATS



**LOCKABLE HERMETIC
STORAGE**
integrated to the bow
casting platform



ACS UNIQUE SYSTEM
(Advanced Circulation
System) allowing air
circulation in the bow storage
compartments while the boat
is trailered or underway



DRIVER CONSOLE
including gauges
and No-Feedback™
steering system



**LARGE LOCKABLE
ROD ORGANIZER**
with tubes accommodating up
to 3 batteries and a trolling
motor charger



XPEDITION 170

Shown in Matte Black (Optional)

DC Option shown

Princecraft® special decal package Option



XPEDITION 170

Shown in Matte Black (Optional)
DC Option shown
Princecraft® special decal package Option

XPEDITION

	Center line	Beam	Chine width	Maximum depth	Approximate draft	Transom height	Approximate weight	Aluminum thickness (Bottom)	Aluminum thickness (Side)	Built-in gas tank	Maximum HP capacity	Maximum weight capacity	Maximum weight person capacity	Maximum person capacity
H36 <small>MAINE GRADE ALUMINUM</small> <small>DOUBLE PLATED BOTTOM</small>														
200 WS, DC AND SC	6.1 m (20'-0")	2.3 m (92")	2.0 m (78")	0.9 m (37")	0.8 m (33")	0.6 m (25")	664 kg (1463 lb.)	2.5 mm (.100")	1.8 mm (.072")	≤ 144 L (38 U.S. gal.)	186 kW (250 HP)	★ 841 kg (1854 lb.)	★ 472 kg (1040 lb.)	★ 8
180 WS, DC AND SC	5.7 m (18'-9")	2.3 m (92")	2.0 m (78")	0.9 m (37")	0.8 m (33")	0.6 m (25")	596 kg (1315 lb.)	2.5 mm (.100")	1.8 mm (.072")	≤ 114 L (30 U.S. gal.)	149 kW (200 HP)	★ 732 kg (1613 lb.)	★ 375 kg (827 lb.) ★ 340 kg (750 lb.)	★ 5 ★ 6
170 WS, DC AND SC	5.2 m (16'-11")	2.3 m (91")	2.0 m (78")	0.9 m (35")	0.8 m (31")	0.5 m (20")	511 kg (1127 lb.)	2.5 mm (.100")	1.8 mm (.072")	≤ 72 L (19 U.S. gal.)	86 kW (115 HP)	★ 642 kg (1415 lb.) ★ 634 kg (1398 lb.)	★ 300 kg (661 lb.) ★ 306 kg (675 lb.)	★ 4 ★ 5

XPEDITION 200

Shown in Black
WS Option shown
Kicker engine Option



XPEDITION 180

Shown in Matte Black (Optional)
WS Option shown
Princecraft® special decal package Option
Deluxe folding seats Option



XPEDITION 170

Shown in Matte Black (Optional)
DC Option shown
Princecraft® special decal package Option
Deluxe folding seats Option



KEY STANDARD FEATURES

- ▶ Twin plating from bow to mid-ship
- ▶ Rigging tubes under flooring (stern to console and console to bow)
- ▶ 4 stainless steel folding cleats
- ▶ Lockable tight storage
- ▶ Rod storage with tubes and support for rods (left side)
- ▶ Large lockable rod organizer with tubes for rods
- ▶ Bow mounting trolling motor pad
- ▶ 12V, 24V or 36V bow trolling motor plug and receptacle with wiring harness (12V or 24V only on Xpedition 170)
- ▶ PrinceTrak System: extrusion allowing onboard tool fixing
- ▶ 4 floor seat bases
- ▶ No-FeedBack™ dual cable steering system (except Xpedition 170)
- ▶ Bow and stern ProFlo™ Plus aerated livewell systems
- ▶ 2 folding seats
- ▶ 2 stern fold-down jump seats (except Xpedition 180)

AVAILABLE COLORS

XPEDITION 200	●	● M
XPEDITION 180	●	● M
XPEDITION 170	●	● M

M = MATTE BLACK (OPTIONAL)



LARGE LOCKABLE ROD ORGANIZER
with tubes accommodating up to 3 batteries and a trolling motor charger



COCKPIT QUICK DRAIN
to bilge



ACS UNIQUE SYSTEM
(Advanced Circulation System) allowing air circulation in the bow storage compartments while the boat is trailered or underway



LOCKABLE HERMETIC STORAGE
integrated to the bow casting platform



BOW AND STERN ProFlo™ Plus aerated livewell systems



DRIVER CONSOLE
including gauges and No-Feedback™ steering system



MASK 180 DLX WS

Shown in Black
Fishing package Option

DLX AND DL SERIES

YOU DESERVE THE STRONGEST BOAT AROUND!

That's why all the models in our DLX Series are built to simplify your life so you can get the most out of your time on the water! You'll never miss a minute of great fishing with all the smart storage space designed to give you easy access to your gear at all times.

WHEN IT COMES TO BOATS, YOU SHOULD NEVER HAVE TO COMPROMISE ON PERFORMANCE AND DURABILITY. AND WITH THE NINE NEW MODELS IN THE DL SERIES, YOU WON'T HAVE TO.

They're brand new, totally affordable, and, above all, as versatile and strong as ever! In 2018 there's no reason to miss out on the quality of a Princecraft® boat. So much comfort, at such a great price!



HUDSON 190 DLX SC

Shown in White
Fishing package Option
Stern telescopic ladder Option
Bicycle seat Option

HUDSON 190 DLX



	Center line	Beam	Chine width	Maximum depth	Approximate draft	Transom height	Approximate weight	Aluminum thickness (Bottom)	Aluminum thickness (Side)	Built-in gas tank	Maximum HP capacity	Maximum weight capacity	Maximum weight person capacity	Maximum person capacity
WS	5.8 m (19'-0")	2.3 m (91")	2.0 m (78")	0.9 m (35")	0.8 m (32")	0.6 m (25")	601 kg (1325 lb.)	2.5 mm (.100")	1.8 mm (.072")	≤ 95 L (25 U.S. gal.)	112 kW (150 HP)	★ 676 kg (1490 lb.) ★ 639 kg (1408 lb.)	★ 375 kg (827 lb.) ★ 338 kg (746 lb.)	★ 5 ★ 6
SC	5.8 m (19'-0")	2.3 m (91")	2.0 m (78")	0.9 m (35")	0.8 m (33")	0.6 m (25")	562 kg (1239 lb.)	2.5 mm (.100")	1.8 mm (.072")	≤ 95 L (25 U.S. gal.)	112 kW (150 HP)	★ 676 kg (1490 lb.) ★ 639 kg (1408 lb.)	★ 375 kg (827 lb.) ★ 338 kg (746 lb.)	★ 5 ★ 6
BT	5.8 m (19'-0")	2.3 m (91")	2.0 m (78")	0.9 m (35")	0.8 m (33")	0.6 m (25")	531 kg (1170 lb.)	2.5 mm (.100")	1.8 mm (.072")	≤ 95 L (25 U.S. gal.)	67 kW (90 HP)	★ 611 kg (1348 lb.) ★ 623 kg (1374 lb.)	★ 375 kg (827 lb.) ★ 338 kg (746 lb.)	★ 5 ★ 6



HUDSON 190 DLX **WS**

Shown in Black
Fishing package Option
Stern telescopic ladder Option



HUDSON 190 DLX **SC**

Shown in White
Fishing package Option
Stern telescopic ladder Option



HUDSON 190 DLX **BT**

KEY STANDARD FEATURES

- ▶ Reverse chine hull design
- ▶ Deep self-draining splashwell
- ▶ 2 folding seats
- ▶ Stern SportFlo™ aerated livewell system
- ▶ Large lockable rod organizer with tubes for 10 rods with L shape door
- ▶ 12V or 24V bow trolling motor plug and receptacle with wiring harness
- ▶ Electric bilge pump
- ▶ Battery storage compartments
- ▶ Navigation lights
- ▶ Twin plating from bow to mid-ship
- ▶ Raised bow and aft casting platforms with storage

HUDSON 190 DLX WS AND SC

- ▶ Complete fully-lit instrumentation
- ▶ No-FeedBack™ dual cable steering system

HUDSON 190 DLX BT

- ▶ Carling switch panel with indicator lights and fuel gauge

+ Discover the optional **FISHING PACKAGE** on page 64.

AVAILABLE COLORS

HUDSON 190 DLX WS	●	●	●	●
HUDSON 190 DLX SC	●	●	●	●
HUDSON 190 DLX BT	●			



LARGE LOCKABLE ROD ORGANIZER
with tubes for 10 rods
accommodating 2 batteries
and a trolling motor charger



Optional RSP Combo:
REMOVABLE AFT FLIP SEATS
platform combo
with 2 cup holders
(except Hudson 190 DLX BT)



DRIVER CONSOLE
including gauges and dual
cable No-Feedback™
steering system (except
Hudson 190 DLX BT)



Optional 160-watt
AM/FM/Bluetooth
JENSEN® STEREO
with integrated auxiliary
input (1/8") in console
(except Hudson 190 DLX BT)



77 L/20 U.S. gal. stern
SPORTFLO™ LIVEWELL
including anti-spill cover,
overflow, and protection filter
on the filling pump



Optional
BOW CUSHIONS
(Hudson 190 DLX WS only)



MASKA 180 DLX WS

Shown in Black
 Fishing package Option
 Optional RSP Combo: removable aft
 flip seats platform combo with 2 cup holders

MASKA 180 DLX

	Center line	Beam	Chine width	Maximum depth	Approximate draft	Transom height	Approximate weight	Aluminum thickness (Bottom)	Aluminum thickness (Side)	Built-in gas tank	Maximum HP capacity	Maximum weight capacity	Maximum weight person capacity	Maximum person capacity
WS	5.5 m (18'-1")	2.3 m (91")	2.0 m (78")	0.9 m (35")	0.8 m (32")	0.6 m (25")	578 kg (1275 lb.)	2.5 mm (.100")	1.8 mm (.072")	≤ 95 L (25 U.S. gal.)	112 kW (150 HP)	★ 638 kg (1407 lb.) ★ 637 kg (1405 lb.)	★ 375 kg (827 lb.) ★ 337 kg (744 lb.)	★ 5 ★ 6
BT	5.5 m (18'-1")	2.3 m (91")	2.0 m (78")	0.9 m (35")	0.8 m (32")	0.5 m (20")	508 kg (1120 lb.)	2.5 mm (.100")	1.8 mm (.072")	≤ 95 L (25 U.S. gal.)	56 kW (75 HP)	★ 577 kg (1272 lb.)	★ 375 kg (827 lb.) ★ 337 kg (744 lb.)	★ 5 ★ 6

KEY STANDARD FEATURES

- ▶ Reverse chine hull design
- ▶ Deep self-draining splashwell
- ▶ 2 folding seats
- ▶ Stern SportFlo™ aerated livewell system
- ▶ Large lockable rod organizer with tubes for 9 rods with L shape door
- ▶ 12V or 24V bow trolling motor plug and receptacle with wiring harness
- ▶ Electric bilge pump
- ▶ Battery storage compartments
- ▶ Navigation lights
- ▶ Twin plating from bow to mid-ship
- ▶ Raised bow and aft casting platforms with storage

MASKA 180 DLX **WS**

Shown in Black
Fishing package Option
Stern telescopic ladder Option



MASKA 180 DLX **BT**



MASKA 180 DLX **WS**

- ▶ Complete fully-lit instrumentation
- ▶ No-FeedBack™ dual cable steering system

MASKA 180 DLX **BT**

- ▶ Carling switch panel with indicator lights and fuel gauge


+ Discover the optional **FISHING PACKAGE** on page 64.

AVAILABLE COLORS

MASKA 180 DLX WS



MASKA 180 DLX BT



**LARGE LOCKABLE
ROD ORGANIZER**
with tubes for 9 rods



LARGE STORAGE
compartments under the bow
casting platform



DRIVER CONSOLE
with No-FeedBack™ steering
system, lighted gauges,
and black inserts
(except Maska 180 DLX BT)



Optional 160-watt
AM/FM/Bluetooth
JENSEN® STEREO
with integrated auxiliary
input (1/8") in console
(except Maska 180 DLX BT)



77 L/20 U.S. gal. stern
SPORTFLO™ LIVEWELL
including anti-spill cover,
overflow, and protection filter
on the filling pump



Optional RSP Combo:
**REMOVABLE AFT
FLIP SEATS**
platform combo
with 2 cup holders
(except Maska 180 DLX BT)



NANOOK 168 DLX WS

Shown in Red
 Fishing package Option
 Stern telescopic ladder Option

NANOOK 168 DLX



	Center line	Beam	Chine width	Maximum depth	Approximate draft	Transom height	Approximate weight	Aluminum thickness (Bottom)	Aluminum thickness (Side)	Built-in gas tank	Maximum HP capacity	Maximum weight capacity	Maximum weight person capacity	Maximum person capacity
WS	5.0 m (16'-6")	2.2 m (88")	1.8 m (71")	0.8 m (33")	0.7 m (28")	0.5 m (20")	474 kg (1044 lb.)	2.2 mm (.087")	1.8 mm (.072")	≤ 72 L (19 U.S. gal.)	86 kW (115 HP)	★ 300 kg (661 lb.) ★ 600 kg (1323 lb.)	★ 318 kg (700 lb.)	★ 4 ★ 5
SC	5.0 m (16'-6")	2.2 m (88")	1.8 m (71")	0.8 m (33")	0.7 m (28")	0.5 m (20")	435 kg (958 lb.)	2.2 mm (.087")	1.8 mm (.072")	≤ 72 L (19 U.S. gal.)	86 kW (115 HP)	★ 300 kg (661 lb.) ★ 600 kg (1323 lb.)	★ 318 kg (700 lb.)	★ 4 ★ 5

KEY STANDARD FEATURES

- ▶ Reverse chine hull design
- ▶ Deep self-draining splashwell
- ▶ 2 folding seats
- ▶ Stern SportFlo™ aerated livewell system
- ▶ Electric bilge pump
- ▶ Twin plating from bow to mid-ship
- ▶ Complete fully-lit instrumentation
- ▶ Large lockable rod organizer with tubes for 6 rods in bow platform
- ▶ 12V or 24V bow trolling motor plug and receptacle with wiring harness
- ▶ No-FeedBack™ steering system

NANOOK 168 DLX WS

Shown in Red
Fishing package Option
Stern telescopic ladder Option



NANOOK 168 DLX SC

Shown in Black



NANOOK 168 DLX WS

- ▶ Twin consoles with walk-thru tinted curved tempered glass windshield with door

NANOOK 168 DLX SC

- ▶ Side console with quick release smoked windscreen

+ Discover the optional **FISHING PACKAGE** on page 64.

AVAILABLE COLORS

NANOOK 168 DLX WS



NANOOK 168 DLX SC



STORAGE
in passenger side



DRIVER CONSOLE
with No-FeedBack™ steering system, lighted gauges, and black inserts



STORAGE
under driver console
(and under passenger console for WS version)



Optional RSP Combo:
REMOVABLE AFT FLIP SEATS
platform combo with 2 cup holders



Folding
FISHING SEAT



LARGE STORAGE COMPARTMENTS
under the bow casting platform



HOLIDAY 162 DLX WS

Shown in Black
Stern telescopic ladder Option

HOLIDAY 162 DLX AND YUKON 140 DLX BT

	Center line	Beam	Chime width	Maximum depth	Approximate draft	Transom height	Approximate weight	Aluminum thickness (Bottom)	Aluminum thickness (Side)	Built-in gas tank	Maximum HP capacity	Maximum weight capacity	Maximum weight person capacity	Maximum person capacity
 HOLIDAY 162 DLX WS	4.9 m (16'-2")	2.2 m (84")	1.8 m (69")	0.8 m (30")	0.7 m (26")	0.5 m (20")	378 kg (834 lb.)	2.2 mm (.087")	1.8 mm (.072")	≤ 72 L (19 U.S. gal.)	56 kW (75 HP)	★ 545 kg (1201 lb.) ★ 530 kg (1169 lb.)	★ 300 kg (661 lb.) ★ 291 kg (641 lb.)	★ 4 ★ 5
	HOLIDAY 162 DLX SC	4.9 m (16'-2")	2.2 m (84")	1.8 m (69")	0.8 m (30")	0.7 m (26")	0.5 m (20")	359 kg (792 lb.)	2.2 mm (.087")	1.8 mm (.072")	≤ 72 L (19 U.S. gal.)	56 kW (75 HP)	★ 545 kg (1201 lb.) ★ 530 kg (1169 lb.)	★ 300 kg (661 lb.) ★ 291 kg (641 lb.)
YUKON 140 DLX BT		4.3 m (14'-3")	1.7 m (68")	1.4 m (57")	0.7 m (28")	0.4 m (17")	0.5 m (20")	177 kg (390 lb.)	1.5 mm (.061")	1.5 mm (.061")	Portable	19 kW (25 HP)	★ 373 kg (822 lb.) ★ 372 kg (821 lb.)	★ 225 kg (496 lb.) ★ 214 kg (471 lb.)



HOLIDAY 162 DLX WS

Shown in Black
Stern telescopic ladder Option

KEY STANDARD FEATURES

- ▶ Deep self-draining splashwell
- ▶ Bow SportFlo™ aerated livewell system

HOLIDAY 162 DLX WS AND SC

- ▶ Reverse chine hull design
- ▶ Lockable 7-foot rod storage
- ▶ 12V bow trolling motor plug and receptacle with wiring harness
- ▶ 2 folding seats
- ▶ Complete fully-lit instrumentation



HOLIDAY 162 DLX SC

Shown in Magnetic Gray
Fishing package Option
Stern telescopic ladder Option

HOLIDAY 162 DLX WS

- ▶ Twin consoles with walk-thru tinted curved tempered glass windshield with door

HOLIDAY 162 DLX SC

- ▶ Side console with quick release smoked windscreen



YUKON 140 DLX BT

Galvanized trailer Option

YUKON 140 DLX BT

- ▶ Semi-V hull with square chine
- ▶ All seats are covered with vinyl

AVAILABLE COLORS

HOLIDAY 162 DLX WS	●	●	●	●
HOLIDAY 162 DLX SC	●	●	●	●
YUKON 140 DLX BT	●			



DRIVER CONSOLE
with lighted gauges
and black inserts
(Holiday 162 DLX SC shown)
(except Yukon 140 DLX BT)



61 L/16 U.S. gal. bow
SPORTFLO™ LIVEWELL
including anti-spill cover, overflow,
and protection filter on the filling pump
(Yukon 140 DLX BT: 39 L/10 U.S. gal.)



Folding
FISHING SEAT
(except Yukon 140 DLX BT)



Optional 160-watt
AM/FM/Bluetooth
JENSEN® STEREO
with integrated auxiliary
input (1/8") in console
(except Yukon 140 DLX BT)



Navigation
LIGHTS



Under seat
STORAGE
(Yukon 140 DLX BT only)



HUDSON DL WS

Analog gauges Option
 Optional RSP Combo: removable aft flip seats platform combo with 2 cup holders
 Bicycle seat Option

HUDSON DL

	Center line	Beam	Chine width	Maximum depth	Approximate draft	Transom height	Approximate weight	Aluminum thickness (Bottom)	Aluminum thickness (Side)	Built-in gas tank	Maximum HP capacity	Maximum weight capacity	Maximum weight person capacity	Maximum person capacity
WS	5.8 m (19'-0")	2.3 m (91")	2.0 m (78")	0.9 m (35")	0.8 m (32")	0.6 m (25")	556 kg (1225 lb.)	2.5 mm (.100")	1.8 mm (.072")	Portable	86 kW (115 HP)	★ 375 kg (827 lb.) ★ 676 kg (1490 lb.)	★ 348 kg (767 lb.) ★ 6	★ 5 ★ 6
SC	5.8 m (19'-0")	2.3 m (91")	2.0 m (78")	0.9 m (35")	0.8 m (33")	0.6 m (25")	517 kg (1139 lb.)	2.5 mm (.100")	1.8 mm (.072")	Portable	86 kW (115 HP)	★ 375 kg (827 lb.) ★ 676 kg (1490 lb.)	★ 348 kg (767 lb.) ★ 6	★ 5 ★ 6

KEY STANDARD FEATURES

- ▶ Reverse chine hull design
- ▶ Deep self-draining splashwell
- ▶ 2 folding seats
- ▶ Bow SportFlo™ aerated livewell system
- ▶ 12 gallons portable gas tank
- ▶ Electric bilge pump
- ▶ Battery storage compartments
- ▶ Navigation lights
- ▶ Twin plating from bow to mid-ship
- ▶ Raised bow and aft casting platforms with storage

HUDSON DL **WS**

Stern telescopic ladder Option



HUDSON DL **SC**



AVAILABLE COLOR

HUDSON DL WS



HUDSON DL SC



Folding
FISHING SEAT



Optional 160-watt
AM/FM/Bluetooth
JENSEN® STEREO
with integrated auxiliary input
(1/8") in console



DRIVER CONSOLE
with No-FeedBack™ steering
system, lighted gauges, and
black inserts (optional analog
gauges shown)



77 L/20 U.S. gal. bow
SPORTFLO™ LIVEWELL
including anti-spill cover,
overflow, and protection filter
on the filling pump



In-floor lockable
ROD ORGANIZER
for 7 rods



12 gallons portable
GAS TANK



AMAROK DL

AMAROK DL SC

Analog gauges Option
 Optional RSP Combo: removable aft
 flip seats platform combo with 2 cup holders
 Bicycle seat Option

	Center line	Beam	Chine width	Maximum depth	Approximate draft	Transom height	Approximate weight	Aluminum thickness (Bottom)	Aluminum thickness (Side)	Built-in gas tank	Maximum HP capacity	Maximum weight capacity	Maximum weight person capacity	Maximum person capacity
WS	5.0 m (16'-6")	2.2 m (88")	1.8 m (71")	0.8 m (33")	0.7 m (28")	0.5 m (20")	472 kg (1040 lb.)	2.2 mm (.087")	1.8 mm (.072")	Portable	56 kW (75 HP)	★ 375 kg (827 lb.) ★ 623 kg (1373 lb.)	★ 338 kg (745 lb.)	★ 5 ★ 6
SC	5.0 m (16'-6")	2.2 m (88")	1.8 m (71")	0.8 m (33")	0.7 m (28")	0.5 m (20")	433 kg (954 lb.)	2.2 mm (.087")	1.8 mm (.072")	Portable	56 kW (75 HP)	★ 375 kg (827 lb.) ★ 623 kg (1373 lb.)	★ 338 kg (745 lb.)	★ 5 ★ 6
BT	5.0 m (16'-6")	2.2 m (88")	1.8 m (71")	0.8 m (33")	0.7 m (28")	0.5 m (20")	433 kg (954 lb.)	2.2 mm (.087")	1.8 mm (.072")	Portable	45 kW (60 HP)	★ 300 kg (661 lb.) ★ 503 kg (1109 lb.)	★ 295 kg (650 lb.)	★ 4 ★ 5

AMAROK DL **WS**AMAROK DL **SC**AMAROK DL **BT**

KEY STANDARD FEATURES

- ▶ Reverse chine hull design
- ▶ Deep self-draining splashwell
- ▶ 2 folding seats
- ▶ Bow SportFlo™ aerated livewell system
- ▶ In-floor lockable rod organizer for 5 rods
- ▶ Electric bilge pump
- ▶ Twin plating from bow to mid-ship
- ▶ 12 gallons portable gas tank

AMAROK DL **WS**

- ▶ Twin consoles with walk-thru curved tempered glass windshield with door

AMAROK DL **SC**

- ▶ Side console with quick release smoked windscreen

AMAROK DL **BT**

- ▶ Carling switch panel with indicator lights and fuel gauge

AVAILABLE COLOR

AMAROK DL WS	●
AMAROK DL SC	●
AMAROK DL BT	●



DRIVER CONSOLE
with No-FeedBack™ steering and black inserts (optional analog gauges shown) (except Amarak DL BT)



12 gallons portable **GAS TANK**



61 L/16 U.S. gal. bow **SPORTFLO™ LIVEWELL** including anti-spill cover, overflow, and protection filter on the filling pump



In-floor lockable **ROD ORGANIZER** for 5 rods



Folding **FISHING SEAT**



Side open **ROD STORAGE**



RESORTER DL SC

- Stern telescopic ladder Option
- Analog gauges Option
- Superior decals Option

RESORTER DL



	Center line	Beam	Chine width	Maximum depth	Approximate draft	Transom height	Approximate weight	Aluminum thickness (Bottom)	Aluminum thickness (Side)	Built-in gas tank	Maximum HP capacity	Maximum weight capacity	Maximum weight person capacity	Maximum person capacity
SC	4.9 m (16'-0")	1.9 m (73")	1.6 m (63")	0.7 m (29")	0.4 m (17")	0.5 m (20")	278 kg (613 lb.)	1.8 mm (.072")	1.5 mm (.061")	Portable	30 kW (40 HP)	★ 453 kg (998 lb.) ★ 244 kg (539 lb.)	★ 300 kg (661 lb.) ★ 244 kg (539 lb.)	★ ★ 4
BT	4.9 m (16'-0")	1.9 m (73")	1.6 m (63")	0.7 m (29")	0.4 m (17")	0.5 m (20")	267 kg (588 lb.)	1.8 mm (.072")	1.5 mm (.061")	Portable	30 kW (40 HP)	★ 453 kg (998 lb.) ★ 244 kg (539 lb.)	★ 300 kg (661 lb.) ★ 244 kg (539 lb.)	★ ★ 4



RESORTER DL SC

KEY STANDARD FEATURES

- ▶ Aluminum clad transom
- ▶ Full-width self-draining splashwell
- ▶ Stainless steel bow and stern eyes
- ▶ Electric bilge pump
- ▶ Bow SportFlo™ aerated livewell system
- ▶ Navigation lights
- ▶ Pressure-treated wood floor covered with marine grade vinyl
- ▶ Reverse chine hull design
- ▶ Raised bow casting platform with wide large storage compartment
- ▶ 2 folding seats
- ▶ 2-7 foot rod storage
- ▶ Marine grade vinyl front deck covered



RESORTER DL BT

AVAILABLE COLOR


RESORTER DL SC



RESORTER DL BT



61 L/16 U.S. gal. bow **SPORTFLO™ LIVEWELL** including anti-spill cover, overflow, and protection filter on the filling pump



SEAT BASE on bow fishing platform



SIDE CONSOLE with steering system (optional analog gauges shown) (Resorter DL SC only)



Large **STORAGE COMPARTMENT** under the bow fishing platform



Folding **FISHING SEAT**



Passenger **SIDE STORAGE**



SPRINGBOK DL BT

SPRINGBOK DL BT AND YUKON DL BT



	Center line	Beam	Chine width	Maximum depth	Approximate draft	Transom height	Approximate weight	Aluminum thickness (Bottom)	Aluminum thickness (Side)	Built-in gas tank	Maximum HP capacity	Maximum weight capacity	Maximum weight person capacity	Maximum person capacity
SPRINGBOK DL BT	4.9 m (16'-0")	1.7 m (68")	1.4 m (57")	0.7 m (28")	0.4 m (17")	0.5 m (20")	170 kg (375 lb.)	1.5 mm (.061")	1.5 mm (.061")	Portable	22 kW (30 HP)	★ 522 kg (1150 lb.) ★ 491 kg (1082 lb.)	★ 300 kg (661 lb.) ★ 332 kg (732 lb.)	★ 4 ★ 5
YUKON DL BT	4.3 m (14'-3")	1.7 m (68")	1.4 m (57")	0.7 m (28")	0.4 m (17")	0.5 m (20")	156 kg (344 lb.)	1.5 mm (.061")	1.5 mm (.061")	Portable	19 kW (25 HP)	★ 411 kg (905 lb.) ★ 252 kg (555 lb.)	★ 300 kg (661 lb.) ★ 252 kg (555 lb.)	★ ★ 4

**SPRINGBOK DL BT**

Galvanized trailer Option

**YUKON DL BT**

Galvanized trailer Option

KEY STANDARD FEATURES

- ▶ Semi-V hull with square chine
- ▶ Full-width self-draining splashwell
- ▶ Bow eye and stern handles
- ▶ Center side storage compartments
- ▶ Parallel seats at stern covered with vinyl
- ▶ Split center seat covered with vinyl
- ▶ Bow bench seat covered with vinyl
- ▶ Stern storage compartment
- ▶ Removable pressure-treated wood floor covered with marine grade vinyl
- ▶ High gloss exterior paint finish with decal package
- ▶ Twin plating at the chine
- ▶ Non-skid anti-glare interior paint finish
- ▶ Heavy-duty tubular seat to gunnel braces
- ▶ Aluminum clad transom

AVAILABLE COLOR

SPRINGBOK DL BT



YUKON DL BT



SPLIT CENTER SEAT
covered with marine
grade vinyl



Removable pressure-treated
WOOD FLOOR
covered with marine grade
vinyl (front and back
floor pieces)



STERN STORAGE
compartment



BATTERY (IES) STORAGE
compartment

UTILITIES AND CARTOPS

KEY STANDARD FEATURES

- ▶ Wide and stable hull design
- ▶ Twin plating at the chine
- ▶ Full-width self draining splashwell (except Fisherman and Ungava)
- ▶ High-gloss exterior paint finish and decal package
- ▶ Non-skid anti-glare interior paint finish
- ▶ Aluminum clad transom
- ▶ Parallel seats at stern
- ▶ Bulkhead center seat
- ▶ Bow bench seat (except Ungava)
- ▶ Durable ribbed polyethylene seat covering



	Center line	Beam	Chine width	Maximum depth	Approximate draft	Transom height	Approximate weight	Aluminum thickness (Bottom)	Aluminum thickness (Side)	Built-in gas tank	Maximum HP capacity	Maximum weight capacity	Maximum weight person capacity	Maximum person capacity
HOLIDAY	5.0 m (16'-4")	2.1 m (83")	1.8 m (69")	0.8 m (30")	0.6 m (22")	0.5 m (20")	181 kg (400 lb.)	2.2 mm (.087")	1.8 mm (.072")	Portable	37 kW (50 HP)	★ 623 kg (1373 lb.)	★ 375 kg (827 lb.)	★ 5
												★ 602 kg (1328 lb.)	★ 394 kg (869 lb.)	★ 6
STARFISH 20	4.9 m (16'-0")	1.9 m (73")	1.6 m (63")	0.7 m (29")	0.4 m (16")	0.5 m (20")	145 kg (320 lb.)	1.8 mm (.072")	1.5 mm (.061")	Portable	30 kW (40 HP)	★ 591 kg (1302 lb.)	★ 375 kg (826 lb.)	★ 5
												★ 591 kg (1303 lb.)	★ 383 kg (844 lb.)	★ 6
STARFISH 15	4.9 m (16'-0")	1.9 m (73")	1.6 m (63")	0.7 m (29")	0.4 m (17")	0.4 m (15")	138 kg (304 lb.)	1.8 mm (.072")	1.5 mm (.061")	Portable	30 kW (40 HP)	★ 498 kg (1097 lb.)	★ 300 kg (661 lb.)	★ 4
												★ 499 kg (1100 lb.)	★ 291 kg (641 lb.)	★ 5



SPRINGBOK 20



YUKON 15



SPRINGBOK 15



FISHERMAN



YUKON 20



UNGAVA



	Center line	Beam	Chine width	Maximum depth	Approximate draft	Transom height	Approximate weight	Aluminum thickness (Bottom)	Aluminum thickness (Side)	Built-in gas tank	Maximum HP capacity	Maximum weight capacity	Maximum weight person capacity	Maximum person capacity
SPRINGBOK 20	4.9 m (16'-0")	1.7 m (68")	1.4 m (57")	0.7 m (28")	0.4 m (17")	0.5 m (20")	133 kg (293 lb.)	1.5 mm (.061")	1.5 mm (.061")	Portable	22 kW (30 HP)	♣ 522 kg (1150 lb.)	♣ 300 kg (661 lb.)	♣ 4
												★ 491 kg (1082 lb.)	★ 332 kg (732 lb.)	★ 5
SPRINGBOK 15	4.9 m (16'-0")	1.7 m (68")	1.4 m (57")	0.7 m (28")	0.4 m (17")	0.4 m (15")	129 kg (285 lb.)	1.5 mm (.061")	1.5 mm (.061")	Portable	22 kW (30 HP)	♣ 444 kg (978 lb.)	♣ 225 kg (496 lb.)	♣ 3
												★ 413 kg (910 lb.)	★ 254 kg (560 lb.)	★ 4
YUKON 20	4.3 m (14'-3")	1.7 m (68")	1.4 m (57")	0.7 m (28")	0.4 m (17")	0.5 m (20")	120 kg (265 lb.)	1.5 mm (.061")	1.5 mm (.061")	Portable	19 kW (25 HP)	♣ 411 kg (906 lb.)	♣ 300 kg (661 lb.)	♣ ★ 4
												★ 411 kg (905 lb.)	★ 252 kg (555 lb.)	
YUKON 15	4.3 m (14'-3")	1.7 m (68")	1.4 m (57")	0.7 m (28")	0.4 m (17")	0.4 m (15")	109 kg (240 lb.)	1.5 mm (.061")	1.5 mm (.061")	Portable	19 kW (25 HP)	♣ ★ 372 kg (821 lb.)	♣ 225 kg (496 lb.)	♣ 3
													★ 214 kg (471 lb.)	★ 4
FISHERMAN	4.3 m (14'-0")	1.5 m (60")	1.3 m (51")	0.7 m (26")	0.4 m (13")	0.4 m (15")	91 kg (201 lb.)	1.5 mm (.061")	1.3 mm (.051")	Portable	15 kW (20 HP)	♣ 373 kg (821 lb.)	♣ 225 kg (496 lb.)	♣ 3
												★ 331 kg (729 lb.)	★ 225 kg (495 lb.)	★ 4
UNGAVA	3.7 m (12'-0")	1.5 m (60")	1.3 m (51")	0.6 m (25")	0.4 m (13")	0.4 m (15")	78 kg (171 lb.)	1.5 mm (.061")	1.3 mm (.051")	Portable	12 kW (15 HP)	♣ 317 kg (699 lb.)	♣ 225 kg (496 lb.)	♣ 3
												★ 318 kg (700 lb.)	★ 211 kg (466 lb.)	★ 4

UTILITIES AND CARTOPS

KEY STANDARD FEATURES

- ▶ Wide and stable hull design
- ▶ Twin plating at the chine
- ▶ Non-skid anti-glare interior paint finish
- ▶ Aluminum clad transom
- ▶ Bulkhead center seat
- ▶ Bow bench seat



LYNX



SCAMPER



SEASPRITE



	Center line	Beam	Chine width	Maximum depth	Approximate draft	Transom height	Approximate weight	Aluminum thickness (Bottom)	Aluminum thickness (Side)	Built-in gas tank	Maximum HP capacity	Maximum weight capacity	Maximum weight person capacity	Maximum person capacity
LYNX	4.9 m (16'-0")	1.7 m (68")	1.5 m (58")	0.7 m (27")	0.4 m (17")	0.4 m (15")	145 kg (320 lb.)	2.2 mm (.087")	1.5 mm (.061")	Portable	19 kW (25 HP)	★★ 454 kg (1000 lb.) ★ 295 kg (650 lb.)	★ 300 kg (661 lb.) ★ 295 kg (650 lb.)	★ 4 ★ 5
SCAMPER	4.3 m (14'-4")	1.5 m (58")	1.1 m (45")	0.5 m (21")	0.4 m (13")	0.4 m (15")	68 kg (150 lb.)	1.3 mm (.051")	1.3 mm (.051")	Portable	12 kW (15 HP)	★ 341 kg (753 lb.) ★ 340 kg (750 lb.)	★ 225 kg (496 lb.) ★ 234 kg (516 lb.)	★ 3 ★ 4
SEASPRITE	3.7 m (12'-4")	1.5 m (58")	1.1 m (45")	0.5 m (21")	0.4 m (13")	0.4 m (15")	59 kg (130 lb.)	1.3 mm (.051")	1.3 mm (.051")	Portable	7.5 kW (10 HP)	★ 280 kg (617 lb.) ★ 274 kg (603 lb.)	★ 150 kg (330 lb.) ★ 190 kg (418 lb.)	★ 2 ★ 3

FEATURES AND OPTIONS

		Holiday	Starfish 20	Starfish 15	Springbok 20	Springbok 15	Yukon 20	Yukon 15	Fisherman	Ungava	Lynx	Scamper	Seasprite
STANDARD FEATURES	HULL & DECK												
	5052-H36 marine-grade aluminum alloy	•	•	•	•	•	•	•	•	•	•	•	•
	High gloss exterior High Solids urethane paint and decal package	•	•	•	•	•	•	•	•	•			
	Decal package										•	•	•
	Non-skid anti-glare interior paint finish	•	•	•	•	•	•	•	•	•	•	•	•
	Hull (R = reverse chine, S = square chine, RC = round chine)	R	R	R	S	S	S	S	S	S	S	RC	RC
	Aluminum clad transom	•	•	•	•	•	•	•	•	•	•	•	•
	Full-width self-draining splashwell	•	•	•	•	•	•	•					
	Twin plating at the chine	•	•	•	•	•	•	•	•	•			
	Heavy-duty tubular seat to gunnel braces	•	•	•	•	•	•	•	•	•	•	•	•
Stainless steel bow and stern eyes (E) or bow eye and stern handles (H)	E	H	H	H	H	H	H	H	H	H	H	H	
SEATS	Parallel seats at stern	•	•	•	•	•	•	•	•				
	Bulkhead center seat	•	•	•	•	•	•	•	•	•	•	•	
	Bow bench seat	•	•	•	•	•	•	•		•	•	•	
	Durable ribbed polyethylene seat covering	•	•	•	•	•	•	•	•				
OPTIONS	Deployable ladder (in pouch)	0	0	0	0	0	0	0	0	0	0	0	
	Seat Package: folding seat, detachable swivel plate with auto-lock handle and extrusion	0	0	0	0	0	0	0	0				
	Complete side console: bezel, hub, steering wheel, cable and detachable smoked windscreen	0	0	0	0	0	0						
	Sun top	0	0	0	0	0	0	0	0				
	Galvanized utility trailer with 12" tires	0	0	0	0	0	0	0	0	0	0	0	
COLORS	Black	•	•	•	•	•	•	•	•				
	Aluminum									•	•	•	

* For complete standard features and options, visit our Website at princecraft.com



OPTIONAL SUN TOP
(except Lynx, Scamper, and Seasprite)



Exclusive **POLYETHYLENE SEATS** come standard and stay dryer than wood seats (except Lynx, Scamper, and Seasprite)



The stern **PARALLEL SEATS** make moving around much easier (except Lynx, Scamper, and Seasprite)



ALUMINUM-CLAD, hassle-free transom




Optional complete **SIDE CONSOLE** (on most models)

2018 TECHNICAL DRAWINGS

PLATINUM SE

PLATINUM SE 227



PLATINUM SE 207



PLATINUM SE 186



PLATINUM SE 176




XPERIENCE

XPERIENCE 195




SPORT

SPORT 187




SPORT 177



SPORT 172



SPORT 164



XPEDITION


XPEDITION 200 WS OPTION




XPEDITION 200 DC OPTION



XPEDITION 200 SC OPTION



XPEDITION 180 WS OPTION



XPEDITION 180 DC OPTION




XPEDITION 180 SC OPTION



XPEDITION 170 WS OPTION



XPEDITION 170 DC OPTION




XPEDITION 170 SC OPTION




Legend

- Model page number
- Livewell
- Storage compartment
- Open space storage compartment
- Rod storage compartment
- Fuel tank
- Ice box


HUDSON 190 DLX




HOLIDAY 162 DLX



RESORTER DL




SPRINGBOK DL




YUKON 140 DLX




MASKA 180 DLX




HUDSON DL




NANOOK 168 DLX



AMAROK DL



UTILITIES AND CARTOPS



CANVAS AND COVERS: A PERFECT FIT



1



2



3

PRINCECRAFT® CANVAS AND COVERS ARE SPECIALLY DESIGNED TO FIT YOUR BOAT.

What's more, almost all our boats come with snap buttons installed in our factory using extremely precise templates for a perfect, effortless fit. At Princecraft® we provide quality products from bow to stern!

- 1 Trailer cover
- 2 Complete stand-up high top with tonneau cover and curtains (windshield model shown)
- 3 Sun top for utilities


PRINCETRAK SYSTEM

Extrusion allowing onboard tool attachment



1 Quick storage for three fishing rods 2 Fishing rod support 3 Cup holder 4 Multipurpose plate (Slide your PrinceTrak into position and attach whatever you want to it: sonar, tools, and lot more).

Fishing package



Fishing package including addition of Tournament Fishing Team (TFT) graphics, flat seat bases on fishing platforms, seat exchange, fish ruler, quick rod storage, and net(s) addition under console(s) and on bow platform (optional on most models in the DLX Series)

OPTIONAL EQUIPMENT



1 Stainless steel telescopic ladder 2 Engine pod platform 3 Folding seat 4 Deluxe convertible seat 5 Deluxe convertible seat (Platinum SE Series) 6 Heated reclining captain's chair with adjustable armrests 7 Bicycle seat package including bicycle seat and adjustable post 8 Sonar/Lowrance® Hook-3x 9 Sonar/GPS Lowrance® Hook-7 10 Sonar/GPS Lowrance® Elite-7 11 Sonar/GPS Lowrance® HDS-7 12 Sonar Humminbird® Piranha MAX 4 13 Sonar/GPS Humminbird® Helix 5 14 Sonar/GPS Humminbird® Helix 7 15 Raymarine® A78 multifunction touchscreen with DownVision/GPS 16 Raymarine® A98 multifunction touchscreen with DownVision/GPS 17 Control for kicker engine 18 Kicker® engine 19 Windshield wiper 20 Mercury® SmartCraft™ gauges 21 160-watt AM/FM/Bluetooth Jensen® Stereo with integrated auxiliary input (1/8") in console 22 200-watt AM/FM/CD/Bluetooth Clarion® Stereo compatible SAT with integrated USB plug and auxiliary input (1/8") in console 23-24 Ski pylon 25 Downrigger supports (2) 26 Sleeper seat 27 Battery charger (many models available) 28-29 Wash down system 30 Head with holding tank and pump out 31 Marine grade carpeted floor covering 32 Bow rider seat cushions 33 ACS (Advanced Circulation System) is a ventilation system in storage compartments (bow platform) (Xpedition Series only) 34 Power steering system Panther XPS® with tilt wheel and slider for driver seat 35 SeaStar® hydraulic steering system with tilt wheel and slider for driver seat 36 RSP Combo: Optional removable aft flip seats that can convert into a large casting platform including 2 cup holders 37 Multifunction SIMRAD® Go7 screen replacing the standard SmartCraft™ gauges (Platinum SE Series only) 38 Active trim: automatic trim system

* For complete standard features and options, visit our Website at princecraft.com



PRINCECRAFT®

For more information on our boats, to check out our videos,
or to find your nearest dealer, visit our Website at

princecraft.com
or call us at
1 800 395-8858

In Canada: Princecraft® Boats Inc., A Brunswick Company,
725 Saint-Henri Street, Princeville (Quebec) G6L 5C2

In the United States: Princecraft® U.S., A Brunswick Company,
1st Tennessee Plaza Bldg., Suite 1200, 800 S. Gay Street, Knoxville, TN 37929

Princecraft® factory-packaged boats are available with various horsepower
Mercury® outboards. www.mercurymarine.com

PLEASE READ CAREFULLY: Dimensions, capacities, ratings, and additional specifications, plus complete warranty and service information, are available from your Princecraft® dealer. Product illustrations and data within this catalog are based upon information available at the time of publication. Not all accessories shown in pictures or described herein are standard equipment or even available as options. Specification measurements are approximations and subject to variance. Because Princecraft® is dedicated to constant product improvements, Princecraft® reserves the right to make changes without prior notice or obligation. Not all model year boats may contain all of the features or meet the specifications described herein. Ask your Princecraft® dealer for the most current product specifications prior to purchase. Some of the equipment shown separately or on products illustrated in this catalog may be optional at extra cost. Options and features are subject to change without notice. Princecraft® is a member in good standing of the National Marine Manufacturers Association (NMMA) USA and Canada. All boats comply with Canadian Coast Guard and U.S. Coast Guard regulations. All Princecraft® boats are in compliance with NMMA's Boat Certification Program. Attwood™ is a registered trademark of Attwood Corporation. Clarion® is a registered trademark of Clarion Sales Corporation. Faria™ is a registered trademark of TG Faria, Inc. Pilot™ is a registered trademark of TG Faria, Inc. Flow-Rite™ is a registered trademark of Flow-Rite Controls. Lowrance® is a registered trademark of Lowrance Electronics, Inc. Marincó™ is a registered trademark of Marincó-AFI. McGill™ is a registered trademark of Emerson Electronics. Mercury®, Verado™, OptiMax® and SmartCraft™ are registered trademarks of Mercury Marine®.

Special thanks to: Mercury Marine®, Rapala®, Coleman®, Cannon Downriggers, Stearns®.

