



PRINCECRAFT®

**FISHING
BOATS**

2019

PRINCECRAFT®

Visit us at princecraft.com

or call us 1 800 395-8858



DREAM BIG. TAKE THE HELM.

1954. A dream is born. To make top quality boats. To build watercrafts that exceed industry standards—and give boat lovers even more than they ever imagined.

For 65 years, with more than 325 visionaries at work, we've been pursuing that dream. A dream that continues to evolve every day.

Because we want your fishing experience to be the best it can be.
Because we think big for our entire industry.
Because Princecraft® is also you.

H36 Aluminum	16
Trailers	18
PrinceTrak and livewells.....	19

PLATINUM SE SERIES

Platinum SE 227 and 207	22
Platinum SE 186 and 176	24

KAPTURE SERIES

Kapture 187	28
-------------------	----

SPORT SERIES

Sport 187 and 177	32
Sport 172 and 164	34

XPEDITION SERIES

Xpedition 200 and 180	38
-----------------------------	----

DLX, DL, AND BT SERIES

Hudson 190 DLX WS and 170 DLX WS	42
Nanook 168 DLX WS and SC	44
Holiday 162 DLX WS and SC	46
Hudson 190 DL WS and 170 DL WS	48
Amarok 166 DL WS and SC	50
Resorter 160 DL SC	52
Hudson 190 BT and Maska 180 BT	54
Amarok 166 BT, Resorter 160 BT, and Yukon 140 BT	56

UTILITIES AND CARTOPS

Starfish 16/16 L, Springbok 16/16 L, Yukon 14/14 L, Fisherman 14, and Ungava 12	58
Lynx 16, Scamper 14, and Seasprite 12..	60
Technical drawings.....	62
Optional canvas and covers	64
Optional equipment	65
Standard features	66

H36

MARINE GRADE
ALUMINUM

OUR SECRET: H36 ALUMINUM

Princecraft® hulls are the strongest and most durable on the market because they are made with the best marine-grade aluminum in the business, 5052-H36.

- > 25% stronger than the aluminum used by most of our competitors
- > More resistant to shock and warping
- > Maintains peak performance
- > Helps boost boat resale value

H36 FROM OUR FACTORY TO YOU

What sets Princecraft® apart is that our hulls are made of a single piece of H36, unlike the hulls on some of our competitors' boats, which are made of two pieces of welded aluminum. This technique makes our boats that much more durable.

Once the H36 is delivered to the Princeville factory, we unroll it, straighten it, and then cut it to the boat's specific dimensions using a digital router. Then it is melted and shaped into a boat you can enjoy in total safety.

THE BEST HULLS ON THE MARKET

Every stage in the production of our boats is carefully designed to preserve the mechanical properties of the aluminum. That's what makes Princecraft® boats so solid!




WHY DON'T ALL MANUFACTURERS USE H36?


H36's rigidity makes it more difficult to work with. **It requires extremely accurate, state-of-the-art equipment, and above all, exceptional expertise.**

ONLY PRINCECRAFT® HAS BOTH!

H36 also has a higher ultimate strength and yield strength than other alloys, which boosts your confidence on the water and the value of your investment!



ULTIMATE STRENGTH



YIELD STRENGTH

3 DOUBLE-PLATED HULL THICKNESSES USED BY PRINCECRAFT®

4 millimeters
0.170 inches

5 millimeters
0.190 inches

6 millimeters
0.220 inches



MOST OF OUR BOATS HAVE TWO THICKNESSES OF H36 ALUMINUM FROM THE MIDDLE OF THE HULL TO THE STERN.

This construction diffuses the stress on the bottom of the boat toward the side panels for better performance at high speeds.



INVENTED BY PRINCECRAFT®, THE DOUBLE REVERSE CHINE:

- › Improves performance at all speeds and in all boating conditions
- › Makes it easier to steer the boat and control its speed
- › Increases the boat's carrying capacity while reducing friction so the boat planes easily even when heavily loaded
- › Prevents chine walk at high speeds
- › Keeps occupants dry

CUSTOM MULTIFUNCTION TRAILERS

To ensure that your pleasure craft lives up to its name, it should be a pleasure to handle all down the line—even when you're towing and launching it.



- 1 Heavy-duty winch*
- 2 Carpeted load guides*
- 3 Swing tongue*
- 4 Fenders with step pads*
- 5 Optional mag wheels*
- 6 Waterproof recessed LED lights*

* On most models or optional

ALL PRINCECRAFT® TRAILERS ARE NOW EQUIPPED WITH THIS SYSTEM

This ingenious system combines the advantages of grease and oil to create an ultra high performance lubricant. At room temperature, its viscosity is similar to that of grease. But as the bearings heat up, the lubricant becomes more fluid coating the bearings better to more effectively reduce friction and dissipate the heat generated during towing.

Each bearing is encased in a completely sealed, airtight, leak-proof, pressurized chamber.



EACH OF OUR TRAILERS IS CUSTOM-MADE ACCORDING TO THE HIGHEST STANDARDS OF QUALITY.

The objective is to offer topnotch stability and maneuverability on the road, in addition to easy loading and unloading.



SE PAINTED TRAILER
(Platinum SE Series only)



**GALVANIZED STEEL TRAILER
WITH SWING TONGUE**

AN EXTRA DURABLE FRAME

- > Extra sturdy tubular structure
- > Brake cables and circuits are inserted in a steel tube to protect them from the elements
- > Guaranteed long term reliability

OPTIMAL SAFETY

- > Superior on-road stability and handling
- > Watertight LED light system
- > Factory-balanced wheels
- > Double safety chain
- > Sealed hubs
- > Complies with NMMA and Transport Canada standards

SPECIAL FEATURES

- > Sturdy winch
- > Swivel tongue jack*
- > Soldered attachment for optional transom saver motor support
- > Galvanized steel wheelbase for rust protection
- > Practical swing tongue: saves space, stores easily
- > Composite fenders with built-in step pads
- > Radial tires (standard on most models)
- > Aluminum alloy STAR mag wheels (optional on certain models)

STRATEGICALLY PLACED BUNKS AND LOAD GUIDES

- > Custom design
- > Marine carpet-covered load guides protect your boat's hull (certain models only)
- > Bunks remain in constant contact with the hull for optimally distributed support
- > Easier loading and unloading

* On most models or optional

PRINCETRAK SYSTEM

Extrusion allowing onboard
tool attachment

QUICK STORAGE
FOR THREE
FISHING RODS



FISHING ROD
SUPPORT



CUP HOLDER



MULTIPURPOSE
PLATE
Slide your PrinceTrak into
position and attach
whatever you want to it:
sonar, tools, and lot more.




INGENIOUS LIVEWELLS!

A must-have for fishing, good livewells help keep your catch healthy and fresh. Princecraft® offers you three top-quality options to help you get the most out of each and every day of fishing!

SPORTFLO™

This system includes:


- > A pump for filling the tank and aerating the water
- > An overflow system that empties to the outside
- > Protection filter on the filling pump
- > An anti-spill cover¹



PROFLO™

Includes all SportFlo™ features, plus:

- > A dual pump system that keeps water recirculating on the water or at the dock
- > Intermittent recirculation to control water aeration¹
- > A light¹



Models featuring SportFlo™ livewell system

- > Sport 172
- > Sport 164
- > DLX Series
- > DL and BT Series (except Yukon 140 BT)


Models featuring ProFlo™ livewell system

- > Sport 177
- > Sport 187

¹ On most models

PROFLO™ PLUS > EXCLUSIVE

The ProFlo™ Plus livewell is virtually maintenance free, and features automatic filling and recirculation that lets you focus on fishing. Its dual-pump system keeps your bait alive and your catch beautifully fresh, whether you're cruising the open water or tied up at the dock.



Models featuring ProFlo™ Plus livewell system

- > Platinum SE Series
- > Kapture 187
- > Xpedition Series



PLATINUM SE 227

- Shown in Platinum Black
- Kicker engine Option
- Trolling motor Option
- Downrigger supports Option
- 2 heated reclining captain's chairs with adjustable armrests Option



7" SIMRAD® evo3 multifunction touch screen, including GPS functionalities, fish finder, and down scan imaging



Pop-up privacy enclosure accommodating an optional chemical head with holding tank and pump out system (except Platinum SE 176)



Driver console with black inserts and SmartCraft™ gauges (11 functions)



LED docking lights



Horn and 12V outlet



Lockable storage compartments in side panels (passenger and driver sides)



PLATINUM SE

SERIES

IF YOU LOVE TO FISH, WELCOME TO YOUR DREAM BOAT!

Full of features, super comfortable, with luxury finishes and plenty of storage space—this standout Series was designed to make your days on the water simply perfect.



PLATINUM SE 227

- Shown in Platinum Black
- Kicker engine Option
- Trolling motor Option
- Downrigger supports Option
- 2 heated reclining captain's chairs with adjustable armrests Option

PLATINUM SE



	Center line	Beam	Chine width	Maximum depth	Approximate draft	Transom height	Approximate weight	Aluminum thickness (Bottom)	Aluminum thickness (Side)	Built-in gas tank	Maximum HP capacity	Maximum weight capacity	Maximum weight person capacity	Maximum person capacity
227	6.7 m (22'-0")	2.5 m (100")	2.1 m (84")	1.3 m (50")	0.9 m (34")	0.6 m (25")	915 kg (2017 lb.)	2.8 mm (.110")	1.8 mm (.072")	≤ 208 L (55 U.S. gal.)	261 kW (350 HP)	★ P 1141 kg (2517 lb.)	★ P 680 kg (1500 lb.)	★ P 11
207	6.1 m (20'-0")	2.5 m (100")	2.1 m (84")	1.3 m (50")	0.9 m (34")	0.6 m (25")	847 kg (1868 lb.)	2.8 mm (.110")	1.8 mm (.072")	≤ 208 L (55 U.S. gal.)	224 kW (300 HP)	★ P 959 kg (2114 lb.)	★ P 580 kg (1300 lb.)	★ P 9

PLATINUM SE 227

Shown in Platinum Black
Kicker engine Option
Trolling motor Option
2 heated reclining captain's chairs
with adjustable armrests Option



PLATINUM SE 207

Shown in Platinum Black
Trolling motor Option
2 heated reclining captain's chairs
with adjustable armrests Option



KEY STANDARD FEATURES

- > Deep V double reverse chine hull design
- > 4 stainless steel recessed cleats
- > Raised bow casting platform with storage
- > Deluxe driver's heated convertible seat
- > 2 deluxe convertible seats
- > 2 stern fold-down jump seats
- > Bow and stern ProFlo™ Plus aerated livewell systems
- > Bow coaming pads with extensible cargo net
- > In-floor top storage
- > 7" SIMRAD® evo3 multifunction touch screen, including GPS functionalities, fish finder, and down scan imaging
- > Large in-floor lockable rod organizer with tubes for 12 rods
- > 12V, 24V or 36V deluxe bow trolling motor panel with voltmeter and tilt switch
- > SeaStar® hydraulic steering system with tilt wheel
- > 200-watt AM/FM/Bluetooth SonicHub2 Radio, SiriusXM compatible with an optional module, and including an in-dash USB plug
- > Mercury® SmartCraft™ gauges
- > Aft raised casting platform with pop-up privacy enclosure and optional chemical head

AVAILABLE COLORS

PLATINUM SE 227

PLATINUM SE 207



Large in-floor lockable rod organizer for 12 rods



12V, 24V or 36V **deluxe trolling motor panel** with voltmeter and tilt switch



Pop-up privacy enclosure accommodating an optional chemical head with holding tank and pump out system



Top storage under the rear casting platform



7" SIMRAD® evo3 **multifunction touch screen**, including GPS functionalities, fish finder, and down scan imaging



Optional **bow rider seat cushions**



PLATINUM SE 186

Shown in Platinum White
Trolling motor Option

PLATINUM SE



	Center line	Beam	Chine width	Maximum depth	Approximate draft	Transom height	Approximate weight	Aluminum thickness (Bottom)	Aluminum thickness (Side)	Built-in gas tank	Maximum HP capacity	Maximum weight capacity	Maximum weight person capacity	Maximum person capacity
186	5.6 m (18'-6")	2.4 m (95")	2.0 m (80")	1.2 m (46")	0.8 m (33")	0.6 m (25")	748 kg (1651 lb.)	2.8 mm (.110")	1.8 mm (.072")	≤ 140 L (37 U.S. gal.)	130 kW (175 HP)	★ 525 kg (1156 lb.) ★ 863 kg (1902 lb.)	★ 517 kg (1140 lb.)	★ 7 ★ 8
176	5.3 m (17'-6")	2.3 m (92")	2.0 m (80")	1.0 m (41")	0.8 m (31")	0.6 m (25")	651 kg (1435 lb.)	2.5 mm (.100")	1.8 mm (.072")	≤ 140 L (37 U.S. gal.)	112 kW (150 HP)	★ 450 kg (991 lb.) ★ 787 kg (1736 lb.)	★ 442 kg (974 lb.)	★ 6 ★ 7

PLATINUM SE 186

Shown in Platinum White
Trolling motor Option



PLATINUM SE 176

Shown in Platinum Black
Trolling motor Option




KEY STANDARD FEATURES

- > Deep V double reverse chine hull design
- > 4 stainless steel recessed cleats
- > Raised bow casting platform with storage
- > Deluxe driver's heated convertible seat
- > 2 deluxe convertible seats
- > 2 stern fold-down jump seats
- > Bow and stern ProFlo™ Plus aerated livewell systems
- > Bow coaming pads with extensible cargo net
- > In-floor top storage (except Platinum SE 176)
- > 7" SIMRAD® evo3 multifunction touch screen, including GPS functionalities, fish finder, and down scan imaging
- > Large in-floor lockable rod organizer for 6 rods
- > 12V, 24V or 36V deluxe bow trolling motor panel with voltmeter and tilt switch (12V or 24V only on Platinum SE 176)
- > SeaStar® hydraulic steering system with tilt wheel
- > 200-watt AM/FM/Bluetooth SonicHub2 Radio, SiriusXM compatible with an optional module, and including an in-dash USB plug
- > Mercury® SmartCraft™ gauges
- > Aft raised casting platform with pop-up privacy enclosure and optional chemical head (except Platinum SE 176)

AVAILABLE COLORS


- PLATINUM SE 186
- PLATINUM SE 176



Drawer
under passenger console (except Platinum SE 176)



7" SIMRAD® evo3 **multifunction touch screen**, including GPS functionalities, fish finder, and down scan imaging



In-floor lockable rod organizer with tubes for 6 rods



Storage under driver console with extensible cargo net



Lockable storage compartments in side panels (passenger and driver sides)



Optional removable **ski pylon**

RELEASE DATE
JANUARY 2019



KAPTURE 187

Downrigger supports Option



In-floor lockable
rod organizer with
tubes for 6 rods



Driver console
with multifunction
gauges and in-dash
space for integrated
sonar option



4 stainless steel
folding cleats



Passenger console



2 optional rear seats



12 volts outlet
in console



KAPTURE

SERIES

THIS BOAT IS A BEAST!

Experience the unparalleled versatility of the Kapture Series, with a wealth of features that offer something for every angler who steps onboard.

RELEASE DATE
JANUARY 2019



KAPTURE 187

Downrigger supports Option

KAPTURE 187



187

	Center line	Beam	Chine width	Maximum depth	Approximate draft	Transom height	Approximate weight	Aluminum thickness (Bottom)	Aluminum thickness (Side)	Built-in gas tank	Maximum HP capacity	Maximum weight capacity	Maximum weight person capacity	Maximum person capacity
	5.7 m (18'-7")	2.4 m (95")	2.0 m (80")	1.2 m (46")	0.8 m (33")	0.6 m (25")	726 kg (1600 lb.)	2.8 mm (.110")	1.8 mm (.072")	≤ 140 L (37 U.S. gal.)	130 kW (175 HP)	★ 863 kg (1902 lb.) ★ 517 kg (1140 lb.)	★ 7 ★ 8	

KEY STANDARD FEATURES

- > Deep self-draining splashwell
- > Rigging tubes under flooring (stern to console and console to bow)
- > 4 stainless steel folding cleats
- > In-floor lockable rod organizer for 6 rods
- > Bow mounting trolling motor pad
- > Bow ProFlo^{MD} Plus aerated livewell system
- > 2 deluxe folding seats with no-pinch hinges
- > Black anodized walk-thru curved tempered glass windshield with door
- > Deluxe dash panel with switches and indicator lights
- > Storage under passenger console with extensible cargo net

KAPTURE 187

2 rear seats Option



AVAILABLE COLOR

KAPTURE 187



In-floor lockable rod organizer with tubes for 6 rods



Driver console with multifunction gauges and in-dash space for integrated sonar option



4 stainless steel folding cleats



Passenger console



2 optional rear seats



12 volts outlet in console



60
MERCURY
FOURSTROKE

PRINCECRAFT

164 SPORT

SPORT 164

Shown in White

SPORT

SERIES

FISHING IS A HOBBY BUT IT'S ALSO DEFINITELY A SPORT!

This Series was created to make sure the whole family has fun in safety and comfort. What's even better, you can combine your fishing goals with your favorite water sports! Now that's a way to spend a day.



Driver console
with lighted gauges
and black inserts



**In-floor lockable
rod organizer**
with tubes for 4 rods
(except Sport 164)



Glove box
(passenger console)



**Storage under
driver console**
with extensible
cargo net



Interior lighting



**Deep-cycle
battery storage**
under the port
side console
(except Sport 172)



SPORT 177

Shown in Blue
Trolling motor Option
Deluxe folding seats Option

SPORT



	Center line	Beam	Chine width	Maximum depth	Approximate draft	Transom height	Approximate weight	Aluminum thickness (Bottom)	Aluminum thickness (Side)	Built-in gas tank	Maximum HP capacity	Maximum weight capacity	Maximum weight person capacity	Maximum person capacity
187	5.6 m (18'-6")	2.4 m (95")	2.0 m (80")	1.2 m (46")	0.8 m (33")	0.6 m (25")	680 kg (1500 lb.)	2.8 mm (.110")	1.8 mm (.072")	≤ 140 L (37 U.S. gal.)	130 kW (175 HP)	★ 525 kg (1157 lb.) ★ 816 kg (1800 lb.)	★ 521 kg (1148 lb.)	★ 7 ★ 8
177	5.3 m (17'-5")	2.3 m (92")	1.9 m (75")	1.0 m (40")	0.8 m (30")	0.6 m (25")	603 kg (1330 lb.)	2.5 mm (.100")	1.8 mm (.072")	≤ 91 L (24 U.S. gal.)	112 kW (150 HP)	★ 450 kg (992 lb.) ★ 713 kg (1572 lb.)	★ 413 kg (910 lb.)	★ 6 ★ 7

SPORT 187Shown in Blue
Trolling motor Option**KEY STANDARD FEATURES**

- > Raised bow and aft casting platforms with storage
- > 2 fold-down jump seats $\frac{1}{3}$ - $\frac{2}{3}$ in the stern casting platform
- > Deep self-draining splashwell
- > Stainless steel bow and stern eyes
- > 4 chromed cleats
- > Complete fully-lit instrumentation
- > Twin console with walk-thru curved tempered glass windshield with door
- > Rigging tubes under flooring (stern to console and console to bow)
- > Electric bilge pump
- > Storage under driver console with extensible cargo net
- > Bow and stern ProFlo™ aerated livewell systems
- > No-FeedBack™ dual cable steering system

SPORT 177Shown in Blue
Trolling motor Option**AVAILABLE COLORS**

SPORT 187



SPORT 177



Driver console
with lighted gauges
and black inserts



Optional removable
ski pylon



Optional 160-watt
AM/FM/Bluetooth
Jensen® Stereo
with integrated
auxiliary input ($\frac{1}{8}$ "
in console



Optional bow rider
seat cushions



Fold-down jump seats
($\frac{1}{3}$ - $\frac{2}{3}$) that can convert
into a vinyl-covered
casting platform



Stern stainless steel
**telescopic
boarding ladder**



SPORT 172

Shown in Black
 Deluxe decal package, including 3D domed
 Princecraft® logo Option
 Techno package, including radio, rear
 platform, and battery switch Option

SPORT



	Center line	Beam	Chine width	Maximum depth	Approximate draft	Transom height	Approximate weight	Aluminum thickness (Bottom)	Aluminum thickness (Side)	Built-in gas tank	Maximum HP capacity	Maximum weight capacity	Maximum weight person capacity	Maximum person capacity
172	5.3 m (17'-5")	2.3 m (91")	1.9 m (75")	1.0 m (39")	0.8 m (30")	0.6 m (25")	625 kg (1377 lb.)	2.5 mm (.100")	1.8 mm (.072")	≤ 91 L (24 U.S. gal.)	93 kW (125 HP)	★ 450 kg (982 lb.) ★ 703 kg (1549 lb.)	★ 6 ★ 7	
164	5.0 m (16'-6")	2.3 m (90")	1.8 m (71")	0.9 m (34")	0.7 m (29")	0.5 m (20")	494 kg (1090 lb.)	2.2 mm (.087")	1.8 mm (.072")	≤ 72 L (19 U.S. gal.)	86 kW (115 HP)	★ 375 kg (827 lb.) ★ 630 kg (1389 lb.)	★ 5 ★ 6	

SPORT 172

Shown in Black

**KEY STANDARD FEATURES**

- > Raised bow and aft casting platforms with storage
- > Deep self-draining splashwell
- > Stainless steel bow and stern eyes
- > 4 chromed cleats
- > Complete fully-lit instrumentation
- > Twin consoles with walk-thru tinted curved tempered glass windshield with door
- > Rigging tubes under flooring (stern to console and console to bow)
- > Electric bilge pump
- > Storage under driver console with extensible cargo net
- > No-FeedBack™ steering system

SPORT 172

- > Removable folding rear flip-up bench seat (for 3 people)
- > Bow and stern SportFlo™ aerated livewell systems

SPORT 164

Shown in White

**SPORT 164**

- > 2 fold-down jump seats
- > Bow SportFlo™ aerated livewell system

AVAILABLE COLORS

SPORT 172



SPORT 164



Optional 160-watt AM/FM/Bluetooth **Jensen® Stereo** with integrated auxiliary input (1/8") in console



Optional bow rider **seat cushions**



Driver console with lighted gauges and black inserts



In-floor lockable **rod organizer** with tubes for 4 rods (except Sport 164)



Interior lighting



Stern stainless steel **telescopic boarding ladder**



XPEDITION 200

WS Option shown
Shown in Black
Team Princecraft® special decal package Option
Trolling motor Option
Bicycle seat Option (2)
Adjustable downrigger supports Option



Drawer
under driver console
in SC versions and
addition of a second
drawer under passenger
console in DC
and WS versions



**4 stainless steel
folding cleats**



**Lockable hermetic
storage**
integrated into the bow
casting platform



ACS unique system
(Advanced Circulation
System) allowing air
circulation in the bow
storage compartments
while the boat is
trailer or underway



Driver console
including gauges
and steering system



**Large lockable
rod organizer**
with tubes for 10 rods,
accommodating up to
3 batteries and a
trolling motor charger



XPEDITION

SERIES

READY FOR AN ADVENTURE? YOUR BOAT IS TOO!

With the Xpedition Series you're assured the comfort, stability, and power you're looking for. This is a real fishing machine.



XPEDITION 180

WS Option shown
 Shown in Matte Black (Optional)
 Team Princecraft® special decal package Option
 Trolling motor Option
 Bicycle seat Option

XPEDITION



	Center line	Beam	Chine width	Maximum depth	Approximate draft	Transom height	Approximate weight	Aluminum thickness (Bottom)	Aluminum thickness (Side)	Built-in gas tank	Maximum HP capacity	Maximum weight capacity	Maximum weight person capacity	Maximum person capacity
200	6.1 m (20'-0")	2.3 m (92")	2.0 m (78")	0.9 m (37")	0.8 m (33")	0.6 m (25")	664 kg (1463 lb.)	2.5 mm (.100")	1.8 mm (.072")	≤ 144 L (38 U.S. gal.)	186 kW (250 HP)	★ 841 kg (1854 lb.)	★ 472 kg (1040 lb.)	★ 8
180	5.7 m (18'-9")	2.3 m (92")	2.0 m (78")	0.9 m (37")	0.8 m (33")	0.6 m (25")	596 kg (1315 lb.)	2.5 mm (.100")	1.8 mm (.072")	≤ 121 L (32 U.S. gal.)	149 kW (200 HP)	★ 732 kg (1613 lb.)	★ 375 kg (827 lb.)	★ 5
												★ 340 kg (750 lb.)	★ 6	

XPEDITION 200

WS Option shown
Shown in Matte Black (Optional)
Team Princecraft® special decal
package Option
Trolling motor Option



XPEDITION 180

WS Option shown
Shown in Matte Black (Optional)
Team Princecraft® special decal
package Option
Trolling motor Option



KEY STANDARD FEATURES

- > Twin plating from bow to mid-ship
- > Rigging tubes under flooring (stern to console and console to bow)
- > 4 stainless steel folding cleats
- > Lockable tight storage
- > Rod storage with tubes and support for 4 rods (left side)
- > Large lockable rod organizer with tubes for 10 rods
- > Bow mounting trolling motor pad
- > 12V, 24V or 36V bow trolling motor plug and receptacle with wiring harness
- > PrinceTrak System: extrusion allowing onboard tool fixing
- > 4 floor seat bases
- > No-FeedBack™ dual cable steering system
- > Bow and stern ProFlo™ Plus aerated livewell systems
- > 2 folding seats
- > Full-length cockpit quick drain to bilge

AVAILABLE COLORS

XPEDITION 200



XPEDITION 180



M = Matte Black (optional)



Large lockable rod organizer
with tubes for 10 rods, accommodating up to 3 batteries and a trolling motor charger



77 L/20 U.S. gal. stern **ProFlo™ Plus aerated livewell system**



ACS unique system (Advanced Circulation System) allowing air circulation in the bow storage compartments while the boat is trailered or underway



Lockable hermetic storage integrated into the bow casting platform



Bow **ProFlo™ Plus aerated livewell system**



Driver console including gauges and No-FeedBack™ steering system with dual cable

DLX, DL & BT SERIES

THE DLX SERIES OFFERS THE ULTIMATE FISHING EXPERIENCE.

All your gear is right where you need it so you can focus on the fish. Princecraft® has thought of everything—especially you!

**THINK DURABILITY AND AFFORDABILITY ARE INCOMPATIBLE?
THINK AGAIN!**

Our DL Series promises peace of mind every time you take to the water.

HOOKED ON FISHING?

Enjoy every minute of it with our BT Series of back troller boats. No console to maneuver around, just the basics for the best fishing of your life.



HUDSON 170 DLX WS

- Shown in Blue
- Trolling motor Option
- Bicycle seat Option
- Adjustable downrigger supports Option
- Fishing package Option



HUDSON 170 DLX WS

- Shown in Blue
- Trolling motor Option
- Bicycle seat Option
- Adjustable downrigger supports Option
- Stern telescopic ladder Option
- Fishing package Option

HUDSON DLX WS



	Center line	Beam	Chine width	Maximum depth	Approximate draft	Transom height	Approximate weight	Aluminum thickness (Bottom)	Aluminum thickness (Side)	Built-in gas tank	Maximum HP capacity	Maximum weight capacity	Maximum weight person capacity	Maximum person capacity
190	5.8 m (19'-0")	2.3 m (91")	2.0 m (78")	0.9 m (35")	0.8 m (32")	0.6 m (25")	669 kg (1475 lb.)	2.5 mm (.100")	1.8 mm (.072")	≤ 95 L (25 U.S. gal.)	130 kW (175 HP)	★ 726 kg (1600 lb.) ★ 375 kg (827 lb.)	★ 6	★ 5
170	5.4 m (17'-10")	2.3 m (91")	2.0 m (78")	0.9 m (35")	0.8 m (33")	0.6 m (25")	649 kg (1430 lb.)	2.5 mm (.100")	1.8 mm (.072")	≤ 95 L (25 U.S. gal.)	112 kW (150 HP)	★ 685 kg (1510 lb.) ★ 375 kg (827 lb.) ★ 339 kg (748 lb.)	★ 6	★ 5

HUDSON 190 DLX WS

Shown in Black
Trolling motor Option
Fishing package Option

**KEY STANDARD FEATURES**

- > Reverse chine hull design
- > Deep self-draining splashwell
- > 2 folding seats
- > Stern SportFlo™ aerated livewell system
- > Large lockable rod organizer with tubes for 10 rods with L shape door
- > 12V or 24V bow trolling motor plug and receptacle with wiring harness
- > Electric bilge pump
- > Battery storage compartments
- > Navigation lights
- > Twin plating from bow to mid-ship
- > Raised bow and aft casting platforms with storage
- > Complete fully-lit instrumentation
- > No-Feedback™ dual cable steering system

HUDSON 170 DLX WS

Shown in Blue
Trolling motor Option
Fishing package Option



+ Discover the optional **FISHING PACKAGE** on page 64.

AVAILABLE COLORS

HUDSON 190 DLX WS



HUDSON 170 DLX WS



Large lockable rod organizer with tubes for 10 rods, accommodating 2 batteries and a trolling motor charger



Optional RSP Combo: **removable aft flip seats** and casting platform combo with 2 cup holders



Driver console including gauges and dual cable No-Feedback™ steering system



Optional 160-watt AM/FM/Bluetooth **Jensen® Stereo** with integrated auxiliary input (1/8") in console



77 L/20 U.S. gal. stern **SportFlo™ livewell** including anti-spill cover, overflow, and protection filter on the filling pump



Optional **bow cushions**



NANOOK 168 DLX WS

Shown in White
 Stern telescopic ladder Option
 Trolling motor Option
 RSP Combo Option: removable aft flip seats casting platform combo with 2 cup holders

NANOOK 168 DLX



	Center line	Beam	Chine width	Maximum depth	Approximate draft	Transom height	Approximate weight	Aluminum thickness (Bottom)	Aluminum thickness (Side)	Built-in gas tank	Maximum HP capacity	Maximum weight capacity	Maximum weight person capacity	Maximum person capacity
WS	5.0 m (16'-6")	2.2 m (88")	1.8 m (71")	0.8 m (33")	0.7 m (28")	0.5 m (20")	474 kg (1044 lb.)	2.2 mm (.087")	1.8 mm (.072")	≤ 72 L (19 U.S. gal.)	86 kW (115 HP)	★ 300 kg (661 lb.) ★ 600 kg (1323 lb.)	★ 318 kg (700 lb.)	★ 4 ★ 5
SC	5.0 m (16'-6")	2.2 m (88")	1.8 m (71")	0.8 m (33")	0.7 m (28")	0.5 m (20")	435 kg (958 lb.)	2.2 mm (.087")	1.8 mm (.072")	≤ 72 L (19 U.S. gal.)	86 kW (115 HP)	★ 300 kg (661 lb.) ★ 600 kg (1323 lb.)	★ 318 kg (700 lb.)	★ 4 ★ 5

NANOOK 168 DLX WS

Shown in White
Trolling motor Option



KEY STANDARD FEATURES

- > Reverse chine hull design
- > Deep self-draining splashwell
- > 2 folding seats
- > Stern SportFlo™ aerated livewell system
- > Electric bilge pump
- > Twin plating from bow to mid-ship
- > Complete fully-lit instrumentation
- > Large lockable rod organizer with tubes for 6 rods in bow platform
- > 12V or 24V bow trolling motor plug and receptacle with wiring harness
- > No-FeedBack™ steering system

NANOOK 168 DLX WS

- > Twin console with walk-thru tinted curved tempered glass windshield with door

NANOOK 168 DLX SC

Shown in Black
Trolling motor Option



NANOOK 168 DLX SC

- > Side console with quick release smoked windscreen

+ Discover the optional **FISHING PACKAGE** on page 64.

AVAILABLE COLORS

- NANOOK 168 DLX WS
- NANOOK 168 DLX SC



Storage
on driver side



Driver console
with No-FeedBack™ steering system, lighted gauges, and black inserts



Storage
under driver console (also under passenger console for WS version)



RSP Combo Option:
removable aft flip seats
casting platform combo with 2 cup holders



2 folding fishing seats



Large storage compartments
under the bow casting platform



HOLIDAY 162 DLX WS

Shown in Red
Stern telescopic ladder Option
Trolling motor Option

HOLIDAY 162 DLX

	Center line	Beam	Chine width	Maximum depth	Approximate draft	Transom height	Approximate weight	Aluminum thickness (Bottom)	Aluminum thickness (Side)	Built-in gas tank	Maximum HP capacity	Maximum weight capacity	Maximum weight person capacity	Maximum person capacity
H36 MARINE GRADE ALUMINUM DOUBLE PLATED BOTTOM														
WS	4.9 m (16'-2")	2.2 m (84")	1.8 m (69")	0.8 m (30")	0.7 m (26")	0.5 m (20")	378 kg (834 lb.)	2.2 mm (.087")	1.8 mm (.072")	≤ 72 L (19 U.S. gal.)	56 kW (75 HP)	★ 545 kg (1201 lb.) ★ 530 kg (1169 lb.)	★ 300 kg (661 lb.) ★ 291 kg (641 lb.)	★ 4 ★ 5
SC	4.9 m (16'-2")	2.2 m (84")	1.8 m (69")	0.8 m (30")	0.7 m (26")	0.5 m (20")	359 kg (792 lb.)	2.2 mm (.087")	1.8 mm (.072")	≤ 72 L (19 U.S. gal.)	56 kW (75 HP)	★ 545 kg (1201 lb.) ★ 530 kg (1169 lb.)	★ 300 kg (661 lb.) ★ 291 kg (641 lb.)	★ 4 ★ 5

HOLIDAY 162 DLX WS

Shown in Red
Trolling motor Option



KEY STANDARD FEATURES

- > Deep self-draining splashwell
- > Bow SportFlo™ aerated livewell system
- > Reverse chine hull design
- > Lockable 7-foot rod storage
- > 12V bow trolling motor plug and receptacle with wiring harness
- > 2 folding seats
- > Complete fully-lit instrumentation

HOLIDAY 162 DLX WS

- > Twin console with walk-thru tinted curved tempered glass windshield with door

HOLIDAY 162 DLX SC

- > Side console with quick release smoked windscreen

HOLIDAY 162 DLX SC

Shown in Black
Trolling motor Option
Fishing package Option



+ Discover the optional **FISHING PACKAGE** on page 64.

AVAILABLE COLORS

- HOLIDAY 162 DLX WS
- HOLIDAY 162 DLX SC



Driver console with lighted gauges and black inserts (Holiday 162 DLX WS shown)



61 L/16 U.S. gal. bow **SportFlo™ livewell** including anti-spill cover, overflow, and protection filter on the filling pump



2 folding fishing seats



Optional 160-watt AM/FM/Bluetooth **Jensen® Stereo** with integrated auxiliary input (1/8") in console



Storage under driver console



Storage on driver side



HUDSON 170 DL WS

- RSP Combo Option: removable aft flip seats casting platform combo with 2 cup holders
- Analog gauges Option
- Trolling motor Option
- Built-in fuel system Option
- Jensen® Stereo system Option

HUDSON DL WS



	Center line	Beam	Chine width	Maximum depth	Approximate draft	Transom height	Approximate weight	Aluminum thickness (Bottom)	Aluminum thickness (Side)	Built-in gas tank	Maximum HP capacity	Maximum weight capacity	Maximum weight person capacity	Maximum person capacity
190	5.8 m (19'-0")	2.3 m (91")	2.0 m (78")	0.9 m (35")	0.8 m (32")	0.6 m (25")	624 kg (1375 lb.)	2.5 mm (.100")	1.8 mm (.072")	Portable	86 kW (115 HP)	★ 375 kg (827 lb.) ★ 726 kg (1600 lb.)	★ 5 ★ 6	
170	5.4 m (17'-10")	2.3 m (91")	2.0 m (78")	0.9 m (35")	0.8 m (33")	0.6 m (25")	603 kg (1330 lb.)	2.5 mm (.100")	1.8 mm (.072")	Portable	86 kW (115 HP)	★ 375 kg (827 lb.) ★ 685 kg (1510 lb.)	★ 5 ★ 6	

HUDSON 190 DL WS

Trolling motor Option


**KEY STANDARD FEATURES**

- > Reverse chine hull design
- > Deep self-draining splashwell
- > 2 folding seats
- > Bow SportFlo™ aerated livewell system
- > 45 L (12 U.S. gal.) portable gas tank
- > Electric bilge pump
- > Battery storage compartments
- > Navigation lights
- > Twin plating from bow to mid-ship
- > Raised bow and aft casting platforms with storage
- > PrinceTrak system: extrusion allowing onboard tool fixing
- > Deluxe dash panel with switches and indicator lights
- > Black anodized walk-thru curved tempered glass windshield with door

HUDSON 170 DL WSTrolling motor Option
Built-in fuel system Option**AVAILABLE COLOR**

HUDSON 190 DL WS ●

HUDSON 170 DL WS ●

2 folding
fishing seatsOptional 160-watt
AM/FM/Bluetooth
Jensen® Stereo
with integrated
auxiliary input (1/8")
in console**Driver console**
with No-FeedBack™
steering system, lighted
gauges, and black inserts
(optional analog
gauges shown)77 L/20 U.S. gal. bow
SportFlo™ livewell
including anti-spill
cover, overflow, and
protection filter
on the filling pumpIn-floor lockable
rod organizer
for 7 rods45 L (12 U.S. gal.)
portable gas tank



AMAROK 166 DL WS

Trolling motor Option
 Stern telescopic ladder Option
 RSP Combo Option: removable aft flip seats
 casting platform combo with 2 cup holders

AMAROK 166 DL



	Center line	Beam	Chine width	Maximum depth	Approximate draft	Transom height	Approximate weight	Aluminum thickness (Bottom)	Aluminum thickness (Side)	Built-in gas tank	Maximum HP capacity	Maximum weight capacity	Maximum weight person capacity	Maximum person capacity
WS	5.0 m (16'-6")	2.2 m (88")	1.8 m (71")	0.8 m (33")	0.7 m (28")	0.5 m (20")	472 kg (1040 lb.)	2.2 mm (.087")	1.8 mm (.072")	Portable	56 kW (75 HP)	★ 375 kg (827 lb.) ★ 623 kg (1373 lb.)	★ 338 kg (745 lb.)	★ 5 ★ 6
SC	5.0 m (16'-6")	2.2 m (88")	1.8 m (71")	0.8 m (33")	0.7 m (28")	0.5 m (20")	433 kg (954 lb.)	2.2 mm (.087")	1.8 mm (.072")	Portable	56 kW (75 HP)	★ 375 kg (827 lb.) ★ 623 kg (1373 lb.)	★ 338 kg (745 lb.)	★ 5 ★ 6

AMAROK 166 DL WS

Trolling motor Option

**KEY STANDARD FEATURES**

- > Reverse chine hull design
- > Deep self-draining splashwell
- > 2 folding seats
- > Bow SportFlo™ aerated livewell system
- > In-floor lockable rod organizer for 5 rods
- > Electric bilge pump
- > Twin plating from bow to mid-ship
- > 45 L (12 U.S. gal.) portable gas tank

AMAROK 166 DL WS

- > Twin console with walk-thru curved tempered glass windshield with door

AMAROK 166 DL SC

- > Side console with quick release smoked windscreen

AMAROK 166 DL SC

Trolling motor Option

**AVAILABLE COLOR**

AMAROK 166 DL WS ●

AMAROK 166 DL SC ●



Driver console with No-FeedBack™ steering and black inserts (optional analog gauges shown)



45 L (12 U.S. gal.) **portable gas tank**



61 L/16 U.S. gal. **Bow SportFlo™ livewell** including anti-spill cover, overflow, and protection filter on the filling pump



In-floor lockable **rod organizer** for 5 rods



2 folding **fishing seats**



Open side **rod storage**



RESORTER 160 DL SC
Analog gauges Option

RESORTER 160 DL



SC

Center line	Beam	Chine width	Maximum depth	Approximate draft	Transom height	Approximate weight	Aluminum thickness (Bottom)	Aluminum thickness (Side)	Built-in gas tank	Maximum HP capacity	Maximum weight capacity	Maximum weight person capacity	Maximum person capacity
4.9 m (16'-0")	1.9 m (73")	1.6 m (63")	0.7 m (29")	0.4 m (17")	0.5 m (20")	278 kg (613 lb.)	1.8 mm (.072")	1.5 mm (.061")	Portable	30 kW (40 HP)	★★ 300 kg (661 lb.) ★ 244 kg (539 lb.)	★★ 4	

KEY STANDARD FEATURES

- > Aluminum clad transom
- > Full-width self-draining splashwell
- > Stainless steel bow and stern eyes
- > Electric bilge pump
- > Bow SportFlo™ aerated livewell system
- > Navigation lights
- > Pressure-treated wood floor covered with marine grade vinyl
- > Reverse chine hull design
- > Raised bow casting platform with large storage compartment
- > 2 folding seats
- > 2-7 foot rod storage compartments
- > Marine grade vinyl front deck covered

RESORTER 160 DL **SC**



AVAILABLE COLOR

RESORTER 160 DL SC



61 L/16 U.S. gal. bow SportFlo™ livewell including anti-spill cover, overflow, and protection filter on the filling pump



Seat base
on bow casting platform



Side console
with steering system
(optional analog gauges shown)



Large storage compartment
under the bow casting platform



2 folding fishing seats



Storage
on passenger side



MASKA 180 BT

- Stern telescopic ladder Option
- Fishing package Option
- Bicycle seat Option
- Trolling motor Option
- Adjustable downrigger supports Option

HUDSON 190 BT & MASKA 180 BT



	Center line	Beam	Chine width	Maximum depth	Approximate draft	Transom height	Approximate weight	Aluminum thickness (Bottom)	Aluminum thickness (Side)	Built-in gas tank	Maximum HP capacity	Maximum weight capacity	Maximum weight person capacity	Maximum person capacity
HUDSON 190 BT	5.8 m (19'-0")	2.3 m (91")	2.0 m (78")	0.9 m (35")	0.8 m (33")	0.6 m (25")	531 kg (1170 lb.)	2.5 mm (.100")	1.8 mm (.072")	≤ 95 L (25 U.S. gal.)	67 kW (90 HP)	★ 611 kg (1348 lb.) ★ 623 kg (1374 lb.)	★ 375 kg (827 lb.) ★ 338 kg (746 lb.)	★ 5 ★ 6
MASKA 180 BT	5.5 m (18'-1")	2.3 m (91")	2.0 m (78")	0.9 m (35")	0.5 m (20")	508 kg (1120 lb.)	508 kg (1120 lb.)	2.5 mm (.100")	1.8 mm (.072")	≤ 95 L (25 U.S. gal.)	56 kW (75 HP)	★ 577 kg (1272 lb.) ★ 337 kg (744 lb.)	★ 375 kg (827 lb.) ★ 337 kg (744 lb.)	★ 5 ★ 6

HUDSON 190 BT

Trolling motor Option



KEY STANDARD FEATURES

- > Reverse chine hull design
- > Deep self-draining splashwell
- > 2 folding seats
- > Stern SportFlo™ aerated livewell system
- > Large lockable rod organizer with tubes for rods with L shape door
- > 12V or 24V bow trolling motor plug and receptacle with wiring harness
- > Electric bilge pump
- > Battery storage compartment
- > Navigation lights
- > Twin plating from bow to mid-ship
- > Raised bow and aft casting platforms with storage
- > Carling switch panel with indicator lights and fuel gauge

MASKA 180 BT

Fishing package Option
Trolling motor Option



AVAILABLE COLOR

HUDSON 190 BT

MASKA 180 BT



Large lockable rod organizer with tubes for rods



Storage under the bow casting platform (extensible cargo net included in the Fishing package Option)



77 L/20 U.S. gal. stern **SportFlo™ aerated livewell system**



Carling switch panel with indicator lights and fuel gauge



12V or 24V bow **trolling motor plug and receptacle** with wiring harness

AMAROK 166 BT, RESORTER 160 BT & YUKON 140 BT

KEY STANDARD FEATURES

- > Reverse chine hull design
- > Deep self-draining splashwell
- > Twin plating from bow to mid-ship
- > Stainless steel bow and stern eyes
- > 4 nylon cleats
- > Raised bow and aft casting platforms with large storage compartments
- > In-floor lockable rod organizer for 5 rods
- > 12V or 24V bow trolling motor plug and receptacle with wiring harness
- > Bow SportFlo™ aerated livewell system
- > 2 folding seats
- > Carling switch panel with indicator lights
- > Electric bilge pump
- > Navigation lights

AMAROK 166 BT

Trolling motor Option



	Center line	Beam	Chine width	Maximum depth	Approximate draft	Transom height	Approximate weight	Aluminum thickness (Bottom)	Aluminum thickness (Side)	Built-in gas tank	Maximum HP capacity	Maximum weight capacity	Maximum weight person capacity	Maximum person capacity
 AMAROK 166 BT	5.0 m (16'-6")	2.2 m (88")	1.8 m (71")	0.8 m (33")	0.7 m (28")	0.5 m (20")	433 kg (954 lb.)	2.2 mm (.087")	1.8 mm (.072")	Portable	45 kW (60 HP)	★ 300 kg (661 lb.) ★ 503 kg (1109 lb.)	★ 295 kg (650 lb.) ★ 300 kg (661 lb.)	★ 4 ★ 5
RESORTER 160 BT	4.9 m (16'-0")	1.9 m (73")	1.6 m (63")	0.7 m (29")	0.4 m (17")	0.5 m (20")	267 kg (588 lb.)	1.8 mm (.072")	1.5 mm (.061")	Portable	30 kW (40 HP)	★ 453 kg (998 lb.) ★ 300 kg (661 lb.)	★ 244 kg (539 lb.) ★ 300 kg (661 lb.)	★ 4 ★ 4
YUKON 140 BT	4.3 m (14'-3")	1.7 m (68")	1.4 m (57")	0.7 m (28")	0.4 m (17")	0.5 m (20")	177 kg (390 lb.)	1.5 mm (.061")	1.5 mm (.061")	Portable	19 kW (25 HP)	★ 373 kg (822 lb.) ★ 372 kg (821 lb.)	★ 225 kg (496 lb.) ★ 214 kg (471 lb.)	★ 3 ★ 4

**RESORTER 160 BT****KEY STANDARD FEATURES**

- > Full-width self-draining splashwell
- > Stainless steel bow and stern eyes

RESORTER 160 BT

- > Reverse chine hull design
- > Raised bow casting platform with large storage compartment
- > 2-7 foot rod storage compartments
- > Bow SportFlo™ aerated livewell system
- > 2 folding seats
- > Carling switch panel with indicator lights
- > Electric bilge pump
- > Navigation lights

**YUKON 140 BT**

Galvanized trailer Option

YUKON 140 BT

- > Semi-V hull with square chine
- > Twin plating at the chine
- > Center side storage compartments
- > Split center seat covered with vinyl
- > Parallel seats at stern covered with vinyl
- > Bow bench seat covered with vinyl
- > Pressure-treated wood floor covered with marine grade vinyl

AVAILABLE COLOR

AMAROK 166 BT ●

RESORTER 160 BT ●

YUKON 140 BT ●

AMAROK 166 BT & RESORTER 160 BT**2 folding fishing seats****61 L/16 U.S. gal. bow SportFlo™ aerated livewell system**
(optional on Yukon 140 BT)**Portable gas tank storage**

UTILITIES AND CARTOPS

DON'T COMPROMISE ON QUALITY OR PERFORMANCE!

Choose one of our utility boats and you can spend all day chasing bites.



	Center line	Beam	Chine width	Maximum depth	Approximate draft	Transom height	Approximate weight	Aluminum thickness (Bottom)	Aluminum thickness (Side)	Built-in gas tank	Maximum HP capacity	Maximum weight capacity	Maximum weight person capacity	Maximum person capacity
STARFISH 16 L	4.9 m (16'-0")	1.9 m (73")	1.6 m (63")	0.7 m (29")	0.4 m (16")	0.5 m (20")	145 kg (320 lb.)	1.8 mm (.072")	1.5 mm (.061")	Portable	30 kW (40 HP)	🇨🇦 591 kg (1302 lb.)	🇨🇦 375 kg (826 lb.)	🇨🇦 5
												★ 591 kg (1303 lb.)	★ 383 kg (844 lb.)	★ 6
STARFISH 16	4.9 m (16'-0")	1.9 m (73")	1.6 m (63")	0.7 m (29")	0.4 m (17")	0.4 m (15")	138 kg (304 lb.)	1.8 mm (.072")	1.5 mm (.061")	Portable	30 kW (40 HP)	🇨🇦 498 kg (1097 lb.)	🇨🇦 300 kg (661 lb.)	🇨🇦 4
												★ 499 kg (1100 lb.)	★ 291 kg (641 lb.)	★ 5
SPRINGBOK 16 L	4.9 m (16'-0")	1.7 m (68")	1.4 m (57")	0.7 m (28")	0.4 m (17")	0.5 m (20")	133 kg (293 lb.)	1.5 mm (.061")	1.5 mm (.061")	Portable	22 kW (30 HP)	🇨🇦 522 kg (1150 lb.)	🇨🇦 300 kg (661 lb.)	🇨🇦 4
												★ 491 kg (1082 lb.)	★ 332 kg (732 lb.)	★ 5
SPRINGBOK 16	4.9 m (16'-0")	1.7 m (68")	1.4 m (57")	0.7 m (28")	0.4 m (17")	0.4 m (15")	129 kg (285 lb.)	1.5 mm (.061")	1.5 mm (.061")	Portable	22 kW (30 HP)	🇨🇦 444 kg (978 lb.)	🇨🇦 225 kg (496 lb.)	🇨🇦 3
												★ 413 kg (910 lb.)	★ 254 kg (560 lb.)	★ 4

KEY STANDARD FEATURES

- > Wide and stable hull design
- > Twin plating at the chine
- > Full-width self draining splashwell (except Fisherman 14 and Ungava 12)
- > High-gloss exterior paint finish and decal package
- > Non-skid anti-glare interior paint finish
- > Aluminum clad transom
- > Parallel seats at stern
- > Bulkhead center seat
- > Bow bench seat (except Ungava 12)
- > Durable ribbed polyethylene seat covering



	Center line	Beam	Chine width	Maximum depth	Approximate draft	Transom height	Approximate weight	Aluminum thickness (Bottom)	Aluminum thickness (Side)	Built-in gas tank	Maximum HP capacity	Maximum weight capacity	Maximum weight person capacity	Maximum person capacity
YUKON 14 L	4.3 m (14'-3")	1.7 m (68")	1.4 m (57")	0.7 m (28")	0.4 m (17")	0.5 m (20")	120 kg (265 lb.)	1.5 mm (.061")	1.5 mm (.061")	Portable	19 kW (25 HP)	★ 411 kg (906 lb.) ★ 252 kg (555 lb.)	★ 300 kg (661 lb.) ★ 214 kg (471 lb.)	★ ★ 4 ★ 3
YUKON 14	4.3 m (14'-3")	1.7 m (68")	1.4 m (57")	0.7 m (28")	0.4 m (17")	0.4 m (15")	109 kg (240 lb.)	1.5 mm (.061")	1.5 mm (.061")	Portable	19 kW (25 HP)	★ ★ 372 kg (821 lb.) ★ 214 kg (471 lb.)	★ 225 kg (496 lb.) ★ 214 kg (471 lb.)	★ 3 ★ 4
FISHERMAN 14	4.3 m (14'-0")	1.5 m (60")	1.3 m (51")	0.7 m (26")	0.4 m (13")	0.4 m (15")	91 kg (201 lb.)	1.5 mm (.061")	1.3 mm (.051")	Portable	15 kW (20 HP)	★ 373 kg (821 lb.) ★ 331 kg (729 lb.)	★ 225 kg (496 lb.) ★ 225 kg (495 lb.)	★ 3 ★ 4
UNGAVA 12	3.7 m (12'-0")	1.5 m (60")	1.3 m (51")	0.6 m (25")	0.4 m (13")	0.4 m (15")	78 kg (171 lb.)	1.5 mm (.061")	1.3 mm (.051")	Portable	12 kW (15 HP)	★ 317 kg (699 lb.) ★ 318 kg (700 lb.)	★ 225 kg (496 lb.) ★ 211 kg (466 lb.)	★ 3 ★ 4

UTILITIES AND CARTOPS

KEY STANDARD FEATURES

- > Wide and stable hull design
- > Bow eye and stern handles
- > Non-skid anti-glare interior paint finish
- > Aluminum clad transom
- > Bulkhead center seat
- > Bow bench seat



	Center line	Beam	Chine width	Maximum depth	Approximate draft	Transom height	Approximate weight	Aluminum thickness (Bottom)	Aluminum thickness (Side)	Built-in gas tank	Maximum HP capacity	Maximum weight capacity	Maximum weight person capacity	Maximum person capacity
LYNX 16	4.9 m (16'-0")	1.7 m (68")	1.5 m (58")	0.7 m (27")	0.4 m (17")	0.4 m (15")	145 kg (320 lb.)	2.2 mm (.087")	1.5 mm (.061")	Portable	19 kW (25 HP)	★ 454 kg (1000 lb.) ★ 300 kg (661 lb.)	★ 295 kg (650 lb.) ★ 234 kg (516 lb.)	★ 4 ★ 5
SCAMPER 14	4.3 m (14'-4")	1.5 m (58")	1.1 m (45")	0.5 m (21")	0.4 m (13")	0.4 m (15")	68 kg (150 lb.)	1.3 mm (.051")	1.3 mm (.051")	Portable	12 kW (15 HP)	★ 341 kg (753 lb.) ★ 340 kg (750 lb.)	★ 225 kg (496 lb.) ★ 234 kg (516 lb.)	★ 3 ★ 4
SEASPRITE 12	3.7 m (12'-4")	1.5 m (58")	1.1 m (45")	0.5 m (21")	0.4 m (13")	0.4 m (15")	59 kg (130 lb.)	1.3 mm (.051")	1.3 mm (.051")	Portable	7.5 kW (10 HP)	★ 280 kg (617 lb.) ★ 274 kg (603 lb.)	★ 150 kg (330 lb.) ★ 190 kg (418 lb.)	★ 2 ★ 3

FEATURES AND OPTIONS

		Starfish 16 L	Starfish 16	Springbok 16 L	Springbok 16	Yukon 14 L	Yukon 14	Fisherman 14	Ungava 12	Lynx 16	Scamper 14	Seasprite 12
STANDARD FEATURES	HULL & DECK	5052-H36 marine grade aluminum alloy	•	•	•	•	•	•	•	•	•	•
		NMMA & Transport Canada certified	•	•	•	•	•	•	•	•	•	•
		High gloss exterior High Solids urethane paint and decal package	•	•	•	•	•	•	•			
		Decal package								•	•	•
		Non-skid anti-glare interior paint finish	•	•	•	•	•	•	•	•	•	•
		Hull (R = reverse chine, S = semi-V hull with square chine, V = semi-V hull)	R	R	S	S	S	S	S	S	V	V
		Aluminum clad transom	•	•	•	•	•	•	•	•	•	•
		Full-width self-draining splashwell	•	•	•	•	•	•				
		Twin plating from bow to mid-ship								•		
		Twin plating at the chine	•	•	•	•	•	•	•	•		
		Heavy-duty tubular seat to gunnel braces	•	•	•	•	•	•	•	•	•	•
		Bow eye and stern handles	•	•	•	•	•	•	•	•	•	•
	SEATS	Parallel seats at stern	•	•	•	•	•	•	•			
		Bulkhead center seat	•	•	•	•	•	•	•	•	•	•
Bow bench seat		•	•	•	•	•	•		•	•	•	
Durable ribbed polyethylene seat covering		•	•	•	•	•	•	•				
OPTIONS	Deployable ladder (in pouch)	0	0	0	0	0	0	0	0	0	0	
	Seat Package: folding seat, detachable swivel plate with auto-lock handle and extrusion	0	0	0	0	0	0	0				
	Sun top	0	0	0	0	0	0	0				
	Galvanized utility trailer with 12" tires	0	0	0	0	0	0	0	0	0	0	
COLORS	Blue	•	•	•	•	•	•	•				
	Aluminum								•	•	•	


* For complete standard features and options, visit our Website at princecraft.com



Optional sun top (except Lynx 16, Scamper 14, and Seasprite 12)



Exclusive **polyethylene seats** come standard and stay dryer than wood seats (except Lynx 16, Scamper 14, and Seasprite 12)



The stern **parallel seats** make moving around much easier (except Lynx 16, Scamper 14, and Seasprite 12)



Aluminum-clad, hassle-free transom

PLATINUM SE

PLATINUM SE 227

23



PLATINUM SE 207

23



PLATINUM SE 186

25



PLATINUM SE 176

25



KAPTURE

KAPTURE 187

29



JANUARY 2019

SPORT

SPORT 187

33



SPORT 172

35



SPORT 177

33



SPORT 164

35



XPEDITION

XPEDITION 200 WS

39



XPEDITION 180 WS

39




XPEDITION 200 DC

39



XPEDITION 180 DC

39



XPEDITION 200 SC

39



XPEDITION 180 SC

39



Legend

○ Model page number

■ Livewell

■ Storage compartment

■ Open space storage compartment

■ Rod storage compartment

■ Fuel tank

■ Ice box

2019 TECHNICAL DRAWINGS

DLX SERIES


HUDSON 190 DLX WS

43




HUDSON 170 DLX WS

43



NANOOK 168 DLX WS

45



NANOOK 168 DLX SC

45



HOLIDAY 162 DLX WS

47



HOLIDAY 162 DLX SC

47



DL SERIES


HUDSON 190 DL WS

49



HUDSON 170 DL WS

49



AMAROK 166 DL WS

51



AMAROK 166 DL SC

51



RESORTER 160 DL SC


53



BT SERIES


HUDSON 190 BT

55




MASKA 180 BT

55



AMAROK 166 BT

56



RESORTER 160 BT

57



YUKON 140 BT


57



UTILITIES AND CARTOPS


STARFISH 16 L

58




STARFISH 16

58




SPRINGBOK 16 L

58



SPRINGBOK 16

58




YUKON 14 L

59



YUKON 14

59




FISHERMAN 14

59



UNGAVA 12

59



LYNX 16

60



SCAMPER 14

60



SEASPRITE 12

60



CANVAS AND COVERS: A PERFECT FIT



Princecraft® canvas and covers are specially designed to fit your boat.

What's more, almost all our boats come with snap buttons installed in our factory using extremely precise templates for a perfect, effortless fit. At Princecraft® we provide quality products from bow to stern!

- 1 Trailer cover
- 2 Complete stand-up high top with tonneau cover and curtains (windshield model shown)
- 3 Sun top for utilities


PRINCETRAK SYSTEM

Extrusion allowing onboard tool attachment



- 1 Quick storage for three fishing rods
- 2 Fishing rod support
- 3 Cup holder
- 4 Multipurpose plate (Slide your PrinceTrak into position and attach whatever you want to it: sonar, tools, and lot more).

FISHING PACKAGE



Fishing package including addition of Tournament Fishing Team (TFT) graphics, flat seat bases on fishing platforms, seat exchange, fish ruler, quick rod storage, and net(s) addition under console(s) and on bow platform (optional on most models of the DLX, DL, and BT Series)

OPTIONAL EQUIPMENT



1 Stainless steel telescopic ladder 2 Engine pod platform 3 Folding seat 4 Deluxe convertible seat 5 Deluxe convertible seat (Platinum SE Series) 6 Heated reclining captain's chair with adjustable armrests 7 Bicycle seat package including bicycle seat and adjustable post 8 Sonar Lowrance® Hook-3x 9 Sonar/GPS Lowrance® Hook-7 10 Sonar/GPS Lowrance® Elite-7 11 Sonar/GPS Lowrance® HDS-7 12 Sonar Humminbird® Piranha MAX 4 13 Sonar/GPS Humminbird® Helix 5 14 Sonar/GPS Humminbird® Helix 7 15 Raymarine® A78 multifunction touchscreen with DownVision/GPS 16 Raymarine® A98 multifunction touchscreen with DownVision/GPS 17 Control for kicker engine 18 Kicker® engine 19 Windshield wiper 20 Mercury® SmartCraft™ gauges 21 160-watt AM/FM/Bluetooth Jensen® Stereo with integrated auxiliary input (1/8") in console 22 200-watt AM/FM/CD/Bluetooth Clarion® Stereo compatible SAT with integrated USB plug and auxiliary input (1/8") in console 23 Ski pylon 24 Downrigger supports (2) 25 Sleeper seat 26 Battery charger (many models available) 27 Wash down system 28 Head with holding tank and pump out 29 Marine grade carpeted floor covering 30 Bow rider seat cushions 31 ACS (Advanced Circulation System) is a ventilation system in storage compartments (bow platform) (Xpedition Series only) 32 Panther XPS® power steering system with tilt wheel and slider for driver seat 33 SeaStar® hydraulic steering system with tilt wheel and slider for driver seat 34 RSP Combo: removable aft flip seats that can convert into a large casting platform including 2 cup holders 35 Multifunction Simrad® Go7 screen replacing the standard SmartCraft™ gauges (Platinum SE Series only) 36 Active trim: automatic trim system

* For complete standard features and options, visit our Website at princecraft.com

STANDARD FEATURES*

- Standard

* For complete standard features and options, visit our Website at princecraft.com

HULL & DECK

	Platinum SE 227	Platinum SE 207	Platinum SE 186	Platinum SE 176	Kapture 187	Sport 187	Sport 177	Sport 172	Sport 164	Xpedition 200	Xpedition 180	Hudson 190 DLX WS	Hudson 170 DLX WS	Nanook 168 DLX WS	Nanook 168 DLX SC	Holiday 162 DLX WS	Holiday 162 DLX SC	Hudson 190 DL WS	Hudson 170 DL WS	Amarok 166 DL WS	Amarok 166 DL SC	Resort 160 DL SC	Hudson 190 BT	Maska 180 BT	Amarok 166 BT	Resort 160 BT	Yakon 140 BT	
5052-H36 marine grade aluminum alloy	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
NMMA & Transport Canada certified	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
High gloss exterior High Solids urethane paint including decal package (D = with domed Princecraft® logo)	D	D	D	D	D	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
Reverse chine hull design (D = double reverse chine)	D	D	D	D	D	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
Semi-V hull with square chine																											•	
Aluminum clad transom												•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
Self-draining splashwell (FW = full-width, D = deep)	D	D	D	D	D	D	D	D	D	D	D	D	D	D	D	D	D	D	D	D	D	D	FW	D	D	D	FW	FW
Twin plating from bow to mid-ship	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
Twin plating at the chine	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
Rigging tube under flooring (console to bow)	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
Rigging tube under flooring (stern to console)	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
Heavy-duty tubular seat to gunnel braces																											•	
Stainless steel bow and stern eyes	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
Center side storage compartment(s)																											•	
4 cleats (N = nylon, C = chromed)						C	C	C	C			N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	
4 stainless steel cleats (R = recessed, F = folding)	R	R	R	R	F					F	F																	

BOW RAISED CASTING PLATFORM/BOW AREA

Anchor storage compartment	•	•	•	•	•	•																					
Storage under casting platform									•			•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Compression latches on all storage						•				•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Extensible cargo net(s)	•	•	•	•	•	•				•	•																
Deep cycle battery storage compartment	•	•	•						•			•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Lockable tight storage										•	•																
Ice chest	•	•	•	•	•	•	•	•	•																		
Electric-filled aerated livewell	•	•	•	•	•	•	•	•	•	•	•																•
Seat mount floor base	•	•	•							•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Recessed pan for trolling motor pedal										•	•																
Removable bow casting deck insert with floor base					•																						
Grids allowing air circulation in the compartments										•	•	•	•											•	•		
Storage compartment (L = large compartment)	•	•	•	•	•					•	•	L	L	•	•	•	•	L	L	L	L	L	L	L	L	L	L
Large lockable rod organizer with tubes for rods (rod #)										10	10	10	10	6	6								10	9			

AFT RAISED CASTING PLATFORM/STERN AREA

Battery storage compartment	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
2 fold-down jump seats	•	•	•	•	•	•	•	•	•																		
6 stern rod holders						•																					
Removable rear flip-up full-width bench seat									•																		
Electric-filled aerated livewell	•	•	•	•						•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Seat mount floor base	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Extensible cargo net					•																						
Tool support						•																					
Downriggers ball storage						•																					
Splashwell extension										•	•	•	•														
Storage compartment	•	•	•	•						•	•	•	•														

FISHING

Rod holders on each side (P = passenger side only)						P				P	P							P	P	P	P			•	•			
Rod straps										•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Rod storage, without support (L = lockable)	9'	8'	7'	7'	8'	7'	7'	7'	7'			9'	9'	7'	7'	7'	7'	L						2-7'	9'		2-7'	
Rod storage with tubes and support for 4 rods (left side)										9'	8'																	
In-floor lockable rod organizer for rods (rod #, L = large rod organizer)	12,L	12,L	6	6	6	4	4	4																			5	
Lockable storage compartment in side panels	•	•	•	•																								
12V, 24V or 36V deluxe bow trolling motor panel with Marincop plug and receptacle, voltmeter, tilt switch, light and wiring harness (12-24 = 12 V or 24V only)	•	•	•		12-24																							
Bow trolling motor plug and receptacle with wiring harness (volts #)						12-24	12-24	12-24	12	12-24-36	12-24-36	12-24	12-24	12-24	12-24	12	12								12-24	12-24	12-24	
Trolling motor plug with protection (AMP #)	60	60	60	60		60	60	60	50	60	60	60	60	60	60	50	50							60	60			
Bow mounting trolling motor pad	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
Fishing Package: Tournament Fishing Team (TFT) graphics, fish ruler, flat seat base(s) on fishing platform(s), quick rod storage, and nets addition under console(s) and on bow platform										•	•																	
Marine grade vinyl front deck																											•	
Aluminum bow deck for trolling motor											•	•																
Electric-filled aerated livewell (P+ = ProFlo™ Plus, P = ProFlo™, S = SportFlo™)	P+	P+	P+	P+	P+	P	P	S	S	P+	P+	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	
Bow livewell (A = 26", 39 L/10 U.S. gal., B = 30", 64 L/17 U.S. gal., C = 34", 61 L/16 U.S. gal., D = 44", 77 L/20 U.S. gal.)	D	D	B	B	B	B	B	B	A	B	B					C	C	D	D	C	C	C				C	C	
Recirculation (I = intermittent)	I	I	I	I	I	I	I	I		I	I																	
Overflow	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
Remote control thru-hull drain	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
Removable minnow bucket	•	•																										
Light	•	•	•																									
Anti-spill cover	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
Insulated lid	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
Protection filter on the filling pump	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	



PRINCECRAFT®



For more information on our boats, to check out our videos, or to find your nearest dealer, visit our Website at

princecraft.com

or call us at

1 800 395-8858

In Canada: Princecraft® Boats Inc., A Brunswick Company,
725 Saint-Henri Street, Princeville (Quebec) G6L 5C2

In the United States: Princecraft® U.S., A Brunswick Company,
1st Tennessee Plaza Bldg., Suite 1200, 800 S. Gay Street, Knoxville, TN 37929

Princecraft® factory-packaged boats are available with various horsepower Mercury® outboards. www.mercurymarine.com

PLEASE READ CAREFULLY: Dimensions, capacities, ratings, and additional specifications, plus complete warranty and service information, are available from your Princecraft® dealer. Product illustrations and data within this catalog are based upon information available at the time of publication. Not all accessories shown in pictures or described herein are standard equipment or even available as options. Specification measurements are approximations and subject to variance. Because Princecraft® is dedicated to constant product improvements, Princecraft® reserves the right to make changes without prior notice or obligation. Not all model year boats may contain all of the features or meet the specifications described herein. Ask your Princecraft® dealer for the most current product specifications prior to purchase. Some of the equipment shown separately or on products illustrated in this catalog may be optional at extra cost. Options and features are subject to change without notice. Princecraft® is a member in good standing of the National Marine Manufacturers Association (NMMA) USA and Canada. All boats comply with Canadian Coast Guard and U.S. Coast Guard regulations. All Princecraft® boats are in compliance with NMMA's Boat Certification Program. Attwood™ is a registered trademark of Attwood Corporation. Clarion® is a registered trademark of Clarion Sales Corporation. Faria™ is a registered trademark of TG Faria, Inc. Pilot™ is a registered trademark of TG Faria, Inc. Flow-Rite™ is a registered trademark of Flow-Rite Controls. Lowrance® is a registered trademark of Lowrance Electronics, Inc. Marincó™ is a registered trademark of Marincó-AFI. McGill™ is a registered trademark of Emerson Electronics. Mercury®, Verado™, OptiMax® and SmartCraft™ are registered trademarks of Mercury Marine®.

Special thanks to: Mercury Marine®, Rapala®, Coleman®, Cannon Downriggers, Stearns®.

